

# Ali H Hajeer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8487193/publications.pdf>

Version: 2024-02-01

218  
papers

8,333  
citations

44069

48  
h-index

49909

87  
g-index

235  
all docs

235  
docs citations

235  
times ranked

10052  
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlation between ABO Blood Group Phenotype and the Risk of COVID-19 Infection and Severity of Disease in a Saudi Arabian Cohort. <i>Journal of Epidemiology and Global Health</i> , 2022, 12, 85-91.	2.9	10
2	Identification of Offspring Donors in Regions of High Consanguinity: New Prospects for Donor Procurement. <i>Transplantation Proceedings</i> , 2022, 54, 593-593.	0.6	0
3	Identification of the novel <i>HLA-DQB1*03:483</i> allele by sequencing-based typing. <i>Hla</i> , 2022, 100, 400-401.	0.6	3
4	Identification of the novel <i>HLA-A*74:03:03</i> allele by sequencing-based typing. <i>Hla</i> , 2022, 100, 361-362.	0.6	3
5	Identification of a novel <i>HLA-A*31</i> variant, <i>HLA-A*31:01:02:31</i> , in a Saudi individual. <i>Hla</i> , 2021, 97, 358-359.	0.6	3
6	Identification of a novel <i>HLA-B*18</i> variant, <i>HLA-B*18:01:01:52</i> , in a Saudi individual. <i>Hla</i> , 2021, 97, 359-360.	0.6	4
7	Serologic aspects of COVID-19: Recommendations for use in the clinical setting. <i>Travel Medicine and Infectious Disease</i> , 2021, 41, 102046.	3.0	1
8	Chances of Finding Matched Unrelated Donors for Saudi Patients in Need of Hematopoietic Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 423.e1-423.e7.	1.2	3
9	Characterization of the novel <i>HLA-B*57:02:01:03</i> allele by sequencing-based typing. <i>Hla</i> , 2021, , .	0.6	3
10	Characterization of the novel <i>HLA-A*31:199</i> allele by sequencing-based typing. <i>Hla</i> , 2021, 98, 540-541.	0.6	3
11	Characterization of the novel <i>HLA-A*68:277</i> allele by sequencing-based typing. <i>Hla</i> , 2021, 98, 544-545.	0.6	3
12	Inflammatory Response and Phenotyping in Severe Acute Respiratory Infection From the Middle East Respiratory Syndrome Coronavirus and Other Etiologies. <i>Critical Care Medicine</i> , 2021, 49, 228-239.	0.9	3
13	Kinetics of antibody response in critically ill patients with Middle East respiratory syndrome and association with mortality and viral clearance. <i>Scientific Reports</i> , 2021, 11, 22548.	3.3	2
14	The novel <i>HLA-DQB1*06:358</i> allele, identified by Next-Generation Sequencing in a Saudi individual. <i>Hla</i> , 2020, 95, 157-158.	0.6	2
15	Novel <i>HLA-B*81:02:02</i> allele identified in a Saudi individual. <i>Hla</i> , 2020, 96, 644-645.	0.6	3
16	The novel <i>HLA-DQB1*06:03:01:06</i> allele identified in a Saudi individual. <i>Hla</i> , 2020, 96, 661-662.	0.6	3
17	Evolving sequence mutations in the Middle East Respiratory Syndrome Coronavirus (MERS-CoV). <i>Journal of Infection and Public Health</i> , 2020, 13, 1544-1550.	4.1	11
18	Novel <i>HLA-DPB1*14:01:11</i> allele, identified by next-generation sequencing in a Saudi individual. <i>Hla</i> , 2020, 96, 245-246.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Novel <sc><i>HLA*06:284</i></sc> allele, identified by <sc>next-generation</sc> sequencing in a Saudi individual. Hla, 2020, 96, 224-225.	0.6	6
20	Novel <sc><i>HLA*50:66</i></sc> allele, identified by next-generation sequencing in a Saudi individual. Hla, 2020, 96, 222-223.	0.6	6
21	HLA-A, -B, -C, -DRB1, -DQB1, and -DPB1 Allele and Haplotype Frequencies of 28,927 Saudi Stem Cell Donors Typed by Next-Generation Sequencing. Frontiers in Immunology, 2020, 11, 544768.	4.8	17
22	The novel HLA*DRB3*03:39 allele, identified by next-generation sequencing in a Saudi individual. Hla, 2020, 96, 114-115.	0.6	2
23	The novel HLA*DRB1*13:290 allele, identified by next-generation sequencing in a Saudi individual. Hla, 2020, 96, 229-230.	0.6	6
24	The novel <sc><i>HLA*07:387</i></sc> allele, identified by next-generation sequencing in a Saudi individual. Hla, 2020, 96, 213-214.	0.6	6
25	The novel <sc><i>HLA*A*68:227</i></sc> allele, identified by <sc>Next-Generation Sequencing</sc> in a <sc>Saudi</sc> individual. Hla, 2020, 96, 337-339.	0.6	6
26	Common, intermediate and well-documented HLA alleles in world populations: CIWD version 3.0.0. Hla, 2020, 95, 516-531.	0.6	93
27	Novel <sc><i>HLA*DPB1*10:01:05</i></sc> allele, identified by next-generation sequencing in a Saudi individual. Hla, 2020, 96, 379-381.	0.6	6
28	Spectrum of histopathological findings in coronavirus disease-19, Middle East respiratory syndrome and severe acute respiratory syndrome. Annals of Thoracic Medicine, 2020, 15, 52.	1.8	6
29	A novel HLA*E allele, <i>HLA*44:03:01:19</i>, identified by next-generation sequencing in a Saudi individual. Hla, 2019, 94, 381-382.	0.6	2
30	A novel HLA*E allele, <i>HLA*08:242</i>, identified by next-generation sequencing in a Saudi individual. Hla, 2019, 94, 375-376.	0.6	2
31	HLA*A, B, C, DRB1 and DQB1 allele and haplotype frequencies in volunteer bone marrow donors from Eastern Region of Saudi Arabia. Hla, 2019, 94, 49-56.	0.6	10
32	Identification of the novel HLA*DRB5*02:21 allele in a Saudi individual. Hla, 2019, 93, 507-508.	0.6	5
33	Identification of the novel HLA*B*18:01:01:17 allele in a Saudi individual. Hla, 2019, 93, 110-110.	0.6	2
34	Identification of the novel HLA*B*35:01:01:16 allele in a Saudi individual. Hla, 2019, 93, 111-111.	0.6	2
35	HLA genotype and response to nivolumab therapy in relapsed refractory primary mediastinal B-cell lymphoma. Current Research in Translational Medicine, 2019, 67, 31-33.	1.8	2
36	Identification of the novel HLA*A*30:02:01:04 allele in a Saudi individual. Hla, 2019, 93, 103-104.	0.6	3

#	ARTICLE	IF	CITATIONS
37	Identification of the novel HLA*04:01:01:31 allele in a Saudi individual. Hla, 2019, 93, 127-128.	0.6	2
38	Identification of the novel HLA-B*51:230 allele in a Saudi individual. Hla, 2018, 92, 49-50.	0.6	3
39	ABO and Rh blood group genotypes in a cohort of Saudi stem cell donors. International Journal of Immunogenetics, 2018, 45, 63-64.	1.8	5
40	Histopathology of Middle East respiratory syndrome coronavirus (<sc>MERS</sc>â€CoV) infection â€ clinicopathological and ultrastructural study. Histopathology, 2018, 72, 516-524.	2.9	250
41	HLA class II polymorphism in Saudi patients with multiple sclerosis. Hla, 2018, 91, 17-22.	0.6	11
42	629: KINETICS OF ANTIBODY RESPONSE IN CRITICALLY ILL PATIENTS WITH MIDDLE EAST RESPIRATORY SYNDROME. Critical Care Medicine, 2018, 46, 301-301.	0.9	1
43	Differential Gene Expression in Peripheral White Blood Cells with Permissive Underfeeding and Standard Feeding in Critically Ill Patients: A Descriptive Sub-study of the PermiT Randomized Controlled Trial. Scientific Reports, 2018, 8, 17984.	3.3	2
44	Identification of the novel <i>HLA*32:01:01:08</i> allele in a Saudi individual. Hla, 2018, 92, 240-241.	0.6	3
45	Identification of the novel <i>HLA*23:91N</i> allele in a Saudi individual. Hla, 2018, 92, 408-409.	0.6	3
46	The National Guard Health Affairs guidelines for the medical management of renal transplant patients. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2018, 29, 1452.	0.3	6
47	Analysis of CCR5 gene polymorphisms in 321 healthy Saudis using Next Generation Sequencing. Human Immunology, 2017, 78, 384-386.	2.4	2
48	Middle East Respiratory Syndrome. New England Journal of Medicine, 2017, 376, 584-594.	27.0	351
49	P134 Hot recombinant point between human leukocyte antigen A and C in the Saudi stem cell registry. Human Immunology, 2017, 78, 152.	2.4	0
50	Identification of the <i>HLA*06:123</i> allele in an unrelated stem cell donor from the Saudi Registry. Hla, 2017, 90, 262-263.	0.6	3
51	The prevalence of <sc>CCR5*32</sc> mutation in a cohort of Saudi stem cell donors. Hla, 2017, 90, 292-294.	0.6	3
52	Prevalence of antibodies against the Middle East Respiratory Syndrome coronavirus, influenza A and B viruses among blood donors, Saudi Arabia. Annals of Thoracic Medicine, 2017, 12, 217.	1.8	4
53	Association of human leukocyte antigen-DRB1 with anti-cyclic citrullinated peptide autoantibodies in Saudi patients with rheumatoid arthritis. Annals of Saudi Medicine, 2017, 37, 38-41.	1.1	8
54	Lymphocyte recovery is an independent predictor of relapse in allogeneic hematopoietic cell transplantation recipients for acute leukemia. World Journal of Transplantation, 2017, 7, 235.	1.6	2

#	ARTICLE	IF	CITATIONS
55	RE: Association of human leukocyte antigen-DRB1 with anti-cyclic citrullinated peptide autoantibodies in Saudi patients with rheumatoid arthritis. <i>Annals of Saudi Medicine</i> , 2017, 37, 338-338.	1.1	0
56	RE: Association of human leukocyte antigen-DRB1 with anti-cyclic citrullinated peptide autoantibodies in Saudi patients with rheumatoid arthritis. <i>Annals of Saudi Medicine</i> , 2017, 37, 338-338.	1.1	0
57	Feasibility of Using Convalescent Plasma Immunotherapy for MERS-CoV Infection, Saudi Arabia. <i>Emerging Infectious Diseases</i> , 2016, 22, 1554-1561.	4.3	193
58	MERS-CoV diagnosis: An update. <i>Journal of Infection and Public Health</i> , 2016, 9, 216-219.	4.1	53
59	Description of a novel HLA-DQB1 allele, <i>&lt;i&gt;HLA-DQB1*06:126&lt;/i&gt;</i> , in the Saudi stem cell donor registry. <i>Hla</i> , 2016, 87, 58-59.	0.6	3
60	Antibody-mediated rejection and aHUS in renal graft recipient. <i>Cogent Medicine</i> , 2016, 3, 1215014.	0.7	0
61	Organ trade using social networks. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2016, 27, 971.	0.3	2
62	Association of human leukocyte antigen class II alleles with severe Middle East respiratory syndrome-coronavirus infection. <i>Annals of Thoracic Medicine</i> , 2016, 11, 211.	1.8	69
63	C1q-binding anti-HLA antibody assay: A test dilemma. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2016, 27, 457.	0.3	0
64	Feasibility, safety, clinical, and laboratory effects of convalescent plasma therapy for patients with Middle East respiratory syndrome coronavirus infection: a study protocol. <i>SpringerPlus</i> , 2015, 4, 709.	1.2	163
65	A novel HLA-DQ allele, <i>&lt;i&gt;HLA-DQB1*05:48&lt;/i&gt;</i> , found in the Saudi Stem Cells Donor Registry. <i>Tissue Antigens</i> , 2015, 86, 218-219.	1.0	7
66	Three new HLA alleles (HLA*14:02:13, HLA*15:72 and Tj ETQq0 0 0 rgBT /Overlock 1 Immunogenetics, 2015, 42, 359-360.	1.8	6
67	Severe neurologic syndrome associated with Middle East respiratory syndrome corona virus (MERS-CoV). <i>Infection</i> , 2015, 43, 495-501.	4.7	336
68	Re-emerging Middle East respiratory syndrome coronavirus: The hibernating bat hypothesis. <i>Annals of Thoracic Medicine</i> , 2015, 10, 218.	1.8	3
69	Stem Cell Research and Regenerative Medicine at King Abdullah International Medical Research Center. <i>Stem Cells and Development</i> , 2014, 23, 12-16.	2.1	7
70	Two novel alleles HLA*02:433 and HLA*02:434 identified in Saudi bone marrow donors using sequence-based typing. <i>International Journal of Immunogenetics</i> , 2014, 41, 338-339.	1.8	6
71	Two novel alleles HLA-DRB1*11:150 and HLA-DRB1*14:145 identified in Saudi individuals. <i>International Journal of Immunogenetics</i> , 2014, 41, 340-341.	1.8	7
72	Screening Panel-Reactive Antibody Negative, Single-Antigen Positive: A Case Report. <i>Progress in Transplantation</i> , 2014, 24, 341-343.	0.7	0

#	ARTICLE	IF	CITATIONS
73	HLA-B*50 polymorphism in the Saudi population. International Journal of Immunogenetics, 2014, 41, 95-97.	1.8	3
74	P072. Human Immunology, 2014, 75, 100.	2.4	0
75	A Need to Adopt New Strategies for Organ Donation in Saudi Arabia. Progress in Transplantation, 2014, 24, 284-287.	0.7	1
76	Improving cord blood unit quantity and quality at King Abdullah International Medical Research Center Cord Blood Bank. Transfusion, 2014, 54, 3127-3130.	1.6	2
77	Parainfluenza Virus Type-3 Outbreak in Level II Neonatal Care Unit: Role of Nursing Infants inside Closed Incubators in the Control of the Viral Outbreak. American Journal of Infectious Diseases and Microbiology, 2014, 2, 117-121.	0.2	0
78	Novel point mutations and mutational complexes in the enhancer II, core promoter and precore regions of hepatitis B virus genotype D1 associated with hepatocellular carcinoma in Saudi Arabia. International Journal of Cancer, 2013, 133, 2864-2871.	5.1	31
79	139-P. Human Immunology, 2013, 74, 146.	2.4	3
80	82-P. Human Immunology, 2013, 74, 108.	2.4	3
81	HLA associations with mg in Saudi patients. Journal of the Neurological Sciences, 2013, 333, e458-e459.	0.6	0
82	16th IHIW: Global distribution of extended HLA haplotypes. International Journal of Immunogenetics, 2013, 40, 31-38.	1.8	18
83	Comparison of the tuberculin skin test and Quanti-FERON-TB Gold In-Tube (QFT-G) test for the diagnosis of latent tuberculosis infection in dialysis patients. Journal of Infection and Public Health, 2013, 6, 166-172.	4.1	16
84	HLA-A, -B, -C, -DRB1 and -DQB1 allele and haplotype frequencies in Saudis using next generation sequencing technique. Tissue Antigens, 2013, 82, 252-258.	1.0	35
85	Association of HLA-DRB1*15 and HLA-DQB1*06 with SLE in Saudis. Annals of Saudi Medicine, 2013, 33, 229-234.	1.1	23
86	Authors Reply. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2013, 24, 1002.	0.3	0
87	Chances of finding a matched parent-child in hematopoietic stem cell transplantation in Saudi Arabia. American Journal of Blood Research, 2012, 2, 201-2.	0.6	7
88	HLA-C polymorphisms in two cohorts of donors for bone marrow transplantation. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2012, 23, 467-70.	0.3	1
89	Validity of two rapid point of care influenza tests and direct fluorescence assay in comparison of real time PCR for swine of origin influenza virus. Journal of Infection and Public Health, 2011, 4, 7-11.	4.1	22
90	Response to Letter by: Wiwanitkit. Journal of Infection and Public Health, 2011, 4, 218.	4.1	0

#	ARTICLE	IF	CITATIONS
91	Etomidate And Mortality In Cirrhotic Patients With Septic Shock. , 2011, , .		0
92	Etomidate and mortality in cirrhotic patients with septic shock. BMC Clinical Pharmacology, 2011, 11, 22.	2.5	19
93	Comparison Of Different Case Definitions For Adrenal Insufficiency In Cirrhotic Patients With Septic Shock. , 2010, , .		0
94	Association between antibiotic use and risk of prostate cancer. International Journal of Cancer, 2010, 127, 952-960.	5.1	17
95	PRF1 gene mutation in a Saudi patient with haemophagocytic lymphohistiocytosis. British Journal of Biomedical Science, 2010, 67, 88-89.	1.3	0
96	Low-dose hydrocortisone in patients with cirrhosis and septic shock: a randomized controlled trial. Cmaj, 2010, 182, 1971-1977.	2.0	175
97	Integration of Evidence Based Medicine into a Medical Curriculum. Medical Education Online, 2009, 14, 15.	2.6	9
98	HLA class I and class II polymorphisms in Saudi patients with myasthenia gravis. International Journal of Immunogenetics, 2009, 36, 169-172.	1.8	27
99	Chances of Finding an HLA-Matched Sibling: The Saudi Experience. Biology of Blood and Marrow Transplantation, 2009, 15, 1342-1344.	2.0	43
100	223-P: HLA-Cw polymorphisms in a Saudi population. Human Immunology, 2009, 70, S124.	2.4	0
101	Hormone therapy for endometriosis and surgical menopause. The Cochrane Library, 2009, , CD005997.	2.8	45
102	Homozygous R396H mutation of the RAG1 gene in a Saudi infant with Omenn's syndrome: a case report. Cases Journal, 2009, 2, 8391.	0.4	1
103	Pronase-free B-cell flow-cytometry crossmatch. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2009, 20, 662-5.	0.3	5
104	Risk of breast cancer in relation to antibiotic use. Pharmacoepidemiology and Drug Safety, 2008, 17, 144-150.	1.9	34
105	Monoclonal antibody epitopes of mycobacterial 65-kD heat-shock protein defined by epitope scanning. Clinical and Experimental Immunology, 2008, 89, 115-119.	2.6	9
106	Antibody to mycobacterial 65-kD heat shock protein in commercial antisera. Clinical and Experimental Immunology, 2008, 94, 544-547.	2.6	4
107	31-P: Renal transplant waiting list â€“ PRA and viral hepatitis serology. Human Immunology, 2008, 69, S23.	2.4	0
108	51-P: Combined kidney and liver transplant in a highly sensitized patient. Human Immunology, 2008, 69, S33.	2.4	0

#	ARTICLE	IF	CITATIONS
109	Detection of HCV antibody-negative donations: Saudi experience with nucleic acid testing. <i>British Journal of Biomedical Science</i> , 2008, 65, 103-104.	1.3	2
110	Hepatitis B virus: a study of genotypes in an infected Saudi cohort. <i>British Journal of Biomedical Science</i> , 2007, 64, 93-94.	1.3	6
111	Epidemiologic shift in the prevalence of Hepatitis A virus in Saudi Arabia: A case for routine Hepatitis A vaccination. <i>Vaccine</i> , 2006, 24, 5599-5603.	3.8	32
112	Panel Reactive Antibody test (PRA) in renal transplantation. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2006, 17, 1-4.	0.3	1
113	Alkhumra haemorrhagic fever: case report and infection control details. <i>British Journal of Biomedical Science</i> , 2005, 62, 37-39.	1.3	19
114	Polymorphisms in the endothelial nitric oxide synthase gene are associated with Behçet's disease. <i>Rheumatology</i> , 2005, 44, 614-617.	1.9	47
115	OP11. ASSOCIATION OF FCGR2A AND FCÎ³R HAPLOTYPES WITH SPANISH POLYMYALGIA RHEUMATICA AND GIANT CELL ARTERITIS. <i>Rheumatology</i> , 2005, 44, iii4-iii5.	1.9	0
116	Neutrophils and Lymphoid Chimerism After Adult Living-Related Liver Transplantation From a Homozygous Donor. <i>Transplantation Proceedings</i> , 2005, 37, 4386-4388.	0.6	2
117	Saudi National Guard Donor Screening for Human T Cell Lymphotropic Virus I/II: Time to Use Molecular Biology Techniques. <i>Military Medicine</i> , 2004, 169, 251-253.	0.8	3
118	Improved efficiency of a hepatitis C virus antibody testing algorithm in blood donors from Saudi Arabia. <i>British Journal of Biomedical Science</i> , 2004, 61, 155-156.	1.3	2
119	Association of matrix metalloproteinase 3 promoter genotype with disease outcome in rheumatoid arthritis. <i>Genes and Immunity</i> , 2004, 5, 147-149.	4.1	43
120	Polymorphisms in the IL-10 and IL-12 gene cluster and risk of developing recurrent aphthous stomatitis. <i>Oral Diseases</i> , 2003, 9, 287-291.	3.0	32
121	HLA-DRB1 status affects endothelial function in treated patients with rheumatoid arthritis. <i>American Journal of Medicine</i> , 2003, 114, 647-652.	1.5	160
122	Expansion of Saudi Blood Donor Pool by Better Screening and Vaccination Practices. <i>Vaccine Journal</i> , 2003, 10, 1159-1160.	3.1	5
123	Association of specific interleukin 1 gene cluster polymorphisms with increased susceptibility for Behcet's disease. <i>British Journal of Rheumatology</i> , 2003, 42, 860-864.	2.3	87
124	Association of transforming growth factor beta-1 single nucleotide polymorphisms with radiation-induced damage to normal tissues in breast cancer patients. <i>International Journal of Radiation Biology</i> , 2003, 79, 137-143.	1.8	112
125	HIV-1 p24 antigen testing in blood banks: results from Saudi Arabia. <i>British Journal of Biomedical Science</i> , 2003, 60, 102-104.	1.3	4
126	Congenital hypothyroidism in Saudi children. <i>British Journal of Biomedical Science</i> , 2003, 60, 37-38.	1.3	1



#	ARTICLE	IF	CITATIONS
127	Pattern of Viral Hepatitis Infection in a Selected Population from Saudi Arabia. <i>Military Medicine</i> , 2003, 168, 565-568.	0.8	15
128	A database for the management of histocompatibility and immunogenetics results of renal transplantation patients. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2003, 14, 197-201.	0.3	0
129	Polymorphism in the immunoglobulin VH gene V1-69 affects susceptibility to rheumatoid arthritis in subjects lacking the HLA-DRB1 shared epitope. <i>British Journal of Rheumatology</i> , 2002, 41, 401-410.	2.3	21
130	Genetic Susceptibility in Dupuytren's Disease: Lack of Association of a Novel Transforming Growth Factor $\beta 2$ Polymorphism in Dupuytren's Disease. <i>Journal of Hand Surgery</i> , 2002, 27, 47-49.	0.8	24
131	Immunophenotyping of Peripheral Blood Lymphocytes in Saudi Men. <i>Vaccine Journal</i> , 2002, 9, 279-281.	3.1	13
132	Influence of human leukocyte antigen-DRB1 on the susceptibility and severity of rheumatoid arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2002, 31, 355-360.	3.4	164
133	Further support for the association of CCR5 allelic variants with asthma susceptibility. <i>International Journal of Immunogenetics</i> , 2002, 29, 525-528.	1.2	14
134	Relationship among the HLA-DRB1 shared epitope, smoking, and rheumatoid factor production in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 47, 403-407.	6.7	69
135	Recurrent aphthous stomatitis and gene polymorphisms for the inflammatory markers TNF- $\alpha$ , TNF- $\beta$ and the vitamin D receptor: no association detected. <i>Oral Diseases</i> , 2002, 8, 303-307.	3.0	19
136	Polymorphism in the STAT6 gene encodes risk for nut allergy. <i>Genes and Immunity</i> , 2002, 3, 220-224.	4.1	73
137	IL-1B and IL-6 gene polymorphisms encode significant risk for the development of recurrent aphthous stomatitis (RAS). <i>Genes and Immunity</i> , 2002, 3, 302-305.	4.1	78
138	Patients chosen for treatment with cyclosporine because of severe rheumatoid arthritis are more likely to carry HLA-DRB1 shared epitope alleles, and have earlier disease onset. <i>Journal of Rheumatology</i> , 2002, 29, 271-5.	2.0	10
139	Henoch-Schönlein purpura and cutaneous leukocytoclastic angiitis exhibit different HLA-DRB1 associations. <i>Journal of Rheumatology</i> , 2002, 29, 945-7.	2.0	9
140	HLA-B35 association with nephritis in Henoch-Schönlein purpura. <i>Journal of Rheumatology</i> , 2002, 29, 948-9.	2.0	31
141	IL-6 promoter polymorphism at position -174 modulates the phenotypic expression of polymyalgia rheumatica in biopsy-proven giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2002, 20, 179-84.	0.8	42
142	Interleukin 1 receptor antagonist gene polymorphism is associated with severe renal involvement and renal sequelae in Henoch-Schönlein purpura. <i>Journal of Rheumatology</i> , 2002, 29, 1404-7.	2.0	49
143	Anti-8-oxo-2'-deoxyguanosine Phage Antibodies: Isolation, Characterization, and Relationship to Disease States. <i>Biochemical and Biophysical Research Communications</i> , 2001, 280, 595-604.	2.1	2
144	Influence of TNF- $\alpha$ gene polymorphisms on TNF- $\alpha$ production and disease. <i>Human Immunology</i> , 2001, 62, 1191-1199.	2.4	291

#	ARTICLE	IF	CITATIONS
145	Evidence for linkage of the HLA-B locus in Behçet's disease, obtained using the transmission disequilibrium test. <i>Arthritis and Rheumatism</i> , 2001, 44, 239-241.	6.7	86
146	Independent association of rheumatoid factor and the HLA-DRB1 shared epitope with radiographic outcome in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1529-1533.	6.7	62
147	Characterization of a prolactin gene polymorphism and its associations with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2001, 44, 2358-2366.	6.7	74
148	Linkage mapping of a novel susceptibility locus for Behçet's disease to chromosome 6p22-23. <i>Arthritis and Rheumatism</i> , 2001, 44, 2693-2696.	6.7	63
149	Novel IFN- $\gamma$ receptor promoter polymorphisms. <i>Genes and Immunity</i> , 2001, 2, 159-160.	4.1	20
150	Two novel polymorphisms in the human transforming growth factor beta 2 gene. <i>Genes and Immunity</i> , 2001, 2, 295-296.	4.1	8
151	Mannose binding lectin and Fc $\gamma$ RIIIa (CD32) polymorphism in Spanish systemic lupus erythematosus patients. <i>British Journal of Rheumatology</i> , 2001, 40, 1009-1012.	2.3	66
152	Seronegative rheumatoid arthritis in elderly and polymyalgia rheumatica have similar patterns of HLA association. <i>Journal of Rheumatology</i> , 2001, 28, 122-5.	2.0	39
153	HLA-DRB1 alleles encoding an aspartic acid at position 70 protect against development of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2001, 28, 232-9.	2.0	61
154	Polymorphism at codon 469 of the intercellular adhesion molecule-1 locus is associated with protection against severe gastrointestinal complications in Henoch-Schönlein purpura. <i>Journal of Rheumatology</i> , 2001, 28, 1014-8.	2.0	36
155	HLA-DRB1 associations in systemic lupus erythematosus patients from northwest Spain. <i>Clinical and Experimental Rheumatology</i> , 2001, 19, 352.	0.8	2
156	HLA-DRB1*01 association with Henoch-Schönlein purpura in patients from northwest Spain. <i>Journal of Rheumatology</i> , 2001, 28, 1266-70.	2.0	42
157	Influence of HLA-DRB1 and TNF microsatellite polymorphisms on the expression of extraarticular manifestations in rheumatoid arthritis patients from northwest Spain. <i>Clinical and Experimental Rheumatology</i> , 2001, 19, 703-8.	0.8	6
158	TNF- $\gamma$ gene polymorphism: Clinical and biological implications. <i>Microscopy Research and Technique</i> , 2000, 50, 216-228.	2.2	244
159	Association of giant cell arteritis and polymyalgia rheumatica with different tumor necrosis factor microsatellite polymorphisms. <i>Arthritis and Rheumatism</i> , 2000, 43, 1749-1755.	6.7	89
160	Preliminary evidence of an association of tumour necrosis factor microsatellites with increased risk of multiple basal cell carcinomas. <i>British Journal of Dermatology</i> , 2000, 142, 441-445.	1.5	43
161	Tumor necrosis factor receptor II (TNFRII) exon 6 polymorphism in systemic lupus erythematosus. <i>Tissue Antigens</i> , 2000, 55, 97-99.	1.0	62
162	Different gene loci within the HLA-DR and TNF regions are independently associated with susceptibility and severity in Spanish rheumatoid arthritis patients. <i>Tissue Antigens</i> , 2000, 55, 319-325.	1.0	64

#	ARTICLE	IF	CITATIONS
163	A novel PCR-RFLP assay for the detection of a polymorphism in the 3'UTR of STAT6 gene. <i>Genes and Immunity</i> , 2000, 1, 349-350.	4.1	13
164	The -403 G>A promoter polymorphism in the RANTES gene is associated with atopy and asthma. <i>Genes and Immunity</i> , 2000, 1, 509-514.	4.1	102
165	Chemokine RANTES promoter polymorphism affects risk of both HIV infection and disease progression in the Multicenter AIDS Cohort Study. <i>Aids</i> , 2000, 14, 2671-2678.	2.2	173
166	Visual Manifestations of Giant Cell Arteritis: Trends and Clinical Spectrum in 161 Patients. <i>Medicine (United States)</i> , 2000, 79, 283-292.	1.0	333
167	HLA-DRB1*04 may be a marker of severity in giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 574a-574.	0.9	10
168	Lack of involvement of the Fas system in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 574-574.	0.9	2
169	Association of IL-10 genotype with sudden infant death syndrome. <i>Human Immunology</i> , 2000, 61, 1270-1273.	2.4	76
170	IL-10 and TGF- $\beta$ genotypes in irritable bowel syndrome: Evidence to support an inflammatory component. <i>Gastroenterology</i> , 2000, 118, A184.	1.3	21
171	TNF- $\alpha$ gene polymorphism: Clinical and biological implications. <i>Microscopy Research and Technique</i> , 2000, 50, 216-228.	2.2	8
172	A novel PCR-RFLP assay for the detection of the single nucleotide polymorphism at position -1082 in the human IL-10 gene promoter. <i>International Journal of Immunogenetics</i> , 2000, 27, 119.	1.2	14
173	Association between HLA-DRB1*15 and secondary Sjögren's syndrome in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2000, 27, 2611-6.	2.0	21
174	Sjogren's syndrome: a community-based study of prevalence and impact- comment on the article by Thomas et al. <i>British Journal of Rheumatology</i> , 1999, 38, 685-686.	2.3	5
175	The influence of HLA-DRB1 alleles encoding the DERRA amino acid motif on radiological outcome in rheumatoid arthritis. <i>Rheumatology</i> , 1999, 38, 1221-1227.	1.9	27
176	Interleukin-10 (IL-10) genotypes in inflammatory bowel disease. <i>Tissue Antigens</i> , 1999, 54, 386-390.	1.0	154
177	A new microsatellite marker within the promoter region of the MIP-1A gene. <i>Immunogenetics</i> , 1999, 49, 740-741.	2.4	14
178	In vitro production of IFN- $\gamma$ correlates with CA repeat polymorphism in the human IFN- $\gamma$ gene. <i>International Journal of Immunogenetics</i> , 1999, 26, 1-3.	1.2	419
179	The BgIII polymorphism of the human prolactin gene lies within intron C and can be detected by PCR/RFLP. <i>International Journal of Immunogenetics</i> , 1999, 26, 261-263.	1.2	5
180	A rare polymorphism at position -28 in the human RANTES promoter. <i>International Journal of Immunogenetics</i> , 1999, 26, 373-374.	1.2	39

#	ARTICLE	IF	CITATIONS
181	A polymorphism at position 403 in the human RANTES promoter. <i>International Journal of Immunogenetics</i> , 1999, 26, 375-376.	1.2	48
182	Detection of human retrovirus 5 in patients with arthritis and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1999, 42, 448-454.	6.7	58
183	Can HLA-DR explain the varying frequency of synovitis in polymyalgia rheumatica? Comment on the article by Salvarani et al. <i>Arthritis and Rheumatism</i> , 1999, 42, 1561-1562.	6.7	0
184	Linkage of a marker in intron D of the estrogen synthase locus to rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 1617-1620.	6.7	15
185	Interaction between tumor necrosis factor microsatellite polymorphisms and the HLA-DRB1 shared epitope in rheumatoid arthritis: Influence on disease outcome. <i>Arthritis and Rheumatism</i> , 1999, 42, 2698-2704.	6.7	36
186	32CCR5 and rheumatoid arthritis: Comment on the article by Cizmeci-Reino et al. <i>Arthritis and Rheumatism</i> , 1999, 42, 2732-2732.	6.7	1
187	The spectrum of polymyalgia rheumatica in northwestern Spain: incidence and analysis of variables associated with relapse in a 10 year study. <i>Journal of Rheumatology</i> , 1999, 26, 1326-32.	2.0	103
188	Identification of high and low responders to allografts. <i>Reviews in Immunogenetics</i> , 1999, 1, 323-33.	0.7	25
189	Complement C4B null allele status confers risk for systemic lupus erythematosus in a Spanish population. <i>International Journal of Immunogenetics</i> , 1998, 25, 317-320.	1.2	39
190	Two novel biallelic polymorphisms in the IL2 gene. <i>International Journal of Immunogenetics</i> , 1998, 25, 419-420.	1.2	94
191	The 32 deletion of CCR5 receptor in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1998, 41, 1135-1136.	6.7	56
192	A new polymorphism in the promoter of the Interleukin 5 receptor alpha subunit ( IL-5RA ) gene. <i>Immunogenetics</i> , 1998, 48, 65-66.	2.4	6
193	IL-10 Gene Promoter Polymorphisms in Rheumatoid Arthritis: SHORT REPORT. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 142-145.	1.1	152
194	Sjogren's syndrome: a community-based study of prevalence and impact. <i>British Journal of Rheumatology</i> , 1998, 37, 1069-1076.	2.3	273
195	Weak association between subjective symptoms of and objective testing for dry eyes and dry mouth: results from a population based study. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 20-24.	0.9	193
196	Linkage of cytokine genes to rheumatoid arthritis. Evidence of genetic heterogeneity. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 361-365.	0.9	42
197	Interleukin-10 promoter polymorphisms in rheumatoid arthritis and Felty's syndrome. <i>Rheumatology</i> , 1998, 37, 988-991.	1.9	39
198	Influence of Tumour Necrosis Factor Microsatellite Polymorphisms on Susceptibility to Head and Neck Cancer. <i>Acta Oto-Laryngologica</i> , 1998, 118, 284-288.	0.9	8

#	ARTICLE	IF	CITATIONS
199	HLA-TNF haplotype heterogeneity in Greek SLE patients. <i>Clinical and Experimental Rheumatology</i> , 1998, 16, 66-8.	0.8	14
200	Giant cell arteritis and polymyalgia rheumatica can be differentiated by distinct patterns of HLA class II association. <i>Journal of Rheumatology</i> , 1998, 25, 2140-5.	2.0	82
201	Mannose-binding lectin gene polymorphism in Greek systemic lupus erythematosus patients. <i>Rheumatology</i> , 1997, 36, 1238b-1239b.	1.9	14
202	Fcgamma RIIa polymorphism in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 1997, 56, 744-746.	0.9	50
203	Tumour necrosis factor c2 microsatellite allele is associated with the rate of HIV disease progression. <i>Aids</i> , 1997, 11, 423-428.	2.2	51
204	TNF microsatellite a2, b3 and d2 alleles are associated with systemic lupus erythematosus. <i>Tissue Antigens</i> , 1997, 49, 222-227.	1.0	42
205	Tumor necrosis factor a microsatellite polymorphism in rheumatoid arthritis: Comment on the article by Hajeer et al. <i>Arthritis and Rheumatism</i> , 1997, 40, 1368-1369.	6.7	0
206	Allelic markers close to prolactin are associated with HLA-DRB1 susceptibility alleles among women with rheumatoid arthritis and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1997, 40, 1383-1386.	6.7	58
207	Epitope Specificity of Anti-Heat Shock Protein 65/60 Serum Antibodies in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 536-541.	2.4	64
208	The sensitivity of different analytical methods to detect disease susceptibility genes in rheumatoid arthritis sibling pair families. <i>Journal of Rheumatology</i> , 1997, 24, 208-11.	2.0	4
209	Tumor necrosis factor microsatellite haplotypes are different in male and female patients with RA. <i>Journal of Rheumatology</i> , 1997, 24, 217-9.	2.0	17
210	Linkage and association studies of the natural resistance associated macrophage protein 1 (NRAMP1) locus in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 1997, 24, 452-7.	2.0	11
211	Genetic variation in the interleukin 10 gene promoter and systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 1997, 24, 2314-7.	2.0	171
212	Are both genetic and reproductive associations with rheumatoid arthritis linked to prolactin?. <i>Lancet</i> , The, 1996, 348, 106-109.	13.7	59
213	Association of tumor necrosis factor microsatellite polymorphisms with HLA-DRB1*04-bearing haplotypes in rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 1996, 39, 1109-1114.	6.7	76
214	Influence of previous exposure to human parvovirus B19 infection in explaining susceptibility to rheumatoid arthritis: an analysis of disease discordant twin pairs.. <i>Annals of the Rheumatic Diseases</i> , 1994, 53, 137-139.	0.9	27
215	Genetic control of the human V $\beta$ 13.2 T cell repertoire: importance of allelic variation outside the coding regions of theTCRBV13S2 gene. <i>European Journal of Immunology</i> , 1994, 24, 2863-2867.	2.9	17
216	Toxoplasma gondii: detection of antibodies in human saliva and serum. <i>Parasite Immunology</i> , 1994, 16, 43-50.	1.5	20

#	ARTICLE	IF	CITATIONS
217	RANTES role in rheumatoid arthritis. <i>Lancet, The</i> , 1994, 343, 547-548.	13.7	53
218	Antibodies to major histocompatibility complex class II inhibit proliferation, but increase production of soluble CD23 in lymphoblastoid B-cell lines. <i>Immunology</i> , 1993, 80, 593-7.	4.4	1