

Marc Haenlin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8487584/publications.pdf>

Version: 2024-02-01

45
papers

2,656
citations

186265
28
h-index

254184
43
g-index

47
all docs

47
docs citations

47
times ranked

1937
citing authors

#	ARTICLE	IF	CITATIONS
1	Two Isoforms of serpent Containing Either One or Two GATA Zinc Fingers Provide Functional Diversity During <i>Drosophila</i> Development. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 795680.	3.7	0
2	A dual role of dLsd1 in oogenesis: regulating developmental genes and repressing transposons. <i>Nucleic Acids Research</i> , 2020, 48, 1206-1224.	14.5	5
3	<i>Drosophila</i> Mediator Subunit Med1 Is Required for GATA-Dependent Developmental Processes: Divergent Binding Interfaces for Conserved Coactivator Functions. <i>Molecular and Cellular Biology</i> , 2019, 39, .	2.3	4
4	Control of RUNX-induced repression of Notch signaling by MLF and its partner Dnaj-1 during <i>Drosophila</i> hematopoiesis. <i>PLoS Genetics</i> , 2017, 13, e1006932.	3.5	19
5	Blood cell progenitor maintenance: Collier barks out of the niche. <i>Fly</i> , 2015, 9, 160-164.	1.7	3
6	Haematopoietic progenitor maintenance by EBF/Collier: beyond the Niche. <i>Cell Cycle</i> , 2015, 14, 3517-3518.	2.6	6
7	The EBF transcription factor Collier directly promotes <i>Drosophila</i> blood cell progenitor maintenance independently of the niche. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9052-9057.	7.1	69
8	Pontin is a critical regulator for AML1-ETO-induced leukemia. <i>Leukemia</i> , 2014, 28, 1271-1279.	7.2	39
9	Dual role for Insulin/TOR signaling in the control of hematopoietic progenitor maintenance in <i>Drosophila</i> . <i>Development (Cambridge)</i> , 2012, 139, 1713-1717.	2.5	86
10	Myeloid leukemia factor. <i>Transcription</i> , 2012, 3, 250-254.	3.1	15
11	Myeloid leukemia factor is a conserved regulator of RUNX transcription factor activity involved in hematopoiesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4986-4991.	7.1	27
12	Modeling Cancers in <i>Drosophila</i> . <i>Progress in Molecular Biology and Translational Science</i> , 2011, 100, 51-82.	1.7	16
13	The Ly6 Protein Coiled Is Required for Septate Junction and Blood Brain Barrier Organisation in <i>Drosophila</i> . <i>PLoS ONE</i> , 2011, 6, e17763.	2.5	24
14	An in vivo RNA interference screen identifies gene networks controlling <i>Drosophila</i> melanogaster blood cell homeostasis. <i>BMC Developmental Biology</i> , 2010, 10, 65.	2.1	74
15	Transcription factor interplay during <i>Drosophila</i> haematopoiesis. <i>International Journal of Developmental Biology</i> , 2010, 54, 1107-1115.	0.6	30
16	A Genome-Wide RNA Interference Screen Identifies a Differential Role of the Mediator CDK8 Module Subunits for GATA/ RUNX-Activated Transcription in <i>Drosophila</i> . <i>Molecular and Cellular Biology</i> , 2010, 30, 2837-2848.	2.3	34
17	A <i>Drosophila</i> model identifies calpains as modulators of the human leukemogenic fusion protein AML1-ETO. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12043-12048.	7.1	46
18	<i>boudin</i> is required for septate junction organisation in <i>Drosophila</i> and codes for a diffusible protein of the Ly6 superfamily. <i>Development (Cambridge)</i> , 2009, 136, 2199-2209.	2.5	72

#	ARTICLE	IF	CITATIONS
19	A GATA/RUNX cis-regulatory module couples Drosophila blood cell commitment and differentiation into crystal cells. <i>Developmental Biology</i> , 2007, 305, 726-734.	2.0	44
20	Role of GATA Factors in Development. , 2005, , 221-231.		0
21	Resolving embryonic blood cell fate choice in Drosophila:interplay of GCM and RUNX factors. <i>Development (Cambridge)</i> , 2005, 132, 4635-4644.	2.5	71
22	Cooperation between the GATA and RUNX factors Serpent and Lozenge during Drosophila hematopoiesis. <i>EMBO Journal</i> , 2003, 22, 6516-6525.	7.8	108
23	A P-insertion screen identifying novel X-linked essential genes in Drosophila. <i>Mechanisms of Development</i> , 2002, 110, 71-83.	1.7	163
24	Two isoforms of Serpent containing either one or two GATA zinc fingers have different roles in Drosophila haematopoiesis. <i>EMBO Journal</i> , 2002, 21, 5477-5486.	7.8	92
25	New members of the Drosophila Myc transcription factor subfamily revealed by a genome-wide examination for basic helix-loop-helix genes. <i>Mechanisms of Development</i> , 2001, 104, 99-104.	1.7	57
26	Two different activities of Suppressor of Hairless during wing development in Drosophila. <i>Development (Cambridge)</i> , 2000, 127, 3553-66.	2.5	24
27	Transcriptional activity of Pannier is regulated negatively by heterodimerization of the GATA DNA-binding domain with a cofactor encoded by the <i>u-shaped</i> gene of Drosophila. <i>Genes and Development</i> , 1997, 11, 3096-3108.	5.9	175
28	<i>u-shaped</i> encodes a zinc finger protein that regulates the proneural genes <i>achaete</i> and <i>scute</i> during the formation of bristles in Drosophila. <i>Genes and Development</i> , 1997, 11, 3083-3095.	5.9	132
29	Requirement for Dynamin during Notch Signaling in Drosophila Neurogenesis. <i>Developmental Biology</i> , 1997, 192, 585-598.	2.0	247
30	Transcriptional regulation of <i>Notch</i> and <i>Delta</i> : requirement for neuroblast segregation in Drosophila. <i>Development (Cambridge)</i> , 1997, 124, 2015-2025.	2.5	72
31	A Genetic Analysis of <i>pannier</i> , a Gene Necessary for Viability of Dorsal Tissues and Bristle Positioning in Drosophila. <i>Genetics</i> , 1996, 143, 1271-1286.	2.9	141
32	The angle of the dorsoventral axis with respect to the anteroposterior axis in the Drosophila embryo is controlled by the distribution of gurken mRNA in the oocyte. <i>Mechanisms of Development</i> , 1995, 49, 97-106.	1.7	5
33	Genomic regions regulating early embryonic expression of the Drosophila neurogenic gene Delta. <i>Mechanisms of Development</i> , 1994, 47, 99-110.	1.7	45
34	Lateral inhibition mediated by the Drosophila neurogenic gene delta is enhanced by proneural proteins.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 10139-10143.	7.1	140
35	<i>pannier</i> , a negative regulator of <i>achaete</i> and <i>scute</i> in Drosophila, encodes a zinc finger protein with homology to the vertebrate transcription factor GATA-1. <i>Development (Cambridge)</i> , 1993, 119, 1277-1291.	2.5	198
36	<i>pannier</i> , a negative regulator of <i>achaete</i> and <i>scute</i> in Drosophila, encodes a zinc finger protein with homology to the vertebrate transcription factor GATA-1. <i>Development (Cambridge)</i> , 1993, 119, 1277-91.	2.5	61

#	ARTICLE	IF	CITATIONS
37	Regulatory signals and signal molecules in early neurogenesis of <i>Drosophila melanogaster</i> . Roux's Archives of Developmental Biology, 1992, 201, 1-11.	1.2	28
38	Delta, Notch, and shaggy: Elements of a Lateral Signaling Pathway in <i>Drosophila</i> . Cold Spring Harbor Symposia on Quantitative Biology, 1992, 57, 391-400.	1.1	10
39	The pattern of transcription of the neurogenic gene Delta of <i>Drosophila melanogaster</i> . Development (Cambridge), 1990, 110, 905-914.	2.5	68
40	The pattern of transcription of the neurogenic gene Delta of <i>Drosophila melanogaster</i> . Development (Cambridge), 1990, 110, 905-14.	2.5	28
41	Role of the oocyte nucleus in determination of the dorsoventral polarity of <i>Drosophila</i> as revealed by molecular analysis of the K10 gene. Genes and Development, 1988, 2, 891-900.	5.9	39
42	DNA sequences homologous to the <i>Drosophila</i> opa repeat are present in murine mRNAs that are differentially expressed in fetuses and adult tissues.. Molecular and Cellular Biology, 1987, 7, 2003-2006.	2.3	39
43	Oocyte-specific transcription of <i>fs(1)K10</i> : a <i>Drosophila</i> gene affecting dorsal-ventral developmental polarity. EMBO Journal, 1987, 6, 801-807.	7.8	37
44	Oocyte-specific transcription of <i>fs(1)K10</i> : a <i>Drosophila</i> gene affecting dorsal-ventral developmental polarity. EMBO Journal, 1987, 6, 801-7.	7.8	9
45	A 43 kilobase cosmid P transposon rescues the <i>fs(1)K10</i> morphogenetic locus and three adjacent <i>drosophila</i> developmental mutants. Cell, 1985, 40, 827-837.	28.9	52