## David Hui

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8489875/publications.pdf

Version: 2024-02-01

246 papers 12,397 citations

28274 55 h-index 100 g-index

247 all docs

247 docs citations

times ranked

247

9224 citing authors

| #  | Article  | IF            | CITATIONS |
|----|--|---------------|-----------|
| 1  | The Edmonton Symptom Assessment System 25ÂYears Later: Past, Present, and Future Developments. Journal of Pain and Symptom Management, 2017, 53, 630-643.  | 1.2           | 464       |
| 2  | Integration of oncology and palliative care: a Lancet Oncology Commission. Lancet Oncology, The, 2018, 19, e588-e653.  | 10.7          | 452       |
| 3  | Availability and Integration of Palliative Care at US Cancer Centers. JAMA - Journal of the American Medical Association, 2010, 303, 1054.   | 7.4           | 437       |
| 4  | Impact of timing and setting of palliative care referral on quality of endâ€ofâ€life care in cancer patients. Cancer, 2014, 120, 1743-1749.  | 4.1           | 322       |
| 5  | Reduction of Cancer-Related Fatigue With Dexamethasone: A Double-Blind, Randomized, Placebo-Controlled Trial in Patients With Advanced Cancer. Journal of Clinical Oncology, 2013, 31, 3076-3082.            | 1.6           | 294       |
| 6  | Integrating palliative care into the trajectory of cancer care. Nature Reviews Clinical Oncology, 2016, 13, 159-171.   | 27.6          | 277       |
| 7  | Concepts and definitions for "supportive care,―"best supportive care,―"palliative care,―and "ho care―in the published literature, dictionaries, and textbooks. Supportive Care in Cancer, 2013, 21, 659-685. | ospice<br>2.2 | 249       |
| 8  | Integrating Supportive and Palliative Care in the Trajectory of Cancer: Establishing Goals and Models of Care. Journal of Clinical Oncology, 2010, 28, 4013-4017.  | 1.6           | 245       |
| 9  | Quality of endâ€ofâ€ife care in patients with hematologic malignancies: A retrospective cohort study. Cancer, 2014, 120, 1572-1578.  | 4.1           | 244       |
| 10 | Improving patient and caregiver outcomes in oncology: Teamâ€based, timely, and targeted palliative care. Ca-A Cancer Journal for Clinicians, 2018, 68, 356-376.  | 329.8         | 237       |
| 11 | Association Between a Name Change from Palliative to Supportive Care and the Timing of Patient Referrals at a Comprehensive Cancer Center. Oncologist, 2011, 16, 105-111.                                    | 3.7           | 233       |
| 12 | Concepts and Definitions for "Actively Dying,―"End of Life,―"Terminally Ill,―"Terminal Care,―â<br>"Transition of Care― A Systematic Review. Journal of Pain and Symptom Management, 2014, 47, 77-89.         | and<br>1:2    | 233       |
| 13 | Parenteral Hydration in Patients With Advanced Cancer: A Multicenter, Double-Blind, Placebo-Controlled Randomized Trial. Journal of Clinical Oncology, 2013, 31, 111-118.                                    | 1.6           | 219       |
| 14 | Spirituality, Religiosity, and Spiritual Pain in Advanced Cancer Patients. Journal of Pain and Symptom Management, 2011, 41, 986-994.  | 1.2           | 215       |
| 15 | Referral criteria for outpatient specialty palliative cancer care: an international consensus. Lancet Oncology, The, 2016, 17, e552-e559.  | 10.7          | 204       |
| 16 | Minimal clinically important differences in the Edmonton Symptom Assessment Scale in cancer patients: A prospective, multicenter study. Cancer, 2015, 121, 3027-3035.  | 4.1           | 183       |
| 17 | MABp1, a first-in-class true human antibody targeting interleukin- $1\hat{l}\pm$ in refractory cancers: an open-label, phase 1 dose-escalation and expansion study. Lancet Oncology, The, 2014, 15, 656-666. | 10.7          | 178       |
| 18 | Attrition rates, reasons, and predictive factors in supportive care and palliative oncology clinical trials. Cancer, 2013, 119, 1098-1105.   | 4.1           | 176       |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 19 | Access to Palliative Care Among Patients Treated at a Comprehensive Cancer Center. Oncologist, 2012, 17, 1574-1580.  | 3.7 | 173       |
| 20 | Relationships Among Body Mass Index, Longitudinal Body Composition Alterations, and Survival in Patients With Locally Advanced Pancreatic Cancer Receiving Chemoradiation: A Pilot Study. Journal of Pain and Symptom Management, 2012, 44, 181-191. | 1.2 | 153       |
| 21 | Effect of Lorazepam With Haloperidol vs Haloperidol Alone on Agitated Delirium in Patients With Advanced Cancer Receiving Palliative Care. JAMA - Journal of the American Medical Association, 2017, 318, 1047.                                      | 7.4 | 151       |
| 22 | Prognostication of Survival in Patients with Advanced Cancer: Predicting the Unpredictable?. Cancer Control, 2015, 22, 489-497.  | 1.8 | 147       |
| 23 | Integration of Oncology and Palliative Care: A Systematic Review. Oncologist, 2015, 20, 77-83.   | 3.7 | 145       |
| 24 | The Lack of Standard Definitions in the Supportive and Palliative Oncology Literature. Journal of Pain and Symptom Management, 2012, 43, 582-592.  | 1,2 | 128       |
| 25 | Clinical Signs of Impending Death in Cancer Patients. Oncologist, 2014, 19, 681-687.   | 3.7 | 126       |
| 26 | A Personalized Approach to Assessing and Managing Pain in Patients With Cancer. Journal of Clinical Oncology, 2014, 32, 1640-1646.   | 1.6 | 123       |
| 27 | Models of Palliative Care Delivery for Patients With Cancer. Journal of Clinical Oncology, 2020, 38, 852-865.  | 1.6 | 123       |
| 28 | Referral Criteria for Outpatient Palliative Cancer Care: A Systematic Review. Oncologist, 2016, 21, 895-901.   | 3.7 | 122       |
| 29 | Conceptual Models for Integrating Palliative Care at Cancer Centers. Journal of Palliative Medicine, 2012, 15, 1261-1269.  | 1.1 | 118       |
| 30 | Minimal Clinically Important Difference in the Physical, Emotional, and Total Symptom Distress Scores of the Edmonton Symptom Assessment System. Journal of Pain and Symptom Management, 2016, 51, 262-269.  | 1.2 | 115       |
| 31 | Placebo and nocebo effects in randomized doubleâ€blind clinical trials of agents for the therapy for fatigue in patients with advanced cancer. Cancer, 2010, 116, 766-774.   | 4.1 | 111       |
| 32 | Prognostication in advanced cancer: update and directions for future research. Supportive Care in Cancer, 2019, 27, 1973-1984.   | 2.2 | 111       |
| 33 | Symptom Expression in the Last Seven Days of Life Among Cancer Patients Admitted to Acute Palliative Care Units. Journal of Pain and Symptom Management, 2015, 50, 488-494.  | 1.2 | 105       |
| 34 | The Frequency and Correlates of Spiritual Distress Among Patients With Advanced Cancer Admitted to an Acute Palliative Care Unit. American Journal of Hospice and Palliative Medicine, 2011, 28, 264-270.  | 1.4 | 104       |
| 35 | High-Flow Oxygen and Bilevel Positive Airway Pressure for Persistent Dyspnea in Patients With Advanced Cancer: A Phase II Randomized Trial. Journal of Pain and Symptom Management, 2013, 46, 463-473.   | 1.2 | 104       |
| 36 | Models of integration of oncology and palliative care. Annals of Palliative Medicine, 2015, 4, 89-98.  | 1,2 | 103       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Attitudes and Beliefs Toward Supportive and Palliative Care Referral Among Hematologic and Solid Tumor Oncology Specialists. Oncologist, 2015, 20, 1326-1332.                                  | 3.7 | 98        |
| 38 | Definition of supportive care. Current Opinion in Oncology, 2014, 26, 372-379.   | 2.4 | 95        |
| 39 | Phase angle for prognostication of survival in patients with advanced cancer: Preliminary findings. Cancer, 2014, 120, 2207-2214.  | 4.1 | 93        |
| 40 | Bedside clinical signs associated with impending death in patients with advanced cancer: Preliminary findings of a prospective, longitudinal cohort study. Cancer, 2015, 121, 960-967.         | 4.1 | 91        |
| 41 | Effects of Melatonin on Appetite and Other Symptoms in Patients With Advanced Cancer and Cachexia: A Double-Blind Placebo-Controlled Trial. Journal of Clinical Oncology, 2013, 31, 1271-1276. | 1.6 | 89        |
| 42 | Patterns of Storage, Use, and Disposal of Opioids Among Cancer Outpatients. Oncologist, 2014, 19, 780-785.   | 3.7 | 88        |
| 43 | The last days of life. Current Opinion in Supportive and Palliative Care, 2015, 9, 346-354.  | 1.3 | 86        |
| 44 | Clinical Outcomes and Contributors to Weight Loss in a Cancer Cachexia Clinic. Journal of Palliative Medicine, 2011, 14, 1004-1008.  | 1.1 | 85        |
| 45 | Discharge Outcomes and Survival of Patients with Advanced Cancer Admitted to an Acute Palliative Care Unit at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2010, 13, 49-57.  | 1.1 | 83        |
| 46 | Frequency, Predictors, and Medical Record Documentation of Chemical Coping Among Advanced Cancer Patients. Oncologist, 2015, 20, 692-697.  | 3.7 | 79        |
| 47 | Achievement of personalized pain goal in cancer patients referred to a supportive care clinic at a comprehensive cancer center. Cancer, 2012, 118, 3869-3877.                                  | 4.1 | 76        |
| 48 | The Accuracy of Probabilistic Versus Temporal Clinician Prediction of Survival for Patients with Advanced Cancer: A Preliminary Report. Oncologist, 2011, 16, 1642-1648.                       | 3.7 | 74        |
| 49 | Management of Dyspnea in Advanced Cancer: ASCO Guideline. Journal of Clinical Oncology, 2021, 39, 1389-1411.   | 1.6 | 74        |
| 50 | Changes in Symptom Intensity Among Cancer Patients Receiving Outpatient Palliative Care. Journal of Pain and Symptom Management, 2013, 46, 652-660.  | 1.2 | 68        |
| 51 | Quantity, Design, and Scope of the Palliative Oncology Literature. Oncologist, 2011, 16, 694-703.  | 3.7 | 64        |
| 52 | State of palliative care services at US cancer centers: An updated national survey. Cancer, 2020, 126, 2013-2023.  | 4.1 | 61        |
| 53 | Goals of Care and End-of-Life Decision Making for Hospitalized Patients at a Canadian Tertiary Care Cancer Center. Journal of Pain and Symptom Management, 2009, 38, 871-881.                  | 1.2 | 59        |
| 54 | Targeted Agent Use in Cancer Patients at the End of Life. Journal of Pain and Symptom Management, 2013, 46, 1-8.   | 1.2 | 59        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Clinical Response to an Outpatient Palliative Care Consultation in Patients With Advanced Cancer and Cancer Pain. Journal of Pain and Symptom Management, 2012, 44, 340-350.  | 1.2 | 57        |
| 56 | Clinician prediction of survival versus the Palliative Prognostic Score: Which approach is more accurate?. European Journal of Cancer, 2016, 64, 89-95.   | 2.8 | 57        |
| 57 | Personalized symptom goals and response in patients with advanced cancer. Cancer, 2016, 122, 1774-1781.   | 4.1 | 57        |
| 58 | Predictors of inpatient mortality in an acute palliative care unit at a comprehensive cancer center. Supportive Care in Cancer, 2010, 18, 67-76.  | 2.2 | 55        |
| 59 | Effects of Prophylactic Subcutaneous Fentanyl on Exercise-Induced Breakthrough Dyspnea in Cancer Patients: A Preliminary Double-Blind, Randomized, Controlled Trial. Journal of Pain and Symptom Management, 2014, 47, 209-217. | 1.2 | 55        |
| 60 | Dyspnea in Hospitalized Advanced Cancer Patients: Subjective and Physiologic Correlates. Journal of Palliative Medicine, 2013, 16, 274-280.   | 1.1 | 54        |
| 61 | Variations in Vital Signs in the Last Days of Life in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2014, 48, 510-517.   | 1.2 | 54        |
| 62 | Dexamethasone for Dyspnea in Cancer Patients: A Pilot Double-Blind, Randomized, Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 8-16.e1.  | 1.2 | 53        |
| 63 | Use of Palliative Care Services in a Tertiary Cancer Center. Oncologist, 2016, 21, 110-118.   | 3.7 | 51        |
| 64 | Automatic referral to standardize palliative care access: an international Delphi survey. Supportive Care in Cancer, 2018, 26, 175-180.   | 2.2 | 51        |
| 65 | Outcomes of a Specialized Interdisciplinary Approach for Patients with Cancer with Aberrant<br>Opioid-Related Behavior. Oncologist, 2018, 23, 263-270.  | 3.7 | 51        |
| 66 | Timing of palliative care referral and symptom burden in phase 1 cancer patients. Cancer, 2010, 116, 4402-4409.   | 4.1 | 50        |
| 67 | Validation of the Edmonton Symptom Assessment System in Korean Patients With Cancer. Journal of Pain and Symptom Management, 2013, 46, 947-956.   | 1.2 | 50        |
| 68 | Timely Palliative Care: Personalizing the Process of Referral. Cancers, 2022, 14, 1047.   | 3.7 | 50        |
| 69 | Frequency, predictors, and outcomes of urine drug testing among patients with advanced cancer on chronic opioid therapy at an outpatient supportive care clinic. Cancer, 2016, 122, 3732-3739.                                  | 4.1 | 49        |
| 70 | Impact of Oncologists' Attitudes Toward End-of-Life Care on Patients' Access to Palliative Care.<br>Oncologist, 2016, 21, 1149-1155.  | 3.7 | 48        |
| 71 | Associations Among Hypogonadism, C-Reactive Protein, Symptom Burden, and Survival in Male Cancer Patients with Cachexia: A Preliminary Report. Journal of Pain and Symptom Management, 2010, 39, 1016-1024.                     | 1,2 | 47        |
| 72 | Hypermetabolism and symptom burden in advanced cancer patients evaluated in a cachexia clinic. Journal of Cachexia, Sarcopenia and Muscle, 2015, 6, 95-98.  | 7.3 | 46        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Association Between Tobacco Use, Symptom Expression, and Alcohol and Illicit Drug Use in Advanced Cancer Patients. Journal of Pain and Symptom Management, 2016, 51, 762-768.  | 1.2  | 46        |
| 74 | Antineoplastic therapy use in patients with advanced cancer admitted to an acute palliative care unit at a comprehensive cancer center. Cancer, 2010, 116, 2036-2043.  | 4.1  | 45        |
| 75 | Patient–physician communication about code status preferences. Cancer, 2013, 119, 2067-2073.   | 4.1  | 45        |
| 76 | Association between hypogonadism, symptom burden, and survival in male patients with advanced cancer. Cancer, 2014, 120, 1586-1593.  | 4.1  | 43        |
| 77 | Neuroleptic Dose in the Management of ÂDelirium in Patients with Advanced Cancer. Journal of Pain and Symptom Management, 2010, 39, 186-196.   | 1.2  | 41        |
| 78 | Management of breathlessness in patients with cancer: ESMO Clinical Practice Guidelines. ESMO Open, 2020, 5, e001038.  | 4.5  | 41        |
| 79 | Longitudinal Temporal and Probabilistic Prediction of Survival in a Cohort of Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2014, 48, 875-882.  | 1.2  | 40        |
| 80 | Which Treatment Is Better? Ascertaining Patient Preferences With Crossover Randomized Controlled Trials. Journal of Pain and Symptom Management, 2015, 49, 625-631.  | 1.2  | 40        |
| 81 | A Comparison of the Accuracy of Clinician Prediction of Survival Versus the Palliative Prognostic Index. Journal of Pain and Symptom Management, 2018, 55, 792-797.  | 1.2  | 40        |
| 82 | Decisional control preferences among patients with advanced cancer: An international multicenter cross-sectional survey. Palliative Medicine, 2018, 32, 870-880.   | 3.1  | 40        |
| 83 | Quality of the supportive and palliative oncology literature: a focused analysis on randomized controlled trials. Supportive Care in Cancer, 2012, 20, 1779-1785.  | 2.2  | 39        |
| 84 | Chemical coping versus pseudoaddiction in patients with cancer pain. Palliative and Supportive Care, 2014, 12, 413-417.  | 1.0  | 39        |
| 85 | A Comprehensive Palliative Care Program at a Tertiary Cancer Center in Jordan. American Journal of Hospice and Palliative Medicine, 2015, 32, 238-242.   | 1.4  | 39        |
| 86 | Perception of Curability Among Advanced Cancer Patients: An International Collaborative Study. Oncologist, 2018, 23, 501-506.  | 3.7  | 39        |
| 87 | Neuroleptic strategies for terminal agitation in patients with cancer and delirium at an acute palliative care unit: a single-centre, double-blind, parallel-group, randomised trial. Lancet Oncology, The, 2020, 21, 989-998. | 10.7 | 39        |
| 88 | Frequency of and Factors Associated With Nonmedical Opioid Use Behavior Among Patients With Cancer Receiving Opioids for Cancer Pain. JAMA Oncology, 2021, 7, 404.   | 7.1  | 39        |
| 89 | Palliative Oncologists: Specialists in the Science and Art of Patient Care. Journal of Clinical Oncology, 2015, 33, 2314-2317.   | 1.6  | 38        |
| 90 | Association Between Multi-frequency Phase Angle and Survival in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2017, 53, 571-577.  | 1.2  | 38        |

| #   | Article  | lF  | Citations |
|-----|--|-----|-----------|
| 91  | Development of Palliative Care in China: A Tale of Three Cities. Oncologist, 2017, 22, 1362-1367.  | 3.7 | 38        |
| 92  | Referral Criteria to Palliative Care for Patients With Heart Failure. Circulation: Heart Failure, 2020, 13, e006881.   | 3.9 | 38        |
| 93  | The Brazilian Version of the Edmonton Symptom Assessment System (ESAS) Is a Feasible, Valid and Reliable Instrument for the Measurement of Symptoms in Advanced Cancer Patients. PLoS ONE, 2015, 10, e0132073.         | 2.5 | 37        |
| 94  | Screening for Body Image Dissatisfaction in Patients with Advanced Cancer: A Pilot Study. Journal of Palliative Medicine, 2015, 18, 151-156.   | 1.1 | 36        |
| 95  | Aberrant Opioid Use and Urine Drug Testing in Outpatient Palliative Care. Journal of Palliative Medicine, 2016, 19, 778-782.   | 1.1 | 36        |
| 96  | Models of supportive care in oncology. Current Opinion in Oncology, 2021, 33, 259-266.   | 2.4 | 36        |
| 97  | A diagnostic model for impending death in cancer patients: Preliminary report. Cancer, 2015, 121, 3914-3921.   | 4.1 | 34        |
| 98  | Impact of Prophylactic Fentanyl Pectin Nasal Spray on Exercise-Induced Episodic Dyspnea in Cancer Patients: AÂDouble-Blind, Randomized Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 459-468.e1. | 1.2 | 33        |
| 99  | Implementation of the Edmonton Symptom Assessment System for Symptom Distress Screening at a Community Cancer Center: A Pilot Program. Oncologist, 2017, 22, 995-1001.   | 3.7 | 33        |
| 100 | Effect of Prophylactic Fentanyl Buccal Tablet on Episodic Exertional Dyspnea: A Pilot Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2017, 54, 798-805.                             | 1.2 | 32        |
| 101 | The Importance of Prognostication: Impact of Prognostic Predictions, Disclosures, Awareness, and Acceptance on Patient Outcomes. Current Treatment Options in Oncology, 2021, 22, 12.                                  | 3.0 | 32        |
| 102 | Development and Cross-Validation of the In-Hospital Mortality Prediction in Advanced Cancer Patients Score: A Preliminary Study. Journal of Palliative Medicine, 2012, 15, 902-909.                                    | 1.1 | 31        |
| 103 | Consistency of symptom clusters among advanced cancer patients seen at an outpatient supportive care clinic in a tertiary cancer center. Palliative and Supportive Care, 2013, 11, 473-480.                            | 1.0 | 31        |
| 104 | A Pilot Study To Define Chemical Coping in Cancer Patients Using the Delphi Method. Journal of Palliative Medicine, 2015, 18, 703-706.   | 1.1 | 31        |
| 105 | End-of-Life Care for Undocumented Immigrants With Advanced Cancer: Documenting the Undocumented. Journal of Pain and Symptom Management, 2016, 51, 784-788.  | 1.2 | 31        |
| 106 | Benzodiazepines for agitation in patients with delirium: selecting the right patient, right time, and right indication. Current Opinion in Supportive and Palliative Care, 2018, 12, 489-494.                          | 1.3 | 31        |
| 107 | Neuroleptic Prescription Pattern for Delirium in Patients with Advanced Cancer. Journal of Palliative Care, 2011, 27, 141-147.   | 1.0 | 29        |
| 108 | Characteristics and Outcomes of Patients Admitted to the Acute Palliative Care Unit From the Emergency Center. Journal of Pain and Symptom Management, 2014, 47, 1028-1034.  | 1,2 | 29        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Acute symptomatic complications among patients with advanced cancer admitted to acute palliative care units: A prospective observational study. Palliative Medicine, 2015, 29, 826-833.        | 3.1 | 29        |
| 110 | Examination of referral criteria for outpatient palliative care among patients with advanced cancer. Supportive Care in Cancer, 2020, 28, 295-301.   | 2.2 | 29        |
| 111 | Predicting survival in patients with advanced cancer in the last weeks of life: How accurate are prognostic models compared to clinicians' estimates?. Palliative Medicine, 2020, 34, 126-133. | 3.1 | 28        |
| 112 | Differences in Performance Status Assessment Among Palliative Care Specialists, Nurses, and Medical Oncologists. Journal of Pain and Symptom Management, 2015, 49, 1050-1058.e2.               | 1.2 | 27        |
| 113 | Neuroleptics in the management of delirium in patients with advanced cancer. Current Opinion in Supportive and Palliative Care, 2016, 10, 316-323.   | 1.3 | 27        |
| 114 | Bispectral Index monitoring in cancer patients undergoing palliative sedation: a preliminary report. Supportive Care in Cancer, 2017, 25, 3143-3149.   | 2.2 | 27        |
| 115 | Continuous palliative sedation for patients with advanced cancer at a tertiary care cancer center. BMC Palliative Care, 2018, 17, 13.  | 1.8 | 27        |
| 116 | Meaning in life in patients with advanced cancer: a multinational study. Supportive Care in Cancer, 2020, 28, 3927-3934.   | 2.2 | 27        |
| 117 | Growth of an Academic Palliative Medicine Program: Patient Encounters and Clinical Burden. Journal of Pain and Symptom Management, 2013, 45, 261-271.  | 1.2 | 26        |
| 118 | Off-Label Medication Use in the Inpatient Palliative Care Unit. Journal of Pain and Symptom Management, 2017, 54, 46-54.   | 1.2 | 26        |
| 119 | Indicators of integration at ESMO Designated Centres of Integrated Oncology and Palliative Care. ESMO Open, 2018, 3, e000372.  | 4.5 | 26        |
| 120 | Phase Angle and the Diagnosis of Impending Death in Patients with Advanced Cancer: Preliminary Findings. Oncologist, 2019, 24, e365-e373.  | 3.7 | 26        |
| 121 | Unexpected death in palliative care. Current Opinion in Supportive and Palliative Care, 2015, 9, 369-374.  | 1.3 | 25        |
| 122 | Gender Differences in Hiccup Patients: Analysis of Published Case Reports and Case-Control Studies. Journal of Pain and Symptom Management, 2016, 51, 278-283.                                 | 1.2 | 25        |
| 123 | Opioids, Exertion, and Dyspnea. American Journal of Hospice and Palliative Medicine, 2016, 33, 194-200.  | 1.4 | 25        |
| 124 | Palliative care research: Lessons learned by our team over the last 25 years. Palliative Medicine, 2013, 27, 939-951.  | 3.1 | 24        |
| 125 | Frequency and Factors Associated With Unexpected Death in an Acute Palliative Care Unit: Expect the Unexpected. Journal of Pain and Symptom Management, 2015, 49, 822-827.                     | 1.2 | 24        |
| 126 | Safe Opioid Use. Hematology/Oncology Clinics of North America, 2018, 32, 387-403.  | 2.2 | 24        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Prophylactic Fentanyl Sublingual Spray for Episodic Exertional Dyspnea in Cancer Patients: A Pilot<br>Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2019, 58, 605-613.   | 1.2 | 24        |
| 128 | Serious Illness Conversations: Paving the Road with Metaphors. Oncologist, 2018, 23, 730-733.  | 3.7 | 23        |
| 129 | Factors Associated With Attrition in a Multicenter Longitudinal Observational Study of Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2018, 55, 938-945.                             | 1.2 | 23        |
| 130 | Impact of early palliative care according to baseline symptom severity: Secondary analysis of a clusterâ€randomized controlled trial in patients with advanced cancer. Cancer Medicine, 2022, 11, 1869-1878. | 2.8 | 23        |
| 131 | Impact of outpatient palliative care (PC) on symptom burden in patients with advanced cancer at a tertiary cancer center in Jordan. Supportive Care in Cancer, 2017, 25, 177-183.                            | 2.2 | 22        |
| 132 | Recommendations for Palliative and Hospice Care in NCCN Guidelines for Treatment of Cancer. Oncologist, 2021, 26, 77-83.   | 3.7 | 22        |
| 133 | Criteria for Referral of Patients With Advanced HeartÂFailure for Specialized Palliative Care. Journal of the American College of Cardiology, 2022, 80, 332-344.   | 2.8 | 22        |
| 134 | Factors associated with palliative care referral among patients with advanced cancers: a retrospective analysis of a large Brazilian cohort. Supportive Care in Cancer, 2018, 26, 1933-1941.                 | 2.2 | 21        |
| 135 | Palliative Cancer Care in the Outpatient Setting: Which Model Works Best?. Current Treatment Options in Oncology, 2019, 20, 17.  | 3.0 | 21        |
| 136 | Rapid Transition to Virtual Care during the COVID-19 Epidemic: Experience of a Supportive Care Clinic at a Tertiary Care Cancer Center. Journal of Palliative Medicine, 2021, 24, 1467-1473.                 | 1.1 | 21        |
| 137 | A Successful Palliative Care Intervention for Cancer Pain Refractory to Intrathecal Analgesia. Journal of Pain and Symptom Management, 2012, 44, 124-130.  | 1.2 | 20        |
| 138 | The routine use of the Edmonton Classification System for Cancer Pain in an outpatient supportive care center. Palliative and Supportive Care, 2015, 13, 1185-1192.  | 1.0 | 20        |
| 139 | Testing the feasibility of using the Edmonton Symptom Assessment System (ESAS) to assess caregiver symptom burden. Palliative and Supportive Care, 2018, 16, 14-22.  | 1.0 | 20        |
| 140 | Place-of-death preferences among patients with cancer and family caregivers in inpatient and outpatient palliative care. BMJ Supportive and Palliative Care, 2022, 12, e501-e504.                            | 1.6 | 20        |
| 141 | Quality of life in palliative care. Expert Review of Quality of Life in Cancer Care, 2017, 2, 293-302.   | 0.6 | 19        |
| 142 | Palliative Care for Delirium in Patients in the Last weeks of Life: The Final Frontier. Journal of Palliative Care, 2014, 30, 259-264.   | 1.0 | 18        |
| 143 | Validation of the Modified Glasgow Prognostic Score in Advanced Cancer Patients Receiving Palliative Care. Journal of Pain and Symptom Management, 2016, 51, 270-277.  | 1.2 | 18        |
| 144 | Dealing with prognostic uncertainty: the role of prognostic models and websites for patients with advanced cancer. Current Opinion in Supportive and Palliative Care, 2019, 13, 360-368.                     | 1.3 | 18        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | Referral criteria to specialist palliative care for patients with dementia: A systematic review. Journal of the American Geriatrics Society, 2021, 69, 1659-1669.                                 | 2.6 | 17        |
| 146 | Frequency and Outcome of Neuroleptic Rotation in the Management of Delirium in Patients with Advanced Cancer. Cancer Research and Treatment, 2015, 47, 399-405.                                   | 3.0 | 17        |
| 147 | Palliative Care Units: The Best Option for the Most Distressed. Archives of Internal Medicine, 2011, 171, 1601.   | 3.8 | 16        |
| 148 | Could Objective Tests Be Used to Measure Fatigue in Patients With Advanced Cancer?. Journal of Pain and Symptom Management, 2017, 54, 237-244.  | 1.2 | 16        |
| 149 | Spiritual Well-being Among Palliative Care Patients With Different Religious Affiliations: A Multicenter Korean Study. Journal of Pain and Symptom Management, 2018, 56, 893-901.                 | 1.2 | 16        |
| 150 | MASCC antiemetics in advanced cancer updated guideline. Supportive Care in Cancer, 2021, 29, 8097-8107.   | 2.2 | 16        |
| 151 | Reporting of Funding Sources and Conflict of Interest in the Supportive and Palliative Oncology Literature. Journal of Pain and Symptom Management, 2012, 44, 421-430.                            | 1.2 | 15        |
| 152 | Comfort Care Kit: Use of Nonoral and Nonparenteral Rescue Medications at Home for Terminally Ill Patients with Swallowing Difficulty. Journal of Palliative Medicine, 2014, 17, 575-578.          | 1.1 | 15        |
| 153 | High-Flow Nasal Cannula Therapy for Exertional Dyspnea in Patients with Cancer: A Pilot Randomized Clinical Trial. Oncologist, 2021, 26, e1470-e1479.   | 3.7 | 15        |
| 154 | Changes in medication profile among patients with advanced cancer admitted to an acute palliative care unit. Supportive Care in Cancer, 2015, 23, 427-432.  | 2.2 | 14        |
| 155 | Pattern and Predictors of Outpatient Palliative Care Referral Among Thoracic Medical Oncologists. Oncologist, 2018, 23, 1230-1235.  | 3.7 | 14        |
| 156 | Early palliative care and the opioid crisis: ten pragmatic steps towards a more rational use of opioids. Annals of Palliative Medicine, 2019, 8, 490-497.   | 1.2 | 14        |
| 157 | Unanswered questions and future direction in the management of terminal breathlessness in patients with cancer. ESMO Open, 2020, 5, e000603.  | 4.5 | 14        |
| 158 | Accuracy of the Palliative Prognostic Score With or Without Clinicians' Prediction of Survival in Patients With Far Advanced Cancer. Journal of Pain and Symptom Management, 2021, 61, 1180-1187. | 1.2 | 14        |
| 159 | High-Flow Oxygen and High-Flow Air for Dyspnea in Hospitalized Patients with Cancer: A Pilot<br>Crossover Randomized Clinical Trial. Oncologist, 2021, 26, e883-e892.                             | 3.7 | 14        |
| 160 | Palliative care education and research at US cancer centers: A national survey. Cancer, 2021, 127, 2139-2147.   | 4.1 | 14        |
| 161 | Medical management of malignant bowel obstruction in patients with advanced cancer: 2021 MASCC guideline update. Supportive Care in Cancer, 2021, 29, 8089-8096.                                  | 2.2 | 14        |
| 162 | Neuroleptic prescription pattern for delirium in patients with advanced cancer. Journal of Palliative Care, 2011, 27, 141-7.  | 1.0 | 14        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Response to Oral Immediate-Release Opioids for Breakthrough Pain in Patients with Advanced Cancer with Adequately Controlled Background Pain. Oncologist, 2019, 24, 125-131.   | 3.7 | 13        |
| 164 | Attitudes and Perceptions of Patients, Caregivers, and Health Care Providers toward Background Music in Patient Care Areas: An Exploratory Study. Journal of Palliative Medicine, 2012, 15, 1130-1136.                       | 1.1 | 12        |
| 165 | How far along the disease trajectory? An examination of the time-related patient characteristics in the palliative oncology literature. Supportive Care in Cancer, 2016, 24, 3997-4004.                                      | 2.2 | 12        |
| 166 | Clinical and Socio-Demographic Predictors of Home Hospice Patients Dying at Home: A Retrospective Analysis of Hospice Care Association's Database in Singapore. Journal of Pain and Symptom Management, 2017, 53, 1035-1041. | 1.2 | 12        |
| 167 | The minimal clinically important difference of the Richmond Agitationâ€Sedation Scale in patients with cancer with agitated delirium. Cancer, 2018, 124, 2246-2252.  | 4.1 | 12        |
| 168 | Association between tobacco use, pain expression, and coping strategies among patients with advanced cancer. Cancer, 2019, 125, 153-160.   | 4.1 | 12        |
| 169 | Use of short-acting opioids in the management of breathlessness: an evidence-based review. Current Opinion in Supportive and Palliative Care, 2020, 14, 167-176.   | 1.3 | 12        |
| 170 | Anamorelin combined with physical activity, and nutritional counseling for cancer-related fatigue: a preliminary study. Supportive Care in Cancer, 2022, 30, 497-509.  | 2.2 | 12        |
| 171 | Palliative care for delirium in patients in the last weeks of life: the final frontier. Journal of Palliative Care, 2014, 30, 259-64.  | 1.0 | 12        |
| 172 | Minimal Clinically Important Differences in the Edmonton Symptom Assessment System: The Anchor Is Key. Journal of Pain and Symptom Management, 2013, 45, e4-e5.  | 1.2 | 11        |
| 173 | Palliative Care in Patients with Leukemia: When and How?. Current Oncology Reports, 2018, 20, 95.  | 4.0 | 11        |
| 174 | Impact of Palliative Care on Quality of End-of-Life Care Among Brazilian Patients With Advanced Cancers. Journal of Pain and Symptom Management, 2020, 59, 39-48.  | 1.2 | 11        |
| 175 | Random vs Targeted Urine Drug Testing Among Patients Undergoing Long-term Opioid Treatment for Cancer Pain. JAMA Oncology, 2020, 6, 580.   | 7.1 | 11        |
| 176 | Development of a screening tool to improve the referral of patients with breast and gynecological cancer to outpatient palliative care. Gynecologic Oncology, 2020, 158, 153-157.  | 1.4 | 11        |
| 177 | Random urine drug testing among patients receiving opioid therapy for cancer pain. Cancer, 2021, 127, 968-975.   | 4.1 | 11        |
| 178 | Practical Model for Prognostication in Advanced Cancer Patients: Is Less More?. Journal of Clinical Oncology, 2008, 26, 5843-5844.   | 1.6 | 10        |
| 179 | Patients' and Family Members' Decision-Making and Information Disclosure Preferences in a Single-Center Survey in China. American Journal of Hospice and Palliative Medicine, 2016, 33, 733-741.                             | 1.4 | 10        |
| 180 | Is spirituality related to survival in advanced cancer inpatients in Korea?. Palliative and Supportive Care, 2018, 16, 669-676.  | 1.0 | 10        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 181 | Development and validation of a prognostic nomogram for ambulatory patients with advanced cancer. Cancer Medicine, 2018, 7, 3003-3010.   | 2.8 | 10        |
| 182 | Referral criteria to palliative care for patients with respiratory disease: a systematic review. European Respiratory Journal, 2021, 58, 2004307.  | 6.7 | 10        |
| 183 | Barriers to research in palliative care in France. BMJ Supportive and Palliative Care, 2014, 4, 182-189.   | 1.6 | 9         |
| 184 | Delirium in the palliative care setting: "Sorting―out the confusion. Palliative Medicine, 2019, 33, 863-864.   | 3.1 | 9         |
| 185 | State of Integration of Palliative Care at National Cancer Institute–Designated and Nondesignated Cancer Centers. JAMA Oncology, 2020, 6, 1292.  | 7.1 | 9         |
| 186 | The Impact of International Research Collaborations on the Citation Metrics and the Scientific Potential of South American Palliative Care Research: Bibliometric Analysis. Annals of Global Health, 2021, 87, 32. | 2.0 | 9         |
| 187 | Diagnostic models for impending death in terminally ill cancer patients: A multicenter cohort study. Cancer Medicine, 2021, 10, 7988-7995.   | 2.8 | 9         |
| 188 | Chronic Non-Malignant Pain in Patients with Cancer Seen at a Timely Outpatient Palliative Care Clinic. Cancers, 2020, 12, 214.   | 3.7 | 8         |
| 189 | Health Care Provider Attitudes, Beliefs, and Perceived Confidence in Managing Patients With Cancer<br>Pain and Nonmedical Opioid Use. Journal of Pain and Symptom Management, 2021, 61, 128-135.e6.                | 1.2 | 8         |
| 190 | Are Prognostic Scores Better Than Clinician Judgment? A Prospective Study Using Three Models. Journal of Pain and Symptom Management, 2022, 64, 391-399.   | 1.2 | 8         |
| 191 | Serial Prognostication: A New Look at an Old Tool. Journal of Pain and Symptom Management, 2014, 47, e5-e6.  | 1.2 | 7         |
| 192 | Palliative Care for Patients With Opioid Misuse. JAMA - Journal of the American Medical Association, 2019, 321, 511.   | 7.4 | 7         |
| 193 | The development of a nomogram to determine the frequency of elevated risk for non-medical opioid use in cancer patients. Palliative and Supportive Care, 2021, 19, 3-10.   | 1.0 | 7         |
| 194 | "The surprise questions―using variable time frames in hospitalized patients with advanced cancer. Palliative and Supportive Care, 2022, 20, 221-225.   | 1.0 | 7         |
| 195 | Prognostication of the Last Days of Life. Cancer Research and Treatment, 2022, 54, 631-643.  | 3.0 | 7         |
| 196 | Spinal analgesia: where is the evidence?. Supportive Care in Cancer, 2010, 18, 1237-1237.  | 2.2 | 6         |
| 197 | Intimate Partner Violence in an Outpatient Palliative Care Setting. Journal of Pain and Symptom<br>Management, 2014, 47, 806-813.  | 1.2 | 6         |
| 198 | Practices and perceptions regarding intravenous opioid infusion and cancer pain management. Cancer, 2019, 125, 3882-3889.  | 4.1 | 6         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Patients' Perspective of Timeliness and Usefulness of an Outpatient Supportive Care Referral at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2019, 58, 275-281.   | 1.2 | 6         |
| 200 | Assessment of the Decision-Making Capacity for Clinical Research Participation in Patients With Advanced Cancer in the Last Weeks of Life. Journal of Pain and Symptom Management, 2020, 60, 400-406.   | 1.2 | 6         |
| 201 | Till Death Do Us Part: Getting Married at the End of Life. Journal of Pain and Symptom Management, 2012, 44, 466-470.   | 1.2 | 5         |
| 202 | Collapse of Fluid Balance and Association with Survival in Patients with Advanced Cancer Admitted to a Palliative Care Unit: Preliminary Findings. Journal of Palliative Medicine, 2020, 23, 459-465.   | 1.1 | 5         |
| 203 | Frequency and Characteristics of First-Time Palliative Care Referrals During the Last Day of Life. Journal of Pain and Symptom Management, 2021, 61, 358-363.   | 1.2 | 5         |
| 204 | Recommendations for supportive care and best supportive care in NCCN clinical practice guidelines for treatment of cancer: Differences between solid tumor and hematologic malignancy guidelines. Supportive Care in Cancer, 2021, 29, 7385-7392. | 2.2 | 5         |
| 205 | Supportive and Palliative Oncologyâ€"A New Paradigm for Comprehensive Cancer Care. Oncology & Hematology Review, 2013, 09, 68.  | 0.2 | 5         |
| 206 | Association Between Health-Related Quality of Life and Progression-Free Survival in Patients With Advanced Cancer: A Secondary Analysis of SWOG Clinical Trials. JCO Oncology Practice, 2022, 18, e442-e451.                                      | 2.9 | 5         |
| 207 | Comparison of the accuracy of clinicians' prediction of survival and Palliative Prognostic Score: an East Asian cross-cultural study. Supportive Care in Cancer, 2022, 30, 2367-2374.   | 2.2 | 5         |
| 208 | Transdermal Fentanyl: Not Ready for Front Line. Journal of Palliative Care, 2009, 25, 300-300.  | 1.0 | 4         |
| 209 | Neuroleptics for Delirium: More Research Is Needed. JAMA Internal Medicine, 2017, 177, 1052.  | 5.1 | 4         |
| 210 | Intensity of Cancer Care Near the End of Life at a Tertiary Care Cancer Center in Jordan. Journal of Pain and Symptom Management, 2019, 57, 1106-1113.  | 1.2 | 4         |
| 211 | Association among rescue neuroleptic use, agitation, and perceived comfort: secondary analysis of a randomized clinical trial on agitated delirium. Supportive Care in Cancer, 2021, 29, 7887-7894.   | 2.2 | 4         |
| 212 | Personalized sedation goal for agitated delirium in patients with cancer: Balancing comfort and communication. Cancer, 2021, 127, 4694-4701.  | 4.1 | 4         |
| 213 | Advanced cancer patients' self-reported perception of timeliness of their referral to outpatient supportive/palliative care and their survival data Journal of Clinical Oncology, 2017, 35, 10121-10121.  | 1.6 | 4         |
| 214 | Intercountry and intracountry variations in opinions of palliative care specialist physicians in Germany, Italy, Japan and UK about continuous use of sedatives: an international cross-sectional survey. BMJ Open, 2022, 12, e060489.            | 1.9 | 4         |
| 215 | The Essential Role of Feasibility Studies in Supportive Care: Reply to Sanz Rubiales and del Valle.<br>Journal of Pain and Symptom Management, 2014, 48, e5-e6.   | 1.2 | 3         |
| 216 | Association Between Plasma Brain Natriuretic Peptide and Overall Survival in Patients With Advanced Cancer: Preliminary Findings. Journal of Pain and Symptom Management, 2019, 58, 465-471.  | 1.2 | 3         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Do Neuroleptics Still Have a Role in Patients With Delirium?. Annals of Internal Medicine, 2020, 172, 295.  | 3.9  | 3         |
| 218 | Development of a One-item Screening Question to Assess Spiritual Well-Being for Advanced Cancer Inpatients in Korea. Journal of Pain and Symptom Management, 2021, 62, 910-917.                             | 1.2  | 3         |
| 219 | Factors related to spiritual well-being in the last days of life in three East Asian countries: An international multicenter prospective cohort study. Palliative Medicine, 2021, 35, 1564-1577.            | 3.1  | 3         |
| 220 | Opioid safety recommendations in adult palliative medicine: a North American Delphi expert consensus. BMJ Supportive and Palliative Care, 2022, 12, 81-90.  | 1.6  | 3         |
| 221 | Prophylaxis and treatment of cancer-related dyspnea with pharmacologic agents: A systematic review and network meta-analysis. Palliative and Supportive Care, $0$ , $1$ -8.                                 | 1.0  | 3         |
| 222 | What are the best terms in Portuguese to explain the concepts of "fatigue―and "depression―in cancer patients?. Palliative and Supportive Care, 2015, 13, 991-996.   | 1.0  | 2         |
| 223 | Reply to minimal clinically important difference and Edmonton Symptom Assessment Scale. Cancer, 2016, 122, 159-160.   | 4.1  | 2         |
| 224 | The Edmonton Symptom Assessment Scale remains useful for depression screening. Palliative Medicine, 2017, 31, 483-484.  | 3.1  | 2         |
| 225 | Palliative medicine integration in the USA: cancer centre executives' attitudes. BMJ Supportive and Palliative Care, 2023, 13, 199-208.   | 1.6  | 2         |
| 226 | Integrated Palliative and Oncology Care for Patients With Acute Myeloid Leukemiaâ€"Moving From Evidence to Practice. JAMA Oncology, 2021, 7, 943.   | 7.1  | 2         |
| 227 | Fixed-Dose Netupitant and Palonosetron for Chronic Nausea in Cancer Patients: A Double-Blind, Placebo Run-in Pilot Randomized Clinical Trial. Journal of Pain and Symptom Management, 2021, 62, 223-232.e1. | 1.2  | 2         |
| 228 | Supportive care for the prevention of nausea, vomiting and anorexia in a phase 1B study of selinexor in advanced cancer patients: an exploratory study. Investigational New Drugs, 2022, 40, 124-133.       | 2.6  | 2         |
| 229 | Immunotherapy Versus Hospice: Treatment Decision-Making in the Modern Era of Novel Cancer<br>Therapies. Current Oncology Reports, 2022, 24, 285-294.  | 4.0  | 2         |
| 230 | Transdermal fentanyl: not ready for front line. Journal of Palliative Care, 2009, 25, 300; author reply 301.  | 1.0  | 2         |
| 231 | Management of Physical Symptoms in Patients with Advanced Cancer during the Last Weeks and Days of Life. Cancer Research and Treatment, 2022, 54, 661-670.  | 3.0  | 2         |
| 232 | Reply to J.M. Snaman et al. Journal of Clinical Oncology, 2016, 34, 289-289.  | 1.6  | 1         |
| 233 | Opioid use among cancer patients in the final hospitalization in a Tertiary Cancer Center in Jordan. Progress in Palliative Care, 2020, 28, 369-374.  | 1.2  | 1         |
| 234 | Terminal agitation and delirium in patients with cancer – Authors' reply. Lancet Oncology, The, 2020, 21, e411.   | 10.7 | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | A retrospective review of the use of oxymorphone immediate release for long term pain control in cancer patients with gastrostomy tubes. Annals of Palliative Medicine, 2021, 10, 2662-2667.                                  | 1.2 | 1         |
| 236 | Timely Family Meetings or Time-Limited Trials?. JAMA Internal Medicine, 2021, 181, 1418.  | 5.1 | 1         |
| 237 | Methylphenidate (MP) and nursing telephone intervention (NTI) for cancer-related fatigue (CRF) in advanced cancer patients: A double-blind randomized phase II trial Journal of Clinical Oncology, 2012, 30, 9023-9023.       | 1.6 | 1         |
| 238 | HAprog: A New Prognostic Application to Assist Oncologists in Routine Care. Journal of Pain and Symptom Management, 2022, 63, 1014-1021.e4.   | 1.2 | 1         |
| 239 | Overall Survival among Patients with Cancer and Pressure Injury and Its Association with Braden Scale Score. Journal of Palliative Medicine, 2022, , .  | 1.1 | 1         |
| 240 | In Reply. Oncologist, 2015, 20, e27-e27.  | 3.7 | 0         |
| 241 | Choosing a "Yardstick―to Determine the Minimal Clinically Important Difference: Reply to Johnson and Currow. Journal of Pain and Symptom Management, 2015, 49, e7.  | 1.2 | O         |
| 242 | Authors' Response to: Prophylactic Fentanyl Sublingual Spray for Episodic Exertional Dyspnea in Cancer Patients: A Pilot Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2019, 58, e17-e18. | 1.2 | 0         |
| 243 | Prognostication, palliative care, and patient outcomes (reply to Rossi et al.). Supportive Care in Cancer, 2020, 28, 1547-1548.   | 2.2 | 0         |
| 244 | Crushed Metronidazole in Managing Chronic Nonsurgical Wound Malodor in Patients with Cancer: Preliminary Findings. Journal of Palliative Medicine, 2020, 23, 308-309.   | 1.1 | 0         |
| 245 | Reply to comment on: Referral criteria to specialist palliative care for patients with dementiaâ€"A systematic review. Journal of the American Geriatrics Society, 2021, 69, 2038-2039.                                       | 2.6 | 0         |
| 246 | A National Survey of Palliative Care Team Compositions. Journal of Palliative Care, 2021, , 082585972110589.  | 1.0 | 0         |