

Shanmugan Subramani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8495202/publications.pdf>

Version: 2024-02-01

95
papers

735
citations

567281

15
h-index

677142

22
g-index

95
all docs

95
docs citations

95
times ranked

725
citing authors

#	ARTICLE	IF	CITATIONS
1	Achievements in mid and high-temperature selective absorber coatings by physical vapor deposition (PVD) for solar thermal Application-A review. <i>Journal of Alloys and Compounds</i> , 2020, 839, 155510.	5.5	50
2	Study on thermal performance of high power LED employing aluminum filled epoxy composite as thermal interface material. <i>Microelectronics Journal</i> , 2014, 45, 1726-1733.	2.0	48
3	An effect of N ⁺ ion bombardment on the properties of CdTe thin films. <i>Radiation Physics and Chemistry</i> , 2012, 81, 201-207.	2.8	41
4	Performance study on an acrylic mirror boosted solar distillation unit utilizing seawater. <i>Desalination</i> , 2008, 230, 281-287.	8.2	39
5	Thermal analysis of power LED employing dual interface method and water flow as a cooling system. <i>Thermochimica Acta</i> , 2011, 523, 237-244.	2.7	38
6	Influence of Sm ³⁺ ion in structural, morphological, and electrochemical properties of LiMn ₂ O ₄ synthesized by microwave calcination. <i>Ionics</i> , 2010, 16, 351-360.	2.4	29
7	Structural and surface characterization of undoped ZnO and Cu doped ZnO using sol-gel spin coating method. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 3520-3530.	2.2	27
8	Properties of undoped ZnO and Mg doped ZnO thin films by sol-gel method for optoelectronic applications. <i>Journal of the Australian Ceramic Society</i> , 2017, 53, 421-431.	1.9	24
9	Synthesis and characterization of 10% Sb doped CdTe thin films by stacked elemental layer (SEL) method. <i>Materials Letters</i> , 2009, 63, 1189-1191.	2.6	23
10	Thermal resistance studies of surface modified heat sink for 3W LED using transient curve. <i>Microelectronics International</i> , 2013, 30, 77-84.	0.6	18
11	Thermal Resistance Analysis of High Power Light Emitting Diode Using Aluminum Nitride Thin Film-Coated Copper Substrates as Heat Sink. <i>Journal of Electronic Packaging, Transactions of the ASME</i> , 2014, 136, .	1.8	18
12	Thermal resistance of CNTs-based thermal interface material for high power solid state device packages. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 114, 1145-1152.	2.3	18
13	Effect of Ar ⁺ ion irradiation on structural and optical properties of e-beam evaporated cadmium telluride thin films. <i>Materials Science in Semiconductor Processing</i> , 2010, 13, 298-302.	4.0	17
14	Studies on morphological change and optical properties for various Zn concentrations in CdTe thin film prepared by stacked elemental layer method. <i>Journal of Alloys and Compounds</i> , 2011, 509, 2143-2148.	5.5	16
15	Structural, morphological, optical and electrical properties of NiO films prepared on Si (100) and glass substrates at different thicknesses. <i>Materials Research Express</i> , 2016, 3, 116405.	1.6	16
16	Influence of AlN Thin Film as Thermal Interface Material on Thermal and Optical Properties of High-Power LED. <i>IEEE Transactions on Device and Materials Reliability</i> , 2014, 14, 30-34.	2.0	14
17	Performance Testing of 3-W LED Mounted on ZnO Thin Film Coated Al as Heat Sink Using Dual Interface Method. <i>IEEE Transactions on Electron Devices</i> , 2013, 60, 2290-2295.	3.0	12
18	Synthesis of MgO Thin Film on Aluminum and Copper Substrates as Thermal Interface Materials. <i>IEEE Transactions on Electron Devices</i> , 2019, 66, 1450-1457.	3.0	12

#	ARTICLE	IF	CITATIONS
19	Thermal Performance of High Power LED on Boron Doped Aluminium Nitride Thin Film Coated Copper Substrates. <i>Journal of Scientific Research and Reports</i> , 2015, 5, 109-119.	0.2	12
20	Thermal Transient Analysis of High-Power Green LED Fixed on BN Coated Al Substrates as Heatsink. <i>IEEE Transactions on Electron Devices</i> , 2014, 61, 3213-3216.	3.0	10
21	Testing and Analysis of Boron-Doped Aluminum Nitride Thin-Film-Coated Al as Thermal Substrates in PCB Fabrication for LED Application. <i>IEEE Transactions on Electron Devices</i> , 2016, 63, 4839-4844.	3.0	10
22	Poly (3-hydroxybutyrate-co-15 mol% 3hydroxyhexanoate)/ZnO nanocomposites by solvent casting method: a study of optical, surface, and thermal properties. <i>Materials Research Express</i> , 2017, 4, 015301.	1.6	10
23	Synthesis and analysis of anodic aluminum oxide-nanopore structure on Al substrates for efficient thermal management in electronic packaging. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 9641-9649.	2.2	10
24	BN thin film as thermal interface material for high power LED: thermal resistance and optical analysis. <i>Optical and Quantum Electronics</i> , 2014, 46, 337-344.	3.3	9
25	Influence of annealed Cu-Al ₂ O ₃ thin film on the performance of high power LED: thermal and optical analysis. <i>Optical and Quantum Electronics</i> , 2016, 48, 1.	3.3	9
26	Impact of ZnO Nanoparticles on Dielectric and Optical Properties of Poly (3-hydroxybutyrate) for Electronics Applications. <i>Polymer-Plastics Technology and Engineering</i> , 2017, 56, 1495-1504.	1.9	9
27	Structural Analysis of ZnO Nanoparticles Reinforced P(3HB-co-15Åmol% 3HHx) Bioplastic Composite. <i>Journal of Polymers and the Environment</i> , 2017, 25, 1251-1261.	5.0	9
28	Performance of Cu-Al ₂ O ₃ thin film as thermal interface material in LED package: thermal transient and optical output analysis. <i>Microelectronics International</i> , 2018, 35, 33-44.	0.6	9
29	Influence of Molar Concentration: Sol-Gel Synthesized Magnesium Oxide Thin Films for High Power Light Emitting Diode Thermal Management. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 268, 012118.	0.3	8
30	Structural and surface analysis of AlInN thin films synthesized by elemental stacks annealing. <i>Materials Research Express</i> , 2014, 1, 026403.	1.6	7
31	Antibacterial Activity and Electrical Properties of Gold Nanoparticle Doped Ceria-Rice Husk Silica (Au/Ce-Silica) Nanocomposites Derived From Biomass. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2015, 45, 304-308.	0.6	7
32	Heat transfer enhancement in light-emitting diode packaging employing different molar concentration of magnesium oxide thin films as a heat spreader. <i>International Journal of Energy Research</i> , 2020, 44, 9527-9537.	4.5	7
33	Structural and surface analysis of chemical vapor deposited boron doped aluminum nitride thin film on aluminum substrates. <i>Materials Science-Poland</i> , 2019, 37, 395-403.	1.0	7
34	Structural and thermal performance of Ag, Ni, and Ag/Ni thin films as thermal interface material for light-emitting diode application. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	2.3	6
35	Performance of Chemical Vapor Deposited Boron-Doped AlN Thin Film as Thermal Interface Materials for 3-W LED: Thermal and Optical Analysis. <i>Acta Metallurgica Sinica (English Letters)</i> , 2018, 31, 97-104.	2.9	6
36	Performance of 9.0ÅW light-emitting diode on various layers of magnesium oxide thin film thermal interface material. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	2.3	6

#	ARTICLE	IF	CITATIONS
37	The impact of Fe ₃ O ₄ on the performance of ultrathin Ti/AlN/Ti tandem coating on stainless-steel for solar selective absorber application. Results in Physics, 2020, 19, 103582.	4.1	6
38	Synthesis of In ₂ O ₃ Thin Films from Indium Thin Film by Hot-Water Oxidation Method. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2012, 43, 6-9.	2.2	5
39	Synthesis and Properties of Nano Structured SnO ₂ Thin Films Prepared by Hot Water Oxidation of Metallic Sn Thin Film. Materials Focus, 2014, 3, 48-54.	0.4	5
40	Effect of ethyl cellulose on thermal resistivity of thixotropic ZnO nano-particle paste for thermal interface material in light emitting diode application. Materials Science in Semiconductor Processing, 2017, 58, 61-67.	4.0	5
41	Thermal performance of LED fixed on CVD processed ZnO thin film on Al substrates at various O ₂ and N ₂ gas flow rates. AIMS Materials Science, 2018, 5, 246-256.	1.4	5
42	Thermal and optical performance of chemical vapor deposited zinc oxide thin film as thermal interface material for high power LED. AIMS Materials Science, 2018, 5, 402-413.	1.4	5
43	Investigation of in-plane heat distribution, thermal stability and mechanical properties of SS-(Fe ₃ O ₄)/Ti/AlN/Ti/SiO ₂ as absorber coatings for efficient high temperature concentrated solar power systems. Journal of Alloys and Compounds, 2022, 901, 163576.	5.5	5
44	Optical properties of amorphous ZnO thin film prepared from boiled Zn thin film in ultra high pure water. EPJ Applied Physics, 2012, 58, 30301.	0.7	4
45	Thermal transient analysis of LED using carbon doped AlN film deposited on metal substrate as heat sink. Optical and Quantum Electronics, 2015, 47, 1245-1253.	3.3	4
46	Investigation of rheological, structural, surface, optical and thermal properties of low temperature produced silver doped ZnO thick film as thermal interface material in lighting application. Journal of Materials Science: Materials in Electronics, 2017, 28, 10112-10121.	2.2	4
47	Synthesis and characterization of hexagonal boron nitride coating on polyethylene terephthalate. Iranian Polymer Journal (English Edition), 2019, 28, 969-976.	2.4	4
48	Impact of ZnO Nanoparticles on Thermal Properties of Poly(3-hydroxybutyrate-co-10 mol % Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 T	1.0	4
49	Polysiloxane-graphite composites as thermal interface material for light emitting diode application: a study on impact of graphite nanopowder on thermal and surface properties. Polymer-Plastics Technology and Materials, 2020, 59, 106-115.	1.3	4
50	Performance analysis of MgO/ZnO multilayer thin film as heat spreader on Al substrates for high-power LED thermal management applications. Journal of Materials Science: Materials in Electronics, 2020, 31, 15976-15990.	2.2	4
51	Melt compounded polylactic acid-hexagonal boron nitride-aluminum oxide hybrid composites for electronic applications: impact of hybrid fillers on thermophysical, dielectric, optical, and hardness properties. Polymer-Plastics Technology and Materials, 2021, 60, 147-164.	1.3	4
52	High thermal conductivity, UV-stabilized poly(3-hydroxybutyrate-co-3-hydroxyvalerate) hybrid composites for electronic applications: effect of different hybrid fillers on structural, thermal, optical, and mechanical properties. Polymer-Plastics Technology and Materials, 2021, 60, 1273-1291.	1.3	4
53	Nanostructures multilayer MgO/ZnO thin film thermal interface material for LED applications: Thermal, optical, and surface temperature performance. Journal of Materials Science: Materials in Electronics, 2021, 32, 16008-16023.	2.2	4
54	Thermal simulation analysis of high power LED system using two-resistor compact LED model. , 2013, , .		3

#	ARTICLE	IF	CITATIONS
55	Thermal Contact Conductance Analysis of Nitride and Carbonitride Thin Film Coatings for Thermal Interface Material Application. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2015, 46, 5801-5809.	2.2	3
56	Development of AlN/B alloy in (Al/AlN/B) stacking sequence using RF reactive sputtering towards thermal management application. Journal of Materials Science: Materials in Electronics, 2021, 32, 577-589.	2.2	3
57	Synthesis and Properties of Sb Layered Te/Cd Stack Prepared by Elemental Stack Method. Advanced Materials Research, 0, 488-489, 76-81.	0.3	2
58	Optical Properties and Surface Morphology of Zinc Telluride Thin Films Prepared by Stacked Elemental Layer Method. Medziagotyra, 2012, 18, .	0.2	2
59	Properties of Ag layered in Te/Cd stack prepared by stacked elemental layer method. Electronic Materials Letters, 2012, 8, 263-268.	2.2	2
60	Thermal analysis of single slope single basin solar still with fin wick material in the basin. , 2013, , .		2
61	Study on thermal performance of high power LED employing aluminium filled epoxy composite as thermal interface material. , 2013, , .		2
62	Analysis of ZnO Thin Film as Thermal Interface Material for High Power Light Emitting Diode Application. Journal of Electronic Packaging, Transactions of the ASME, 2016, 138, .	1.8	2
63	Optical performance of high power LED on silver and nickel thin film coated aluminum substrates using sputtering process. Optical and Quantum Electronics, 2016, 48, 1.	3.3	2
64	Thermal resistance of high power LED influenced by ZnO thickness and surface roughness parameter. Microelectronics International, 2016, 33, 15-22.	0.6	2
65	Variation of thermal resistance with input current and ambient temperature in low-power SMD LED. Microelectronics International, 2018, 35, 1-11.	0.6	2
66	Influence of structural and surface properties of MgO thin film as a heat spreader on high power LED performance. Optical and Quantum Electronics, 2020, 52, 1.	3.3	2
67	Evaluation of the thermal performance of high-power LED using magnesium oxide thin film as heat spreader. Materials Chemistry and Physics, 2022, 277, 125588.	4.0	2
68	High-temperature AlN and Ti multilayer cermet for solar absorber coating: structural and optical properties. Indian Journal of Physics, 2022, 96, 3787-3795.	1.8	2
69	Synthesis and properties of 10% Zn layered CdTe thin films by SEL method. EPJ Applied Physics, 2011, 56, 10301.	0.7	1
70	Electrical and morphological analysis of oxygen plasma treated Zn metal thin films. EPJ Applied Physics, 2012, 58, 10802.	0.7	1
71	Formation of Copper oxide thin films from RF sputtered Cu thin film by ultra high pure boiled water. , 2012, , .		1
72	Thermal resistance of high power LED on surface modified heat sink. Frontiers of Optoelectronics, 2013, 6, 160-166.	3.7	1

#	ARTICLE	IF	CITATIONS
73	Surface and electrical properties of plasma processed RF sputtered GaN thin films. EPJ Applied Physics, 2014, 68, 30303.	0.7	1
74	Structural and Optical Properties of Ultra-high Pure Hot Water Processed Ga ₂ O ₃ Thin Film. Medziagotyra, 2016, 22, .	0.2	1
75	Properties of inductively coupled N ₂ plasma processed AlInN thin film prepared by post annealing of rf sputtered Al/InN stack. Materials Research Express, 2016, 3, 126301.	1.6	1
76	Low temperature produced calcium-doped zinc oxide thick film via screen printing technique as thermal interface material in LED application. Journal of Materials Science: Materials in Electronics, 2017, 28, 13371-13378.	2.2	1
77	Heat transfer enhancement in MOSFET mounted on different FR4 substrates by thermal transient measurement. Chinese Physics B, 2017, 26, 098901.	1.4	1
78	EVALUATION ON THE THERMAL AND STRUCTURAL PROPERTIES OF COPPER ALUMINUM OXIDE (Cu-Al ₂ O ₃) THIN FILM ON AL SUBSTRATE: EFFECT OF ANNEALING TEMPERATURE. Surface Review and Letters, 2018, 25, 1950017.	1.1	1
79	Effect of substrate temperature deposition on the thermal and optical performance of ZnO thin films as thermal interface material. Optical and Quantum Electronics, 2019, 51, 1.	3.3	1
80	Zn thin film on Al metal as thermal substrates for LED application: thermal and optical performance. Optical and Quantum Electronics, 2020, 52, 1.	3.3	1
81	Optimization of process parameters of anodic aluminium oxide using an orthogonal array technique for thermal management applications. Journal of Materials Science: Materials in Electronics, 2020, 31, 18706-18720.	2.2	1
82	Impact of aluminum oxide nanopowder on thermal, optical and surface properties of polysiloxane-aluminum oxide composites as elastomeric thermal pad for light emitting diode application. Polymer-Plastics Technology and Materials, 2020, 59, 1124-1137.	1.3	1
83	Growth and performance analysis of BAlN alloy thin film on Al substrate as a heat spreader for effective thermal management applications on white-based high-power LED. Applied Physics A: Materials Science and Processing, 2021, 127, 1.	2.3	1
84	Morphological Studies on Ag Doped CdTe Thin Films Prepared By Stacked Elemental Layer (SEL) Method. , 2010, , .		0
85	Studies on Structural Properties of CdTe (Doped Ag) Thin Films on Glass Substrates-Solar Cell Applications. , 2010, , .		0
86	Structural and Optical Properties of Zn Doped CdTe Thin Films by Stacked Elemental Layer Method. Advanced Materials Research, 0, 383-390, 3279-3285.	0.3	0
87	A Study on the Effect of Process Parameters on Surface Topography of Al Thin Films on Various Substrates Using AFM. Advanced Materials Research, 0, 383-390, 903-908.	0.3	0
88	Rhombohedral In$_{2}$O$_{3}$ thin films preparation from in metal film using Oxygen plasma. , 2012, , .		0
89	Influence of Cu Layer on Structural and Optical Properties of Copper Oxides Prepared as Stacks. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 35-44.	2.2	0
90	GROWTH OF SPUTTERED-ALUMINUM OXIDE THIN FILMS ON Si (100) AND Si (111) SUBSTRATES WITH Al ₂ O ₃ BUFFER LAYER. Surface Review and Letters, 2016, 23, 1650016.	1.1	0

#	ARTICLE	IF	CITATIONS
91	THERMALLY-DRIVEN STRUCTURAL CHANGES OF SPUTTERED COPPER ALUMINUM OXIDE FILMS (Cu ₂ O ₃) GROWN BY LAYER STACKING METHOD. Surface Review and Letters, 2017, 24, 1850002.	1.1	0
92	Synergetic effect of micro-hBN and nano-Al ₂ O ₃ fillers on structural, surface, thermal, and mechanical properties of PLA/hBN/Al ₂ O ₃ hybrid composites: experimental and theoretical investigation. Polymer-Plastics Technology and Materials, 2021, 60, 917-936.	1.3	0
93	Synthesis of Nano-Structured Sb ₂ Te ₃ Thin Films by Stacked Elemental Layer Method. Journal of Nanoelectronics and Optoelectronics, 2010, 5, 304-309.	0.5	0
94	Influence of composition ratio on the thermal performance of AlN/B nanocomposite for an efficient heat spreading in solid-state lighting package (LED). Journal of Materials Science: Materials in Electronics, 0, 1.	2.2	0
95	Testing and Analysis of Ar Plasma Processed LED at Different Ar Gas Flow Rate and Process Time: Thermal and Surface Verification. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2022, 12, 1007-1014.	2.5	0