

Jorge Joven

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8497468/publications.pdf>

Version: 2024-02-01

389
papers

13,534
citations

21215

62
h-index

48101

92
g-index

404
all docs

404
docs citations

404
times ranked

19252
citing authors

#	ARTICLE	IF	CITATIONS
1	An MMP-degraded and cross-linked fragment of type III collagen as a non-invasive biomarker of hepatic fibrosis resolution. <i>Liver International</i> , 2022, 42, 1605-1617.	1.9	9
2	Can COVID-19 vaccines relieve severe tension-type headache and migraine?. <i>Medical Hypotheses</i> , 2022, 161, 110812.	0.8	3
3	Machine learning and semi-targeted lipidomics identify distinct serum lipid signatures in hospitalized COVID-19-positive and COVID-19-negative patients. <i>Metabolism: Clinical and Experimental</i> , 2022, 131, 155197.	1.5	33
4	PO-1450 Clinical Outcome and Radiologic Changes in SARS-CoV-2 Pneumonia treated with Low-Dose Radiotherapy.. <i>Radiotherapy and Oncology</i> , 2022, 170, S1229-S1231.	0.3	0
5	Effect of Low-Dose Radiotherapy on the Circulating Levels of Paraoxonase-1-Related Variables and Markers of Inflammation in Patients with COVID-19 Pneumonia. <i>Antioxidants</i> , 2022, 11, 1184.	2.2	6
6	Usefulness of the Measurement of Serum Paraoxonase-1 Arylesterase Activity in the Diagnoses of COVID-19. <i>Biomolecules</i> , 2022, 12, 879.	1.8	3
7	Laparoscopic Sleeve Gastrectomy in Patients with Severe Obesity Restores Adaptive Responses Leading to Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7830.	1.8	4
8	Influence of Surgical Procedures on Serum Paraoxonase-1-Related Variables and Markers of Inflammation in Hospitalized Patients. <i>Journal of Investigative Surgery</i> , 2021, 34, 216-224.	0.6	11
9	Hepatic metabolic adaptation and adipose tissue expansion are altered in mice with steatohepatitis induced by high-fat high sucrose diet. <i>Journal of Nutritional Biochemistry</i> , 2021, 89, 108559.	1.9	15
10	Betanin and Peripheral Artery Vasospasm. <i>Journal of Investigative Surgery</i> , 2021, 34, 214-215.	0.6	0
11	Laparoscopic sleeve gastrectomy alters 1H-NMR-measured lipoprotein and glycoprotein profile in patients with severe obesity and nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2021, 11, 1343.	1.6	6
12	Paraoxonase-1 and -3 Protein Expression in the Brain of the Tg2576 Mouse Model of Alzheimer's Disease. <i>Antioxidants</i> , 2021, 10, 339.	2.2	14
13	Nonalcoholic Steatohepatitis Modifies Serum Iron-Related Variables in Patients with Morbid Obesity. <i>Biological Trace Element Research</i> , 2021, 199, 4555-4563.	1.9	6
14	Coupling Machine Learning and Lipidomics as a Tool to Investigate Metabolic Dysfunction-Associated Fatty Liver Disease. A General Overview. <i>Biomolecules</i> , 2021, 11, 473.	1.8	10
15	First and second waves of coronavirus disease-19: A comparative study in hospitalized patients in Reus, Spain. <i>PLoS ONE</i> , 2021, 16, e0248029.	1.1	206
16	Identification of potential metabolic biomarkers of rectal cancer and of the effect of neoadjuvant radiochemotherapy. <i>PLoS ONE</i> , 2021, 16, e0250453.	1.1	12
17	TEMPORARY REMOVAL: Glutaminolysis-induced mTORC1 activation drives non-alcoholic steatohepatitis progression. <i>Journal of Hepatology</i> , 2021, , .	1.8	3
18	Clinical Performance of Paraoxonase-1-Related Variables and Novel Markers of Inflammation in Coronavirus Disease-19. A Machine Learning Approach. <i>Antioxidants</i> , 2021, 10, 991.	2.2	14

#	ARTICLE	IF	CITATIONS
19	Lung Cancer Management with Silibinin: A Historical and Translational Perspective. <i>Pharmaceuticals</i> , 2021, 14, 559.	1.7	14
20	On the Role of Paraoxonase-1 and Chemokine Ligand 2 (C-C motif) in Metabolic Alterations Linked to Inflammation and Disease. A 2021 Update. <i>Biomolecules</i> , 2021, 11, 971.	1.8	21
21	Metformin Is a Pyridoxal-5-phosphate (PLP)-Competitive Inhibitor of SHMT2. <i>Cancers</i> , 2021, 13, 4009.	1.7	15
22	PO-1107 Inflammatory markers in breast cancer patients treated with radiotherapy: Machine Learning approach. <i>Radiotherapy and Oncology</i> , 2021, 161, S921-S922.	0.3	0
23	Clinical performance of the Elecsys® anti-SARS-CoV-2 combined in an algorithm with two specific anti-IgG immunoassays for the evaluation of the serological response of patients with COVID-19 in a population with a high prevalence of infection. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 614-621.	0.8	1
24	Phenotypic, morphological, and metabolic characterization of vascular spheres from human vascular mesenchymal stem cells. <i>Microscopy Research and Technique</i> , 2021, , .	1.2	3
25	Trace elements under the spotlight: A powerful nutritional tool in cancer. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 68, 126858.	1.5	11
26	Effects of radiotherapy on plasma energy metabolites in patients with breast cancer who received neoadjuvant chemotherapy. <i>Clinical and Translational Oncology</i> , 2020, 22, 1078-1085.	1.2	5
27	Chemokine (C-C motif) ligand 2 and coronary artery disease: Tissue expression of functional and atypical receptors. <i>Cytokine</i> , 2020, 126, 154923.	1.4	11
28	Plasma metabolic alterations in patients with severe obesity and non-alcoholic steatohepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 374-387.	1.9	20
29	Alterations in plasma concentrations of energy-balance-related metabolites in patients with lung, or head & neck, cancers: Effects of radiotherapy. <i>Journal of Proteomics</i> , 2020, 213, 103605.	1.2	10
30	Chemokine C-C motif ligand 2 overexpression drives tissue-specific metabolic responses in the liver and muscle of mice. <i>Scientific Reports</i> , 2020, 10, 11954.	1.6	13
31	Quercetin metabolites from <i>Hibiscus sabdariffa</i> contribute to alleviate glucolipotoxicity-induced metabolic stress in vitro. <i>Food and Chemical Toxicology</i> , 2020, 144, 111606.	1.8	11
32	Risk factors associated with mortality in hospitalized patients with SARS-CoV-2 infection. A prospective, longitudinal, unicenter study in Reus, Spain. <i>PLoS ONE</i> , 2020, 15, e0234452.	1.1	41
33	The lipid composition of the liver: assessing differences in obese patients with and without non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2020, 73, S654-S655.	1.8	0
34	Sex differences of adipose tissue dynamic changes in NASH progression of morbid obese patients: a preliminary study. <i>Journal of Hepatology</i> , 2020, 73, S662-S663.	1.8	0
35	The influence of obesity, non-alcoholic steatohepatitis and bariatric surgery on plasma lipid profile. <i>Journal of Hepatology</i> , 2020, 73, S664-S665.	1.8	0
36	Obesity and non-alcoholic steatohepatitis: assessing lipid diversity in adipose tissue. <i>Journal of Hepatology</i> , 2020, 73, S675-S676.	1.8	0

#	ARTICLE	IF	CITATIONS
37	Multiplexed monitoring of a novel autoantibody diagnostic signature of colorectal cancer using HaloTag technology-based electrochemical immunosensing platform. <i>Theranostics</i> , 2020, 10, 3022-3034.	4.6	23
38	Systemic overexpression of C-C motif chemokine ligand 2 promotes metabolic dysregulation and premature death in mice with accelerated aging. <i>Aging</i> , 2020, 12, 20001-20023.	1.4	5
39	Title is missing!. , 2020, 15, e0234452.		0
40	Title is missing!. , 2020, 15, e0234452.		0
41	Title is missing!. , 2020, 15, e0234452.		0
42	Title is missing!. , 2020, 15, e0234452.		0
43	Laparoscopic sleeve gastrectomy reverses non-alcoholic fatty liver disease modulating oxidative stress and inflammation. <i>Metabolism: Clinical and Experimental</i> , 2019, 99, 81-89.	1.5	43
44	Serum Paraoxonase-1-Related Variables and Lipoprotein Profile in Patients with Lung or Head and Neck Cancer: Effect of Radiotherapy. <i>Antioxidants</i> , 2019, 8, 213.	2.2	14
45	Revisiting silibinin as a novobiocin-like Hsp90α C-terminal inhibitor: Computational modeling and experimental validation. <i>Food and Chemical Toxicology</i> , 2019, 132, 110645.	1.8	16
46	FRI-322-Metabolic inflammation: The role of chemokine C-C motif ligand 2 in the crosstalk between liver tissue and muscle. <i>Journal of Hepatology</i> , 2019, 70, e537-e538.	1.8	1
47	Effect of Vitamin D3 on the Postprandial Lipid Profile in Obese Patients: A Non-Targeted Lipidomics Study. <i>Nutrients</i> , 2019, 11, 1194.	1.7	21
48	Computational de-orphanization of the olive oil biophenol oleacein: Discovery of new metabolic and epigenetic targets. <i>Food and Chemical Toxicology</i> , 2019, 131, 110529.	1.8	15
49	Stratification of cancer and diabetes based on circulating levels of formate and glucose. <i>Cancer & Metabolism</i> , 2019, 7, 3.	2.4	23
50	Deficient Endoplasmic Reticulum-Mitochondrial Phosphatidylserine Transfer Causes Liver Disease. <i>Cell</i> , 2019, 177, 881-895.e17.	13.5	209
51	The C Allele of ATM rs11212617 Associates With Higher Pathological Complete Remission Rate in Breast Cancer Patients Treated With Neoadjuvant Metformin. <i>Frontiers in Oncology</i> , 2019, 9, 193.	1.3	17
52	Chemokine (C-C motif) ligand 2 gene ablation protects low-density lipoprotein and paraoxonase-1 double deficient mice from liver injury, oxidative stress and inflammation. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 1555-1566.	1.8	13
53	Intestinal Permeability Study of Clinically Relevant Formulations of Silibinin in Caco-2 Cell Monolayers. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1606.	1.8	32
54	Neoadjuvant Metformin Added to Systemic Therapy Decreases the Proliferative Capacity of Residual Breast Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 2180.	1.0	12

#	ARTICLE	IF	CITATIONS
55	An olive oil phenolic is a new chemotype of mutant isocitrate dehydrogenase 1 (IDH1) inhibitors. <i>Carcinogenesis</i> , 2019, 40, 27-40.	1.3	14
56	Versatile Electroanalytical Bioplatfoms for Simultaneous Determination of Cancer-Related DNA 5-Methyl- and 5-Hydroxymethyl-Cytosines at Global and Gene-Specific Levels in Human Serum and Tissues. <i>ACS Sensors</i> , 2019, 4, 227-234.	4.0	56
57	Different behavior of polyphenols in energy metabolism of lipopolysaccharide-stimulated cells. <i>Food Research International</i> , 2019, 118, 96-100.	2.9	8
58	Metformin induces a fasting- and antifolate-mimicking modification of systemic host metabolism in breast cancer patients. <i>Aging</i> , 2019, 11, 2874-2888.	1.4	25
59	In silico clinical trials for anti-aging therapies. <i>Aging</i> , 2019, 11, 6591-6601.	1.4	3
60	Serum concentrations of trace elements and their relationships with paraoxonase-1 in morbidly obese women. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018, 48, 8-15.	1.5	12
61	Assessment of extracellular matrix-related biomarkers in patients with lower extremity artery disease. <i>Journal of Vascular Surgery</i> , 2018, 68, 1135-1142.e6.	0.6	7
62	Silibinin is a direct inhibitor of STAT3. <i>Food and Chemical Toxicology</i> , 2018, 116, 161-172.	1.8	52
63	Extra-virgin olive oil contains a metabolo-epigenetic inhibitor of cancer stem cells. <i>Carcinogenesis</i> , 2018, 39, 601-613.	1.3	53
64	Serum Paraoxonase-1 Concentration as a Potential Predictor of Urinary Bladder Cancer Recurrence. A Five Year Follow-Up Study. <i>Archives of Medical Research</i> , 2018, 49, 119-122.	1.5	9
65	Paraoxonase-1 activity in patients with cancer: A systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 127, 6-14.	2.0	32
66	Trace Elements and Paraoxonase-1 Activity in Lower Extremity Artery Disease. <i>Biological Trace Element Research</i> , 2018, 186, 74-84.	1.9	13
67	Novel circulating biomarkers for non-alcoholic fatty liver disease: A systematic review. <i>Journal of Cellular Physiology</i> , 2018, 233, 849-855.	2.0	13
68	Metformin regulates global DNA methylation via mitochondrial one-carbon metabolism. <i>Oncogene</i> , 2018, 37, 963-970.	2.6	85
69	A phase 2 trial of neoadjuvant metformin in combination with trastuzumab and chemotherapy in women with early HER2-positive breast cancer: the METTEN study. <i>Oncotarget</i> , 2018, 9, 35687-35704.	0.8	55
70	Metabolite normalization with local radiotherapy following breast tumor resection. <i>PLoS ONE</i> , 2018, 13, e0207474.	1.1	14
71	Trace element concentrations in breast cancer patients. <i>Breast</i> , 2018, 42, 142-149.	0.9	17
72	Bariatric surgery reverses dna methylation modifyng one carbon metabolism. <i>Atherosclerosis</i> , 2018, 275, e76-e77.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Metformin Is a Direct SIRT1-Activating Compound: Computational Modeling and Experimental Validation. <i>Frontiers in Endocrinology</i> , 2018, 9, 657.	1.5	85
74	Plant-Derived Polyphenols in Human Health: Biological Activity, Metabolites and Putative Molecular Targets. <i>Current Drug Metabolism</i> , 2018, 19, 351-369.	0.7	42
75	Plasma Energy-Balance Metabolites Discriminate Asymptomatic Patients with Peripheral Artery Disease. <i>Mediators of Inflammation</i> , 2018, 2018, 1-12.	1.4	8
76	The multifactorial pathogenesis of nonalcoholic fatty liver disease: connecting inflammation and oxidation. <i>Journal of Hepatology</i> , 2018, 68, S340.	1.8	0
77	Metformin directly targets the H3K27me3 demethylase KDM6A/UTX. <i>Aging Cell</i> , 2018, 17, e12772.	3.0	58
78	Effect of continuous renal-replacement therapy on paraoxonase-1-related variables in patients with acute renal failure caused by septic shock. <i>Clinical Biochemistry</i> , 2018, 61, 1-6.	0.8	4
79	Abstract P1-10-01: Safety and efficacy of neoadjuvant metformin with trastuzumab and chemotherapy in women with HER2-positive early breast cancer: A randomized, open-label, multicenter, phase 2 trial. <i>Cancer Research</i> , 2018, 78, P1-10-01-P1-10-01.	0.4	2
80	Treating atherosclerosis: targeting risk factors should not be the only option. <i>Annals of Translational Medicine</i> , 2018, 6, S34-S34.	0.7	2
81	Paraoxonases and infectious diseases. <i>Clinical Biochemistry</i> , 2017, 50, 804-811.	0.8	38
82	Palmitate Conditions Macrophages for Enhanced Responses toward Inflammatory Stimuli via JNK Activation. <i>Journal of Immunology</i> , 2017, 199, 3858-3869.	0.4	57
83	Non-invasive evaluation of extracellular matrix remodeling in peripheral artery disease. <i>Atherosclerosis</i> , 2017, 263, e68.	0.4	0
84	Metabolite profiling can change health-care delivery to obese patients with fatty liver disease: the search for biomarkers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 501-506.	1.4	4
85	An Electrochemical Enzyme Biosensor for 3-Hydroxybutyrate Detection Using Screen-Printed Electrodes Modified by Reduced Graphene Oxide and Thionine. <i>Biosensors</i> , 2017, 7, 50.	2.3	34
86	Metformin Potentiates the Benefits of Dietary Restraint: A Metabolomic Study. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2263.	1.8	18
87	Nutrients in Energy and One-Carbon Metabolism: Learning from Metformin Users. <i>Nutrients</i> , 2017, 9, 121.	1.7	33
88	Multi-Targeted Molecular Effects of Hibiscus sabdariffa Polyphenols: An Opportunity for a Global Approach to Obesity. <i>Nutrients</i> , 2017, 9, 907.	1.7	55
89	Cocoa and Grape Seed Byproducts as a Source of Antioxidant and Anti-Inflammatory Proanthocyanidins. <i>International Journal of Molecular Sciences</i> , 2017, 18, 376.	1.8	85
90	Effect of radiotherapy on activity and concentration of serum paraoxonase-1 in breast cancer patients. <i>PLoS ONE</i> , 2017, 12, e0188633.	1.1	19

#	ARTICLE	IF	CITATIONS
91	Galectin-3 in Peripheral Artery Disease. Relationships with Markers of Oxidative Stress and Inflammation. <i>International Journal of Molecular Sciences</i> , 2017, 18, 973.	1.8	33
92	Metabolomic mapping of cancer stem cells for reducing and exploiting tumor heterogeneity. <i>Oncotarget</i> , 2017, 8, 99223-99236.	0.8	9
93	Inflammation, mitochondrial metabolism and nutrition: the multi-faceted progression of non-alcoholic fatty liver disease to hepatocellular carcinoma. <i>Hepatobiliary Surgery and Nutrition</i> , 2016, 5, 438-443.	0.7	10
94	A preliminary study of paraoxonase-1 in infected patients with an indwelling central venous catheter. <i>Clinical Biochemistry</i> , 2016, 49, 449-457.	0.8	13
95	Paraoxonases, mitochondrial dysfunction and non-communicable diseases. <i>Chemico-Biological Interactions</i> , 2016, 259, 382-387.	1.7	20
96	Epigenetics and nutrition-related epidemics of metabolic diseases: Current perspectives and challenges. <i>Food and Chemical Toxicology</i> , 2016, 96, 191-204.	1.8	27
97	Biochemical indices of oxidative stress and inflammation in the evaluation of peripheral artery disease. <i>Free Radical Biology and Medicine</i> , 2016, 97, 568-576.	1.3	26
98	Inferring propagation paths for sparsely observed perturbations on complex networks. <i>Science Advances</i> , 2016, 2, e1501638.	4.7	7
99	Metformin targets histone acetylation in cancer-prone epithelial cells. <i>Cell Cycle</i> , 2016, 15, 3355-3361.	1.3	17
100	Preliminary study on serum paraoxonase-1 status and chemokine (C-C motif) ligand 2 in hospitalized elderly patients with catheter-associated asymptomatic bacteriuria. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 1417-1424.	1.3	17
101	Systematic review and meta-analysis deciphering the impact of fibrates on paraoxonase-1 status. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 609-622.	1.5	14
102	Oncometabolic Nuclear Reprogramming of Cancer Stemness. <i>Stem Cell Reports</i> , 2016, 6, 273-283.	2.3	34
103	Exploring the effects of the atherosclerosis progression and the choice of affected arteries in the design of experiments with Apolipoprotein E-deficient mice. <i>Clínica e Investigaci3n En Arteriosclerosis</i> , 2016, 28, 82-86.	0.4	0
104	Methotrexate selectively targets human proinflammatory macrophages through a thymidylate synthase/p53 axis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 2157-2165.	0.5	35
105	Metformin administration induces hepatotoxic effects in paraoxonase-1-deficient mice. <i>Chemico-Biological Interactions</i> , 2016, 249, 56-63.	1.7	2
106	Exploring the Process of Energy Generation in Pathophysiology by Targeted Metabolomics: Performance of a Simple and Quantitative Method. <i>Journal of the American Society for Mass Spectrometry</i> , 2016, 27, 168-177.	1.2	35
107	Mitophagy-driven mitochondrial rejuvenation regulates stem cell fate. <i>Aging</i> , 2016, 8, 1330-1352.	1.4	70
108	Activation of the methylation cycle in cells reprogrammed into a stem cell-like state. <i>Oncoscience</i> , 2016, 2, 958-967.	0.9	30

#	ARTICLE	IF	CITATIONS
109	Metformin and cancer: <i>Quo vadis et cui bono?</i> <i>Oncotarget</i> , 2016, 7, 54096-54101.	0.8	15
110	Accelerated geroncogenesis in hereditary breast-ovarian cancer syndrome. <i>Oncotarget</i> , 2016, 7, 11959-11971.	0.8	9
111	Germline <i>BRCA1</i> mutation reprograms breast epithelial cell metabolism towards mitochondrial-dependent biosynthesis: evidence for metformin-based "starvation" strategies in <i>BRCA1</i> carriers. <i>Oncotarget</i> , 2016, 7, 52974-52992.	0.8	26
112	Relationships Between Metformin, Paraoxonase-1 and the Chemokine (C-C Motif) Ligand 2. <i>Current Clinical Pharmacology</i> , 2016, 11, 250-258.	0.2	8
113	The impact of polyphenols on chondrocyte growth and survival: a preliminary report. <i>Food and Nutrition Research</i> , 2015, 59, 29311.	1.2	1
114	Immunohistochemical Analysis of Paraoxonases and Chemokines in Arteries of Patients with Peripheral Artery Disease. <i>International Journal of Molecular Sciences</i> , 2015, 16, 11323-11338.	1.8	23
115	Stevia-derived compounds attenuate the toxic effects of ectopic lipid accumulation in the liver of obese mice: A transcriptomic and metabolomic study. <i>Food and Chemical Toxicology</i> , 2015, 77, 22-33.	1.8	38
116	The Promiscuous and Synergic Molecular Interaction of Polyphenols in Bactericidal Activity: An Opportunity to Improve the Performance of Antibiotics?. <i>Phytotherapy Research</i> , 2015, 29, 466-473.	2.8	34
117	The acute impact of polyphenols from <i>Hibiscus sabdariffa</i> in metabolic homeostasis: an approach combining metabolomics and gene-expression analyses. <i>Food and Function</i> , 2015, 6, 2957-2966.	2.1	25
118	Reshaping of Human Macrophage Polarization through Modulation of Glucose Catabolic Pathways. <i>Journal of Immunology</i> , 2015, 195, 2442-2451.	0.4	87
119	Expression of functional and silent receptors of CCL2 in human coronary arteries. <i>Atherosclerosis</i> , 2015, 241, e91-e92.	0.4	1
120	Lemon verbena (<i>Lippia citriodora</i>) polyphenols alleviate obesity-related disturbances in hypertrophic adipocytes through AMPK-dependent mechanisms. <i>Phytomedicine</i> , 2015, 22, 605-614.	2.3	61
121	Managing Hypertension by Polyphenols. <i>Planta Medica</i> , 2015, 81, 624-629.	0.7	18
122	Exercise in a hot environment influences plasma anti-inflammatory and antioxidant status in well-trained athletes. <i>Journal of Thermal Biology</i> , 2015, 47, 91-98.	1.1	31
123	Duodeno-Jejunal Tube Placement in an Experimental Model of Obesity: Effects on Food Behaviour and Basal Energy Expenditure. <i>Obesity Surgery</i> , 2015, 25, 55-63.	1.1	2
124	Mapping of the circulating metabolome reveals α -ketoglutarate as a predictor of morbid obesity-associated non-alcoholic fatty liver disease. <i>International Journal of Obesity</i> , 2015, 39, 279-287.	1.6	77
125	Oncometabolic mutation <i>IDH1</i> R132H confers a metformin-hypersensitive phenotype. <i>Oncotarget</i> , 2015, 6, 12279-12296.	0.8	53
126	Chemokine ligand 2 and paraoxonase-1 in non-alcoholic fatty liver disease: The search for alternative causative factors. <i>World Journal of Gastroenterology</i> , 2015, 21, 2875.	1.4	8

#	ARTICLE	IF	CITATIONS
127	Liver fat deposition and mitochondrial dysfunction in morbid obesity: An approach combining metabolomics with liver imaging and histology. <i>World Journal of Gastroenterology</i> , 2015, 21, 7529.	1.4	35
128	Paraoxonases and Chemokine (C-C Motif) Ligand-2 in Noncommunicable Diseases. <i>Advances in Clinical Chemistry</i> , 2014, 63, 247-308.	1.8	32
129	Understanding the role of circulating chemokine (C-C motif) ligand 2 in patients with chronic ischemia threatening the lower extremities. <i>Vascular Medicine</i> , 2014, 19, 442-451.	0.8	11
130	Acquired resistance to metformin in breast cancer cells triggers transcriptome reprogramming toward a degradome-related metastatic stem-like profile. <i>Cell Cycle</i> , 2014, 13, 1132-1144.	1.3	57
131	Exploring the Role of Paraoxonases in the Pathogenesis of Coronary Artery Disease: A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2014, 15, 20997-21010.	1.8	38
132	Autophagy Is an Inflammation-Related Defensive Mechanism Against Disease. <i>Advances in Experimental Medicine and Biology</i> , 2014, 824, 43-59.	0.8	34
133	<i>Hibiscus sabdariffa</i> extract lowers blood pressure and improves endothelial function. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 1374-1378.	1.5	52
134	Energy Metabolism and Metabolic Sensors in Stem Cells: The Metabostem Crossroads of Aging and Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2014, 824, 117-140.	0.8	24
135	Gerometabolites: The pseudohypoxic aging side of cancer oncometabolites. <i>Cell Cycle</i> , 2014, 13, 699-709.	1.3	33
136	CCL2 Shapes Macrophage Polarization by GM-CSF and M-CSF: Identification of CCL2/CCR2-Dependent Gene Expression Profile. <i>Journal of Immunology</i> , 2014, 192, 3858-3867.	0.4	364
137	Polyphenols and the Modulation of Gene Expression Pathways: Can We Eat Our Way Out of the Danger of Chronic Disease?. <i>Critical Reviews in Food Science and Nutrition</i> , 2014, 54, 985-1001.	5.4	91
138	Molecular Promiscuity of Plant Polyphenols in the Management of Age-Related Diseases: Far Beyond Their Antioxidant Properties. <i>Advances in Experimental Medicine and Biology</i> , 2014, 824, 141-159.	0.8	77
139	Rosiglitazone and Fenofibrate Exacerbate Liver Steatosis in a Mouse Model of Obesity and Hyperlipidemia. A Transcriptomic and Metabolomic Study. <i>Journal of Proteome Research</i> , 2014, 13, 1731-1743.	1.8	43
140	On the use of inexact, pruned hardware in atmospheric modelling. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2014, 372, 20130276.	1.6	25
141	Treat-to-Target Low-Density Lipoprotein Cholesterol. <i>Angiology</i> , 2014, 65, 261-262.	0.8	1
142	Association Between rs2200733 and rs7193343 Genetic Variants and Atrial Fibrillation in a Spanish Population, and Meta-analysis of Previous Studies. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 822-829.	0.4	9
143	Cell Cycle Regulation by the Nutrient-Sensing Mammalian Target of Rapamycin (mTOR) Pathway. <i>Methods in Molecular Biology</i> , 2014, 1170, 113-144.	0.4	108
144	Computer-aided discovery of biological activity spectra for anti-aging and anti-cancer olive oil oleuropeins. <i>Aging</i> , 2014, 6, 731-741.	1.4	29

#	ARTICLE	IF	CITATIONS
145	Discovery and validation of an INflammatory PROtein-driven GAstric cancer Signature (INPROGAS) using antibody microarray-based oncoproteomics. <i>Oncotarget</i> , 2014, 5, 1942-1954.	0.8	14
146	Oncobiguanides: Paracelsus' law and nonconventional routes for administering diabetobiguanides for cancer treatment. <i>Oncotarget</i> , 2014, 5, 2344-2348.	0.8	40
147	A possible role for CCR5 in the progression of atherosclerosis in HIV-infected patients: a cross-sectional study. <i>AIDS Research and Therapy</i> , 2013, 10, 11.	0.7	12
148	Silibinin meglumine, a water-soluble form of milk thistle silymarin, is an orally active anti-cancer agent that impedes the epithelial-to-mesenchymal transition (EMT) in EGFR-mutant non-small-cell lung carcinoma cells. <i>Food and Chemical Toxicology</i> , 2013, 60, 360-368.	1.8	53
149	Comprehensive characterization by UHPLC-ESI-Q-TOF-MS from an <i>Eryngium bourgatii</i> extract and their antioxidant and anti-inflammatory activities. <i>Food Research International</i> , 2013, 50, 197-204.	2.9	93
150	Impaired paraoxonase-1 status in obese children. Relationships with insulin resistance and metabolic syndrome. <i>Clinical Biochemistry</i> , 2013, 46, 1830-1836.	0.8	46
151	Multifunctional targets of dietary polyphenols in disease: A case for the chemokine network and energy metabolism. <i>Food and Chemical Toxicology</i> , 2013, 51, 267-279.	1.8	55
152	Paraoxonase-1 Deficiency Is Associated with Severe Liver Steatosis in Mice Fed a High-fat High-cholesterol Diet: A Metabolomic Approach. <i>Journal of Proteome Research</i> , 2013, 12, 1946-1955.	1.8	54
153	Phenolic characterization and geographical classification of commercial Arbequina extra-virgin olive oils produced in southern Catalonia. <i>Food Research International</i> , 2013, 50, 401-408.	2.9	95
154	Metabolic stress in infected cells may represent a therapeutic target for human immunodeficiency virus infection. <i>Medical Hypotheses</i> , 2013, 81, 125-130.	0.8	6
155	The mitochondrial H ⁺ -ATP synthase and the lipogenic switch. <i>Cell Cycle</i> , 2013, 12, 207-218.	1.3	77
156	The Warburg effect version 2.0: Metabolic reprogramming of cancer stem cells. <i>Cell Cycle</i> , 2013, 12, 1166-1179.	1.3	146
157	Exploring PPAR Modulation in Experimental Mice. <i>Methods in Molecular Biology</i> , 2013, 952, 253-273.	0.4	2
158	Risk of hyperkalemia in patients with moderate chronic kidney disease initiating angiotensin converting enzyme inhibitors or angiotensin receptor blockers: a randomized study. <i>BMC Research Notes</i> , 2013, 6, 306.	0.6	21
159	Paraoxonase-1 Is Associated With Corneal Endothelial Cell Alterations in Patients With Chronic Obstructive Pulmonary Disease. , 2013, 54, 5852.		17
160	Paraoxonase-1 status in patients with hereditary hemochromatosis. <i>Journal of Lipid Research</i> , 2013, 54, 1484-1492.	2.0	20
161	The anti-malarial chloroquine overcomes Primary resistance and restores sensitivity to Trastuzumab in HER2-positive breast cancer. <i>Scientific Reports</i> , 2013, 3, 2469.	1.6	97
162	Paraoxonase-1 Inhibits Oxidized Low-Density Lipoprotein-Induced Metabolic Alterations and Apoptosis in Endothelial Cells: A Nondirected Metabolomic Study. <i>Mediators of Inflammation</i> , 2013, 2013, 1-9.	1.4	29

#	ARTICLE	IF	CITATIONS
163	Mitochondrial Dysfunction: A Basic Mechanism in Inflammation-Related Non-Communicable Diseases and Therapeutic Opportunities. <i>Mediators of Inflammation</i> , 2013, 2013, 1-13.	1.4	116
164	Ubiquitous Transgenic Overexpression of C-C Chemokine Ligand 2: A Model to Assess the Combined Effect of High Energy Intake and Continuous Low-Grade Inflammation. <i>Mediators of Inflammation</i> , 2013, 2013, 1-19.	1.4	13
165	The relevance of the association between inflammation and atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2013, 43, 324-331.	1.7	27
166	Metformin: a cheap and well-tolerated drug that provides benefits for viral infections. <i>HIV Medicine</i> , 2013, 14, 233-240.	1.0	16
167	Xenohormetic and anti-aging activity of secoiridoid polyphenols present in extra virgin olive oil. <i>Cell Cycle</i> , 2013, 12, 555-578.	1.3	131
168	Stem cell-like ALDH ^{bright} cellular states in EGFR-mutant non-small cell lung cancer: A novel mechanism of acquired resistance to erlotinib targetable with the natural polyphenol silibinin. <i>Cell Cycle</i> , 2013, 12, 3390-3404.	1.3	65
169	Silibinin suppresses EMT-driven erlotinib resistance by reversing the high miR-21/low miR-200c signature in vivo. <i>Scientific Reports</i> , 2013, 3, 2459.	1.6	67
170	One-carbon metabolism: An aging-cancer crossroad for the gerosuppressant metformin. <i>Aging</i> , 2013, 4, 894-898.	1.4	20
171	Dietary restriction-resistant human tumors harboring the PIK3CA-activating mutation H1047R are sensitive to metformin. <i>Oncotarget</i> , 2013, 4, 1484-1495.	0.8	31
172	The Deleterious Influence of Tenofovir-Based Therapies on the Progression of Atherosclerosis in HIV-Infected Patients. <i>Mediators of Inflammation</i> , 2012, 2012, 1-9.	1.4	5
173	Serum paraoxonase-3 concentration in HIV-infected patients. Evidence for a protective role against oxidation. <i>Journal of Lipid Research</i> , 2012, 53, 168-174.	2.0	15
174	Metformin lowers the threshold for stress-induced senescence: A role for the microRNA-200 family and miR-205. <i>Cell Cycle</i> , 2012, 11, 1235-1246.	1.3	56
175	PPARs in Regulation of Paraoxonases: Control of Oxidative Stress and Inflammation Pathways. <i>PPAR Research</i> , 2012, 2012, 1-10.	1.1	43
176	Monocyte chemoattractant protein-1 and paraoxonase-1 and 3 levels in patients with sepsis treated in an intensive care unit: a preliminary report. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1409-15.	1.4	20
177	Metformin is synthetically lethal with glucose withdrawal in cancer cells. <i>Cell Cycle</i> , 2012, 11, 2782-2792.	1.3	116
178	Serum paraoxonase-3 concentration is associated with insulin sensitivity in peripheral artery disease and with inflammation in coronary artery disease. <i>Atherosclerosis</i> , 2012, 220, 545-551.	0.4	24
179	Metformin rescues cell surface major histocompatibility complex class I (MHC-I) deficiency caused by oncogenic transformation. <i>Cell Cycle</i> , 2012, 11, 865-870.	1.3	37
180	Plant-derived polyphenols regulate expression of miRNA paralogs miR-103/107 and miR-122 and prevent diet-induced fatty liver disease in hyperlipidemic mice. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 894-899.	1.1	117

#	ARTICLE	IF	CITATIONS
181	Phenolic Secoiridoids in Extra Virgin Olive Oil Impede Fibrogenic and Oncogenic Epithelial-to-Mesenchymal Transition: Extra Virgin Olive Oil As a Source of Novel Antiaging Phytochemicals. <i>Rejuvenation Research</i> , 2012, 15, 3-21.	0.9	36
182	Bioavailability study of a polyphenol-enriched extract from <i>Hibiscus sabdariffa</i> in rats and associated antioxidant status. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1590-1595.	1.5	58
183	Metabolomic fingerprint reveals that metformin impairs one-carbon metabolism in a manner similar to the antifolate class of chemotherapy drugs. <i>Aging</i> , 2012, 4, 480-498.	1.4	104
184	Synergism of plant-derived polyphenols in adipogenesis: Perspectives and implications. <i>Phytomedicine</i> , 2012, 19, 253-261.	2.3	122
185	The Level of DING Proteins Is Increased in HIV-Infected Patients: In Vitro and In Vivo Studies. <i>PLoS ONE</i> , 2012, 7, e33062.	1.1	7
186	Human Duffy blood group alloantigen system influences the measurement of monocyte chemoattractant protein-1 (MCP-1) in serum but not in plasma. <i>Clinical Laboratory</i> , 2012, 58, 185-8.	0.2	7
187	Paraoxonases as Potential Antibiofilm Agents: Their Relationship with Quorum-Sensing Signals in Gram-Negative Bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1325-1331.	1.4	67
188	Quantification of the polyphenolic fraction and in vitro antioxidant and in vivo anti-hyperlipemic activities of <i>Hibiscus sabdariffa</i> aqueous extract. <i>Food Research International</i> , 2011, 44, 1490-1495.	2.9	95
189	Serum fatty acid synthase concentration is increased in patients with hepatitis viral infection and may assist in the prediction of liver steatosis. <i>Journal of Clinical Virology</i> , 2011, 51, 199-201.	1.6	19
190	Serum paraoxonase-3 concentration is associated with the severity of hepatic impairment in patients with chronic liver disease. <i>Clinical Biochemistry</i> , 2011, 44, 1320-1324.	0.8	16
191	Metformin: Multi-faceted protection against cancer. <i>Oncotarget</i> , 2011, 2, 896-917.	0.8	263
192	Gerosuppressant Metformin: less is more. <i>Aging</i> , 2011, 3, 348-362.	1.4	56
193	Paraoxonase-1 is only present in traceable amounts in seminal fluid and does not show any relationship with male subfertility. <i>BJU International</i> , 2011, 108, 566-570.	1.3	11
194	Immunohistochemical analysis of paraoxonases-1 and 3 in human atheromatous plaques. <i>European Journal of Clinical Investigation</i> , 2011, 41, 308-314.	1.7	48
195	Continuous administration of polyphenols from aqueous rooibos (<i>Aspalathus linearis</i>) extract ameliorates dietary-induced metabolic disturbances in hyperlipidemic mice. <i>Phytomedicine</i> , 2011, 18, 414-424.	2.3	79
196	Identification of phenolic compounds in aqueous and ethanolic rooibos extracts (<i>Aspalathus</i>)	1.9	62
197	Antiretroviral treatment-induced dyslipidemia in HIV-infected patients is influenced by the APOC3-related rs10892151 polymorphism. <i>BMC Medical Genetics</i> , 2011, 12, 120.	2.1	9
198	First Human Isolate of <i>Mycobacterium poriferae</i> in the Sputum of a Patient with Chronic Bronchitis. <i>Journal of Clinical Microbiology</i> , 2011, 49, 3107-3108.	1.8	5

#	ARTICLE	IF	CITATIONS
199	Crude phenolic extracts from extra virgin olive oil circumvent de novo breast cancer resistance to HER1/HER2-targeting drugs by inducing GADD45-sensed cellular stress, G2/M arrest and hyperacetylation of Histone H3. <i>International Journal of Oncology</i> , 2011, 38, 1533-47.	1.4	28
200	Paraoxonase-1 and clopidogrel efficacy. <i>Nature Medicine</i> , 2011, 17, 1041-1042.	15.2	30
201	Measurement of serum PON-3 concentration: method evaluation, reference values, and influence of genotypes in a population-based study. <i>Journal of Lipid Research</i> , 2011, 52, 1055-1061.	2.0	21
202	Metformin and the ATM DNA damage response (DDR): Accelerating the onset of stress-induced senescence to boost protection against cancer. <i>Aging</i> , 2011, 3, 1063-1077.	1.4	70
203	The Role of Combined Assessment of Defense Against Oxidative Stress and Inflammation in the Evaluation of Peripheral Arterial Disease. <i>Current Molecular Medicine</i> , 2011, 11, 453-464.	0.6	18
204	Differential response of two models of genetically modified mice fed with high fat and cholesterol diets: relationship to the study of non-alcoholic steatohepatitis. <i>Molecular and Cellular Biochemistry</i> , 2010, 343, 59-66.	1.4	13
205	Tissue distribution and expression of paraoxonases and chemokines in mouse: the ubiquitous and joint localisation suggest a systemic and coordinated role. <i>Journal of Molecular Histology</i> , 2010, 41, 379-386.	1.0	46
206	The aqueous extract of <i>Hibiscus sabdariffa</i> calices modulates the production of monocyte chemoattractant protein-1 in humans. <i>Phytomedicine</i> , 2010, 17, 186-191.	2.3	85
207	Human tissue distribution of paraoxonases 1 and 2 mRNA. <i>IUBMB Life</i> , 2010, 62, 480-482.	1.5	53
208	Infection with HIV and HCV enhances the release of fatty acid synthase into circulation: evidence for a novel indicator of viral infection. <i>BMC Gastroenterology</i> , 2010, 10, 92.	0.8	18
209	Nonconcordance between subclinical atherosclerosis and the calculated Framingham risk score in HIV-infected patients: relationships with serum markers of oxidation and inflammation. <i>HIV Medicine</i> , 2010, 11, 225-231.	1.0	89
210	Pitfalls in measuring high-density lipoprotein cholesterol concentrations in HIV-infected patients. <i>HIV Medicine</i> , 2010, 11, 260-265.	1.0	0
211	Paraoxonase-1 Gene Haplotypes Are Associated with Metabolic Disturbances, Atherosclerosis, and Immunologic Outcome in HIV-infected Patients. <i>Journal of Infectious Diseases</i> , 2010, 201, 627-634.	1.9	24
212	Serum paraoxonase-1 activity and genetic polymorphisms: common errors in measurement and interpretation of results. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 893-4.	1.4	11
213	Human immunodeficiency virus-infection induces major changes in high-density lipoprotein particle size distribution and composition: the effect of antiretroviral treatment and disease severity. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 1147-52.	1.4	12
214	Metformin against TGF β ² -induced epithelial-to-mesenchymal transition (EMT): From cancer stem cells to aging-associated fibrosis. <i>Cell Cycle</i> , 2010, 9, 4461-4468.	1.3	202
215	Insulin Resistance, Inflammation, and Obesity: Role of Monocyte Chemoattractant Protein-1 (orCCL2) in the Regulation of Metabolism. <i>Mediators of Inflammation</i> , 2010, 2010, 1-11.	1.4	108
216	Dilated aortic root is related to a global aortic dilating diathesis. <i>Journal of Vascular Surgery</i> , 2010, 52, 867-871.	0.6	12

#	ARTICLE	IF	CITATIONS
217	Expression of cytokine genes in the aorta is altered by the deficiency in MCP-1: Effect of a high-fat, high-cholesterol diet. <i>Cytokine</i> , 2010, 50, 121-128.	1.4	20
218	Host-pathogen interactions in the development of metabolic disturbances and atherosclerosis in HIV infection: The role of CCL2 genetic variants. <i>Cytokine</i> , 2010, 51, 251-258.	1.4	11
219	Paraoxonase-1 in female infertility: a possible role against oxidative stress-induced inflammation. <i>Fertility and Sterility</i> , 2010, 94, 1132-1134.	0.5	12
220	Metabolomic Assessment of the Effect of Dietary Cholesterol in the Progressive Development of Fatty Liver Disease. <i>Journal of Proteome Research</i> , 2010, 9, 2527-2538.	1.8	141
221	Decreased paraoxonase-1 activity is associated with alterations of high-density lipoprotein particles in chronic liver impairment. <i>Lipids in Health and Disease</i> , 2010, 9, 46.	1.2	32
222	Methodological constraints in interpreting serum paraoxonase-1 activity measurements: an example from a study in HIV-infected patients. <i>Lipids in Health and Disease</i> , 2010, 9, 32.	1.2	11
223	Interrelationships Between Paraoxonase-1 and Monocyte Chemoattractant Protein-1 in the Regulation of Hepatic Inflammation. <i>Advances in Experimental Medicine and Biology</i> , 2010, 660, 5-18.	0.8	17
224	Measurement of serum paraoxonase-1 activity in the evaluation of liver function. <i>World Journal of Gastroenterology</i> , 2009, 15, 1929.	1.4	45
225	The paraoxonases: role in human diseases and methodological difficulties in measurement. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2009, 46, 83-106.	2.7	215
226	Serum concentrations of extracellular fatty acid synthase in patients with steatohepatitis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1097-9.	1.4	7
227	Pharmacological and Lifestyle Factors Modulating Serum Paraoxonase-1 Activity. <i>Mini-Reviews in Medicinal Chemistry</i> , 2009, 9, 911-920.	1.1	32
228	Direct characterization of aqueous extract of <i>Hibiscus sabdariffa</i> using HPLC with diode array detection coupled to ESI and ion trap MS. <i>Journal of Separation Science</i> , 2009, 32, 3441-3448.	1.3	93
229	The measurement of the lactonase activity of paraoxonase-1 in the clinical evaluation of patients with chronic liver impairment. <i>Clinical Biochemistry</i> , 2009, 42, 91-98.	0.8	59
230	Paraoxonase-1 is related to inflammation, fibrosis and PPAR delta in experimental liver disease. <i>BMC Gastroenterology</i> , 2009, 9, 3.	0.8	83
231	Treatment of hypertriglyceridemia and HIV: fenofibrate-induced changes in the expression of chemokine genes in circulating leukocytes. <i>AIDS Research and Therapy</i> , 2009, 6, 26.	0.7	3
232	Hepatic monocyte chemoattractant protein-1 is upregulated by dietary cholesterol and contributes to liver steatosis. <i>Cytokine</i> , 2009, 48, 273-279.	1.4	48
233	Metabolic phenotyping of genetically modified mice: An NMR metabolomic approach. <i>Biochimie</i> , 2009, 91, 1053-1057.	1.3	23
234	Increased susceptibility to exacerbated liver injury in hypercholesterolemic ApoE-deficient mice: potential involvement of oxysterols. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, G553-G562.	1.6	66

#	ARTICLE	IF	CITATIONS
235	Changes in the expression of genes related to apoptosis and fibrosis pathways in CCl4-treated rats. <i>Molecular and Cellular Biochemistry</i> , 2008, 308, 101-109.	1.4	10
236	Serum Paraoxonase Undergoes Inhibition and Proteolysis During Experimental Acute Pancreatitis. <i>Journal of Gastrointestinal Surgery</i> , 2008, 12, 891-899.	0.9	22
237	Selective extraction, separation, and identification of anthocyanins from <i>Hibiscus sabdariffa</i> L. using solid phase extractionâ€capillary electrophoresisâ€mass spectrometry (timeâ€ofâ€flight /ion trap). <i>Electrophoresis</i> , 2008, 29, 2852-2861.	1.3	72
238	Immunohistochemical analysis of paraoxonases-1, 2, and 3 expression in normal mouse tissues. <i>Free Radical Biology and Medicine</i> , 2008, 45, 146-157.	1.3	162
239	Paraoxonase-1 in Chronic Liver Diseases, Neurological Diseases and HIV Infection. , 2008, , 187-198.		7
240	Paraoxonase 1 and Postprandial Lipemia. , 2008, , 129-138.		0
241	Intermediate levels of paraoxonase-1 activity are associated to lower intima-media thickness in HIV-infected patients. <i>Atherosclerosis</i> , 2008, 199, 232.	0.4	0
242	Moderately High Folic Acid Supplementation Exacerbates Experimentally Induced Liver Fibrosis in Rats. <i>Experimental Biology and Medicine</i> , 2008, 233, 38-47.	1.1	14
243	Monocyte chemoattractant protein-1 and atherosclerosis: Is there room for an additional biomarker?. <i>Clinica Chimica Acta</i> , 2007, 383, 21-29.	0.5	77
244	Measurement of serum paraoxonase-1 activity as a potential biomarker for chronic liver impairment. <i>Clinica Chimica Acta</i> , 2007, 386, 114-115.	0.5	18
245	Serum paraoxonase-1 activity and concentration are influenced by human immunodeficiency virus infection. <i>Atherosclerosis</i> , 2007, 194, 175-181.	0.4	62
246	The results in rodent models of atherosclerosis are not interchangeable. <i>Atherosclerosis</i> , 2007, 195, e85-e92.	0.4	55
247	The Role of Immunity and Inflammation in the Progression of Atherosclerosis in Patients With HIV Infection. <i>Stroke</i> , 2007, 38, 2477-2484.	1.0	72
248	Serum paraoxonase-1 in chronic alcoholics: Relationship with liver disease. <i>Clinical Biochemistry</i> , 2007, 40, 645-650.	0.8	55
249	ADMINISTRATION OF EXOGENOUS ERYTHROPOIETIN Î² AFFECTS LIPID PEROXIDATION AND SERUM PARAOXONASEâ€1 ACTIVITY AND CONCENTRATION IN PREDIALYSIS PATIENTS WITH CHRONIC RENAL DISEASE AND ANAEMIA. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007, 34, 347-349.	0.9	25
250	Deficiency in monocyte chemoattractant protein-1 modifies lipid and glucose metabolism. <i>Experimental and Molecular Pathology</i> , 2007, 83, 361-366.	0.9	26
251	Experimentos con ratones susceptibles a arteriosclerosis. Ventajas, inconvenientes y aspectos que considerar. <i>ClÃnica E InvestigaciÃn En Arteriosclerosis</i> , 2006, 18, 155-163.	0.4	1
252	Effects of rosiglitazone on postprandial leukocytes and cytokines in type 2 diabetes. <i>Atherosclerosis</i> , 2006, 186, 152-159.	0.4	24

#	ARTICLE	IF	CITATIONS
253	Functional and Structural Markers of Atherosclerosis in Human Immunodeficiency Virus-Infected Patients. <i>Journal of the American College of Cardiology</i> , 2006, 47, 1117-1123.	1.2	100
254	The influence of HIV infection on the correlation between plasma concentrations of monocyte chemoattractant protein-1 and carotid atherosclerosis. <i>Clinica Chimica Acta</i> , 2006, 368, 114-119.	0.5	36
255	Dietary cholesterol and differential monocyte chemoattractant protein-1 gene expression in aorta and liver of apo E-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 1078-1084.	1.0	53
256	HIV-infected patients with lipodystrophy have higher rates of carotid atherosclerosis: The role of monocyte chemoattractant protein-1. <i>Cytokine</i> , 2006, 34, 51-55.	1.4	46
257	Manipulation of inflammation modulates hyperlipidemia in apolipoprotein E-deficient mice: A possible role for interleukin-6. <i>Cytokine</i> , 2006, 34, 224-232.	1.4	16
258	Paraoxonase-1 is associated with oxidative stress, fibrosis and FAS expression in chronic liver diseases. <i>Journal of Hepatology</i> , 2006, 45, 51-59.	1.8	82
259	Influence of PON1 Polymorphisms on the Association between Serum Paraoxonase 1 and Homocysteinemia in a General Population. <i>Clinical Chemistry</i> , 2006, 52, 781-782.	1.5	9
260	ROSIGLITAZONE MODULATES FASTING AND POST-PRANDIAL PARAOXONASE 1 ACTIVITY IN TYPE 2 DIABETIC PATIENTS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006, 33, 1134-1137.	0.9	33
261	Influence of a monocyte chemoattractant protein 1 mutated allele on the response to protease inhibitor-based antiretroviral therapy. <i>HIV Medicine</i> , 2006, 7, 356-360.	1.0	6
262	New variants in the mitochondrial genomes of schizophrenic patients. <i>European Journal of Human Genetics</i> , 2006, 14, 520-528.	1.4	62
263	Effects of rosiglitazone and metformin on postprandial paraoxonase-1 and monocyte chemoattractant protein-1 in human immunodeficiency virus-infected patients with lipodystrophy. <i>European Journal of Pharmacology</i> , 2006, 544, 104-110.	1.7	40
264	Longitudinal changes in serum paraoxonase-1 activity throughout normal pregnancy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2006, 44, 880-2.	1.4	15
265	The stromal derived factor-1 mutated allele (SDF1-3â€²A) is associated with a lower incidence of atherosclerosis in HIV-infected patients. <i>Aids</i> , 2005, 19, 1877-1883.	1.0	20
266	Comparison of Rosiglitazone and Metformin for Treating HIV Lipodystrophy. <i>Annals of Internal Medicine</i> , 2005, 143, 337.	2.0	114
267	Diet and lifestyle are associated with serum C-reactive protein concentrations in a population-based study. <i>Translational Research</i> , 2005, 145, 41-46.	2.4	63
268	The role of circulating monocyte chemoattractant protein-1 as a marker of hepatic inflammation in patients with chronic liver disease. <i>Clinical Biochemistry</i> , 2005, 38, 1138-1140.	0.8	30
269	Feeding apolipoprotein E-knockout mice with cholesterol and fat enriched diets may be a model of non-alcoholic steatohepatitis. <i>Molecular and Cellular Biochemistry</i> , 2005, 268, 53-58.	1.4	72
270	Hookworm Infection. <i>New England Journal of Medicine</i> , 2005, 352, 205-205.	13.9	2

#	ARTICLE	IF	CITATIONS
271	Comparison of Paraoxonase 1 Measurements in Serum and in Lithium-Heparin-Anticoagulated Plasma Samples. <i>Clinical Chemistry</i> , 2005, 51, 922-923.	1.5	14
272	Evaluation of a high-sensitivity turbidimetric immunoassay for serum C-reactive protein: application to the study of longitudinal changes throughout normal pregnancy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 308-13.	1.4	10
273	Preliminary evaluation of the Iris IQâ„¢ 200 automated urine analyser. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 967-70.	1.4	22
274	Turpentine-induced inflammation reduces the hepatic expression of the multiple drug resistance gene, the plasma cholesterol concentration and the development of atherosclerosis in apolipoprotein E deficient mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1733, 192-198.	1.2	22
275	Soluble transferrin receptor and mutations in hemochromatosis and transferrin genes in a general Catalan population. <i>Clinica Chimica Acta</i> , 2005, 353, 205-208.	0.5	4
276	Genetic association of paraoxonase-1 polymorphisms and chronic hepatitis C virus infection. <i>Clinica Chimica Acta</i> , 2005, 361, 206-210.	0.5	35
277	Further evidence that hyperhomocysteinemia and methylenetetrahydrofolate reductase C677T and A1289C polymorphisms are not risk factors for schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 1169-1174.	2.5	31
278	The efavirenz-induced increase in HDL-cholesterol is influenced by the multidrug resistance gene 1 C3435T polymorphism. <i>Aids</i> , 2005, 19, 341-2.	1.0	28
279	Atherosclerosis in Patients Infected With HIV Is Influenced by a Mutant Monocyte Chemoattractant Protein-1 Allele. <i>Circulation</i> , 2004, 110, 2204-2209.	1.6	121
280	Aspirin Attenuates the Initiation but Not the Progression of Atherosclerosis in Apolipoprotein E-Deficient Mice Fed a High-Fat, High-Cholesterol Diet. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2004, 95, 15-19.	1.2	23
281	Circulating blood cells modulate the atherosclerotic process in apolipoprotein E-deficient mice. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 95-100.	1.5	15
282	Effectiveness of very low doses of subcutaneous recombinant human erythropoietin in facilitating autologous blood donation before orthopedic surgery. <i>Transfusion</i> , 2003, 36, 822-826.	0.8	38
283	Evaluation of a fully-automated particle-enhanced turbidimetric immunoassay for the measurement of plasma lipoprotein(a). population-based reference values in an area with low incidence of cardiovascular disease. <i>Clinical Biochemistry</i> , 2003, 36, 129-134.	0.8	14
284	Differences between Genotyping and Phenotyping Methods for Assessing Apolipoprotein(a) Size Polymorphisms. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 1340-4.	1.4	0
285	The Apolipoprotein AV Gene and Diurnal Triglyceridaemia in Normolipidaemic Subjects. <i>Clinical Chemistry and Laboratory Medicine</i> , 2003, 41, 517-21.	1.4	33
286	Regulation of Serum Paraoxonase Activity by Genetic, Nutritional, and Lifestyle Factors in the General Population. <i>Clinical Chemistry</i> , 2003, 49, 1491-1497.	1.5	143
287	The WFS1 (Wolfram syndrome 1) is not a major susceptibility gene for the development of psychiatric disorders. <i>Psychiatric Genetics</i> , 2003, 13, 29-32.	0.6	13
288	Impaired vitamin E status in patients with parenchymal liver cirrhosis: Relationships with lipoprotein compositional alterations, nutritional factors, and oxidative susceptibility of plasma. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 609-615.	1.5	18

#	ARTICLE	IF	CITATIONS
289	Xantoma gástrico. Clínica E Investigación En Arteriosclerosis, 2002, 14, 166.	0.4	0
290	El título de anticuerpos anti-LDL oxidada no está relacionado con la actividad paraoxonasa en suero ni con sus polimorfismos genéticos en sujetos normales y en pacientes con infarto de miocardio. Clínica E Investigación En Arteriosclerosis, 2002, 14, 135-139.	0.4	0
291	Plasma Homocysteine Concentrations in Patients with Liver Cirrhosis. Clinical Chemistry, 2002, 48, 183-185.	1.5	19
292	Serum Paraoxonase Activity: A New Additional Test for the Improved Evaluation of Chronic Liver Damage. Clinical Chemistry, 2002, 48, 261-268.	1.5	192
293	Newly Identified Apolipoprotein AV Gene Predisposes to High Plasma Triglycerides in Familial Combined Hyperlipidemia. Clinical Chemistry, 2002, 48, 1597-1600.	1.5	121
294	Heterozygous apolipoprotein (a) status and protein expression as a risk factor for premature coronary heart disease. Translational Research, 2002, 139, 181-187.	2.4	15
295	Paraoxonase Gln-Arg(192) and Leu-Met(55) gene polymorphisms and enzyme activity in a population with a low rate of coronary heart disease. Clinical Biochemistry, 2002, 35, 197-203.	0.8	46
296	Plasma homocysteine concentrations in patients with liver cirrhosis. Clinical Chemistry, 2002, 48, 183-5.	1.5	4
297	Serum paraoxonase activity: a new additional test for the improved evaluation of chronic liver damage. Clinical Chemistry, 2002, 48, 261-8.	1.5	55
298	The MTHFR C677T, APOE, and PON55 gene polymorphisms show relevant interactions with cardiovascular risk factors. Clinical Chemistry, 2002, 48, 372-5.	1.5	15
299	Newly identified apolipoprotein AV gene predisposes to high plasma triglycerides in familial combined hyperlipidemia. Clinical Chemistry, 2002, 48, 1597-600.	1.5	29
300	Association study of schizophrenia with polymorphisms at six candidate genes. Schizophrenia Research, 2001, 49, 65-71.	1.1	108
301	Hepatic paraoxonase activity alterations and free radical production in rats with experimental cirrhosis. Metabolism: Clinical and Experimental, 2001, 50, 997-1000.	1.5	66
302	El ratón deficiente en apolipoproteína E y su aplicación al estudio de la arteriosclerosis. Clínica E Investigación En Arteriosclerosis, 2001, 13, 162-166.	0.4	0
303	The Antioxidant and Hepato-Protective Effects of Zinc are Related to Hepatic Cytochrome P450 Depression and Metallothionein Induction in Rats with Experimental Cirrhosis. International Journal for Vitamin and Nutrition Research, 2001, 71, 229-236.	0.6	15
304	Impact of Apolipoprotein(a) Isoform Size Heterogeneity on the Lysine Binding Function of Lipoprotein(a) in Early Onset Coronary Artery Disease. Thrombosis and Haemostasis, 2001, 85, 412-417.	1.8	13
305	Instability of Lipoprotein(a) in Plasma Stored at ~70 °C. Clinical Chemistry, 2001, 47, 1673-1678.	1.5	18
306	Polymorphisms in human apolipoprotein(a) kringle IV-10 and coronary artery disease: relationship to allele size, plasma lipoprotein(a) concentration, and lysine binding site activity. Journal of Molecular Medicine, 2001, 79, 294-299.	1.7	5

#	ARTICLE	IF	CITATIONS
307	Effects of high-fat, low-cholesterol diets on hepatic lipid peroxidation and antioxidants in apolipoprotein E-deficient mice. <i>Molecular and Cellular Biochemistry</i> , 2001, 218, 165-169.	1.4	32
308	Schizophrenic women with the APOE ϵ 4 allele have a worse prognosis than those without it. <i>Molecular Psychiatry</i> , 2001, 6, 307-310.	4.1	28
309	Supplementation with Vitamin E and/or Zinc does not Attenuate Atherosclerosis in Apolipoprotein E-deficient Mice fed a High-Fat, High-Cholesterol Diet. <i>International Journal for Vitamin and Nutrition Research</i> , 2001, 71, 45-52.	0.6	23
310	Impact of apolipoprotein(a) isoform size heterogeneity on the lysine binding function of lipoprotein(a) in early onset coronary artery disease. <i>Thrombosis and Haemostasis</i> , 2001, 85, 412-7.	1.8	7
311	Instability of lipoprotein(a) in plasma stored at -70 degrees C: effects of concentration, apolipoprotein(a) genotype, and donor cardiovascular disease. <i>Clinical Chemistry</i> , 2001, 47, 1673-8.	1.5	11
312	The value of apolipoprotein E knockout mice for studying the effects of dietary fat and cholesterol on atherogenesis. <i>Current Opinion in Lipidology</i> , 2000, 11, 25-29.	1.2	76
313	Time-Course Of Changes In Hepatic Lipid Peroxidation And Glutathione Metabolism In Rats With Carbon Tetrachloride-Induced Cirrhosis. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 694-699.	0.9	79
314	Evaluation of a particle-enhanced turbidimetric immunoassay for the measurement of ferritin: application to patients participating in an autologous blood transfusion program. <i>Clinical Biochemistry</i> , 2000, 33, 191-196.	0.8	21
315	Homocyst(e)ine and the C677T mutation of methylenetetrahydrofolate reductase in survivors of premature myocardial infarction. <i>Clinical Biochemistry</i> , 2000, 33, 509-512.	0.8	6
316	PHARMACOKINETICS OF SEVERAL SUBCUTANEOUS DOSES OF ERYTHROPOIETIN: POTENTIAL IMPLICATIONS FOR BLOOD TRANSFUSION. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 179-184.	0.9	14
317	Determinants of plasma homocyst(e)ine in patients with nephrotic syndrome. <i>Journal of Molecular Medicine</i> , 2000, 78, 147-154.	1.7	9
318	Agreement Study of Methods Based on the Elimination Principle for the Measurement of LDL- and HDL-Cholesterol Compared with Ultracentrifugation in Patients with Liver Cirrhosis. <i>Clinical Chemistry</i> , 2000, 46, 1188-1191.	1.5	20
319	The continuous administration of aspirin attenuates atherosclerosis in apolipoprotein E-deficient mice. <i>Life Sciences</i> , 2000, 68, 457-465.	2.0	54
320	Pharmacokinetics Of Several Subcutaneous Doses Of Erythropoietin: Potential Implications For Blood Transfusion. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 179.	0.9	3
321	Pharmacokinetics of several subcutaneous doses of erythropoietin: potential implications for blood transfusion. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 179-84.	0.9	5
322	Agreement study of methods based on the elimination principle for the measurement of LDL- and HDL-cholesterol compared with ultracentrifugation in patients with liver cirrhosis. <i>Clinical Chemistry</i> , 2000, 46, 1188-91.	1.5	3
323	Altered Composition of Lipoproteins in Liver Cirrhosis Compromises Three Homogeneous Methods for HDL-Cholesterol. <i>Clinical Chemistry</i> , 1999, 45, 685-688.	1.5	18
324	Evaluation of a Particle-enhanced Turbidimetric Immunoassay for the Measurement of Immunoglobulin E in an ILab 900 Analyzer. <i>Clinical Chemistry</i> , 1999, 45, 1557-1561.	1.5	4

#	ARTICLE	IF	CITATIONS
325	Low-Cholesterol and High-Fat Diets Reduce Atherosclerotic Lesion Development in ApoE-Knockout Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 2368-2375.	1.1	86
326	Hepatic production of apolar aldehydes in rats with carbon tetrachloride-induced cirrhosis. <i>Molecular and Cellular Biochemistry</i> , 1999, 198, 57-60.	1.4	10
327	Anticipation is not associated with CAG repeat expansion in parent-offspring pairs of patients affected with schizophrenia. , 1999, 88, 50-56.		13
328	Inhibition of hepatic cell nuclear DNA fragmentation by zinc in carbon tetrachloride-treated rats. <i>Journal of Hepatology</i> , 1999, 31, 228-234.	1.8	55
329	Reduced progression of atherosclerosis in apolipoprotein E-deficient mice with phenylhydrazine-induced anemia. <i>Atherosclerosis</i> , 1999, 147, 61-68.	0.4	27
330	Plasma homocysteine and the methylenetetrahydrofolate reductase C677T gene variant. <i>NeuroReport</i> , 1999, 10, 2035-2038.	0.6	64
331	Altered composition of lipoproteins in liver cirrhosis compromises three homogeneous methods for HDL-cholesterol. <i>Clinical Chemistry</i> , 1999, 45, 685-8.	1.5	2
332	Evaluation of a particle-enhanced turbidimetric immunoassay for the measurement of immunoglobulin E in an ILab 900 analyzer. <i>Clinical Chemistry</i> , 1999, 45, 1557-61.	1.5	3
333	Lipoprotein(a) and the significance of the association between platelet glycoprotein IIIa polymorphisms and the risk of premature myocardial infarction. <i>Atherosclerosis</i> , 1998, 140, 155-159.	0.4	37
334	Evaluation of a homogeneous assay for high-density lipoprotein cholesterol: limitations in patients with cardiovascular, renal, and hepatic disorders. <i>Clinical Chemistry</i> , 1998, 44, 1233-1241.	1.5	36
335	Evaluation of a homogeneous assay for high-density lipoprotein cholesterol: limitations in patients with cardiovascular, renal, and hepatic disorders. <i>Clinical Chemistry</i> , 1998, 44, 1233-41.	1.5	13
336	Hemorheological, coagulative and fibrinolytic changes during autologous blood donation. <i>Clinical Hemorheology and Microcirculation</i> , 1998, 18, 265-72.	0.9	8
337	Lipoprotein alterations in liver cirrhosis: a possible contribution to changes in plasma oncotic pressure and viscosity. <i>Journal of Hepatology</i> , 1997, 27, 639-644.	1.8	9
338	Impact of Gender on the Metabolism of Apolipoprotein A-I in HDL Subclasses LpAI and LpAI:All in Older Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 3513-3518.	1.1	32
339	Plasma protein abnormalities in nephrotic syndrome: effect on plasma colloid osmotic pressure and viscosity. <i>Clinical Chemistry</i> , 1997, 43, 1223-1231.	1.5	22
340	The repeat expansion detection method in the analysis of diseases with CAG/CTG repeat expansion: Usefulness and limitations. <i>Human Mutation</i> , 1997, 10, 486-488.	1.1	9
341	Plasma protein abnormalities in nephrotic syndrome: effect on plasma colloid osmotic pressure and viscosity. <i>Clinical Chemistry</i> , 1997, 43, 1223-31.	1.5	8
342	The influence of apoprotein epsilon 2 homozygosity on nephrotic hyperlipidemia. <i>Clinical Nephrology</i> , 1997, 48, 141-5.	0.4	5

#	ARTICLE	IF	CITATIONS
343	Apo E variants in patients with type III hyperlipoproteinemia. <i>Atherosclerosis</i> , 1996, 127, 273-282.	0.4	46
344	The influence of hypoalbuminemia in the generation of nephrotic hyperlipidemia. <i>Atherosclerosis</i> , 1996, 126, 243-252.	0.4	19
345	Accumulation of atherogenic remnants and lipoprotein(a) in the nephrotic syndrome: relation to remission of proteinuria. <i>Clinical Chemistry</i> , 1995, 41, 908-913.	1.5	36
346	Hyperlipidaemia of the nephrotic syndrome—the search for a nephrotic factor. <i>Nephrology Dialysis Transplantation</i> , 1995, , .	0.4	1
347	Influence of zinc intake on hepatic lipid peroxidation and metallothioneins in alcoholic rats: relationship to collagen synthesis. <i>International Journal for Vitamin and Nutrition Research</i> , 1995, 65, 45-50.	0.6	17
348	Accumulation of atherogenic remnants and lipoprotein(a) in the nephrotic syndrome: relation to remission of proteinuria. <i>Clinical Chemistry</i> , 1995, 41, 908-13.	1.5	6
349	Hyperlipidaemia of the nephrotic syndrome—the search for a nephrotic factor. <i>Nephrology Dialysis Transplantation</i> , 1995, 10, 314-6.	0.4	8
350	Limitations of the Friedewald formula for estimating low-density lipoprotein cholesterol in alcoholics with liver disease. <i>Clinical Chemistry</i> , 1994, 40, 404-406.	1.5	64
351	Automated latex agglutination immunoassay of serum ferritin with a centrifugal analyzer. <i>Clinical Chemistry</i> , 1994, 40, 625-629.	1.5	34
352	Semiautomated determination of glycated albumin in glycaemic control of diabetic patients. <i>Clinical Biochemistry</i> , 1994, 27, 307-309.	0.8	2
353	Binding of Lipoprotein Lipase to β 2-Macroglobulin. <i>Annals of the New York Academy of Sciences</i> , 1994, 737, 510-513.	1.8	0
354	Response to repeated phlebotomies in patients with non-insulin-dependent diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 614-620.	1.5	39
355	Plasma lipoprotein alterations in patients with chronic hepatocellular liver disease resulting from alcohol abuse: effects of alcohol intake cessation. <i>Journal of Hepatology</i> , 1994, 21, 704-709.	1.8	10
356	Limitations of the Friedewald formula for estimating low-density lipoprotein cholesterol in alcoholics with liver disease. <i>Clinical Chemistry</i> , 1994, 40, 404-6.	1.5	25
357	Automated latex agglutination immunoassay of serum ferritin with a centrifugal analyzer. <i>Clinical Chemistry</i> , 1994, 40, 625-9.	1.5	11
358	Lipoprotein heterogeneity in end-stage renal disease. <i>Kidney International</i> , 1993, 43, 410-418.	2.6	48
359	Pattern of Hyperlipoproteinemia in Human Nephrotic Syndrome: Influence of Renal Failure and Diabetes mellitus. <i>Nephron</i> , 1993, 64, 565-569.	0.9	11
360	Lipoprotein lipase in human plasma is mainly inactive and associated with cholesterol-rich lipoproteins. <i>Journal of Lipid Research</i> , 1993, 34, 1555-1564.	2.0	135

#	ARTICLE	IF	CITATIONS
361	Lipoprotein lipase in human plasma is mainly inactive and associated with cholesterol-rich lipoproteins. <i>Journal of Lipid Research</i> , 1993, 34, 1555-64.	2.0	98
362	Relationship between hepatic lipid peroxidation and fibrogenesis in carbon tetrachloride-treated rats: effect of zinc administration. <i>Clinical Science</i> , 1992, 83, 695-700.	1.8	72
363	Serum Fructosamine Concentration in Patients with Nephrotic Syndrome and with Cirrhosis of the Liver: The Influence of Hypoalbuminaemia and Hypergammaglobulinaemia. <i>Annals of Clinical Biochemistry</i> , 1992, 29, 437-442.	0.8	37
364	Interaction of oxidized low density lipoproteins with both apo B,E and scavenger receptors. A model for its production in vitro. <i>Clinica Chimica Acta</i> , 1992, 210, 93-108.	0.5	1
365	Low density lipoprotein receptor levels and the response to dietary and pharmacological intervention in polygenic hypercholesterolemia. <i>Clinica Chimica Acta</i> , 1991, 197, 67-76.	0.5	3
366	Alterations in plasma lipoproteins in patients with alcoholic liver disease. <i>Journal of Hepatology</i> , 1991, 13, S105.	1.8	0
367	The Mediterranean-type diet: is there a need for further modification?. <i>American Journal of Clinical Nutrition</i> , 1991, 53, 886-889.	2.2	36
368	Serum levels of lipoprotein(a) in patients with well-controlled non-insulin-dependent diabetes mellitus. <i>JAMA - Journal of the American Medical Association</i> , 1991, 265, 1113-1114.	3.8	25
369	Serum levels of lipoprotein(a) in patients with well-controlled non-insulin-dependent diabetes mellitus. <i>JAMA - Journal of the American Medical Association</i> , 1991, 265, 1113-4.	3.8	1
370	Toxicity of Lovastatin in Rats with Experimentally Induced Nephrotic Syndrome. <i>Nephron</i> , 1990, 56, 399-404.	0.9	2
371	Low Density Lipoprotein Metabolism and Receptor Studies in a Patient with Pseudohomozygous Familial Hypercholesterolaemia. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1990, 79, 475-476.	0.7	12
372	Abnormalities of Lipoprotein Metabolism in Patients with the Nephrotic Syndrome. <i>New England Journal of Medicine</i> , 1990, 323, 579-584.	13.9	275
373	Possible overestimation of ultracentrifugally isolated "free" apoprotein A-I in serum. <i>Clinical Chemistry</i> , 1990, 36, 407.	1.5	0
374	Concentrations of lipids and apolipoproteins in patients with clinically well-controlled insulin-dependent and non-insulin-dependent diabetes.. <i>Clinical Chemistry</i> , 1989, 35, 813-816.	1.5	47
375	LIPID-LOWERING DRUGS IN TREATMENT OF HYPERLIPIDAEMIA ASSOCIATED WITH NEPHROTIC SYNDROME. <i>Lancet</i> , The, 1989, 333, 1029.	6.3	1
376	Low density lipoprotein metabolism in rats with puromycin aminonucleoside-induced nephrotic syndrome. <i>Metabolism: Clinical and Experimental</i> , 1989, 38, 491-495.	1.5	17
377	Treatment of Diet-Resistant Polygenic Hypercholesterolaemic Patients with a New Nicotinate Derivative; In Vivo and In Vitro Low Density Lipoprotein Metabolic Studies. <i>Journal of Clinical Pharmacology</i> , 1989, 29, 201-206.	1.0	2
378	Concentrations of lipids and apolipoproteins in patients with clinically well-controlled insulin-dependent and non-insulin-dependent diabetes. <i>Clinical Chemistry</i> , 1989, 35, 813-6.	1.5	9

#	ARTICLE	IF	CITATIONS
379	High-Density Lipoproteins in Untreated Idiopathic Nephrotic Syndrome Without Renal Failure. Nephrology Dialysis Transplantation, 1987, , .	0.4	3
380	High-Density Lipoprotein Cholesterol Subfractions in Chronic Uremia. American Journal of Kidney Diseases, 1987, 9, 60-65.	2.1	32
381	Potassium disturbances as a cause of metabolic neuromyopathy. Intensive Care Medicine, 1987, 13, 208-10.	3.9	14
382	High-density lipoproteins in untreated idiopathic nephrotic syndrome without renal failure. Nephrology Dialysis Transplantation, 1987, 2, 149-53.	0.4	9
383	Apoprotein A-I and High Density Lipoprotein Subfractions in Patients with Chronic Renal Failure Receiving Hemodialysis. Nephron, 1985, 40, 451-454.	0.9	13
384	Cryoglobulinemia and Fibronectin. Acta Haematologica, 1985, 74, 161-163.	0.7	13
385	Precipitation of Mn ²⁺ with HCO ₃ ⁻ in determinations of high-density lipoprotein subfractions.. Clinical Chemistry, 1985, 31, 340-340.	1.5	1
386	Hormonal profile and serum zinc levels in uraemic men with gonadal dysfunction undergoing haemodialysis. Clinica Chimica Acta, 1985, 148, 239-245.	0.5	27
387	High density lipoprotein changes during treatment of diabetic ketoacidosis. DiabÃ©te & MÃ©tabolisme, 1985, 11, 102-5.	0.3	1
388	Should plasma high-density lipoprotein subfractions be evaluated?. Clinical Chemistry, 1985, 31, 1095-6.	1.5	1
389	High density lipoprotein cholesterol subfractions and apoprotein A-I in patients with rheumatoid arthritis and ankylosing spondylitis. Arthritis and Rheumatism, 1984, 27, 1199-1200.	6.7	12