

# David ADAMS

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/849864/publications.pdf>

Version: 2024-02-01

174  
papers

16,194  
citations

15504

65  
h-index

17105

122  
g-index

176  
all docs

176  
docs citations

176  
times ranked

22334  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Quantification of polyreactive immunoglobulin G facilitates the diagnosis of autoimmune hepatitis. <i>Hepatology</i> , 2022, 75, 13-27.   | 7.3  | 16        |
| 2  | More Levels of Complexity in the Control of Intestinal Inflammation. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 12, 791-792.   | 4.5  | 1         |
| 3  | Type 2 Autoimmune Hepatitis and Nonadherence to Medication Correlate With Premature Birth and Risk of Postpartum Flare. <i>Hepatology Communications</i> , 2021, 5, 1252-1264.  | 4.3  | 4         |
| 4  | EASL recognition award recipient 2021: Prof. Patrizia Burra. <i>Journal of Hepatology</i> , 2021, 75, 5-6.  | 3.7  | 0         |
| 5  | Sinusoidal Endothelial Cells as Orchestrators of the Gut Liver Immune Axis. <i>Hepatology</i> , 2021, 74, 1690-1691.  | 7.3  | 1         |
| 6  | Diagnosis and Management of Autoimmune Hepatitis in Adults and Children: 2019 Practice Guidance and Guidelines From the American Association for the Study of Liver Diseases. <i>Hepatology</i> , 2020, 72, 671-722.  | 7.3  | 473       |
| 7  | The structural basis for Z Î± <sub>1</sub> -antitrypsin polymerization in the liver. <i>Science Advances</i> , 2020, 6, .   | 10.3 | 26        |
| 8  | Immunosuppressive Treatment Regimens in Autoimmune Hepatitis: Systematic Reviews and Meta-Analyses Supporting American Association for the Study of Liver Diseases Guidelines. <i>Hepatology</i> , 2020, 72, 753-769. | 7.3  | 30        |
| 9  | Transplantation of discarded livers following viability testing with normothermic machine perfusion. <i>Nature Communications</i> , 2020, 11, 2939.   | 12.8 | 262       |
| 10 | The platelet receptor CLEC-2 blocks neutrophil mediated hepatic recovery in acetaminophen induced acute liver failure. <i>Nature Communications</i> , 2020, 11, 1939.   | 12.8 | 49        |
| 11 | Bidirectional Cross-Talk between Biliary Epithelium and Th17 Cells Promotes Local Th17 Expansion and Bile Duct Proliferation in Biliary Liver Diseases. <i>Journal of Immunology</i> , 2019, 203, 1151-1159.          | 0.8  | 22        |
| 12 | Hepatocytes Delete Regulatory T Cells by Enclysis, a CD4+ T Cell Engulfment Process. <i>Cell Reports</i> , 2019, 29, 1610-1620.e4.  | 6.4  | 36        |
| 13 | NK Cells in Ascites From Liver Disease Patients Display a Particular Phenotype and Take Part in Antibacterial Immune Response. <i>Frontiers in Immunology</i> , 2019, 10, 1838.                                       | 4.8  | 6         |
| 14 | Liver homing of clinical grade Tregs after therapeutic infusion in patients with autoimmune hepatitis. <i>JHEP Reports</i> , 2019, 1, 286-296.  | 4.9  | 39        |
| 15 | The challenges of primary biliary cholangitis: What is new and what needs to be done. <i>Journal of Autoimmunity</i> , 2019, 105, 102328.   | 6.5  | 86        |
| 16 | The Role of Myeloid-Derived Cells in the Progression of Liver Disease. <i>Frontiers in Immunology</i> , 2019, 10, 893.  | 4.8  | 74        |
| 17 | Platelet GPIbÎ± is a mediator and potential interventional target for NASH and subsequent liver cancer. <i>Nature Medicine</i> , 2019, 25, 641-655.   | 30.7 | 259       |
| 18 | Intrahepatic macrophage populations in the pathophysiology of primary sclerosing cholangitis. <i>JHEP Reports</i> , 2019, 1, 369-376.   | 4.9  | 27        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Efficacy of rituximab in difficult-to-manage autoimmune hepatitis: Results from the International Autoimmune Hepatitis Group. <i>JHEP Reports</i> , 2019, 1, 437-445.  | 4.9  | 48        |
| 20 | Changes in natural killer cells and exhausted memory regulatory T Cells with corticosteroid therapy in acute autoimmune hepatitis. <i>Hepatology Communications</i> , 2018, 2, 421-436.  | 4.3  | 31        |
| 21 | NIâ€0801, an antiâ€chemokine (Câ€Xâ€ motif) ligand 10 antibody, in patients with primary biliary cholangitis and an incomplete response to ursodeoxycholic acid. <i>Hepatology Communications</i> , 2018, 2, 492-503.                      | 4.3  | 35        |
| 22 | MerTK expressing hepatic macrophages promote the resolution of inflammation in acute liver failure. <i>Gut</i> , 2018, 67, 333-347.  | 12.1 | 150       |
| 23 | Vascular adhesion protein-1 is elevated in primary sclerosing cholangitis, is predictive of clinical outcome and facilitates recruitment of gut-tropic lymphocytes to liver in a substrate-dependent manner. <i>Gut</i> , 2018, 67, 1135-1145. | 12.1 | 52        |
| 24 | CD14 <sup>+</sup> CD15 <sup>+</sup> HLA-DR <sup>+</sup> myeloid-derived suppressor cells impair antimicrobial responses in patients with acute-on-chronic liver failure. <i>Gut</i> , 2018, 67, 1155-1167.                                     | 12.1 | 111       |
| 25 | Exercise alters the hepatic immunophenotype to protect against inflammatory liver disease. <i>Hepatology</i> , 2018, 67, 2041-2043.  | 7.3  | 0         |
| 26 | Scientific Business Abstracts of the 112th Annual Meeting of the Association of Physicians of Great Britain and Ireland. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018, 111, 920-924.                                   | 0.5  | 0         |
| 27 | Liver sinusoidal endothelial cells â€ gatekeepers of hepatic immunity. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 555-567.   | 17.8 | 286       |
| 28 | Could endothelial TGFÎ² signaling be a promising new target for liver disease?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 637-639.   | 3.0  | 1         |
| 29 | Chemokines and Chemokine Receptors as Therapeutic Targets in Inflammatory Bowel Disease; Pitfalls and Promise. <i>Journal of Crohn's and Colitis</i> , 2018, 12, S641-S652.  | 1.3  | 105       |
| 30 | Rituximab treatment experience in patients with complicated type 1 autoimmune hepatitis in Europe and North America. <i>Journal of Hepatology</i> , 2018, 68, S217-S218.   | 3.7  | 7         |
| 31 | CC chemokine receptor 2 promotes recruitment of myeloid cells associated with insulin resistance in nonalcoholic fatty liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, G483-G493.                         | 3.4  | 46        |
| 32 | The Reactive Oxygen Speciesâ€Mitophagy Signaling Pathway Regulates Liver Endothelial Cell Survival During Ischemia/Reperfusion Injury. <i>Liver Transplantation</i> , 2018, 24, 1437-1452.  | 2.4  | 26        |
| 33 | The gut-adherent microbiota of PSCâ€IBD is distinct to that of IBD. <i>Gut</i> , 2017, 66, 386.1-388.   | 12.1 | 132       |
| 34 | Role of expression of the tumour-associated macrophage receptor, MERTK, in hepatocellular carcinoma. <i>Lancet, The</i> , 2017, 389, S72.  | 13.7 | 1         |
| 35 | Role of CLEC-2-driven platelet activation in the pathogenesis of toxic liver damage. <i>Lancet, The</i> , 2017, 389, S33.  | 13.7 | 2         |
| 36 | Low-dose interleukin-2 promotes STAT-5 phosphorylation, Treg survival and CTLA-4-dependent function in autoimmune liver diseases. <i>Clinical and Experimental Immunology</i> , 2017, 188, 394-411.  | 2.6  | 50        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Amine oxidase activity regulates the development of pulmonary fibrosis. <i>FASEB Journal</i> , 2017, 31, 2477-2491.   | 0.5  | 10        |
| 38 | CD151 supports VCAM-1-mediated lymphocyte adhesion to liver endothelium and is upregulated in chronic liver disease and hepatocellular carcinoma. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, G138-G149.  | 3.4  | 29        |
| 39 | Conclusions and Future Opportunities. , 2017, , 263-264.  |      | 0         |
| 40 | Sphingosine-1-Phosphate Prevents Egress of Hematopoietic Stem Cells From Liver to Reduce Fibrosis. <i>Gastroenterology</i> , 2017, 153, 233-248.e16.  | 1.3  | 48        |
| 41 | Dynamic regulation of canonical TGF $\beta$ 2 signalling by endothelial transcription factor ERG protects from liver fibrogenesis. <i>Nature Communications</i> , 2017, 8, 895.   | 12.8 | 70        |
| 42 | Impaired Transmigration of Myeloid-Derived Suppressor Cells across Human Sinusoidal Endothelium Is Associated with Decreased Expression of CD13. <i>Journal of Immunology</i> , 2017, 199, 1672-1681.   | 0.8  | 10        |
| 43 | Platelets Are Critical Drivers of Illness Behaviors During Liver Inflammation. <i>Gastroenterology</i> , 2017, 153, 1188-1190.  | 1.3  | 1         |
| 44 | Investigating the safety and activity of the use of BTT1023 (Timolumab), in the treatment of patients with primary sclerosing cholangitis (BUTEO): A single-arm, two-stage, open-label, multi-centre, phase II clinical trial protocol. <i>BMJ Open</i> , 2017, 7, e015081. | 1.9  | 23        |
| 45 | Human liver sinusoidal endothelial cells promote intracellular crawling of lymphocytes during recruitment: A new step in migration. <i>Hepatology</i> , 2017, 65, 294-309.  | 7.3  | 38        |
| 46 | SCARF-1 promotes adhesion of CD4+ T cells to human hepatic sinusoidal endothelium under conditions of shear stress. <i>Scientific Reports</i> , 2017, 7, 17600.   | 3.3  | 27        |
| 47 | Human intrahepatic ILC2 are IL-13 positive amphiregulin positive and their frequency correlates with model of end stage liver disease score. <i>PLoS ONE</i> , 2017, 12, e0188649.  | 2.5  | 40        |
| 48 | Changes in human hepatic metabolism in steatosis and cirrhosis. <i>World Journal of Gastroenterology</i> , 2017, 23, 2685.  | 3.3  | 35        |
| 49 | Human intrahepatic regulatory T cells are functional, require IL-2 from effector cells for survival, and are susceptible to Fas ligand-mediated apoptosis. <i>Hepatology</i> , 2016, 64, 138-150.   | 7.3  | 72        |
| 50 | Serum alkaline phosphatase in multidrug resistance 2 (Mdr2 <sup>-/-</sup> ) knockout mice is strain specific. <i>Hepatology</i> , 2016, 63, 346-346.  | 7.3  | 2         |
| 51 | Intestinal CCL25 expression is increased in colitis and correlates with inflammatory activity. <i>Journal of Autoimmunity</i> , 2016, 68, 98-104.   | 6.5  | 70        |
| 52 | Bidirectional transendothelial migration of monocytes across hepatic sinusoidal endothelium shapes monocyte differentiation and regulates the balance between immunity and tolerance in liver. <i>Hepatology</i> , 2016, 63, 233-246.                                       | 7.3  | 36        |
| 53 | Interaction of TWEAK with Fn14 leads to the progression of fibrotic liver disease by directly modulating hepatic stellate cell proliferation. <i>Journal of Pathology</i> , 2016, 239, 109-121.   | 4.5  | 51        |
| 54 | Stabilin-1 expression defines a subset of macrophages that mediate tissue homeostasis and prevent fibrosis in chronic liver injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 9298-9303.                          | 7.1  | 93        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Single-gene association between GATA-2 and autoimmune hepatitis: A novel genetic insight highlighting immunologic pathways to disease. <i>Journal of Hepatology</i> , 2016, 64, 1190-1193.   | 3.7  | 23        |
| 56 | Evaluation of serum and tissue levels of VAP-1 in colorectal cancer. <i>BMC Cancer</i> , 2016, 16, 154.  | 2.6  | 14        |
| 57 | Platelets: No longer bystanders in liver disease. <i>Hepatology</i> , 2016, 64, 1774-1784.   | 7.3  | 99        |
| 58 | Biliary epithelium and liver B cells exposed to bacteria activate intrahepatic MAIT cells through MR1. <i>Journal of Hepatology</i> , 2016, 64, 1118-1127.   | 3.7  | 170       |
| 59 | Gut liver immunity. <i>Journal of Hepatology</i> , 2016, 64, 1187-1189.  | 3.7  | 93        |
| 60 | The gut microbiota and host health: a new clinical frontier. <i>Gut</i> , 2016, 65, 330-339.   | 12.1 | 1,719     |
| 61 | Long-term follow-up of patients with difficult to treat type 1 autoimmune hepatitis on Tacrolimus therapy. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 329-336.  | 1.5  | 53        |
| 62 | Targeting the delivery of systemically administered haematopoietic stem/progenitor cells to the inflamed colon using hydrogen peroxide and platelet microparticle pre-treatment strategies. <i>Stem Cell Research</i> , 2015, 15, 569-580. | 0.7  | 9         |
| 63 | Modeling idiosyncrasy: A novel animal model of drug-induced liver injury. <i>Hepatology</i> , 2015, 61, 1124-1126.   | 7.3  | 5         |
| 64 | Contact-Dependent Depletion of Hydrogen Peroxide by Catalase Is a Novel Mechanism of Myeloid-Derived Suppressor Cell Induction Operating in Human Hepatic Stellate Cells. <i>Journal of Immunology</i> , 2015, 194, 2578-2586.             | 0.8  | 18        |
| 65 | Pediatric Liver Transplant Recipients Who Undergo Transfer to the Adult Healthcare Service Have Good Long-Term Outcomes. <i>American Journal of Transplantation</i> , 2015, 15, 1864-1873.   | 4.7  | 33        |
| 66 | CMV infection of human sinusoidal endothelium regulates hepatic T cell recruitment and activation. <i>Journal of Hepatology</i> , 2015, 63, 38-49.   | 3.7  | 19        |
| 67 | From immunosuppression to tolerance. <i>Journal of Hepatology</i> , 2015, 62, S170-S185.   | 3.7  | 133       |
| 68 | The effects of CCR5 inhibition on regulatory T-cell recruitment to colorectal cancer. <i>British Journal of Cancer</i> , 2015, 112, 319-328.   | 6.4  | 75        |
| 69 | Osteopontin neutralisation abrogates the liver progenitor cell response and fibrogenesis in mice. <i>Gut</i> , 2015, 64, 1120-1131.  | 12.1 | 81        |
| 70 | Vascular adhesion protein-1 promotes liver inflammation and drives hepatic fibrosis. <i>Journal of Clinical Investigation</i> , 2015, 125, 501-520.  | 8.2  | 163       |
| 71 | Inflammation drives thrombosis after Salmonella infection via CLEC-2 on platelets. <i>Journal of Clinical Investigation</i> , 2015, 125, 4429-4446.  | 8.2  | 135       |
| 72 | Regulatory T cells and autoimmune hepatitis: What happens in the liver stays in the liver. <i>Journal of Hepatology</i> , 2014, 61, 973-975.   | 3.7  | 23        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Clinical relevance and cellular source of elevated soluble urokinase plasminogen activator receptor (suPAR) in acute liver failure. <i>Liver International</i> , 2014, 34, 1330-1339.                                       | 3.9  | 44        |
| 74 | Paracrine signals from liver sinusoidal endothelium regulate hepatitis C virus replication. <i>Hepatology</i> , 2014, 59, 375-384.  | 7.3  | 26        |
| 75 | Vascular cell adhesion molecule 1 expression by biliary epithelium promotes persistence of inflammation by inhibiting effector T-cell apoptosis. <i>Hepatology</i> , 2014, 59, 1932-1943.                                   | 7.3  | 49        |
| 76 | Shotgun proteomics: Identification of unique protein profiles of apoptotic bodies from biliary epithelial cells. <i>Hepatology</i> , 2014, 60, 1314-1323.   | 7.3  | 68        |
| 77 | Activated macrophages promote hepatitis C virus entry in a tumor necrosis factor-dependent manner. <i>Hepatology</i> , 2014, 59, 1320-1330.   | 7.3  | 40        |
| 78 | Cellular localization and trafficking of vascular adhesion protein-1 as revealed by an N-terminal GFP fusion protein. <i>Journal of Neural Transmission</i> , 2013, 120, 951-961.   | 2.8  | 7         |
| 79 | Primary sclerosing cholangitis. <i>Lancet</i> , 2013, 382, 1587-1599.   | 13.7 | 484       |
| 80 | Up-regulation of a death receptor renders antiviral T cells susceptible to NK cell-mediated deletion. <i>Journal of Experimental Medicine</i> , 2013, 210, 99-114.  | 8.5  | 286       |
| 81 | Monocyte subsets in human liver disease show distinct phenotypic and functional characteristics. <i>Hepatology</i> , 2013, 57, 385-398.   | 7.3  | 208       |
| 82 | Mucosal immunity in liver autoimmunity: A comprehensive review. <i>Journal of Autoimmunity</i> , 2013, 46, 97-111.  | 6.5  | 110       |
| 83 | The regulation of T cell recruitment to the human liver during acute liver failure. <i>Liver International</i> , 2013, 33, 852-863.   | 3.9  | 19        |
| 84 | An In Vitro Model of Human Acute Ethanol Exposure That Incorporates CXCR3- and CXCR4-Dependent Recruitment of Immune Cells. <i>Toxicological Sciences</i> , 2013, 132, 131-141.   | 3.1  | 21        |
| 85 | Soluble urokinase plasminogen activator receptor is compartmentally regulated in decompensated cirrhosis and indicates immune activation and short-term mortality. <i>Journal of Internal Medicine</i> , 2013, 274, 86-100. | 6.0  | 43        |
| 86 | Autophagy. <i>Autophagy</i> , 2012, 8, 545-558.   | 9.1  | 78        |
| 87 | Post-transplant liver biopsy and the immune response: lessons for the clinician. <i>Expert Review of Clinical Immunology</i> , 2012, 8, 645-661.  | 3.0  | 13        |
| 88 | CD161+CD4+ T cells are enriched in the liver during chronic hepatitis and associated with co-secretion of IL-22 and IFN- $\gamma$ . <i>Frontiers in Immunology</i> , 2012, 3, 346.  | 4.8  | 25        |
| 89 | Low-Dose Interleukin-2 and HCV-Induced Vasculitis. <i>New England Journal of Medicine</i> , 2012, 366, 1353-1354.   | 27.0 | 6         |
| 90 | Human MAIT and CD8 $\alpha$ $\beta$ cells develop from a pool of type-17 precommitted CD8+ T cells. <i>Blood</i> , 2012, 119, 422-433.  | 1.4  | 239       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Regulatory T cells and autoimmune hepatitis: Defective cells or a hostile environment?. <i>Journal of Hepatology</i> , 2012, 57, 6-8.  | 3.7  | 24        |
| 92  | CXCR3-dependent recruitment and CCR6-mediated positioning of Th-17 cells in the inflamed liver. <i>Journal of Hepatology</i> , 2012, 57, 1044-1051.  | 3.7  | 167       |
| 93  | Recruitment mechanisms of primary and malignant B cells to the human liver. <i>Hepatology</i> , 2012, 56, 1521-1531.   | 7.3  | 45        |
| 94  | Activation of CD40 with Platelet Derived CD154 Promotes Reactive Oxygen Species Dependent Death of Human Hepatocytes during Hypoxia and Reoxygenation. <i>PLoS ONE</i> , 2012, 7, e30867.                            | 2.5  | 21        |
| 95  | Hepatic expression and cellular distribution of the glucose transporter family. <i>World Journal of Gastroenterology</i> , 2012, 18, 6771.   | 3.3  | 140       |
| 96  | Novel Adenovirus-Based Vaccines Induce Broad and Sustained T Cell Responses to HCV in Man. <i>Science Translational Medicine</i> , 2012, 4, 115ra1.  | 12.4 | 356       |
| 97  | T Lymphocyte Recruitment into Renal Cell Carcinoma Tissue: A Role for Chemokine Receptors CXCR3, CXCR6, CCR5, and CCR6. <i>European Urology</i> , 2012, 61, 385-394.   | 1.9  | 80        |
| 98  | A Switch in Hepatic Cortisol Metabolism across the Spectrum of Non Alcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2012, 7, e29531.   | 2.5  | 83        |
| 99  | Association of T-Zone Reticular Networks and Conduits with Ectopic Lymphoid Tissues in Mice and Humans. <i>American Journal of Pathology</i> , 2011, 178, 1662-1675.   | 3.8  | 93        |
| 100 | Isolation of Primary Human Hepatocytes from Normal and Diseased Liver Tissue: A One Hundred Liver Experience. <i>PLoS ONE</i> , 2011, 6, e18222.   | 2.5  | 114       |
| 101 | Rituximab Treatment in Hepatitis C Infection: An In Vitro Model to Study the Impact of B Cell Depletion on Virus Infectivity. <i>PLoS ONE</i> , 2011, 6, e25789.   | 2.5  | 7         |
| 102 | Functional Consequences of Human Lymphocyte Cryopreservation. <i>Journal of Immunotherapy</i> , 2011, 34, 588-596.   | 2.4  | 14        |
| 103 | Antibody-Associated Rejection in Liver Transplantation: Keep on Knocking, and the Door Will Be Opened to You. <i>American Journal of Transplantation</i> , 2011, 11, 1767-1768.                                      | 4.7  | 1         |
| 104 | Variable responses of small and large human hepatocytes to hypoxia and hypoxia/reoxygenation (H-R). <i>FEBS Letters</i> , 2011, 585, 935-941.  | 2.8  | 13        |
| 105 | Hepatic consequences of vascular adhesion protein-1 expression. <i>Journal of Neural Transmission</i> , 2011, 118, 1055-1064.  | 2.8  | 24        |
| 106 | Osteopontin is induced by hedgehog pathway activation and promotes fibrosis progression in nonalcoholic steatohepatitis. <i>Hepatology</i> , 2011, 53, 106-115.  | 7.3  | 224       |
| 107 | Regulation of mucosal addressin cell adhesion molecule 1 expression in human and mice by vascular adhesion protein 1 amine oxidase activity. <i>Hepatology</i> , 2011, 53, 661-672.                                  | 7.3  | 93        |
| 108 | Common Lymphatic Endothelial and Vascular Endothelial Receptor-1 Mediates the Transmigration of Regulatory T Cells across Human Hepatic Sinusoidal Endothelium. <i>Journal of Immunology</i> , 2011, 186, 4147-4155. | 0.8  | 141       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Autoimmune hepatitis: new paradigms in the pathogenesis, diagnosis, and management. <i>Hepatology International</i> , 2010, 4, 475-493.   | 4.2  | 103       |
| 110 | CX3CR1 and vascular adhesion protein-1-dependent recruitment of CD16+ monocytes across human liver sinusoidal endothelium. <i>Hepatology</i> , 2010, 51, 2030-2039.   | 7.3  | 79        |
| 111 | Accumulation of natural killer T cells in progressive nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010, 51, 1998-2007.  | 7.3  | 254       |
| 112 | Reactive oxygen species mediate human hepatocyte injury during hypoxia/reoxygenation. <i>Liver Transplantation</i> , 2010, 16, 1303-1313.   | 2.4  | 113       |
| 113 | Primary and Malignant Cholangiocytes Undergo CD40 Mediated Fas Dependent Apoptosis, but Are Insensitive to Direct Activation with Exogenous Fas Ligand. <i>PLoS ONE</i> , 2010, 5, e14037.  | 2.5  | 20        |
| 114 | Distinct Roles for CCR4 and CXCR3 in the Recruitment and Positioning of Regulatory T Cells in the Inflamed Human Liver. <i>Journal of Immunology</i> , 2010, 184, 2886-2898.  | 0.8  | 199       |
| 115 | Analysis of CD161 expression on human CD8 <sup>+</sup> T cells defines a distinct functional subset with tissue-homing properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 3006-3011. | 7.1  | 359       |
| 116 | The Role of Chemokines in the Recruitment of Lymphocytes to the Liver. <i>Digestive Diseases</i> , 2010, 28, 31-44.   | 1.9  | 133       |
| 117 | Mechanisms of Immune-Mediated Liver Injury. <i>Toxicological Sciences</i> , 2010, 115, 307-321.   | 3.1  | 254       |
| 118 | Haematopoietic stem cell recruitment to injured murine liver sinusoids depends on $\alpha 4 \beta 1$ integrin/VCAM-1 interactions. <i>Gut</i> , 2010, 59, 79-87.  | 12.1 | 32        |
| 119 | A phase II study of adoptive immunotherapy using dendritic cells pulsed with tumor lysate in patients with hepatocellular carcinoma. <i>Hepatology</i> , 2009, 49, 124-132.   | 7.3  | 236       |
| 120 | Chemokines in the immunopathogenesis of hepatitis C infection. <i>Hepatology</i> , 2009, 49, 676-688.   | 7.3  | 117       |
| 121 | Beyond fibrogenesis: Stellate cells take center stage as immune-response modulators. <i>Hepatology</i> , 2009, 49, 2115-2118.   | 7.3  | 0         |
| 122 | Role for hedgehog pathway in regulating growth and function of invariant NKT cells. <i>European Journal of Immunology</i> , 2009, 39, 1879-1892.  | 2.9  | 59        |
| 123 | Expression and function of T cell homing molecules in Hodgkin's lymphoma. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 85-94.  | 4.2  | 22        |
| 124 | Adhesion of human haematopoietic (CD34 <sup>+</sup> ) stem cells to human liver compartments is integrin and CD44 dependent and modulated by CXCR3 and CXCR4. <i>Journal of Hepatology</i> , 2009, 51, 734-749.                                   | 3.7  | 33        |
| 125 | Hepatitis C virus association with peripheral blood B lymphocytes potentiates viral infection of liver-derived hepatoma cells. <i>Blood</i> , 2009, 113, 585-593.   | 1.4  | 76        |
| 126 | Coculture of human liver macrophages and cholangiocytes leads to CD40-dependent apoptosis and cytokine secretion. <i>Hepatology</i> , 2008, 47, 552-562.  | 7.3  | 46        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 127 | Hepatitis C virus receptor expression in normal and diseased liver tissue. <i>Hepatology</i> , 2008, 47, 418-427.   | 7.3  | 90        |
| 128 | Lymphocyte homing and its role in the pathogenesis of IBD. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 1298-1312.  | 1.9  | 58        |
| 129 | Lymphocyte recruitment to the liver: Molecular insights into the pathogenesis of liver injury and hepatitis. <i>Toxicology</i> , 2008, 254, 136-146.                                | 4.2  | 51        |
| 130 | Tempo di marzo o di valse: migration kinetics of leucocytes that home to the liver. <i>Liver International</i> , 2008, 28, 291-293.   | 3.9  | 1         |
| 131 | A novel mechanism of erythrocyte capture from circulation in humans. <i>Experimental Hematology</i> , 2008, 36, 111-118.  | 0.4  | 17        |
| 132 | Donor HLA-C Genotype Has a Profound Impact on the Clinical Outcome Following Liver Transplantation. <i>American Journal of Transplantation</i> , 2008, 8, 1931-1941.                | 4.7  | 66        |
| 133 | Immune Interactions in Hepatic Fibrosis. <i>Clinics in Liver Disease</i> , 2008, 12, 861-882.   | 2.1  | 89        |
| 134 | Immunology of the gut and liver: a love/hate relationship. <i>Gut</i> , 2008, 57, 838-848.  | 12.1 | 64        |
| 135 | Immune-Mediated Liver Injury. <i>Seminars in Liver Disease</i> , 2007, 27, 351-366.   | 3.6  | 53        |
| 136 | The Role of Cytokines and Chemokines in the Development of Steatohepatitis. <i>Seminars in Liver Disease</i> , 2007, 27, 173-193.   | 3.6  | 106       |
| 137 | Cytokines induced during chronic hepatitis B virus infection promote a pathway for NK cell-mediated liver damage. <i>Journal of Experimental Medicine</i> , 2007, 204, 667-680.     | 8.5  | 385       |
| 138 | Complex roles of cyclo-oxygenase 2 in hepatitis. <i>Gut</i> , 2007, 56, 903-904.  | 12.1 | 9         |
| 139 | Hepatitis C is associated with perturbation of intrahepatic myeloid and plasmacytoid dendritic cell function. <i>Journal of Hepatology</i> , 2007, 47, 338-347.                     | 3.7  | 63        |
| 140 | Activation of vascular adhesion protein-1 on liver endothelium results in an NF- $\kappa$ B-dependent increase in lymphocyte adhesion. <i>Hepatology</i> , 2007, 45, 465-474.       | 7.3  | 99        |
| 141 | A new approach to isolation and culture of human Kupffer cells. <i>Journal of Immunological Methods</i> , 2007, 326, 139-144.   | 1.4  | 39        |
| 142 | Vascular Adhesion Protein-1 as a Potential Therapeutic Target in Liver Disease. <i>Annals of the New York Academy of Sciences</i> , 2007, 1110, 485-496.                            | 3.8  | 18        |
| 143 | C4b Binding Protein Binds to CD154 Preventing CD40 Mediated Cholangiocyte Apoptosis: A Novel Link between Complement and Epithelial Cell Survival. <i>PLoS ONE</i> , 2007, 2, e159. | 2.5  | 19        |
| 144 | Expression of DC-SIGN and DC-SIGNR on Human Sinusoidal Endothelium. <i>American Journal of Pathology</i> , 2006, 169, 200-208.  | 3.8  | 88        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Systemic Viral Infections and Collateral Damage in the Liver. American Journal of Pathology, 2006, 168, 1057-1059.   | 3.8  | 127       |
| 146 | Generation of Gut-Homing IgA-Secreting B Cells by Intestinal Dendritic Cells. Science, 2006, 314, 1157-1160.   | 12.6 | 910       |
| 147 | Epithelial Inflammation Is Associated with CCL28 Production and the Recruitment of Regulatory T Cells Expressing CCR10. Journal of Immunology, 2006, 177, 593-603.   | 0.8  | 152       |
| 148 | Transfusion-transmitted hepatitis E in a 'nonhyperendemic' country. Transfusion Medicine, 2006, 16, 79-83.   | 1.1  | 265       |
| 149 | Aberrant homing of mucosal T cells and extra-intestinal manifestations of inflammatory bowel disease. Nature Reviews Immunology, 2006, 6, 244-251.   | 22.7 | 270       |
| 150 | The polycomb group proteins, BMI-1 and EZH2, are tumour-associated antigens. British Journal of Cancer, 2006, 95, 1202-1211.   | 6.4  | 39        |
| 151 | Vitronectin in human hepatic tumours contributes to the recruitment of lymphocytes in an $\alpha 5 \beta 1$ -independent manner. British Journal of Cancer, 2006, 95, 1545-1554.   | 6.4  | 50        |
| 152 | CD40 mediated human cholangiocyte apoptosis requires JAK2 dependent activation of STAT3 in addition to activation of JNK1/2 and ERK1/2. Cellular Signalling, 2006, 18, 456-468.  | 3.6  | 44        |
| 153 | Sickness behaviors in chronic cholestasis: An immune-mediated process?. Hepatology, 2006, 43, 20-23.   | 7.3  | 3         |
| 154 | Attenuated liver fibrosis in the absence of B cells. Hepatology, 2006, 43, 868-871.  | 7.3  | 36        |
| 155 | Polymorphisms in the T cell regulatory gene cytotoxic T lymphocyte antigen 4 influence the rate of acute rejection after liver transplantation. Gut, 2006, 55, 863-868.  | 12.1 | 26        |
| 156 | Hepatic stellate cells express synemin, a protein bridging intermediate filaments to focal adhesions. Gut, 2006, 55, 1276-1289.  | 12.1 | 68        |
| 157 | Detailed Analysis of Intrahepatic CD8 T Cells in the Normal and Hepatitis C-Infected Liver Reveals Differences in Specific Populations of Memory Cells with Distinct Homing Phenotypes. Journal of Immunology, 2006, 177, 729-738. | 0.8  | 49        |
| 158 | Human hepatic sinusoidal endothelial cells can be distinguished by expression of phenotypic markers related to their specialised functions <i>in vivo</i> . World Journal of Gastroenterology, 2006, 12, 5429.                     | 3.3  | 145       |
| 159 | Activated protein C resistance acquired through liver transplantation. Blood Coagulation and Fibrinolysis, 2005, 16, 215-216.  | 1.0  | 6         |
| 160 | A Study of the Metabolites of Ischemia-Reperfusion Injury and Selected Amino Acids in the Liver Using Microdialysis during Transplantation. Transplantation, 2005, 79, 828-835.  | 1.0  | 58        |
| 161 | Development of hepatopulmonary syndrome and portopulmonary hypertension in a paediatric liver transplant patient. Pediatric Transplantation, 2005, 9, 127-131.   | 1.0  | 20        |
| 162 | Lymphocyte traffic through sinusoidal endothelial cells is regulated by hepatocytes. Hepatology, 2005, 41, 451-459.  | 7.3  | 77        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 163 | Following the TRAIL from hepatitis C virus and alcohol to fatty liver. <i>Gut</i> , 2005, 54, 1518-1520.  | 12.1 | 11        |
| 164 | Endothelial interactions of neutrophils under flow in chronic obstructive pulmonary disease. <i>European Respiratory Journal</i> , 2005, 25, 612-617.   | 6.7  | 31        |
| 165 | Effector Mechanisms of Nonsuppurative Destructive Cholangitis in Graft-Versus-Host Disease and Allograft Rejection. <i>Seminars in Liver Disease</i> , 2005, 25, 281-297.   | 3.6  | 32        |
| 166 | CXC Chemokine Ligand 16 Promotes Integrin-Mediated Adhesion of Liver-Infiltrating Lymphocytes to Cholangiocytes and Hepatocytes within the Inflamed Human Liver. <i>Journal of Immunology</i> , 2005, 174, 1055-1062.                                 | 0.8  | 197       |
| 167 | Immune regulation and colitis: suppression of acute inflammation allows the development of chronic inflammatory bowel disease. <i>Gut</i> , 2005, 54, 4-6.  | 12.1 | 44        |
| 168 | Angiogenesis and chronic inflammation; the potential for novel therapeutic approaches in chronic liver disease. <i>Journal of Hepatology</i> , 2005, 42, 7-11.  | 3.7  | 45        |
| 169 | CXCR3 Activation Promotes Lymphocyte Transendothelial Migration across Human Hepatic Endothelium under Fluid Flow. <i>American Journal of Pathology</i> , 2005, 167, 887-899.   | 3.8  | 121       |
| 170 | Hepatic Endothelial CCL25 Mediates the Recruitment of CCR9+ Gut-homing Lymphocytes to the Liver in Primary Sclerosing Cholangitis. <i>Journal of Experimental Medicine</i> , 2004, 200, 1511-1517.  | 8.5  | 305       |
| 171 | Lymphocyte homing in the pathogenesis of extra-intestinal manifestations of inflammatory bowel disease. <i>Clinical Medicine</i> , 2004, 4, 173-180.  | 1.9  | 62        |
| 172 | Interleukin-10 Secretion Differentiates Dendritic Cells from Human Liver and Skin. <i>American Journal of Pathology</i> , 2004, 164, 511-519.   | 3.8  | 108       |
| 173 | DEMONSTRATION THAT DONOR-SPECIFIC NONRESPONSIVENESS IN HUMAN LIVER ALLOGRAFT RECIPIENTS IS BOTH RARE AND TRANSIENT. <i>Transplantation</i> , 2004, 77, 1246-1252.   | 1.0  | 5         |
| 174 | Peliosis of the spleen with massive recurrent haemorrhagic ascites, despite splenectomy, and associated with elevated levels of vascular endothelial growth factor. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 1401-1406. | 1.6  | 18        |