

James Imre Nagy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8499203/publications.pdf>

Version: 2024-02-01

146
papers

9,988
citations

30070

54
h-index

39675

94
g-index

149
all docs

149
docs citations

149
times ranked

5092
citing authors

#	ARTICLE	IF	CITATIONS
1	The nucleus basalis magnocellularis: The origin of a cholinergic projection to the neocortex of the rat. <i>Neuroscience</i> , 1980, 5, 1161-1174.	2.3	603
2	Cell-Specific Expression of Connexins and Evidence of Restricted Gap Junctional Coupling between Glial Cells and between Neurons. <i>Journal of Neuroscience</i> , 2001, 21, 1983-2000.	3.6	379
3	Connexins and gap junctions of astrocytes and oligodendrocytes in the CNS. <i>Brain Research Reviews</i> , 2000, 32, 29-44.	9.0	377
4	Biochemical and anatomical observations on the degeneration of peptide-containing primary afferent neurons after neonatal capsaicin. <i>Neuroscience</i> , 1981, 6, 1923-1934.	2.3	359
5	Update on connexins and gap junctions in neurons and glia in the mammalian nervous system. <i>Brain Research Reviews</i> , 2004, 47, 191-215.	9.0	339
6	Connexin30 in rodent, cat and human brain: selective expression in gray matter astrocytes, co-localization with connexin43 at gap junctions and late developmental appearance. <i>Neuroscience</i> , 1999, 88, 447-468.	2.3	311
7	Immunogold evidence that neuronal gap junctions in adult rat brain and spinal cord contain connexin-36 but not connexin-32 or connexin-43. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 7573-7578.	7.1	278
8	Fluoride-resistant acid phosphatase-containing neurones in dorsal root ganglia are separate from those containing substance P or somatostatin. <i>Neuroscience</i> , 1982, 7, 89-97.	2.3	239
9	On the organization of astrocytic gap junctions in rat brain as suggested by LM and EM immunohistochemistry of connexin43 expression. <i>Journal of Comparative Neurology</i> , 1990, 302, 853-883.	1.6	211
10	LM and EM immunolocalization of the gap junctional protein connexin 43 in rat brain. <i>Brain Research</i> , 1990, 508, 313-319.	2.2	201
11	Connexin26 in adult rodent central nervous system: Demonstration at astrocytic gap junctions and colocalization with connexin30 and connexin43. <i>Journal of Comparative Neurology</i> , 2001, 441, 302-323.	1.6	201
12	Identification of Cells Expressing Cx43, Cx30, Cx26, Cx32 and Cx36 in Gap Junctions of Rat Brain and Spinal Cord. <i>Cell Communication and Adhesion</i> , 2001, 8, 315-320.	1.0	185
13	Coupling of astrocyte connexins Cx26, Cx30, Cx43 to oligodendrocyte Cx29, Cx32, Cx47: Implications from normal and connexin32 knockout mice. <i>Glia</i> , 2003, 44, 205-218.	4.9	180
14	Elevated connexin43 immunoreactivity at sites of amyloid plaques in alzheimer's disease. <i>Brain Research</i> , 1996, 717, 173-178.	2.2	161
15	Connexin-47 and connexin-32 in gap junctions of oligodendrocyte somata, myelin sheaths, paranodal loops and Schmidt-Lanterman incisures: Implications for ionic homeostasis and potassium siphoning. <i>Neuroscience</i> , 2005, 136, 65-86.	2.3	154
16	Neuronal connexin36 association with zonula occludens-1 protein (ZO-1) in mouse brain and interaction with the first PDZ domain of ZO-1. <i>European Journal of Neuroscience</i> , 2004, 19, 2132-2146.	2.6	131
17	The nature of the substance P-containing nerve fibres in taste papillae of the rat tongue. <i>Neuroscience</i> , 1982, 7, 3137-3151.	2.3	126
18	Connexin45-Containing Neuronal Gap Junctions in Rodent Retina Also Contain Connexin36 in Both Apposing Hemiplaques, Forming Bihomotypic Gap Junctions, with Scaffolding Contributed by Zonula Occludens-1. <i>Journal of Neuroscience</i> , 2008, 28, 9769-9789.	3.6	117

#	ARTICLE	IF	CITATIONS
19	Neurotransmitters contained in the efferents of the striatum. <i>Brain Research</i> , 1980, 194, 391-402.	2.2	116
20	Connexin47, connexin29 and connexin32 co-expression in oligodendrocytes and cx47 association with zonula occludens-1 (zo-1) in mouse brain. <i>Neuroscience</i> , 2004, 126, 611-630.	2.3	115
21	Synergy between Electrical Coupling and Membrane Properties Promotes Strong Synchronization of Neurons of the Mesencephalic Trigeminal Nucleus. <i>Journal of Neuroscience</i> , 2012, 32, 4341-4359.	3.6	107
22	Selective Monoclonal Antibody Recognition and Cellular Localization of an Unphosphorylated Form of Connexin43. <i>Experimental Cell Research</i> , 1997, 236, 127-136.	2.6	104
23	Dynamics of electrical transmission at club endings on the Mauthner cells. <i>Brain Research Reviews</i> , 2004, 47, 227-244.	9.0	104
24	Immunorecognition, ultrastructure and phosphorylation status of astrocytic gap junctions and connexin43 in rat brain after cerebral focal ischaemia. <i>European Journal of Neuroscience</i> , 1998, 10, 2444-2463.	2.6	99
25	Connexin43 phosphorylation state and intercellular communication in cultured astrocytes following hypoxia and protein phosphatase inhibition. <i>European Journal of Neuroscience</i> , 2000, 12, 2644-2650.	2.6	99
26	Connexin35 Mediates Electrical Transmission at Mixed Synapses on Mauthner Cells. <i>Journal of Neuroscience</i> , 2003, 23, 7489-7503.	3.6	98
27	Ischemia-induced cellular redistribution of the astrocytic gap junctional protein connexin43 in rat brain. <i>Brain Research</i> , 1994, 652, 311-322.	2.2	94
28	Expression of zonula occludens-1 (ZO-1) and the transcription factor ZO-1-associated nucleic acid-binding protein (ZONAB)-MsY3 in glial cells and colocalization at oligodendrocyte and astrocyte gap junctions in mouse brain. <i>European Journal of Neuroscience</i> , 2005, 22, 404-418.	2.6	94
29	Ultrastructural localization of connexins (Cx36, Cx43, Cx45), glutamate receptors and aquaporin-4 in rodent olfactory mucosa, olfactory nerve and olfactory bulb. <i>Journal of Neurocytology</i> , 2005, 34, 307-341.	1.5	92
30	Connexin32 in oligodendrocytes and association with myelinated fibers in mouse and rat brain. , 1997, 379, 571-591.		91
31	Evidence for the co-localization of another connexin with connexin-43 at astrocytic gap junctions in rat brain. <i>Neuroscience</i> , 1997, 78, 533-548.	2.3	89
32	Electrical synapses in mammalian CNS: Past eras, present focus and future directions. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018, 1860, 102-123.	2.6	89
33	Connexin29 and connexin32 at oligodendrocyte and astrocyte gap junctions and in myelin of the mouse central nervous system. <i>Journal of Comparative Neurology</i> , 2003, 464, 356-370.	1.6	88
34	Analysis of parvalbumin and calbindin D28k-immunoreactive neurons in dorsal root ganglia of rat in relation to their cytochrome oxidase and carbonic anhydrase content. <i>Neuroscience</i> , 1989, 33, 363-371.	2.3	85
35	Molecular and Functional Asymmetry at a Vertebrate Electrical Synapse. <i>Neuron</i> , 2013, 79, 957-969.	8.1	85
36	Abundance and ultrastructural diversity of neuronal gap junctions in the OFF and ON sublaminae of the inner plexiform layer of rat and mouse retina. <i>Neuroscience</i> , 2006, 142, 1093-1117.	2.3	83

#	ARTICLE	IF	CITATIONS
37	Evidence for the cholinergic nature of C-terminals associated with subsurface cisterns in ?-Motoneurons of rat. Synapse, 1993, 15, 17-32.	1.2	82
38	A re-evaluation of the neurochemical and antinociceptive effects of intrathecal capsaicin in the rat. Brain Research, 1981, 211, 497-502.	2.2	79
39	Capsaicin: A Chemical Probe for Sensory Neuron Mechanisms. , 1982, , 185-235.		78
40	Differential anatomical and cellular patterns of connexin43 expression during postnatal development of rat brain. Developmental Brain Research, 1992, 66, 165-180.	1.7	77
41	Connexin-43 in rat spinal cord: localization in astrocytes and identification of heterotypic astro-oligodendrocytic gap junctions. Neuroscience, 1996, 76, 931-945.	2.3	77
42	Identification of connexin36 in gap junctions between neurons in rodent locus coeruleus. Neuroscience, 2007, 147, 938-956.	2.3	77
43	Connexin36 vs. connexin32, "miniature" neuronal gap junctions, and limited electrotonic coupling in rodent suprachiasmatic nucleus. Neuroscience, 2007, 149, 350-371.	2.3	75
44	Anatomical and cytochemical relationships of adenosine deaminase-containing primary afferent neurons in the rat. Neuroscience, 1985, 15, 799-813.	2.3	73
45	Quantitative immunohistochemical and biochemical correlates of connexin43 localization in rat brain. Glia, 1992, 5, 1-9.	4.9	73
46	Increased striatal glutamate decarboxylase after lesions of the nigrostriatal pathway. Brain Research, 1978, 143, 168-173.	2.2	71
47	Impaired brain development and reduced astrocyte response to injury in transgenic mice expressing IGF binding protein-1. Brain Research, 1997, 769, 97-107.	2.2	71
48	Cholecystokinin in the rat spinal cord: distribution and lack of effect of neonatal capsaicin treatment and rhizotomy. Brain Research, 1982, 238, 494-498.	2.2	67
49	Requirement of the hyaluronan receptor RHAMM in neurite extension and motility as demonstrated in primary neurons and neuronal cell lines. Journal of Neuroscience, 1995, 15, 241-252.	3.6	65
50	Ontogenesis of adenosine receptors in the central nervous system of the rat. Developmental Brain Research, 1984, 13, 97-104.	1.7	64
51	Connexin29 expression, immunocytochemistry and freeze-fracture replica immunogold labelling (FRIL) in sciatic nerve. European Journal of Neuroscience, 2002, 16, 795-806.	2.6	64
52	Interaction between connexin35 and zonula occludens-1 and its potential role in the regulation of electrical synapses. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 12545-12550.	7.1	64
53	C-terminals on motoneurons: Electron microscope localization of cholinergic markers in adult rats and antibody-induced depletion in neonates. Neuroscience, 1995, 65, 879-891.	2.3	63
54	High-resolution proteomic mapping in the vertebrate central nervous system: Close proximity of connexin35 to NMDA glutamate receptor clusters and co-localization of connexin36 with immunoreactivity for zonula occludens protein-1 (ZO-1). Journal of Neurocytology, 2004, 33, 131-151.	1.5	63

#	ARTICLE	IF	CITATIONS
55	Parvalbumin- and calbindin D28k-immunoreactive neurons in the superficial layers of the spinal cord dorsal horn of rat. <i>Brain Research Bulletin</i> , 1989, 23, 493-508.	3.0	60
56	Phosphorylated Forms of Connexin43 Predominate in Rat Brain: Demonstration by Rapid Inactivation of Brain Metabolism. <i>Journal of Neurochemistry</i> , 1994, 62, 2394-2403.	3.9	57
57	The origin of substance P in the rat submandibular gland and its major duct. <i>Brain Research</i> , 1982, 252, 327-333.	2.2	54
58	Association of connexin36 with zonula occludens-1 in HeLa cells, TC-3 cells, pancreas, and adrenal gland. <i>Histochemistry and Cell Biology</i> , 2000, 122, 485-498.	1.7	54
59	Ablation of Cx47 in transgenic mice leads to the loss of MUPP1, ZONAB and multiple connexins at oligodendrocyte-astrocyte gap junctions. <i>European Journal of Neuroscience</i> , 2008, 28, 1503-1517.	2.6	53
60	Calcitonin gene-related peptide in primary afferent neurons of rat: Co-existence with fluoride-resistant acid phosphatase and depletion by neonatal capsaicin. <i>Neuroscience</i> , 1990, 36, 751-760.	2.3	52
61	Localization of dopamine receptors in rat brain. <i>Brain Research</i> , 1979, 169, 209-214.	2.2	51
62	Depletion of connexin43-immunoreactivity in astrocytes after kainic acid-induced lesions in rat brain. <i>Neuroscience Letters</i> , 1991, 130, 120-124.	2.1	50
63	Astrocytic gap junction removal, connexin43 redistribution, and epitope masking at excitatory amino acid lesion sites in rat brain. <i>Glia</i> , 1995, 14, 279-294.	4.9	50
64	Identification of sequence, protein isoforms, and distribution of the hyaluronan-binding protein RHAMM in adult and developing rat brain. <i>Journal of Comparative Neurology</i> , 2001, 439, 315-330.	1.6	49
65	Mouse Hyal3 encodes a 45- to 56-kDa glycoprotein whose overexpression increases hyaluronidase 1 activity in cultured cells. <i>Glycobiology</i> , 2008, 18, 280-289.	2.5	49
66	Astrocytes drive cortical vasodilatory signaling by activating endothelial NMDA receptors. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 481-496.	4.3	49
67	Astrocyte and Oligodendrocyte Connexins of the Glial Syncytium in Relation to Astrocyte Anatomical Domains and Spatial Buffering. <i>Cell Communication and Adhesion</i> , 2003, 10, 401-406.	1.0	48
68	Organization of galanin-like immunoreactive neuronal systems in weakly electric fish (<i>Apteronotus</i>). <i>Journal of Neurocytology</i> , 1987, 16, 47-54.	2.1	47
69	Interaction of Zonula Occludens-1 (ZO-1) with F-Actin: Application of Functional Proteomics for Identification of PDZ Domain-Associated Proteins. <i>Journal of Proteome Research</i> , 2006, 5, 2123-2134.	3.7	47
70	Astrocyte and microglial motility in vitro is functionally dependent on the hyaluronan receptor RHAMM. <i>Glia</i> , 1994, 12, 68-80.	4.9	46
71	Molecular determinants of magnesium-dependent synaptic plasticity at electrical synapses formed by connexin36. <i>Nature Communications</i> , 2014, 5, 4667.	12.8	45
72	Association of connexin36 and zonula occludens-1 with zonula occludens-2 and the transcription factor zonula occludens-1-associated nucleic acid-binding protein at neuronal gap junctions in rodent retina. <i>Neuroscience</i> , 2006, 140, 433-451.	2.3	43

#	ARTICLE	IF	CITATIONS
73	Characterization of Connexin31.1-deficient mice reveals impaired placental development. <i>Developmental Biology</i> , 2007, 312, 258-271.	2.0	43
74	Grafting of fetal brainstem 5-HT neurons into the sublesional spinal cord of paraplegic rats restores coordinated hindlimb locomotion. <i>Experimental Neurology</i> , 2013, 247, 572-581.	4.1	43
75	Activation of fibres in rat sciatic nerve alters phosphorylation state of connexin-43 at astrocytic gap junctions in spinal cord: evidence for junction regulation by neuronal-glial interactions. <i>Neuroscience</i> , 2000, 97, 113-123.	2.3	40
76	Connexin26 expression in brain parenchymal cells demonstrated by targeted connexin ablation in transgenic mice. <i>European Journal of Neuroscience</i> , 2011, 34, 263-271.	2.6	40
77	Impaired hypothalamic Fto expression in response to fasting and glucose in obese mice. <i>Nutrition and Diabetes</i> , 2011, 1, e19-e19.	3.2	39
78	The effector and scaffolding proteins AF6 and MUPP1 interact with connexin36 and localize at gap junctions that form electrical synapses in rodent brain. <i>European Journal of Neuroscience</i> , 2012, 35, 166-181.	2.6	39
79	Subcellular distribution, calmodulin interaction, and mitochondrial association of the hyaluronan-binding protein RHAMM in rat brain. <i>Journal of Neuroscience Research</i> , 2001, 65, 6-16.	2.9	37
80	Direct association of connexin36 with zonula occludens-2 and zonula occludens-3. <i>Neurochemistry International</i> , 2009, 54, 393-402.	3.8	37
81	Requirement of neuronal connexin36 in pathways mediating presynaptic inhibition of primary afferents in functionally mature mouse spinal cord. <i>Journal of Physiology</i> , 2012, 590, 3821-3839.	2.9	37
82	Adenosine deaminase and purinergic neuroregulation. <i>Neurochemistry International</i> , 1990, 16, 211-221.	3.8	35
83	Connexin36 identified at morphologically mixed chemical/electrical synapses on trigeminal motoneurons and at primary afferent terminals on spinal cord neurons in adult mouse and rat. <i>Neuroscience</i> , 2014, 263, 159-180.	2.3	35
84	A brain slice model for in vitro analyses of astrocytic gap junction and connexin43 regulation: actions of ischemia, glutamate and elevated potassium. <i>European Journal of Neuroscience</i> , 2000, 12, 4567-72.	2.6	34
85	A striatal source of glutamic acid decarboxylase activity in the substantia nigra. <i>Brain Research</i> , 1980, 187, 237-242.	2.2	32
86	Spatial relationships of connexin36, connexin57 and zonula occludens-1 in the outer plexiform layer of mouse retina. <i>Neuroscience</i> , 2007, 148, 473-488.	2.3	32
87	Ablation of connexin30 in transgenic mice alters expression patterns of connexin26 and connexin32 in glial cells and leptomeninges. <i>European Journal of Neuroscience</i> , 2011, 34, 1783-1793.	2.6	32
88	Evidence for connexin36 localization at hippocampal mossy fiber terminals suggesting mixed chemical/electrical transmission by granule cells. <i>Brain Research</i> , 2012, 1487, 107-122.	2.2	32
89	Under Construction: Building the Macromolecular Superstructure and Signaling Components of an Electrical Synapse. <i>Journal of Membrane Biology</i> , 2012, 245, 303-317.	2.1	31
90	Morphologically mixed chemical-electrical synapses formed by primary afferents in rodent vestibular nuclei as revealed by immunofluorescence detection of connexin36 and vesicular glutamate transporter-1. <i>Neuroscience</i> , 2013, 252, 468-488.	2.3	31

#	ARTICLE	IF	CITATIONS
91	K _v 1 channels identified in rodent myelinated axons, linked to Cx29 in innermost myelin: support for electrically active myelin in mammalian saltatory conduction. <i>Journal of Neurophysiology</i> , 2016, 115, 1836-1859.	1.8	31
92	Immunohistochemical localization of adenosine deaminase in primary afferent neurons of the rat. <i>Neuroscience Letters</i> , 1984, 48, 133-138.	2.1	30
93	The hyaluronan receptor for RHAMM in noradrenergic fibers contributes to axon growth capacity of locus coeruleus neurons in an intraocular transplant model. <i>Neuroscience</i> , 1998, 86, 241-255.	2.3	30
94	Epitopes of gap junctional proteins localized to neuronal subsurface cisterns. <i>Brain Research</i> , 1990, 527, 135-139.	2.2	29
95	On the occurrence and enigmatic functions of mixed (chemical plus electrical) synapses in the mammalian CNS. <i>Neuroscience Letters</i> , 2019, 695, 53-64.	2.1	29
96	Connexin36 expression in major centers of the auditory system in the CNS of mouse and rat: Evidence for neurons forming purely electrical synapses and morphologically mixed synapses. <i>Neuroscience</i> , 2015, 303, 604-629.	2.3	28
97	Quantitative histochemical analysis of cytochrome oxidase in rat dorsal root ganglia and its co-localization with carbonic anhydrase. <i>Neuroscience</i> , 1989, 33, 351-362.	2.3	27
98	Subcellular localization of ryanodine receptors in rat brain. <i>European Journal of Pharmacology</i> , 1996, 298, 185-189.	3.5	26
99	Transgenic mice expressing the human growth hormone gene provide a model system to study human growth hormone synthesis and secretion in non-tumor-derived pituitary cells: Differential effects of dexamethasone and thyroid hormone. <i>Molecular and Cellular Endocrinology</i> , 2011, 345, 48-57.	3.2	26
100	Characterization of connexin30.3-deficient mice suggests a possible role of connexin30.3 in olfaction. <i>European Journal of Cell Biology</i> , 2007, 86, 683-700.	3.6	25
101	Connexin Composition in Apposed Gap Junction Hemiplaques Revealed by Matched Double-Replica Freeze-Fracture Replica Immunogold Labeling. <i>Journal of Membrane Biology</i> , 2012, 245, 333-344.	2.1	25
102	Astrocyte and oligodendrocyte connexins of the glial syncytium in relation to astrocyte anatomical domains and spatial buffering. <i>Cell Communication and Adhesion</i> , 2003, 10, 401-6.	1.0	25
103	Cytochrome oxidase immunohistochemistry in rat brain and dorsal root ganglia: Visualization of enzyme in neuronal perikarya and in parvalbumin-positive neurons. <i>Neuroscience</i> , 1991, 40, 825-839.	2.3	24
104	Adenosine Deaminase and [3H] Nitrobenzylthioinosine as Markers of Adenosine Metabolism and Transport in Central Purinergic Systems. , 1990, , 225-288.		23
105	Device for the Reversed-Phase Separation and On-Target Deposition of Peptides Incorporating a Hydrophobic Sample Barrier for Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry. <i>Analytical Chemistry</i> , 2004, 76, 1189-1196.	6.5	21
106	Connexin36 in gap junctions forming electrical synapses between motoneurons in sexually dimorphic motor nuclei in spinal cord of rat and mouse. <i>European Journal of Neuroscience</i> , 2014, 39, 771-787.	2.6	21
107	Decreased expression of DMPK: correlation with CTG repeat expansion and fibre type composition in myotonic dystrophy type 1. <i>Neurological Sciences</i> , 2005, 26, 235-242.	1.9	20
108	Distribution and expression of A1 adenosine receptors, adenosine deaminase and adenosine deaminase-binding protein (CD26) in goldfish brain. <i>Neurochemistry International</i> , 2003, 42, 455-464.	3.8	19

#	ARTICLE	IF	CITATIONS
109	Expression of a splice variant of choline acetyltransferase in magnocellular neurons of the tuberomammillary nucleus of rat. <i>Neuroscience</i> , 2003, 118, 243-251.	2.3	19
110	Short-Range Functional Interaction Between Connexin35 and Neighboring Chemical Synapses. <i>Cell Communication and Adhesion</i> , 2003, 10, 419-423.	1.0	19
111	Gap junctions and connexins in the mammalian central nervous system. <i>Advances in Molecular and Cell Biology</i> , 2000, 30, 323-396.	0.1	18
112	Re-evaluation of connexins associated with motoneurons in rodent spinal cord, sexually dimorphic motor nuclei and trigeminal motor nucleus. <i>European Journal of Neuroscience</i> , 2014, 39, 757-770.	2.6	17
113	Functional alterations in gut contractility after connexin36 ablation and evidence for gap junctions forming electrical synapses between nitrergic enteric neurons. <i>FEBS Letters</i> , 2014, 588, 1480-1490.	2.8	17
114	E3 ubiquitin ligases <i>LNX1</i> and <i>LNX2</i> localize at neuronal gap junctions formed by connexin36 in rodent brain and molecularly interact with connexin36. <i>European Journal of Neuroscience</i> , 2018, 48, 3062-3081.	2.6	17
115	Utility of intensely fluorescent cyanine dyes (CY3) for assay of gap junctional communication by dye-transfer. <i>Neuroscience Letters</i> , 1995, 184, 71-74.	2.1	16
116	Adenosine deaminase in rodent median eminence: detection by antibody to the mouse enzyme and co-localization with adenosine deaminase-complexing protein (CD26). <i>Neuroscience</i> , 1996, 73, 459-471.	2.3	16
117	Heterotypic gap junctions at glutamatergic mixed synapses are abundant in goldfish brain. <i>Neuroscience</i> , 2015, 285, 166-193.	2.3	16
118	Autotomy in rats after peripheral nerve section: Lack of effect of topical nerve or neonatal capsaicin treatment. <i>Pain</i> , 1986, 24, 75-86.	4.2	15
119	In situ transblot and immunocytochemical comparisons of astrocytic connexin-43 responses to NMDA and kainic acid in rat brain. <i>Brain Research</i> , 1995, 683, 153-157.	2.2	15
120	Propagation of intercellular calcium waves in PC12 cells overexpressing a carboxy-terminal fragment of amyloid precursor protein. <i>Neuroscience Letters</i> , 1995, 199, 21-24.	2.1	15
121	Cx36, Cx43 and Cx45 in mouse and rat cerebellar cortex: species-specific expression, compensation in Cx36 null mice and co-localization in neurons vs. glia. <i>European Journal of Neuroscience</i> , 2017, 46, 1790-1804.	2.6	15
122	Zebrafish Cx35: Cloning and characterization of a gap junction gene highly expressed in the retina. <i>Journal of Neuroscience Research</i> , 2003, 73, 753-764.	2.9	14
123	Could electrical coupling contribute to the formation of cell assemblies?. <i>Reviews in the Neurosciences</i> , 2020, 31, 121-141.	2.9	14
124	Induction of connexin43 and gap junctional communication in PC12 cells overexpressing the carboxy terminal region of amyloid precursor protein. <i>Journal of Neuroscience Research</i> , 1996, 44, 124-132.	2.9	13
125	Sequence, protein expression and extracellular-regulated kinase association of the hyaladherin RHAMM (receptor for hyaluronan mediated motility) in PC12 cells. <i>Neuroscience Letters</i> , 2001, 306, 49-52.	2.1	13
126	Enrichment of neuronal and glial connexins in the postsynaptic density subcellular fraction of rat brain. <i>Brain Research</i> , 2001, 898, 1-8.	2.2	13

#	ARTICLE	IF	CITATIONS
127	Structural and Intermolecular Associations Between Connexin36 and Protein Components of the Adherens Junctionâ€“Neuronal Gap Junction Complex. <i>Neuroscience</i> , 2018, 384, 241-261.	2.3	12
128	Intracranial transplantation and survival of tuberomammillary histaminergic neurons. <i>Neuroscience</i> , 1995, 64, 61-70.	2.3	11
129	A brain slice model for <i>in vitro</i> analyses of astrocytic gap junction and connexin43 regulation: actions of ischemia, glutamate and elevated potassium. <i>European Journal of Neuroscience</i> , 2000, 12, 4567-4572.	2.6	11
130	Adenosine deaminase-â€“likeâ€“TM immunoreactivity in cerebellar Purkinje cells of rat. <i>Brain Research</i> , 1988, 457, 21-28.	2.2	10
131	Ultrastructural immunolocalization of adenosine deaminase in histaminergic neurons of the tuberomammillary nucleus of rat. <i>Brain Research</i> , 1990, 527, 335-341.	2.2	10
132	Cytochemical relationships and central terminations of a unique population of primary afferent neurons in rat. <i>Brain Research Bulletin</i> , 1991, 26, 825-843.	3.0	10
133	Characterization of acute and latent herpes simplex virus infection of dorsal root ganglia in rats. <i>Laboratory Animals</i> , 1991, 25, 97-105.	1.0	7
134	Connexin36 Expression in Primary Afferent Neurons in Relation to the Axon Reflex and Modality Coding of Somatic Sensation. <i>Neuroscience</i> , 2018, 383, 216-234.	2.3	7
135	Increased connexin-43 and gap junctional communication correlate with altered phenotypic characteristics of cells overexpressing the receptor for hyaluronic acid-mediated motility. <i>Cell Growth & Differentiation: the Molecular Biology Journal of the American Association for Cancer Research</i> , 1996, 7, 745-51.	0.8	7
136	On the Organization of Connexin36 Expression in Electrically Coupled Cholinergic V0c Neurons (Partition Cells) in the Spinal Cord and Their C-terminal Innervation of Motoneurons. <i>Neuroscience</i> , 2022, 485, 91-115.	2.3	6
137	A brain slice model for <i>in vitro</i> analyses of astrocytic gap junction and connexin43 regulation: actions of ischemia, glutamate and elevated potassium. <i>European Journal of Neuroscience</i> , 2000, 12, 4567-4572.	2.6	5
138	ZO-1 associates with β 3 integrin and connexin43 in trabecular meshwork and Schlemm's canal cells. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2020, 12, 1-10.	0.8	4
139	Elevated auditory brainstem response thresholds in mice with Connexin36 gene ablation. <i>Acta Oto-Laryngologica</i> , 2015, 135, 814-818.	0.9	3
140	Adenosine Deaminase and Adenosine Transport Systems in the CNS. , 1990, , 20-25.		3
141	Connexin36 localization along axon initial segments in the mammalian CNS. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2020, 12, 153-165.	0.8	3
142	Connexin36 localization to pinealocytes in the pineal gland of mouse and rat. <i>European Journal of Neuroscience</i> , 2017, 45, 1594-1605.	2.6	2
143	Electrical Synapses: New Rules for Assembling an Old Structure Asymmetrically. <i>Current Biology</i> , 2017, 27, R1214-R1216.	3.9	2
144	Gap junction connexin43 is a key element in mediating phagocytosis activity in human trabecular meshwork cells. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2020, 12, 25-31.	0.8	2

#	ARTICLE	IF	CITATIONS
145	Immunofluorescence reveals unusual patterns of labelling for connexin43 localized to calbindinâ€D28Kâ€positive interstitial cells in the pineal gland. <i>European Journal of Neuroscience</i> , 2017, 45, 1553-1569.	2.6	1
146	FRIL is for the Tenacious: Maintaining Rigor and Reproducibility. <i>Microscopy and Microanalysis</i> , 2017, 23, 1148-1149.	0.4	0