

Soichiro Yoshida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8501484/publications.pdf>

Version: 2024-02-01

137
papers

3,191
citations

147801

31
h-index

189892

50
g-index

146
all docs

146
docs citations

146
times ranked

4272
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular chaperone TRAP1 regulates a metabolic switch between mitochondrial respiration and aerobic glycolysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1604-12.	7.1	217
2	Diagnostic performance of diffusion-weighted magnetic resonance imaging in bladder cancer: potential utility of apparent diffusion coefficient values as a biomarker to predict clinical aggressiveness. <i>European Radiology</i> , 2011, 21, 2178-2186.	4.5	157
3	Role of Diffusion-Weighted Magnetic Resonance Imaging in Predicting Sensitivity to Chemoradiotherapy in Muscle-Invasive Bladder Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e21-e27.	0.8	112
4	Charged linker sequence modulates eukaryotic heat shock protein 90 (Hsp90) chaperone activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2937-2942.	7.1	107
5	Asymmetric Hsp90 α N Domain SUMOylation Recruits Aha1 and ATP-Competitive Inhibitors. <i>Molecular Cell</i> , 2014, 53, 317-329.	9.7	101
6	Initial Experience of Diffusion-weighted Magnetic Resonance Imaging to Assess Therapeutic Response to Induction Chemoradiotherapy Against Muscle-invasive Bladder Cancer. <i>Urology</i> , 2010, 75, 387-391.	1.0	97
7	Reactive oxygen species mediate detrusor overactivity via sensitization of afferent pathway in the bladder of anaesthetized rats. <i>BJU International</i> , 2008, 101, 775-780.	2.5	87
8	Computer-aided diagnosis of prostate cancer on magnetic resonance imaging using a convolutional neural network algorithm. <i>BJU International</i> , 2018, 122, 411-417.	2.5	84
9	^{11}C -Choline Positron Emission Tomography in Prostate Cancer: Primary Staging and Recurrent Site Staging. <i>Urologia Internationalis</i> , 2005, 74, 214-220.	1.3	81
10	High Diagnostic Ability of Multiparametric Magnetic Resonance Imaging to Detect Anterior Prostate Cancer Missed by Transrectal 12-Core Biopsy. <i>Journal of Urology</i> , 2013, 190, 867-873.	0.4	69
11	Usefulness of Pre-biopsy Multiparametric Magnetic Resonance Imaging and Clinical Variables to Reduce Initial Prostate Biopsy in Men with Suspected Clinically Localized Prostate Cancer. <i>Journal of Urology</i> , 2013, 190, 502-508.	0.4	65
12	α -reactive protein level predicts prognosis in patients with muscle-invasive bladder cancer treated with chemoradiotherapy. <i>BJU International</i> , 2008, 101, 978-981.	2.5	63
13	Potential role of Hsp90 inhibitors in overcoming cisplatin resistance of bladder cancer-initiating cells. <i>International Journal of Cancer</i> , 2012, 131, 987-996.	5.1	63
14	Diffusion-weighted magnetic resonance imaging in the differentiation of angiomyolipoma with minimal fat from clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2011, 18, 727-730.	1.0	58
15	Selective bladder-sparing protocol consisting of induction low-dose chemoradiotherapy plus partial cystectomy with pelvic lymph node dissection against muscle-invasive bladder cancer: oncological outcomes of the initial 46 patients. <i>BJU International</i> , 2012, 109, 860-866.	2.5	55
16	The HSP90 Inhibitor Ganetespib Synergizes with the MET Kinase Inhibitor Crizotinib in both Crizotinib-Sensitive and -Resistant MET-Driven Tumor Models. <i>Cancer Research</i> , 2013, 73, 7022-7033.	0.9	49
17	DWI as an Imaging Biomarker for Bladder Cancer. <i>American Journal of Roentgenology</i> , 2017, 208, 1218-1228.	2.2	48
18	Role of volume and attenuation value histogram of urinary stone on noncontrast helical computed tomography as predictor of fragility by extracorporeal shock wave lithotripsy. <i>Urology</i> , 2006, 68, 33-37.	1.0	47

#	ARTICLE	IF	CITATIONS
19	Loss of β -Np63 Promotes Invasion of Urothelial Carcinomas via N-Cadherin/Src Homology and Collagen/Extracellular Signal-Regulated Kinase Pathway. <i>Cancer Research</i> , 2009, 69, 9263-9270.	0.9	47
20	Usefulness of Diffusion-Weighted MRI in Diagnosis of Upper Urinary Tract Cancer. <i>American Journal of Roentgenology</i> , 2011, 196, 110-116.	2.2	43
21	Risk stratification for bladder recurrence of upper urinary tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2015, 115, 705-712.	2.5	43
22	Impact of the Prostate Imaging Reporting and Data System, Version 2, on MRI Diagnosis for Extracapsular Extension of Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W76-W84.	2.2	42
23	Higher Serum C-reactive Protein Level Represents the Immunosuppressive Tumor Microenvironment in Patients With Clear Cell Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1151-e1158.	1.9	41
24	Progressive Site-Directed Therapy for Castration-Resistant Prostate Cancer: Localization of the Progressive Site as a Prognostic Factor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 376-381.	0.8	41
25	Low-Dose Chemoradiotherapy Followed by Partial or Radical Cystectomy Against Muscle-Invasive Bladder Cancer: An Intent-to-Treat Survival Analysis. <i>Urology</i> , 2008, 72, 384-388.	1.0	40
26	Favourable outcomes of patients with clinical stage T3N0M0 bladder cancer treated with induction low-dose chemo-radiotherapy plus partial or radical cystectomy vs immediate radical cystectomy: a single-institutional retrospective comparative study. <i>BJU International</i> , 2009, 104, 189-194.	2.5	40
27	Initial experience of functional imaging of upper urinary tract neoplasm by diffusion-weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 140-143.	1.0	39
28	Apparent diffusion coefficient value as a biomarker reflecting morphological and biological features of prostate cancer. <i>International Urology and Nephrology</i> , 2014, 46, 555-561.	1.4	39
29	ErbB2 and NF κ B Overexpression as Predictors of Chemoradiation Resistance and Putative Targets to Overcome Resistance in Muscle-Invasive Bladder Cancer. <i>PLoS ONE</i> , 2011, 6, e27616.	2.5	37
30	Characteristics and clinical significance of prostate cancers missed by initial transrectal 12-core biopsy. <i>BJU International</i> , 2012, 109, 665-671.	2.5	36
31	Selective tetramodal bladder-preservation therapy, incorporating induction chemoradiotherapy and consolidative partial cystectomy with pelvic lymph node dissection for muscle-invasive bladder cancer: oncological and functional outcomes of 107 patients. <i>BJU International</i> , 2019, 124, 242-250.	2.5	35
32	Significance of ERBB2 Overexpression in Therapeutic Resistance and Cancer-Specific Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Selective Bladder-Sparing Approach. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 303-311.	0.8	34
33	Impact of C-reactive protein flare-response on oncological outcomes in patients with metastatic renal cell carcinoma treated with nivolumab. , 2021, 9, e001564.		34
34	Apparent diffusion coefficient as a prognostic biomarker of upper urinary tract cancer: a preliminary report. <i>European Radiology</i> , 2013, 23, 2206-2214.	4.5	33
35	Low-dose Hsp90 inhibitors tumor-selectively sensitize bladder cancer cells to chemoradiotherapy. <i>Cell Cycle</i> , 2011, 10, 4291-4299.	2.6	30
36	Absence of prophylactic antibiotics in minimum incision endoscopic urological surgery (MEUS) of adrenal and renal tumors. <i>International Journal of Urology</i> , 2007, 14, 384-387.	1.0	29

#	ARTICLE	IF	CITATIONS
37	Combination of Diffusion-weighted Magnetic Resonance Imaging and Extended Prostate Biopsy Predicts Lobes Without Significant Cancer: Application in Patient Selection for Hemiblative Focal Therapy. <i>European Urology</i> , 2014, 65, 186-192.	1.9	28
38	Clinical Value of ^{18}F -Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Upper Tract Urothelial Carcinoma: Impact on Detection of Metastases and Patient Management. <i>Urologia Internationalis</i> , 2016, 96, 65-72.	1.3	28
39	Mixed reality computed tomography-based surgical planning for partial nephrectomy using a head-mounted holographic computer. <i>International Journal of Urology</i> , 2019, 26, 681-682.	1.0	28
40	Antimicrobial Prophylaxis is Not Necessary in Clean Category Minimally Invasive Surgery for Renal and Adrenal Tumors: A Prospective Study of 373 Consecutive Patients. <i>Urology</i> , 2012, 80, 570-575.	1.0	25
41	Adherent Perinephric Fat in Asian Patients: Predictors and Impact on Perioperative Outcomes of Partial Nephrectomy. <i>Urologia Internationalis</i> , 2018, 101, 437-442.	1.3	25
42	Quantitative Assessment of Bone Metastasis in Prostate Cancer Using Synthetic Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2019, 54, 638-644.	6.2	25
43	Combined inhibition of Wee1 and Hsp90 activates intrinsic apoptosis in cancer cells. <i>Cell Cycle</i> , 2012, 11, 3649-3655.	2.6	23
44	Role of diffusion-weighted magnetic resonance imaging as an imaging biomarker of urothelial carcinoma. <i>International Journal of Urology</i> , 2014, 21, 1190-1200.	1.0	23
45	Patient-specific virtual and mixed reality for immersive, experiential anatomy education and for surgical planning in temporal bone surgery. <i>Auris Nasus Larynx</i> , 2021, 48, 1081-1091.	1.2	23
46	Three-dimensional assessment of urinary stone on non-contrast helical computed tomography as the predictor of stone street formation after extracorporeal shock wave lithotripsy for stones smaller than 20 mm. <i>International Journal of Urology</i> , 2007, 14, 665-667.	1.0	22
47	High Ki-67 Expression Predicts Favorable Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Bladder-Sparing Protocol. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e243-e251.	1.9	22
48	Utility of computed diffusion-weighted MRI for predicting aggressiveness of prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 490-496.	3.4	20
49	Usefulness of the inchworm sign on DWI for predicting pT1 bladder cancer progression. <i>European Radiology</i> , 2019, 29, 3881-3888.	4.5	20
50	Early C-reactive protein kinetics predict survival of patients with advanced urothelial cancer treated with pembrolizumab. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 657-665.	4.2	20
51	Zoledronic Acid Sensitizes Renal Cell Carcinoma Cells to Radiation by Downregulating STAT1. <i>PLoS ONE</i> , 2013, 8, e64615.	2.5	19
52	Head-Mounted Display for a Personal Integrated Image Monitoring System: Ureteral Stent Placement. <i>Urologia Internationalis</i> , 2015, 94, 117-120.	1.3	19
53	Discarding antimicrobial prophylaxis for transurethral resection of bladder tumor: A feasibility study. <i>International Journal of Urology</i> , 2009, 16, 61-63.	1.0	18
54	Clinical Application of a Modern High-Definition Head-Mounted Display in Sonography. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1499-1504.	1.7	18

#	ARTICLE	IF	CITATIONS
55	Diabetes Mellitus with Obesity is a Predictor of Recurrence in Patients with Non-metastatic Renal Cell Carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2013, 43, 740-746.	1.3	17
56	Impact of Immunohistochemistry-Based Subtypes in Muscle-Invasive Bladder Cancer on Response to Chemoradiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1408-1416.	0.8	17
57	Combination of Cisplatin and Irradiation Induces Immunogenic Cell Death and Potentiates Postirradiation Anti-PD-1 Treatment Efficacy in Urothelial Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 535.	4.1	17
58	Association Between the Occurrence and Spectrum of Immune-Related Adverse Events and Efficacy of Pembrolizumab in Asian Patients With Advanced Urothelial Cancer: Multicenter Retrospective Analyses and Systematic Literature Review. <i>Clinical Genitourinary Cancer</i> , 2020, 19, 208-216.e1.	1.9	16
59	Usefulness of texture features of apparent diffusion coefficient maps in predicting chemoradiotherapy response in muscle-invasive bladder cancer. <i>European Radiology</i> , 2022, 32, 671-679.	4.5	16
60	Technical notes Instructive head-mounted display system: pointing device using a vision-based finger tracking technique applied to surgical education. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014, 3, 449-452.	0.7	15
61	Impact of radiotherapy to the primary tumor on the efficacy of pembrolizumab for patients with advanced urothelial cancer: A preliminary study. <i>Cancer Medicine</i> , 2020, 9, 8355-8363.	2.8	15
62	Impact of sarcopenia on the efficacy of pembrolizumab in patients with advanced urothelial carcinoma: a preliminary report. <i>Anti-Cancer Drugs</i> , 2020, 31, 866-871.	1.4	14
63	Malignant pheochromocytoma of the urinary bladder: Effectiveness of radiotherapy in conjunction with chemotherapy. <i>International Journal of Urology</i> , 2004, 11, 175-177.	1.0	13
64	Cystic hamartoma of the renal pelvis. <i>International Journal of Urology</i> , 2004, 11, 653-655.	1.0	13
65	New head-mounted display system applied to endoscopic management of upper urinary tract carcinomas. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014, 40, 842-845.	1.5	13
66	Improvement of oligoasthenozoospermia in epileptic patients on switching anti-epilepsy medication from sodium valproate to phenytoin. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005, 39, 431-432.	1.4	12
67	Successful reduction of hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> in a urology ward: a 10-year study. <i>BMC Urology</i> , 2013, 13, 35.	1.4	12
68	A head-mounted display-based personal integrated-image monitoring system for transurethral resection of the prostate. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014, 4, 644-649.	0.7	12
69	METastasis Reporting and Data System for Prostate Cancer as a Prognostic Imaging Marker in Castration-resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e391-e396.	1.9	12
70	Diagnostic value of computed high b-value whole-body diffusion-weighted imaging for primary prostate cancer. <i>European Journal of Radiology</i> , 2021, 137, 109581.	2.6	12
71	Incidence and predictive factors of hypoglycemia after pheochromocytoma resection. <i>International Journal of Urology</i> , 2019, 26, 273-277.	1.0	11
72	Pre-operative Risk Stratification for Cancer-specific Survival in Patients with Renal Cell Carcinoma with Venous Involvement Who Underwent Nephrectomy. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 756-761.	1.3	10

#	ARTICLE	IF	CITATIONS
73	Candidate selection for quadrant-based focal ablation through a combination of diffusion-weighted magnetic resonance imaging and prostate biopsy. <i>BJU International</i> , 2016, 117, 94-101.	2.5	10
74	Acute kidney injury and intermediate-term renal function after clampless partial nephrectomy. <i>International Journal of Urology</i> , 2019, 26, 113-118.	1.0	10
75	Computer-aided diagnosis with a convolutional neural network algorithm for automated detection of urinary tract stones on plain X-ray. <i>BMC Urology</i> , 2021, 21, 102.	1.4	10
76	A three-dimensional head-mounted display system (RoboSurgeon system) for gasless laparoendoscopic single-port partial cystectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014, 4, 638-643.	0.7	9
77	A novel interactive educational system in the operating room—the IE system. <i>BMC Medical Education</i> , 2016, 16, 44.	2.4	9
78	Application of virtual reality in patient explanation of magnetic resonance imaging-ultrasound fusion prostate biopsy. <i>International Journal of Urology</i> , 2020, 27, 471-472.	1.0	8
79	Metastatic Diffusion Volume Based on Apparent Diffusion Coefficient as a Prognostic Factor in <scp>Castration-Resistant</scp> Prostate Cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 401-408.	3.4	8
80	Utility of radiomics features of diffusion-weighted magnetic resonance imaging for differentiation of fat-poor angiomyolipoma from clear cell renal cell carcinoma: model development and external validation. <i>Abdominal Radiology</i> , 2022, 47, 2178-2186.	2.1	8
81	¹¹ C-choline positron emission tomography in bladder cancer: Report of four cases. <i>International Journal of Urology</i> , 2006, 13, 829-831.	1.0	7
82	Bilateral renal angiomyolipoma coexistent with pulmonary lymphangiomyomatosis and tuberous sclerosis. <i>International Urology and Nephrology</i> , 2007, 38, 413-415.	1.4	7
83	Female urethral diverticular abscess clearly depicted by diffusion-weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 460-461.	1.0	7
84	A Novel Approach to Surgical Instructions for Scrub Nurses by Using See-Through-Type Head-Mounted Display. <i>CIN - Computers Informatics Nursing</i> , 2015, 33, 335-338.	0.5	7
85	A Novel Approach to Patient Self-Monitoring of Sonographic Examinations Using a Head-Mounted Display. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 29-35.	1.7	7
86	Feasibility and outcomes of selective tetramodal bladder-preservation therapy in elderly patients with muscle-invasive bladder cancer. <i>International Journal of Urology</i> , 2020, 27, 236-243.	1.0	7
87	Significance of Bladder Neck Involvement in Risk Substratification of Intermediate-Risk Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2021, 7, 366-372.	3.1	7
88	Whole-body diffusion-weighted magnetic resonance imaging: Diagnosis and follow up of prostate cancer and beyond. <i>International Journal of Urology</i> , 2021, 28, 502-513.	1.0	7
89	Infiltrative tumor interface with normal renal parenchyma in locally advanced renal cell carcinoma: Clinical relevance and pathological implications. <i>International Journal of Urology</i> , 2021, 28, 1233-1239.	1.0	7
90	Abscess formation in the prevesical space and bilateral thigh muscles secondary to osteomyelitis of the pubis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 440-441.	1.4	6

#	ARTICLE	IF	CITATIONS
91	HtrA2 is up-regulated in the rat testis after experimental cryptorchidism. <i>International Journal of Urology</i> , 2006, 13, 157-164.	1.0	6
92	Novel image monitoring system using a head-mounted display for assistants in da Vinci surgery. <i>International Journal of Urology</i> , 2015, 22, 520-521.	1.0	6
93	Multitask Imaging Monitor for Surgical Navigation: Combination of Touchless Interface and Head-Mounted Display. <i>Urologia Internationalis</i> , 2017, 98, 486-488.	1.3	6
94	Potential Utility of Diffusion-Weighted Magnetic Resonance Imaging in Diagnosis of Residual Bladder Cancer before Second Transurethral Resection. <i>Urologia Internationalis</i> , 2017, 98, 298-303.	1.3	6
95	Postoperative renal impairment and longitudinal change in renal function after adrenalectomy in patients with Cushing's syndrome. <i>International Journal of Urology</i> , 2020, 27, 395-400.	1.0	6
96	Outcomes of gasless laparoendoscopic single-port partial nephrectomy in 356 consecutive patients: Feasibility of a clampless and sutureless technique. <i>International Journal of Urology</i> , 2021, 28, 302-307.	1.0	6
97	Focal brachytherapy for localized prostate cancer: 5.7-year clinical outcomes and a pair-matched study with radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 161.e15-161.e23.	1.6	6
98	Asthenospermia in hay fever patients improved by stopping treatment with histamine H1 receptor antagonists. <i>International Journal of Urology</i> , 2006, 13, 1028-1030.	1.0	5
99	Novel three-dimensional image system for transurethral surgery. <i>International Journal of Urology</i> , 2015, 22, 714-715.	1.0	5
100	Intensity ratio curve analysis of small renal masses on T2-weighted magnetic resonance imaging: Differentiation of fat-poor angiomyolipoma from renal cell carcinoma. <i>International Journal of Urology</i> , 2018, 25, 554-560.	1.0	5
101	Patterns of failure after progressive site-directed therapy in oligo-progressive castration-resistant prostate cancer. <i>International Journal of Urology</i> , 2020, 27, 634-635.	1.0	5
102	Medium-term oncological and functional outcomes of hemi-gland brachytherapy using iodine-125 seeds for intermediate-risk unilateral prostate cancer. <i>Brachytherapy</i> , 2021, 20, 842-848.	0.5	5
103	Genuine- and induced-oligometastatic castration-resistant prostate cancer: clinical features and clinical outcomes after progressive site-directed therapy. <i>International Urology and Nephrology</i> , 2021, 53, 1119-1125.	1.4	5
104	Impact of Progressive Site-Directed Therapy in Oligometastatic Castration-Resistant Prostate Cancer on Subsequent Treatment Response. <i>Cancers</i> , 2022, 14, 567.	3.7	5
105	Bone Abnormal Signal Incidentally Found in Pre-Biopsy Diffusion-Weighted MRI for Suspected Prostate Cancer: What Does It Reflect?. <i>Urologia Internationalis</i> , 2014, 93, 170-175.	1.3	4
106	Patient's Self-monitoring of Transurethral Surgical Images Using a Head-mounted Display. <i>Urology Case Reports</i> , 2015, 3, 27-29.	0.3	4
107	Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes. <i>Clinical Imaging</i> , 2017, 44, 121-126.	1.5	4
108	Clinical Outcomes of Patients With Histologic Variants of Urothelial Carcinoma Treated With Selective Tetramodal Bladder-preservation Therapy Incorporating Consolidative Partial Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 268-273.e2.	1.9	4

#	ARTICLE	IF	CITATIONS
109	Longitudinal changes in patient-reported outcomes after artificial urinary sphincter implantation. LUTS: Lower Urinary Tract Symptoms, 2020, 12, 240-244.	1.3	4
110	Incidence and Risk Factors of Hypertension Following Partial Nephrectomy in Patients With Renal Tumors: A Cross-sectional Study of Postoperative Home Blood Pressure and Antihypertensive Medications. Clinical Genitourinary Cancer, 2020, 18, e619-e628.	1.9	4
111	Classification of oligometastatic prostate cancer with additional consideration for hormone sensitivity. World Journal of Urology, 2021, , 1.	2.2	4
112	Value of extra-target prostate biopsy for the detection of magnetic resonance imaging-missed adverse pathology according to the Prostate Imaging Reporting and Data System scores: Spatial analysis using magnetic resonance-ultrasound fusion images. International Journal of Urology, 2020, 27, 760-766.	1.0	4
113	Synthetic magnetic resonance imaging for primary prostate cancer evaluation: Diagnostic potential of a non-contrast-enhanced bi-parametric approach enhanced with relaxometry measurements. European Journal of Radiology Open, 2022, 9, 100403.	1.6	4
114	Apparent Diffusion Coefficient Map-Based Texture Analysis for the Differentiation of Chromophobe Renal Cell Carcinoma from Renal Oncocytoma. Diagnostics, 2022, 12, 817.	2.6	4
115	Discrimination between ureteral stent and stone by non-contrast helical computed tomography in the clinical setting. International Journal of Urology, 2007, 14, 171-173.	1.0	3
116	Early cancer cachexia phenotype predicts survival of advanced urothelial cancer patients treated with pembrolizumab. Asia-Pacific Journal of Clinical Oncology, 2021, , .	1.1	3
117	Real-time three-dimensional image angle rectification to improve hand-eye coordination in single-port laparoendoscopic surgery. International Journal of Urology, 2017, 24, 639-640.	1.0	2
118	Prediction of Intraoperative Urinary Collecting System Entry in Patients with Peripheral Renal Tumors Undergoing Partial Nephrectomy: Usefulness of Tumor-Centered Multiplanar Reconstruction. Urologia Internationalis, 2018, 100, 85-91.	1.3	2
119	Application of eye tracking as a user interface for urological surgery. International Journal of Urology, 2019, 26, 680-681.	1.0	2
120	Renal epithelioid angiomyolipoma: Incidence in a Japanese cohort and diagnostic utility of diffusion-weighted magnetic resonance imaging. International Journal of Urology, 2020, 27, 599-604.	1.0	2
121	Can progressive site-directed therapy prolong the efficacy of subsequent androgen receptor axis-targeted drugs in oligometastatic castration-resistant prostate cancer?. International Journal of Urology, 2021, 28, 241-242.	1.0	2
122	Three-dimensional analysis of systematic biopsy-derived prostate cancer upgrading over targeted biopsy: Potential of target margin and surrounding region sampling using magnetic resonance-ultrasound image fusion systems. International Journal of Urology, 2021, 28, 127-129.	1.0	1
123	Potential of Perfusion Magnetic Resonance Imaging to Predict Residual Renal Function after Radical Nephroureterectomy. Urologia Internationalis, 2021, 105, 507-513.	1.3	1
124	Nonmetastatic castration-resistant prostate cancer treated with salvage focal brachytherapy after external beam radiotherapy. IJU Case Reports, 2021, 4, 228-230.	0.3	1
125	Functional CT and MRI of the Urinary System and Adrenal Glands. , 2014, , 1173-1182.		1
126	Gasless Two-Port Access RoboSurgeon Retroperitoneoscopic Radical Nephroureterectomy. , 2015, , 65-84.		1

#	ARTICLE	IF	CITATIONS
127	Gasless Single-Port RoboSurgeon Total Cystectomy with Urinary Diversion. , 2015, , 127-141.		1
128	Editorial Comment to Virtual reality of three-dimensional surgical field for surgical planning and intraoperative management. International Journal of Urology, 2019, 26, 944-944.	1.0	0
129	Impact of fluorodeoxyglucose uptake on positron emission tomography/computed tomography on chemosensitivity and survival in patients with metastatic urothelial carcinoma. International Journal of Urology, 2019, 26, 820-826.	1.0	0
130	Long-term survival after radical cystectomy and mesenteric lymph node dissection for squamous cell carcinoma arising from augmented bladder with lymph node metastasis: a case report. International Cancer Conference Journal, 2021, 10, 20-23.	0.5	0
131	Editorial Comment to Long-term clinical outcomes of external beam radiation therapy for oligometastatic prostate cancer: A combination of prostate-targeted treatment and metastasis-directed therapy. International Journal of Urology, 2021, 28, 756-756.	1.0	0
132	Nonuse of antimicrobial prophylaxis in clean surgeries for adrenal and renal tumors: Results of the risk-based strategy in 1362 consecutive patients. International Journal of Urology, 2021, 28, 1032-1038.	1.0	0
133	Application of the RoboSurgeon System in Medical Care. , 2015, , 175-184.		0
134	Clinical outcomes of muscle-invasive bladder cancer patients with hydronephrosis treated with tetra-modality bladder sparing therapy incorporating consolidative partial cystectomy.. Journal of Clinical Oncology, 2019, 37, 430-430.	1.6	0
135	Editorial Comment to Utility of whole-body diffusion-weighted magnetic resonance imaging in the management of treatment-related neuroendocrine prostate cancer. IJU Case Reports, 2021, 4, 73-74.	0.3	0
136	Prognostic Accuracy of the qSOFA Score for In-Hospital Mortality in Elderly Patients with Obstructive Acute Pyelonephritis: A Multi-Institutional Study. Diagnostics, 2021, 11, 2277.	2.6	0
137	Editorial Comment from Dr Yoshida and Dr Fujii to Role of Vesical Imaging-Reporting and Data System in predicting muscle-invasive bladder cancer: A diagnostic meta-analysis. International Journal of Urology, 2022, 29, 196-196.	1.0	0