

# Olli Pietiläinen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8504508/publications.pdf>

Version: 2024-02-01

80  
papers

1,128  
citations

516710

16  
h-index

454955

30  
g-index

81  
all docs

81  
docs citations

81  
times ranked

1893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health</i> , The, 2018, 3, e490-e497.	10.0	241
2	Working conditions as risk factors for disability retirement: a longitudinal register linkage study. <i>BMC Public Health</i> , 2012, 12, 309.	2.9	109
3	Self-Rated Health as a Predictor of Disability Retirement – The Contribution of Ill-Health and Working Conditions. <i>PLoS ONE</i> , 2011, 6, e25004.	2.5	69
4	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020, 20, 184.	2.9	53
5	Occupational class differences in diagnostic-specific sickness absence: a register-based study in the Finnish population, 2005–2014. <i>BMC Public Health</i> , 2017, 17, 670.	2.9	37
6	Common mental disorders and cause-specific disability retirement. <i>Occupational and Environmental Medicine</i> , 2015, 72, 181-187.	2.8	36
7	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up—introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	2.3	36
8	Interrelationships between education, occupational class and income as determinants of sickness absence among young employees in 2002–2007 and 2008–2013. <i>BMC Public Health</i> , 2015, 15, 332.	2.9	29
9	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020, 44, 1368-1375.	3.4	29
10	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ</i> , The, 2021, 374, n1804.	6.0	28
11	Sickness absence due to different musculoskeletal diagnoses by occupational class: a register-based study among 1.2 million Finnish employees. <i>Occupational and Environmental Medicine</i> , 2018, 75, 296-302.	2.8	25
12	Changes Over Time in Absolute and Relative Socioeconomic Differences in Smoking: A Comparison of Cohort Studies From Britain, Finland, and Japan. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1697-1704.	2.6	23
13	The joint contribution of cardiovascular disease and socioeconomic status to disability retirement: A register linkage study. <i>International Journal of Cardiology</i> , 2017, 230, 222-227.	1.7	22
14	Occupational class differences in long sickness absence: a register-based study of 2.1 million Finnish women and men in 1996–2013. <i>BMJ Open</i> , 2017, 7, e014325.	1.9	22
15	Short sickness absence and subsequent sickness absence due to mental disorders - a follow-up study among municipal employees. <i>BMC Public Health</i> , 2017, 17, 15.	2.9	21
16	Sickness absence among young employees: trends from 2002 to 2013. <i>Journal of Occupational Health</i> , 2015, 57, 474-481.	2.1	17
17	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1021-1029.	3.1	16
18	Changes in fruit, vegetable and fish consumption after statutory retirement: a prospective cohort study. <i>British Journal of Nutrition</i> , 2020, 123, 1390-1395.	2.3	16

#	ARTICLE	IF	CITATIONS
19	Educational differences in sickness absence trends among young employees from 2002 to 2013 in Helsinki, Finland. <i>BMJ Open</i> , 2016, 6, e008550.	1.9	14
20	Educational differences in disability retirement among young employees in Helsinki, Finland. <i>European Journal of Public Health</i> , 2016, 26, 318-322.	0.3	13
21	Work participation trajectories among 1,098,748 Finns: reasons for premature labour market exit and the incidence of sickness absence due to mental disorders and musculoskeletal diseases. <i>BMC Public Health</i> , 2019, 19, 1418.	2.9	13
22	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 247, 66-72.	4.1	13
23	Social class inequalities in health among occupational cohorts from Finland, Britain and Japan: A follow up study. <i>Health and Place</i> , 2015, 31, 173-179.	3.3	12
24	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017, 7, e015573.	1.9	12
25	Occupational social class trajectories in physical functioning among employed women from midlife to retirement. <i>BMC Public Health</i> , 2019, 19, 1525.	2.9	12
26	Changes of occupational class differences in physical functioning: a panel study among employees (2000–2007). <i>Journal of Epidemiology and Community Health</i> , 2012, 66, 265-270.	3.7	11
27	The Magnitude of Occupational Class Differences in Sickness Absence: 15-Year Trends among Young and Middle-Aged Municipal Employees. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 625.	2.6	11
28	36-year trends in educational inequalities in self-rated health among Finnish adults. <i>SSM - Population Health</i> , 2019, 9, 100504.	2.7	11
29	The joint contribution of physical activity, insomnia symptoms, and smoking to the cost of short-term sickness absence. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 440-449.	2.9	11
30	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 421-432.	2.3	11
31	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2064.	2.6	11
32	Trajectories of multisite musculoskeletal pain in midlife: Associations with common mental disorders. <i>European Journal of Pain</i> , 2020, 24, 364-373.	2.8	10
33	Predictors of working days lost due to sickness absence and disability pension. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 843-854.	2.3	10
34	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19–39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 489-497.	2.3	10
35	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 114.	2.9	9
36	Changes in common mental disorders and diagnosis-specific sickness absence: a register-linkage follow-up study among Finnish municipal employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 230-235.	2.8	9

#	ARTICLE	IF	CITATIONS
37	Contributions of childhood adversities to chronic pain among mid-life employees. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 333-339.	2.3	7
38	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019, 9, e026994.	1.9	6
39	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. <i>BMJ Open</i> , 2019, 9, e028742.	1.9	6
40	Intergenerational social mobility and body mass index trajectories – A follow-up study from Finland. <i>SSM - Population Health</i> , 2021, 13, 100723.	2.7	6
41	10-year trends of educational differences in long sickness absence due to mental disorders. <i>Journal of Occupational Health</i> , 2017, 59, 352-355.	2.1	5
42	Occupational class inequalities in disability retirement after hospitalisation. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 331-339.	2.3	5
43	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020, 77, 478-487.	2.8	5
44	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. <i>Psychiatry Research</i> , 2021, 305, 114213.	3.3	5
45	Mental symptoms and cause-specific mortality among midlife employees. <i>BMC Public Health</i> , 2016, 16, 1142.	2.9	4
46	Childhood adversities, parental education and disability retirement among Finnish municipal employees. <i>PLoS ONE</i> , 2019, 14, e0219421.	2.5	4
47	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 141-148.	2.3	4
48	Pairwise association of key lifestyle factors and risk of colorectal cancer: a prospective pooled multicohort study. <i>Cancer Reports</i> , 2022, 5, e1612.	1.4	4
49	Self-Certified Sickness Absence among Young Municipal Employees – Changes from 2002 to 2016 and Occupational Class Differences. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1131.	2.6	3
50	Associations of changes in diet and leisure-time physical activity with employer's direct cost of short-term sickness absence. <i>European Journal of Sport Science</i> , 2020, 20, 240-248.	2.7	3
51	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1549-1558.	2.3	3
52	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.3	2
53	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020, 30, 253-259.	0.3	2
54	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7854.	2.6	2

#	ARTICLE	IF	CITATIONS
55	OUP accepted manuscript. European Journal of Public Health, 2021, , .	0.3	2
56	Multiple Socioeconomic Circumstances and Initiation of Cardiovascular Medication among Ageing Employees. International Journal of Environmental Research and Public Health, 2021, 18, 10148.	2.6	2
57	Life-course socioeconomic circumstances in acute, chronic and disabling pain among young employees: a double suffering. Scandinavian Journal of Public Health, 2023, 51, 257-267.	2.3	2
58	Interactions of smoking, alcohol use, overweight and physical inactivity as predictors of cancer. European Journal of Public Health, 2018, 28, .	0.3	1
59	Occupational Class Differences in Long-Term Sickness Absence Due to Breast Cancer during 2005â€“2013: A Population-Based Study among Finnish Women. International Journal of Environmental Research and Public Health, 2019, 16, 3477.	2.6	1
60	Monitoring inequalities in self-rated health over 36 years among Finnish women and men. European Journal of Public Health, 2019, 29, .	0.3	1
61	Diagnosis-Specific Sickness Absence and Subsequent Common Mental Disorders: A Register-Linkage Cohort Study among Finnish Public Sector Employees. International Journal of Environmental Research and Public Health, 2020, 17, 782.	2.6	1
62	Pain in Multiple Sites and Clusters of Cause-Specific Work Disability Development among Midlife Municipal Employees. International Journal of Environmental Research and Public Health, 2021, 18, 3375.	2.6	1
63	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. BMJ Open, 2019, 9, e032119.	1.9	1
64	Intervention targeted at physiciansâ€™ treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. BMJ Open, 2021, 11, e047018.	1.9	1
65	Joint association of socioeconomic circumstances and minor mental health problems with antidepressant medication. European Journal of Public Health, 2022, 32, 535-541.	0.3	1
66	Occupational Class Inequalities in Sickness Absence after Hospitalization. European Journal of Public Health, 2013, 23, .	0.3	0
67	The associations among psychosocial working conditions and change in common mental disorders: a follow up study. European Journal of Public Health, 2013, 23, .	0.3	0
68	Common mental disorders and subsequent disability retirement. European Journal of Public Health, 2013, 23, .	0.3	0
69	Trends in sickness absence among young municipal employees 2002-2013. European Journal of Public Health, 2014, 24, .	0.3	0
70	Occupational class differences in sickness absence: a register study of 2.3 million Finns, 1995-2013. European Journal of Public Health, 2016, 26, .	0.3	0
71	435â€“Self-certified sickness absence among young municipal employees â€“ changes from 2002 to 2016 and occupational class differences. , 2018, , .		0
72	Work participation trajectories in 1098748 Finns: determinants and the incidence of sickness absence. European Journal of Public Health, 2019, 29, .	0.3	0

#	ARTICLE	IF	CITATIONS
73	Healthy behaviours and risk of all-cause mortality. European Journal of Public Health, 2019, 29, .	0.3	0
74	Joint associations of fruit and vegetable consumption and physical activity with mortality risk. European Journal of Public Health, 2019, 29, .	0.3	0
75	Childhood adversities and chronic pain among midlife employees. European Journal of Public Health, 2019, 29, .	0.3	0
76	Trajectories of musculoskeletal pain among midlife employees. European Journal of Public Health, 2019, 29, .	0.3	0
77	Associations of Sleep and Health Functioning with Premature Exit from Work: A Cohort Study with a Methodological Emphasis. International Journal of Environmental Research and Public Health, 2021, 18, 1725.	2.6	0
78	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. Preventive Medicine, 2021, 149, 106611.	3.4	0
79	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. European Journal of Public Health, 2020, 30, .	0.3	0
80	Associations between low parental education, childhood adversities and sickness absence in midlife public sector employees. Scandinavian Journal of Public Health, 2022, , 140349482210879.	2.3	0