Aldo P Maggioni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8504824/publications.pdf Version: 2024-02-01

		317	192
804	111,899	138	317
papers	citations	h-index	g-index
853 all docs	853 docs citations	853 times ranked	62302 citing authors

#	Article	IF	CITATIONS
1	Apixaban versus Warfarin in Patients with Atrial Fibrillation. New England Journal of Medicine, 2011, 365, 981-992.	27.0	7,537
2	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. European Heart Journal, 2012, 33, 1787-1847.	2.2	5,233
3	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. European Heart Journal, 2012, 33, 2569-2619.	2.2	5,034
4	2013 ESC guidelines on the management of stable coronary artery disease. European Heart Journal, 2013, 34, 2949-3003.	2.2	3,915
5	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012. European Journal of Heart Failure, 2012, 14, 803-869.	7.1	2,307
6	Valsartan, Captopril, or Both in Myocardial Infarction Complicated by Heart Failure, Left Ventricular Dysfunction, or Both. New England Journal of Medicine, 2003, 349, 1893-1906.	27.0	2,240
7	Statins and risk of incident diabetes: a collaborative meta-analysis of randomised statin trials. Lancet, The, 2010, 375, 735-742.	13.7	2,064
8	Lixisenatide in Patients with Type 2 Diabetes and Acute Coronary Syndrome. New England Journal of Medicine, 2015, 373, 2247-2257.	27.0	1,856
9	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. New England Journal of Medicine, 2017, 377, 1319-1330.	27.0	1,745
10	The Seattle Heart Failure Model. Circulation, 2006, 113, 1424-1433.	1.6	1,744
11	Relation between Renal Dysfunction and Cardiovascular Outcomes after Myocardial Infarction. New England Journal of Medicine, 2004, 351, 1285-1295.	27.0	1,712
12	Efficacy and Safety of Low-Dose Colchicine after Myocardial Infarction. New England Journal of Medicine, 2019, 381, 2497-2505.	27.0	1,696
13	Initial Invasive or Conservative Strategy for Stable Coronary Disease. New England Journal of Medicine, 2020, 382, 1395-1407.	27.0	1,508
14	Angiotensin–Neprilysin Inhibition in Heart Failure with Preserved Ejection Fraction. New England Journal of Medicine, 2019, 381, 1609-1620.	27.0	1,485
15	Effects of Once-Weekly Exenatide on Cardiovascular Outcomes in Type 2 Diabetes. New England Journal of Medicine, 2017, 377, 1228-1239.	27.0	1,455
16	Renal outcomes with telmisartan, ramipril, or both, in people at high vascular risk (the ONTARGET) Tj ETQq0 0 0	rgBT_/Over	lock 10 Tf 50

Basal Insulin and Cardiovascular and Other Outcomes in Dysglycemia. New England Journal of Medicine, 2012, 367, 319-328. 1,426 Effects of Oral Tolvaptan in Patients Hospitalized for Worsening Heart Failure<SUBTITLE>The EVEREST Outcome Trial</SUBTITLE>. JAMA - Journal of the American Medical Association, 2007, 297, 18 7.4 1,406 1319.

#	Article	IF	CITATIONS
19	Early Protection Against Sudden Death by n-3 Polyunsaturated Fatty Acids After Myocardial Infarction. Circulation, 2002, 105, 1897-1903.	1.6	1,213
20	Effect of n-3 polyunsaturated fatty acids in patients with chronic heart failure (the CISSI-HF trial): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2008, 372, 1223-1230.	13.7	1,178
21	Efficacy and safety of LDL-lowering therapy among men and women: meta-analysis of individual data from 174â€^000 participants in 27 randomised trials. Lancet, The, 2015, 385, 1397-1405.	13.7	1,112
22	Effect of rosuvastatin in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2008, 372, 1231-1239.	13.7	954
23	Predicting survival in heart failure: a risk score based on 39 372 patients from 30 studies. European Heart Journal, 2013, 34, 1404-1413.	2.2	921
24	Apixaban with Antiplatelet Therapy after Acute Coronary Syndrome. New England Journal of Medicine, 2011, 365, 699-708.	27.0	918
25	n–3 Fatty Acids and Cardiovascular Outcomes in Patients with Dysglycemia. New England Journal of Medicine, 2012, 367, 309-318.	27.0	810
26	Effect of Sibutramine on Cardiovascular Outcomes in Overweight and Obese Subjects. New England Journal of Medicine, 2010, 363, 905-917.	27.0	791
27	Changes in Brain Natriuretic Peptide and Norepinephrine Over Time and Mortality and Morbidity in the Valsartan Heart Failure Trial (Val-HeFT). Circulation, 2003, 107, 1278-1283.	1.6	786
28	Effects of Anacetrapib in Patients with Atherosclerotic Vascular Disease. New England Journal of Medicine, 2017, 377, 1217-1227.	27.0	780
29	Short-term Clinical Effects of Tolvaptan, an Oral Vasopressin Antagonist, in Patients Hospitalized for Heart Failure <subtitle>The EVEREST Clinical Status Trials</subtitle> . JAMA - Journal of the American Medical Association, 2007, 297, 1332.	7.4	757
30	Sudden Death in Patients with Myocardial Infarction and Left Ventricular Dysfunction, Heart Failure, or Both. New England Journal of Medicine, 2005, 352, 2581-2588.	27.0	721
31	European Society of Cardiology: Cardiovascular Disease Statistics 2019. European Heart Journal, 2020, 41, 12-85.	2.2	690
32	Left bundle-branch block is associated with increased 1-year sudden and total mortality rate in 5517 outpatients with congestive heart failure: A report from the Italian network on congestive heart failure. American Heart Journal, 2002, 143, 398-405.	2.7	681
33	The survival of patients with heart failure with preserved or reduced left ventricular ejection fraction: an individual patient data meta-analysis. European Heart Journal, 2012, 33, 1750-1757.	2.2	652
34	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. Lancet, The, 2018, 391, 219-229.	13.7	651
35	EUR <i>Observational</i> Research Programme: regional differences and 1â€year followâ€up results of the Heart Failure Pilot Survey (ESCâ€HF Pilot). European Journal of Heart Failure, 2013, 15, 808-817.	7.1	645
36	Coronary Intervention for Persistent Occlusion after Myocardial Infarction. New England Journal of Medicine, 2006, 355, 2395-2407.	27.0	635

#	Article	IF	CITATIONS
37	Prognostic Value of Very Low Plasma Concentrations of Troponin T in Patients With Stable Chronic Heart Failure. Circulation, 2007, 116, 1242-1249.	1.6	635
38	Epidemiology and oneâ€year outcomes in patients with chronic heart failure and preserved, midâ€range and reduced ejection fraction: an analysis of the ESC Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2017, 19, 1574-1585.	7.1	568
39	HMC-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. Lancet, The, 2015, 385, 351-361.	13.7	562
40	Lifestyle and impact on cardiovascular risk factor control in coronary patients across 27 countries: Results from the European Society of Cardiology ESC-EORP EUROASPIRE V registry. European Journal of Preventive Cardiology, 2019, 26, 824-835.	1.8	558
41	European Society of Cardiology Heart Failure Longâ€Term Registry (<scp>ESCâ€HFâ€LT</scp>): 1â€year followâ€up outcomes and differences across regions. European Journal of Heart Failure, 2016, 18, 613-625.	7.1	538
42	Are hospitalized or ambulatory patients with heart failure treated in accordance with European Society of Cardiology guidelines? Evidence from 12 440 patients of the ESC Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2013, 15, 1173-1184.	7.1	533
43	Efficacy and safety of statin therapy in older people: a meta-analysis of individual participant data from 28 randomised controlled trials. Lancet, The, 2019, 393, 407-415.	13.7	512
44	Cardiovascular Efficacy and Safety of Bococizumab in High-Risk Patients. New England Journal of Medicine, 2017, 376, 1527-1539.	27.0	510
45	Expert consensus document on ?-adrenergic receptor blockersThe Task Force on Beta-Blockers of the European Society of Cardiology. European Heart Journal, 2004, 25, 1341-1362.	2.2	465
46	Treatment of Anemia with Darbepoetin Alfa in Systolic Heart Failure. New England Journal of Medicine, 2013, 368, 1210-1219.	27.0	462
47	Cardiovascular outcomes with glucagon-like peptide-1 receptor agonists in patients with type 2 diabetes: a meta-analysis. Lancet Diabetes and Endocrinology,the, 2018, 6, 105-113.	11.4	451
48	Valsartan for Prevention of Recurrent Atrial Fibrillation. New England Journal of Medicine, 2009, 360, 1606-1617.	27.0	442
49	Type 2 diabetes mellitus and heart failure: a position statement from the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2018, 20, 853-872.	7.1	434
50	Rivaroxaban with or without aspirin in patients with stable coronary artery disease: an international, randomised, double-blind, placebo-controlled trial. Lancet, The, 2018, 391, 205-218.	13.7	426
51	Clinical presentation, aetiology and outcome of infective endocarditis. Results of the ESC-EORP EURO-ENDO (European infective endocarditis) registry: a prospective cohort study. European Heart Journal, 2019, 40, 3222-3232.	2.2	421
52	Clinical course and predictive value of congestion during hospitalization in patients admitted for worsening signs and symptoms of heart failure with reduced ejection fraction: findings from the EVEREST trial. European Heart Journal, 2013, 34, 835-843.	2.2	418
53	Prognostic Significance of the Long Pentraxin PTX3 in Acute Myocardial Infarction. Circulation, 2004, 110, 2349-2354.	1.6	402
54	Valsartan reduces the incidence of atrial fibrillation in patients with heart failure: Results from the Valsartan Heart Failure Trial (Val-HeFT). American Heart Journal, 2005, 149, 548-557.	2.7	401

#	Article	IF	CITATIONS
55	Usual versus tight control of systolic blood pressure in non-diabetic patients with hypertension (Cardio-Sis): an open-label randomised trial. Lancet, The, 2009, 374, 525-533.	13.7	391
56	PTX3, A Prototypical Long Pentraxin, Is an Early Indicator of Acute Myocardial Infarction in Humans. Circulation, 2000, 102, 636-641.	1.6	384
57	Outcome of pregnancy in patients with structural or ischaemic heart disease: results of a registry of the European Society of Cardiology. European Heart Journal, 2013, 34, 657-665.	2.2	378
58	Effect of Darapladib on Major Coronary Events After an Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2014, 312, 1006.	7.4	375
59	Coâ€morbidities in patients with heart failure: an analysis of the European Heart Failure Pilot Survey. European Journal of Heart Failure, 2014, 16, 103-111.	7.1	355
60	Declining Risk of Sudden Death in Heart Failure. New England Journal of Medicine, 2017, 377, 41-51.	27.0	355
61	European Society of Cardiology: cardiovascular disease statistics 2021. European Heart Journal, 2022, 43, 716-799.	2.2	343
62	Effects of the Oral Direct Renin Inhibitor Aliskiren in Patients With Symptomatic Heart Failure. Circulation: Heart Failure, 2008, 1, 17-24.	3.9	340
63	EUR <i>Observational</i> Research Programme: The Heart Failure Pilot Survey (ESCâ€HF Pilot). European Journal of Heart Failure, 2010, 12, 1076-1084.	7.1	340
64	Clinical phenotypes and outcome of patients hospitalized for acute heart failure: the <scp>ESC</scp> Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2017, 19, 1242-1254.	7.1	339
65	The European Lead Extraction ConTRolled (ELECTRa) study: a European Heart Rhythm Association (EHRA) Registry of Transvenous Lead Extraction Outcomes. European Heart Journal, 2017, 38, 2995-3005.	2.2	339
66	Effects of valsartan on morbidity and mortality in patients with heart failure not receiving angiotensin-converting enzyme inhibitors. Journal of the American College of Cardiology, 2002, 40, 1414-1421.	2.8	331
67	The Risk of Stroke in Patients with Acute Myocardial Infarction after Thrombolytic and Antithrombotic Treatment. New England Journal of Medicine, 1992, 327, 1-6.	27.0	329
68	Left ventricular mass and cardiovascular morbidity in essential hypertension: the MAVI study. Journal of the American College of Cardiology, 2001, 38, 1829-1835.	2.8	325
69	Global Secondary Prevention Strategies to Limit Event Recurrence After Myocardial Infarction. Archives of Internal Medicine, 2008, 168, 2194.	3.8	320
70	The comparative prognostic value of plasma neurohormones at baseline in patients with heart failure enrolled in Val-HeFT. European Heart Journal, 2004, 25, 292-299.	2.2	319
71	Recommendations on preâ€hospital & early hospital management of acute heart failure: a consensus paper from the Heart Failure Association of the European Society of Cardiology, the European Society of Emergency Medicine and the Society of Academic Emergency Medicine. European Journal of Heart Failure. 2015. 17. 544-558.	7.1	315
72	New strategies for heart failure with preserved ejection fraction: the importance of targeted therapies for heart failure phenotypes. European Heart Journal, 2014, 35, 2797-2815.	2.2	304

#	Article	IF	CITATIONS
73	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. Gastroenterology, 2019, 157, 682-691.e2.	1.3	299
74	Effect of Aliskiren on Postdischarge Mortality and Heart Failure Readmissions Among Patients Hospitalized for Heart Failure. JAMA - Journal of the American Medical Association, 2013, 309, 1125.	7.4	297
75	Effect of Vericiguat, a Soluble Guanylate Cyclase Stimulator, on Natriuretic Peptide Levels in Patients With Worsening Chronic Heart Failure and Reduced Ejection Fraction. JAMA - Journal of the American Medical Association, 2015, 314, 2251.	7.4	288
76	Vericiguat in patients with worsening chronic heart failure and preserved ejection fraction: results of the SOluble guanylate Cyclase stimulatoR in heArT failurE patientS with PRESERVED EF (SOCRATES-PRESERVED) study. European Heart Journal, 2017, 38, 1119-1127.	2.2	285
77	N-Terminal Pro-Brain Natriuretic Peptide on Admission Has Prognostic Value Across the Whole Spectrum of Acute Coronary Syndromes. Circulation, 2004, 110, 128-134.	1.6	281
78	Contemporary Presentation and Management of Valvular Heart Disease. Circulation, 2019, 140, 1156-1169.	1.6	281
79	A prospective survey in European Society of Cardiology member countries of atrial fibrillation management: baseline results of EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. Europace, 2014, 16, 308-319.	1.7	280
80	Effects of Valsartan on Circulating Brain Natriuretic Peptide and Norepinephrine in Symptomatic Chronic Heart Failure. Circulation, 2002, 106, 2454-2458.	1.6	279
81	Prevention of atrial fibrillation in patients with symptomatic chronic heart failure by candesartan in the Candesartan in Heart failure: Assessment of Reduction in Mortality and morbidity (CHARM) program. American Heart Journal, 2006, 152, 86-92.	2.7	275
82	Pregnancy in Women With a Mechanical Heart Valve. Circulation, 2015, 132, 132-142.	1.6	274
83	A randomized controlled study of finerenone vs. eplerenone in patients with worsening chronic heart failure and diabetes mellitus and/or chronic kidney disease. European Heart Journal, 2016, 37, 2105-2114.	2.2	274
84	Prognostic Value of Cardiac Troponin I Measured With a Highly Sensitive Assay in Patients With Stable Coronary Artery Disease. Journal of the American College of Cardiology, 2013, 61, 1240-1249.	2.8	271
85	A Comparison of the Early Outcome of Acute Myocardial Infarction in Women and Men. New England Journal of Medicine, 1998, 338, 8-14.	27.0	262
86	Prediction of Mode of Death in Heart Failure. Circulation, 2007, 116, 392-398.	1.6	261
87	Effect of Ularitide on Cardiovascular Mortality in Acute Heart Failure. New England Journal of Medicine, 2017, 376, 1956-1964.	27.0	257
88	Expert consensus document on angiotensin converting enzyme inhibitors in cardiovascular diseaseThe Task Force on ACE-inhibitors of the European Society of Cardiology. European Heart Journal, 2004, 25, 1454-1470.	2.2	249
89	Effects of Sacubitril-Valsartan Versus Valsartan in Women Compared With Men With Heart Failure and Preserved Ejection Fraction. Circulation, 2020, 141, 338-351.	1.6	244
90	Anemia and Change in Hemoglobin Over Time Related to Mortality and Morbidity in Patients With Chronic Heart Failure. Circulation, 2005, 112, 1121-1127.	1.6	243

#	Article	IF	CITATIONS
91	Influence of diabetes on mortality in acute myocardial infarction: Data from the GISSI-2 study. Journal of the American College of Cardiology, 1993, 22, 1788-1794.	2.8	242
92	Asymptomatic Atrial Fibrillation: Clinical Correlates, Management, and Outcomes in the EORP-AF Pilot General Registry. American Journal of Medicine, 2015, 128, 509-518.e2.	1.5	242
93	Angiotensin Receptor Neprilysin InhibitionÂin Heart Failure With PreservedÂEjection Fraction. JACC: Heart Failure, 2017, 5, 471-482.	4.1	238
94	Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial. Lancet Diabetes and Endocrinology,the, 2017, 5, 887-897.	11.4	231
95	Management of dyslipidaemia in patients with coronary heart disease: Results from the ESC-EORP EUROASPIRE V survey in 27 countries. Atherosclerosis, 2019, 285, 135-146.	0.8	227
96	Nationwide survey on acute heart failure in cardiology ward services in Italy. European Heart Journal, 2005, 27, 1207-1215.	2.2	215
97	Rationale and design of the GISSI heart failure trial: a large trial to assess the effects of n-3 polyunsaturated fatty acids and rosuvastatin in symptomatic congestive heart failure. European Journal of Heart Failure, 2004, 6, 635-641.	7.1	214
98	Body Mass Index and Mortality in Acutely Decompensated Heart Failure Across the World. Journal of the American College of Cardiology, 2014, 63, 778-785.	2.8	213
99	Serial Measurement of Cardiac Troponin T Using a Highly Sensitive Assay in Patients With Chronic Heart Failure. Circulation, 2012, 125, 280-288.	1.6	209
100	Pregnancy outcomes in women with cardiovascular disease: evolving trends over 10 years in the ESC Registry Of Pregnancy And Cardiac disease (ROPAC). European Heart Journal, 2019, 40, 3848-3855.	2.2	209
101	Prognosis and treatment of atrial fibrillation patients by European cardiologists: One Year Follow-up of the EURObservational Research Programme-Atrial Fibrillation General Registry Pilot Phase (EORP-AF) Tj ETQq1 I	l 0.7 8431	429BT /Over
102	Prognostic Significance of Heart Rate Variability in Post–Myocardial Infarction Patients in the Fibrinolytic Era. Circulation, 1996, 94, 432-436.	1.6	204
103	Maximizing Survival Benefit With Primary Prevention Implantable Cardioverter-Defibrillator Therapy in a Heart Failure Population. Circulation, 2009, 120, 835-842.	1.6	202
104	Usefulness of Right Ventricular Fractional Area Change to Predict Death, Heart Failure, and Stroke Following Myocardial Infarction (from the VALIANT ECHO Study). American Journal of Cardiology, 2008, 101, 607-612.	1.6	197
105	Pathogenesis of Sudden Unexpected Death in a Clinical Trial of Patients With Myocardial Infarction and Left Ventricular Dysfunction, Heart Failure, or Both. Circulation, 2010, 122, 597-602.	1.6	195
106	ACE Inhibitor Use in Patients With Myocardial Infarction. Circulation, 1995, 92, 3132-3137.	1.6	190
107	Prognostic implications of atrial fibrillation in heart failure with reduced, mid-range, and preserved ejection fraction: a report from 14 964 patients in the European Society of Cardiology Heart Failure Long-Term Registry. European Heart Journal, 2018, 39, 4277-4284.	2.2	189
108	Effect of the ACE Inhibitor Lisinopril on Mortality in Diabetic Patients With Acute Myocardial Infarction, Circulation, 1997, 96, 4239-4245.	1.6	188

#	Article	IF	CITATIONS
109	Clinical outcome endpoints in heart failure trials: a European Society of Cardiology Heart Failure Association consensus document. European Journal of Heart Failure, 2013, 15, 1082-1094.	7.1	182
110	Admission of patients with STEMI since the outbreak of the COVID-19 pandemic: a survey by the European Society of Cardiology. European Heart Journal Quality of Care & Clinical Outcomes, 2020, 6, 210-216.	4.0	181
111	Costs of atrial fibrillation in five European countries: results from the Euro Heart Survey on atrial fibrillation. Europace, 2008, 10, 403-411.	1.7	180
112	The Atrial Fibrillation Ablation Pilot Study: an European Survey on Methodology and results of catheter ablation for atrial fibrillation conducted by the European Heart Rhythm Association. European Heart Journal, 2014, 35, 1466-1478.	2.2	180
113	Clinical outcome of renal tubular damage in chronic heart failureâ€. European Heart Journal, 2011, 32, 2705-2712.	2.2	174
114	Time-to-treatment initiation of colchicine and cardiovascular outcomes after myocardial infarction in the Colchicine Cardiovascular Outcomes Trial (COLCOT). European Heart Journal, 2020, 41, 4092-4099.	2.2	174
115	Multicenter Prospective Observational Study on Acute and Chronic Heart Failure. Circulation: Heart Failure, 2013, 6, 473-481.	3.9	170
116	Acute heart failure congestion and perfusion status–Âimpact of the clinical classification on inâ€hospital and longâ€term outcomes; insights from the ESCâ€EORPâ€HFA Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2019, 21, 1338-1352.	7.1	170
117	Rationale and Design of the Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy of Vasopressin Antagonism in Heart Failure: Outcome Study with Tolvaptan (EVEREST). Journal of Cardiac Failure, 2005, 11, 260-269.	1.7	168
118	Clinical Implications of QRS Duration in Patients Hospitalized With Worsening Heart Failure and Reduced Left Ventricular Ejection Fraction. JAMA - Journal of the American Medical Association, 2008, 299, 2656.	7.4	168
119	The 2011-12 pilot European Sentinel Registry of Transcatheter Aortic Valve Implantation: in-hospital results in 4,571 patients. EuroIntervention, 2013, 8, 1362-1371.	3.2	168
120	Sex-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Observational Research Programme Pilot survey on Atrial Fibrillation. Europace, 2015, 17, 24-31.	1.7	164
121	Pulmonary hypertension and pregnancy outcomes: data from the Registry Of Pregnancy and Cardiac Disease (<scp>ROPAC</scp>) of the European Society of Cardiology. European Journal of Heart Failure, 2016, 18, 1119-1128.	7.1	164
122	Clinical characteristics of patients from the worldwide registry on peripartum cardiomyopathy (<scp>PPCM</scp>). European Journal of Heart Failure, 2017, 19, 1131-1141.	7.1	163
123	Big data from electronic health records for early and late translational cardiovascular research: challenges and potential. European Heart Journal, 2018, 39, 1481-1495.	2.2	163
124	Anthracycline-induced cardiotoxicity: A multicenter randomised trial comparing two strategies for guiding prevention with enalapril: The International CardioOncology Society-oneÂtrial. European Journal of Cancer, 2018, 94, 126-137.	2.8	163
125	Ten-Year Follow-Up of the First Megatrial Testing Thrombolytic Therapy in Patients With Acute Myocardial Infarction. Circulation, 1998, 98, 2659-2665.	1.6	162
126	Valsartan in Acute Myocardial Infarction Trial (VALIANT): Rationale and design. American Heart Journal, 2000, 140, 727-750.	2.7	162

#	Article	IF	CITATIONS
127	Clinical features and outcomes of elderly outpatients with heart failure followed up in hospital cardiology units: Data from a large nationwide cardiology database (IN-CHF Registry). American Heart Journal, 2002, 143, 45-55.	2.7	162
128	Continental Differences in Clinical Characteristics, Management, and Outcomes in Patients Hospitalized With Worsening Heart Failure. Journal of the American College of Cardiology, 2008, 52, 1640-1648.	2.8	159
129	Clinical course and predictive value of liver function tests in patients hospitalized for worsening heart failure with reduced ejection fraction: an analysis of the EVEREST trial. European Journal of Heart Failure, 2012, 14, 302-311.	7.1	159
130	Clinical effects of early angiotensin-converting enzyme inhibitor treatment for acute myocardial infarction are similar in the presence and absence of aspirin. Journal of the American College of Cardiology, 2000, 35, 1801-1807.	2.8	156
131	Association between diabetes mellitus and postâ€discharge outcomes in patients hospitalized with heart failure: findings from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 194-202.	7.1	155
132	The obesity paradox in heart failure patients with preserved versus reduced ejection fraction: a meta-analysis of individual patient data. International Journal of Obesity, 2014, 38, 1110-1114.	3.4	155
133	Contemporary management of patients undergoing atrial fibrillation ablation: in-hospital and 1-year follow-up findings from the ESC-EHRA atrial fibrillation ablation long-term registry. European Heart Journal, 2017, 38, ehw564.	2.2	151
134	Inâ€hospital and 1â€year mortality associated with diabetes in patients with acute heart failure: results from the <scp>ESCâ€HFA</scp> Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2017, 19, 54-65.	7.1	150
135	The Effect of Valsartan, Captopril, or Both on Atherosclerotic Events After Acute Myocardial Infarction. Journal of the American College of Cardiology, 2006, 47, 726-733.	2.8	149
136	Mineralocorticoid receptor antagonists for heart failure with reduced ejection fraction: integrating evidence into clinical practice. European Heart Journal, 2012, 33, 2782-2795.	2.2	148
137	Metabolic Syndrome and Risk of Cardiovascular Events After Myocardial Infarction. Journal of the American College of Cardiology, 2005, 46, 277-283.	2.8	147
138	â€~Real-World' Antithrombotic Treatment in Atrial Fibrillation: The EORP-AF Pilot Survey. American Journal of Medicine, 2014, 127, 519-529.e1.	1.5	144
139	Cyclosporine A in ReperfusedÂMyocardialÂInfarction. Journal of the American College of Cardiology, 2016, 67, 365-374.	2.8	144
140	Left bundle branch block as a risk factor for progression to heart failure. European Journal of Heart Failure, 2007, 9, 7-14.	7.1	142
141	Prognosis of Inappropriate Left Ventricular Mass in Hypertension. Hypertension, 2002, 40, 470-476.	2.7	139
142	Doppler-derived mitral deceleration time as a strong prognostic marker of left ventricular remodeling and survival after acute myocardial infarction. Journal of the American College of Cardiology, 2004, 43, 1646-1653.	2.8	137
143	Intermittent 6-month low-dose dobutamine infusion in severe heart failure: DICE Multicenter Trial. American Heart Journal, 1999, 138, 247-253.	2.7	136
144	Heart failure with reduced ejection fraction. Nature Reviews Disease Primers, 2017, 3, 17058.	30.5	136

#	Article	IF	CITATIONS
145	Clinical Trials of Pharmacological Therapies in Acute Heart Failure Syndromes. Circulation: Heart Failure, 2010, 3, 314-325.	3.9	134
146	Rationale, Design and Baseline Characteristics of Participants in the C ardiovascular O utco m es for P eople Using A nticoagulation S trategie s (COMPASS) Trial. Canadian Journal of Cardiology, 2017, 33, 1027-1035.	1.7	133
147	Precipitating factors and decision-making processes of short-term worsening heart failure despite "optimal―treatment (from the IN-CHF Registry). American Journal of Cardiology, 2001, 88, 382-387.	1.6	131
148	Predischarge Two-Dimensional Echocardiographic Evaluation of Left Ventricular Thrombosis After Acute Myocardial Infarction in the GISSI-3 Study 11GISSI-3 is supported by The Associazione Nazionale Cardiologi Ospedalieri (ANMCO) and Istituto di Ricerche Farmacologiche "Mario Negri.― American Journal of Cardiology, 1998, 81, 822-827.	1.6	130
149	Effect of the direct renin inhibitor aliskiren on left ventricular remodelling following myocardial infarction with systolic dysfunction. European Heart Journal, 2011, 32, 1227-1234.	2.2	130
150	Targeting myocardial substrate metabolism in heart failure: potential for new therapies. European Journal of Heart Failure, 2012, 14, 120-129.	7.1	130
151	Clinical Course of Patients With Hyponatremia andÂDecompensated Systolic Heart Failure and the Effect ofÂVasopressin Receptor Antagonism With Tolvaptan. Journal of Cardiac Failure, 2013, 19, 390-397.	1.7	130
152	The <scp>Heart Failure Association Atlas</scp> : <scp>Heart Failure Epidemiology and Management Statistics</scp> 2019. European Journal of Heart Failure, 2021, 23, 906-914.	7.1	130
153	Angiotensin Receptor–Neprilysin Inhibition in Acute Myocardial Infarction. New England Journal of Medicine, 2021, 385, 1845-1855.	27.0	130
154	Cytokines in Acute Myocardial Infarction. Journal of Cardiovascular Pharmacology, 1994, 23, 1.	1.9	129
155	The predictive value of stable precursor fragments of vasoactive peptides in patients with chronic heart failure: data from the GISSIâ€heart failure (GISSIâ€HF) trial. European Journal of Heart Failure, 2010, 12, 338-347.	7.1	129
156	Cardiovascular responses to weight management and sibutramine in high-risk subjects: an analysis from the SCOUT trial. European Heart Journal, 2007, 28, 2915-2923.	2.2	128
157	Improved outcomes with European Society of Cardiology guideline-adherent antithrombotic treatment in high-risk patients with atrial fibrillation: a report from the EORP-AF General Pilot Registry. Europace, 2015, 17, 1777-1786.	1.7	128
158	An international perspective on heart failure and left ventricular systolic dysfunction complicating myocardial infarction: the VALIANT registry. European Heart Journal, 2004, 25, 1911-1919.	2.2	126
159	Precipitating factors and 90â€day outcome of acute heart failure: a report from the intercontinental <scp>GREAT</scp> registry. European Journal of Heart Failure, 2017, 19, 201-208.	7.1	126
160	ESC-EURObservational Research Programme: the Atrial Fibrillation Ablation Pilot Study, conducted by the European Heart Rhythm Association. Europace, 2012, 14, 1094-1103.	1.7	123
161	The realâ€world evidence of heart failure: findings from 41 413 patients of the <scp>ARNO</scp> database. European Journal of Heart Failure, 2016, 18, 402-410.	7.1	120
162	Haemoconcentration, renal function, and postâ€discharge outcomes among patients hospitalized for heart failure with reduced ejection fraction: insights from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1401-1411.	7.1	119

#	Article	IF	CITATIONS
163	Rationale and design of the <scp>SOluble</scp> guanylate Cyclase <scp>stimulatoR</scp> in <scp>heArT failurE</scp> Studies (<scp>SOCRATES</scp>). European Journal of Heart Failure, 2014, 16, 1026-1038.	7.1	119
164	In-Hospital Prognosis of Patients with Acute Myocardial Infarction Complicated by Primary Ventricular Fibrillation. New England Journal of Medicine, 1987, 317, 257-261.	27.0	118
165	Anemia in Patients With Heart Failure: Prevalence and Prognostic Role in a Controlled Trial and in Clinical Practice. Journal of Cardiac Failure, 2005, 11, 91-98.	1.7	118
166	The role of cardiac registries in evidence-based medicine. European Heart Journal, 2010, 31, 525-529.	2.2	118
167	Contemporary stroke prevention strategies in 11 096 European patients with atrial fibrillation: a report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term General Registry. Europace, 2018, 20, 747-757.	1.7	118
168	Stroke Outcomes in the COMPASS Trial. Circulation, 2019, 139, 1134-1145.	1.6	118
169	Left atrial remodelling in patients with myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: the VALIANT Echo Study. European Heart Journal, 2008, 30, 56-65.	2.2	117
170	Baseline Characteristics of Patients With Heart Failure and Preserved Ejection Fraction in the PARAGON-HF Trial. Circulation: Heart Failure, 2018, 11, e004962.	3.9	117
171	Changes in renal function during hospitalization and soon after discharge in patients admitted for worsening heart failure in the placebo group of the EVEREST trial. European Heart Journal, 2011, 32, 2563-2572.	2.2	116
172	Current presentation and management of heart failure in cardiology and internal medicine hospital units: a tale of two worlds—the TEMISTOCLE study. American Heart Journal, 2003, 146, 735.	2.7	115
173	Clinical correlates of immediate success and outcome at 1-year follow-up of real-world cardioversion of atrial fibrillation: the Euro Heart Survey. Europace, 2012, 14, 666-674.	1.7	114
174	Randomized trial of candesartan cilexetil in the treatment of patients with congestive heart failure and a history of intolerance to angiotensin-converting enzyme inhibitors. American Heart Journal, 2000, 139, 609-617.	2.7	113
175	Global cardiac risk assessment in the Registry Of Pregnancy And Cardiac disease: results of a registry from the European Society of Cardiology. European Journal of Heart Failure, 2016, 18, 523-533.	7.1	113
176	Risk of Pregnancy in Moderate and SevereÂAortic Stenosis. Journal of the American College of Cardiology, 2016, 68, 1727-1737.	2.8	113
177	Acute heart failure patient profiles, management and inâ€hospital outcome: results of the Italian Registry on Heart Failure Outcome. European Journal of Heart Failure, 2012, 14, 1208-1217.	7.1	112
178	Epidemiology of acute myocardial infarction in the Italian CCU network The BLITZ Study. European Heart Journal, 2003, 24, 1616-1629.	2.2	111
179	Practical recommendations for the use of ACE inhibitors, betaâ€blockers, aldosterone antagonists and angiotensin receptor blockers in heart failure: Putting guidelines into practice. European Journal of Heart Failure, 2005, 7, 710-721.	7.1	111
180	Previously known and newly diagnosed atrial fibrillation: A major risk indicator after a myocardial infarction complicated by heart failure or left ventricular dysfunctionâ~†. European Journal of Heart Failure, 2006, 8, 591-598.	7.1	111

#	Article	IF	CITATIONS
181	Association Between Elevated Blood Glucose and Outcome in Acute Heart Failure. Journal of the American College of Cardiology, 2013, 61, 820-829.	2.8	111
182	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. Gastroenterology, 2019, 157, 403-412.e5.	1.3	108
183	Design of the Reduction of Events with Darbepoetin alfa in Heart Failure (REDâ€HF): a Phase III, anaemia correction, morbidity–mortality trial. European Journal of Heart Failure, 2009, 11, 795-801.	7.1	107
184	Cinaciguat, a soluble guanylate cyclase activator: results from the randomized, controlled, phase IIb COMPOSE programme in acute heart failure syndromes. European Journal of Heart Failure, 2012, 14, 1056-1066.	7.1	105
185	Recommendations on pre-hospital and early hospital management of acute heart failure: a consensus paper from the Heart Failure Association of the European Society of Cardiology, the European Society of Emergency Medicine and the Society of Academic Emergency Medicine – short version. European Heart Journal. 2015. 36. 1958-1966.	2.2	105
186	A 'diamond' approach to personalized treatment of angina. Nature Reviews Cardiology, 2018, 15, 120-132.	13.7	105
187	Association Between Diabetes and 1-Year Adverse Clinical Outcomes in a Multinational Cohort of Ambulatory Patients With Chronic Heart Failure: Results From the ESC-HFA Heart Failure Long-Term Registry. Diabetes Care, 2017, 40, 671-678.	8.6	103
188	Predictors of the first heart failure hospitalization in patients who are stable survivors of myocardial infarction complicated by pulmonary congestion and/or left ventricular dysfunction: a VALIANT study. European Heart Journal, 2008, 29, 748-756.	2.2	102
189	Chronic obstructive pulmonary disease is an independent predictor of death but not atherosclerotic events in patients with myocardial infarction: analysis of the Valsartan in Acute Myocardial Infarction Trial (VALIANT). European Journal of Heart Failure, 2009, 11, 292-298.	7.1	102
190	Left ventricular systolic dysfunction, total mortality, and sudden death in patients with myocardial infarction treated with n-3 polyunsaturated fatty acids. European Journal of Heart Failure, 2005, 7, 904-909.	7.1	101
191	Prevalence and Prognostic Value of Elevated Urinary Albumin Excretion in Patients With Chronic Heart Failure. Circulation: Heart Failure, 2010, 3, 65-72.	3.9	101
192	Predictors of Mortality in 6975 Patients With Chronic Heart Failure in the Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico-Heart Failure Trial. Circulation: Heart Failure, 2013, 6, 31-39.	3.9	101
193	Clinical presentation, management, and 6-month outcomes in women with peripartum cardiomyopathy: an ESC EORP registry. European Heart Journal, 2020, 41, 3787-3797.	2.2	101
194	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. Circulation, 2021, 143, 2129-2142.	1.6	101
195	A comprehensive, longitudinal description of the in-hospital and post-discharge clinical, laboratory, and neurohormonal course of patients with heart failure who die or are re-hospitalized within 90Âdays: analysis from the EVEREST trial. Heart Failure Reviews, 2012, 17, 485-509.	3.9	100
196	Baseline Characteristics and Risk Profiles of Participants in the ISCHEMIA Randomized Clinical Trial. JAMA Cardiology, 2019, 4, 273.	6.1	100
197	Antiâ€remodelling effect of canrenone in patients with mild chronic heart failure (AREA INâ€CHF study): final results. European Journal of Heart Failure, 2009, 11, 68-76.	7.1	99
198	<scp>EURObservational</scp> Research Programme: a worldwide registry on peripartum cardiomyopathy (<scp>PPCM</scp>) in conjunction with the Heart Failure Association of the European Society of Cardiology Working Group on <scp>PPCM</scp> . European Journal of Heart Failure, 2014, 16, 583-591.	7.1	99

#	Article	IF	CITATIONS
199	A simple electrocardiographic predictor of the outcome of patients with acute myocardial infarction treated with a thrombolytic agent. Journal of the American College of Cardiology, 1994, 24, 600-607.	2.8	98
200	Effects of rosuvastatin on atrial fibrillation occurrence: ancillary results of the GISSI-HF trial. European Heart Journal, 2009, 30, 2327-2336.	2.2	98
201	In-hospital and 1-year outcomes of acute heart failure patients according to presentation (de novo vs.) Tj ETQq1 Cardiology, 2014, 173, 163-169.	l 0.78431 1.7	4 rgBT /Over 98
202	The past, present and future of renin–angiotensin aldosterone system inhibition. International Journal of Cardiology, 2013, 167, 1677-1687.	1.7	97
203	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease. Circulation, 2020, 141, 1841-1854.	1.6	96
204	Incremental Prognostic Value of Changes in B-Type Natriuretic Peptide in Heart Failure. American Journal of Medicine, 2006, 119, 70.e23-70.e30.	1.5	95
205	Gastrointestinal bleeding in high risk survivors of myocardial infarction: the VALIANT Trial. European Heart Journal, 2009, 30, 2226-2232.	2.2	95
206	The Cardiomyopathy Registry of the EURObservational Research Programme of the European Society of Cardiology: baseline data and contemporary management of adult patients with cardiomyopathies. European Heart Journal, 2018, 39, 1784-1793.	2.2	94
207	Performance of Prognostic Risk Scores in Chronic Heart Failure Patients Enrolled in the European Society of Cardiology Heart Failure Long-Term Registry. JACC: Heart Failure, 2018, 6, 452-462.	4.1	94
208	Treatment with insulin is associated with worse outcome in patients with chronic heart failure and diabetes. European Journal of Heart Failure, 2018, 20, 888-895.	7.1	93
209	Heterogeneity of left ventricular remodeling after acute myocardial infarction: Results of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico-3 Echo Substudy. American Heart Journal, 2001, 141, 131-138.	2.7	92
210	Risk of Stroke in Chronic Heart Failure Patients Without Atrial Fibrillation. Circulation, 2015, 131, 1486-1494.	1.6	92
211	Heart failure oral therapies at discharge are associated with better outcome in acute heart failure: a propensityâ€score matched study. European Journal of Heart Failure, 2018, 20, 345-354.	7.1	92
212	Pentraxinâ€3 in chronic heart failure: the CORONA and GISSIâ€HF trials. European Journal of Heart Failure, 2012, 14, 992-999.	7.1	91
213	Cytokines in Acute Myocardial Infarction. Journal of Cardiovascular Pharmacology, 1994, 23, 1-6.	1.9	90
214	Predictive Value of Low Relative Lymphocyte Count in Patients Hospitalized for Heart Failure With Reduced Ejection Fraction. Circulation: Heart Failure, 2012, 5, 750-758.	3.9	89
215	Rationale, design, and baseline characteristics in Evaluation of LIXisenatide in Acute Coronary Syndrome, a long-term cardiovascular end point trial of lixisenatide versus placebo. American Heart Journal, 2015, 169, 631-638.e7.	2.7	88
216	Effect of valsartan added to background ACE inhibitor therapy in patients with heart failure: results from Val-HeFT. European Journal of Heart Failure, 2004, 6, 937-945.	7.1	87

#	Article	IF	CITATIONS
217	Tubular Damage and Worsening Renal Function in Chronic Heart Failure. JACC: Heart Failure, 2013, 1, 417-424.	4.1	87
218	Characteristics, treatments and 1â€year prognosis of hospitalized and ambulatory heart failure patients with chronic obstructive pulmonary disease in the European Society of Cardiology Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2018, 20, 100-110.	7.1	86
219	Cardiac medication during pregnancy, data from the ROPAC. International Journal of Cardiology, 2014, 177, 124-128.	1.7	85
220	Patientâ€reported outcomes in the <scp>SOluble</scp> guanylate Cyclase <scp>stimulatoR</scp> in <scp>heArT failurE patientS</scp> with <scp>PRESERVED</scp> ejection fraction (<scp>SOCRATESâ€PRESERVED</scp>) study. European Journal of Heart Failure, 2017, 19, 782-791.	7.1	84
221	Contemporary real life cardioversion of atrial fibrillation: Results from the multinational RHYTHM-AF study. International Journal of Cardiology, 2014, 172, 588-594.	1.7	83
222	Unravelling the interplay between hyperkalaemia, renin–angiotensin–aldosterone inhibitor use and clinical outcomes. Data from 9222 chronic heart failure patients of the ESCâ€HFAâ€EORP Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2020, 22, 1378-1389.	7.1	83
223	Primary prevention efforts are poorly developed in people at high cardiovascular risk: A report from the European Society of Cardiology EURObservational Research Programme EUROASPIRE V survey in 16 European countries. European Journal of Preventive Cardiology, 2021, 28, 370-379.	1.8	83
224	One-year prognosis of primary ventricular fibrillation complicating acute myocardial infarction. American Journal of Cardiology, 1989, 63, 1174-1178.	1.6	82
225	Clinical profile and prognostic value of low systolic blood pressure in patients hospitalized for heart failure with reduced ejection fraction: Insights from the Efficacy of Vasopressin Antagonism in Heart Failure: Outcome Study with Tolvaptan (EVEREST) trial. American Heart Journal, 2013, 165, 216-225.	2.7	82
226	Rationale and design of the EXenatide Study of Cardiovascular Event Lowering (EXSCEL) trial. American Heart Journal, 2016, 174, 103-110.	2.7	82
227	Contemporary antithrombotic strategies in patients with acute coronary syndrome admitted to cardiac care units in Italy: The EYESHOT Study. European Heart Journal: Acute Cardiovascular Care, 2015, 4, 441-452.	1.0	81
228	Rivaroxaban With or Without Aspirin in Patients With Heart Failure and Chronic Coronary or Peripheral Artery Disease. Circulation, 2019, 140, 529-537.	1.6	81
229	Sex―and age―elated differences in the management and outcomes of chronic heart failure: an analysis of patients from the ESC HFA EORP Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2020, 22, 92-102.	7.1	81
230	Clinical, Neurohormonal, and Inflammatory Markers and Overall Prognostic Role of Chronic Obstructive Pulmonary Disease in Patients With Heart Failure: Data From the Val-HeFT Heart Failure Trial. Journal of Cardiac Failure, 2007, 13, 797-804.	1.7	80
231	Predictors and prognostic impact of recurrent myocardial infarction in patients with left ventricular dysfunction, heart failure, or both following a first myocardial infarction. European Journal of Heart Failure, 2011, 13, 148-153.	7.1	80
232	Epidemiology of Heart Failure. Handbook of Experimental Pharmacology, 2016, 243, 15-33.	1.8	79
233	Seattle Heart Failure and Proportional RiskÂModels Predict Benefit From ImplantableÂCardioverter-Defibrillators. Journal of the American College of Cardiology, 2017, 69, 2606-2618.	2.8	79
234	Critical elements of clinical followâ€up after hospital discharge for heart failure: insights from the EVEREST trial. European Journal of Heart Failure, 2010, 12, 367-374.	7.1	78

#	Article	IF	CITATIONS
235	Study design and rationale for the Stabilization of pLaques usIng Darapladib—Thrombolysis in Myocardial Infarction (SOLID-TIMI 52) trial in patients after an acute coronary syndrome. American Heart Journal, 2011, 162, 613-619.e1.	2.7	77
236	A novel method to predict the proportional risk of sudden cardiac death in heart failure: Derivation of the Seattle Proportional Risk Model. Heart Rhythm, 2015, 12, 2069-2077.	0.7	77
237	Health-Related Quality of Life in HeartÂFailure With Preserved EjectionÂFraction. JACC: Heart Failure, 2019, 7, 862-874.	4.1	77
238	Initial Invasive Versus Conservative Management of Stable Ischemic Heart Disease in Patients With a History of Heart Failure or Left Ventricular Dysfunction. Circulation, 2020, 142, 1725-1735.	1.6	77
239	Treatment of chronic heart failure with beta adrenergic blockade beyond controlled clinical trials: the BRING-UP experience. British Heart Journal, 2003, 89, 299-305.	2.1	76
240	VALsartan In Acute myocardial iNfarcTion (VALIANT) trial: baseline characteristics in context. European Journal of Heart Failure, 2003, 5, 537-544.	7.1	76
241	Effects of <i>n</i> â€3 polyunsaturated fatty acids and of rosuvastatin on left ventricular function in chronic heart failure: a substudy of GISSIâ€HF trial. European Journal of Heart Failure, 2010, 12, 1345-1353.	7.1	75
242	Organization of heart failure management in European Society of Cardiology member countries: survey of the Heart Failure Association of the European Society of Cardiology in collaboration with the Heart Failure National Societies/Working Groups. European Journal of Heart Failure, 2013, 15, 947-959.	7.1	75
243	Role of Bâ€Type Natriuretic Peptide and Nâ€Terminal Prohormone BNP as Predictors of Cardiovascular Morbidity and Mortality in Patients With a Recent Coronary Event and Type 2 Diabetes Mellitus. Journal of the American Heart Association, 2017, 6, .	3.7	75
244	Rationale and design of MinerAlocorticoid Receptor antagonist Tolerability Studyâ€Heart Failure (ARTSâ€HF): a randomized study of finerenone vs. eplerenone in patients who have worsening chronic heart failure with diabetes and/or chronic kidney disease. European Journal of Heart Failure, 2015, 17, 224-232.	7.1	74
245	Relation of outcomes to ABC (Atrial Fibrillation Better Care) pathway adherent care in European patients with atrial fibrillation: an analysis from the ESC-EHRA EORP Atrial Fibrillation General Long-Term (AFGen LT) Registry. Europace, 2021, 23, 174-183.	1.7	74
246	Sacubitril–valsartan as a treatment for apparent resistant hypertension in patients with heart failure and preserved ejection fraction. European Heart Journal, 2021, 42, 3741-3752.	2.2	74
247	Body mass index, prognosis and mode of death in chronic heart failure: Results from the Valsartan Heart Failure Trial. European Journal of Heart Failure, 2007, 9, 397-402.	7.1	72
248	Burden of new hospitalization for heart failure: a populationâ€based investigation from Italy. European Journal of Heart Failure, 2014, 16, 729-736.	7.1	72
249	Effects of tolvaptan on dyspnoea relief from the EVEREST trials. European Heart Journal, 2009, 30, 2233-2240.	2.2	71
250	Prospective ARNI vs. ACE inhibitor trial to DetermIne Superiority in reducing heart failure Events after Myocardial Infarction (PARADISEâ€MI): design and baseline characteristics. European Journal of Heart Failure, 2021, 23, 1040-1048.	7.1	70
251	Effect of Antecedent Hypertension and Follow-Up Blood Pressure on Outcomes After High-Risk Myocardial Infarction. Hypertension, 2008, 51, 48-54.	2.7	69
252	Longâ€term safety of intravenous cardiovascular agents in acute heart failure: results from the European Society of Cardiology Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2018, 20, 332-341.	7.1	69

#	Article	IF	CITATIONS
253	Comparative Measurement of N-Terminal Pro-Brain Natriuretic Peptide and Brain Natriuretic Peptide in Ambulatory Patients with Heart Failure. Clinical Chemistry and Laboratory Medicine, 2002, 40, 761-3.	2.3	68
254	Weight changes after hospitalization for worsening heart failure and subsequent re-hospitalization and mortality in the EVEREST trial. European Heart Journal, 2009, 30, 1666-1673.	2.2	68
255	Rationale and design of the multicentre, randomized, doubleâ€blind, placeboâ€controlled Aliskiren Trial on Acute Heart Failure Outcomes (ASTRONAUT). European Journal of Heart Failure, 2011, 13, 100-106.	7.1	68
256	Heart failure in patients with atrial fibrillation in Europe: a report from the <scp>EURObservational</scp> Research Programme Pilot survey on Atrial Fibrillation. European Journal of Heart Failure, 2015, 17, 570-582.	7.1	68
257	Epidemiology of Heart Failure in Europe. Heart Failure Clinics, 2015, 11, 625-635.	2.1	68
258	Usefulness of Temporal Changes in Neurohormones as Markers of Ventricular Remodeling and Prognosis in Patients With Left Ventricular Systolic Dysfunction and Heart Failure Receiving Either Candesartan or Enalapril or Both. American Journal of Cardiology, 2005, 96, 698-704.	1.6	67
259	Statins and symptomatic chronic systolic heart failure: A post-hoc analysis of 5010 patients enrolled in Val-HeFT. International Journal of Cardiology, 2007, 119, 48-53.	1.7	66
260	Important Differences in Mode of Death Between Men and Women With Heart Failure Who Would Qualify for a Primary Prevention Implantable Cardioverter-Defibrillator. Circulation, 2012, 126, 2402-2407.	1.6	66
261	Cost of poor adherence to anti-hypertensive therapy in five European countries. European Journal of Health Economics, 2015, 16, 65-72.	2.8	66
262	Randomized Evaluation of the Effects of Anacetrapib through Lipid-modification (REVEAL)—A large-scale, randomized, placebo-controlled trial of the clinical effects of anacetrapib among people with established vascular disease: Trial design, recruitment, and baseline characteristics. American Heart Journal, 2017, 187, 182-190.	2.7	66
263	Identifying Novel Biomarkers for Cardiovascular Events or Death in People With Dysglycemia. Circulation, 2015, 132, 2297-2304.	1.6	64
264	Coronary Plaque Features on CTA CanÂldentify Patients at Increased Risk ofÂCardiovascular Events. JACC: Cardiovascular Imaging, 2020, 13, 1704-1717.	5.3	64
265	Circulating cardiovascular biomarkers in recurrent atrial fibrillation: data from the GISSI-Atrial Fibrillation Trial. Journal of Internal Medicine, 2011, 269, 160-171.	6.0	63
266	Current presentation and management of 7148 patients with atrial fibrillation in cardiology and internal medicine hospital centers: The ATA AF study. International Journal of Cardiology, 2013, 167, 2895-2903.	1.7	63
267	Microvascular and Cardiovascular Outcomes According to Renal Function in Patients Treated With Once-Weekly Exenatide: Insights From the EXSCEL Trial. Diabetes Care, 2020, 43, 446-452.	8.6	63
268	Elevated Plasma Renin Activity Predicts Adverse Outcome in Chronic Heart Failure, Independently of Pharmacologic Therapy: Data From the Valsartan Heart Failure Trial (Val-HeFT). Journal of Cardiac Failure, 2010, 16, 964-970.	1.7	62
269	The Impact of Chronic Obstructive Pulmonary Disease in Patients Hospitalized for Worsening Heart Failure With Reduced Ejection Fraction: An Analysis of the EVEREST Trial. Journal of Cardiac Failure, 2012, 18, 515-523.	1.7	62
270	Relationship between HbA1c levels and risk of cardiovascular adverse outcomes and all-cause mortality in overweight and obese cardiovascular high-risk women and men with type 2 diabetes. Diabetologia, 2012, 55, 2348-2355.	6.3	62

#	Article	IF	CITATIONS
271	Comparison of one-year outcome in women versus men with chronic congestive heart failure. American Journal of Cardiology, 2000, 86, 353-357.	1.6	61
272	Association of Arginine Vasopressin Levels With Outcomes and the Effect of V2 Blockade in Patients Hospitalized for Heart Failure With Reduced Ejection Fraction. Circulation: Heart Failure, 2013, 6, 47-52.	3.9	61
273	â€~Real-world' management and outcomes of patients with paroxysmal vs. non-paroxysmal atrial fibrillation in Europe: the EURObservational Research Programme–Atrial Fibrillation (EORP-AF) General Pilot Registry. Europace, 2016, 18, 648.1-657.	1.7	61
274	Prognostic value of osteoprotegerin in chronic heart failure: The GISSI-HF trial. American Heart Journal, 2010, 160, 286-293.	2.7	60
275	Plasma n-3 polyunsaturated fatty acids in chronic heart failure in the GISSI-Heart Failure Trial: Relation with fish intake, circulating biomarkers, and mortality. American Heart Journal, 2013, 165, 208-215.e4.	2.7	60
276	Heart failure prognosis over time: how the prognostic role of oxygen consumption and ventilatory efficiency during exercise has changed in the last 20 years. European Journal of Heart Failure, 2019, 21, 208-217.	7.1	60
277	Baseline characteristics and outcomes of patients with heart failure receiving bronchodilators in the CHARM programme. European Journal of Heart Failure, 2010, 12, 557-565.	7.1	59
278	The Prognostic Significance of Heart Rate in Patients Hospitalized for Heart Failure With Reduced Ejection Fraction in Sinus Rhythm. JACC: Heart Failure, 2013, 1, 488-496.	4.1	58
279	Relationship Between Clinical Trial Site Enrollment With Participant Characteristics, Protocol Completion, and Outcomes. Journal of the American College of Cardiology, 2013, 61, 571-579.	2.8	58
280	Global variation in clinical profile, management, and postâ€discharge outcomes among patients hospitalized for worsening chronic heart failure: findings from the <scp>ASTRONAUT</scp> trial. European Journal of Heart Failure, 2015, 17, 591-600.	7.1	58
281	Comparison of frequency, diagnostic and prognostic significance of pericardial involvement in acute myocardial infarction treated with and without thrombolytics. American Journal of Cardiology, 1993, 71, 1377-1381.	1.6	56
282	Prognostic significance of double product and inadequate double product response to maximal symptom-limited exercise stress testing after myocardial infarction in 6296 patients treated with thrombolytic agents. American Heart Journal, 1999, 137, 443-452.	2.7	56
283	European Cardiomyopathy Pilot Registry: EURObservational Research Programme of the European Society of Cardiology. European Heart Journal, 2016, 37, 164-173.	2.2	56
284	EuroHeart: European Unified Registries On Heart Care Evaluation and Randomized Trials. European Heart Journal, 2019, 40, 2745-2749.	2.2	56
285	Major cardiac and vascular complications after transvenous lead extraction: acute outcome and predictive factors from the ESC-EHRA ELECTRa (European Lead Extraction ConTRolled) registry. Europace, 2019, 21, 771-780.	1.7	56
286	Coffee Consumption and Risk of Cardiovascular Events After Acute Myocardial Infarction. Circulation, 2007, 116, 2944-2951.	1.6	55
287	â€~Real-world' atrial fibrillation management in Europe: observations from the 2-year follow-up of the EURObservational Research Programme-Atrial Fibrillation General Registry Pilot Phase. Europace, 2016, 19, euw112.	1.7	55
288	Cardiovascular and Other Outcomes Postintervention With Insulin Glargine and Omega-3 Fatty Acids (ORIGINALE). Diabetes Care, 2016, 39, 709-716.	8.6	55

#	Article	IF	CITATIONS
289	Epidemiology of non-ST elevation acute coronary syndromes in the Italian cardiology network: the BLITZ-2 study. European Heart Journal, 2006, 27, 393-405.	2.2	54
290	Uric Acid as a Risk Factor for Cardiovascular Disease and Mortality in Overweight/Obese Individuals. PLoS ONE, 2013, 8, e59121.	2.5	54
291	Relation of Serum Uric Acid Levels and Outcomes Among Patients Hospitalized for Worsening Heart Failure With Reduced Ejection Fraction (from the Efficacy of Vasopressin Antagonism in Heart Failure) Tj ETQq1 1	017684314	1 ngeBT /Over
292	Predictors of Heart Failure in Patients With Stable Coronary Artery Disease. Circulation: Heart Failure, 2009, 2, 209-216.	3.9	53
293	Effects of n-3 polyunsaturated fatty acids on malignant ventricular arrhythmias in patients with chronic heart failure and implantable cardioverter-defibrillators: A substudy of the Gruppo Italiano per lo Studio della Sopravvivenza nell'Insufficienza Cardiaca (GISSI-HF) trial. American Heart Journal, 2011. 161. 338-343.e1.	2.7	53
294	Effect of aliskiren on post-discharge outcomes among diabetic and non-diabetic patients hospitalized for heart failure: insights from the ASTRONAUT trial. European Heart Journal, 2013, 34, 3117-3127.	2.2	53
295	Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. European Heart Journal, 2015, 36, 1106-1114.	2.2	53
296	The ESC-EORP EURO-ENDO (European Infective Endocarditis) registry. European Heart Journal Quality of Care & Clinical Outcomes, 2019, 5, 202-207.	4.0	53
297	Comparative impact of enalapril, candesartan or metoprolol alone or in combination on ventricular remodelling in patients with congestive heart failure. European Heart Journal, 2003, 24, 1727-1734.	2.2	52
298	Age-Related Differences in Presentation, Treatment, and Outcome of Patients WithÂAtrial Fibrillation in Europe. JACC: Clinical Electrophysiology, 2015, 1, 326-334.	3.2	52
299	Length of hospital stay and 30â€day readmission following heart failure hospitalization: insights from the <scp>EVEREST</scp> trial. European Journal of Heart Failure, 2015, 17, 1022-1031.	7.1	52
300	European Society of Cardiology methodology for the development of quality indicators for the quantification of cardiovascular care and outcomes. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 4-13.	4.0	52
301	Survival and hospitalization in heart failure patients with or without diabetes treated with β-blockers. Journal of Cardiac Failure, 2003, 9, 192-202.	1.7	51
302	Current management and future directions for the treatment of patients hospitalized for heart failure with low blood pressure. Heart Failure Reviews, 2013, 18, 107-122.	3.9	51
303	Serum aldosterone is associated with mortality and reâ€hospitalization in patients with reduced ejection fraction hospitalized for acute heart failure: analysis from the EVEREST trial. European Journal of Heart Failure, 2013, 15, 1228-1235.	7.1	51
304	Clomerular filtration rate in patients with atrial fibrillation and 1-year outcomes. Scientific Reports, 2016, 6, 30271.	3.3	51
305	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Postâ€Hoc Analysis of the GISSIâ€HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1	1:077843	1 ∕a∎ gBT /Ov
306	Increased burden of comorbidities and risk of cardiovascular death in atrial fibrillation patients in Europe over ten years: A comparison between EORP-AF pilot and EHS-AF registries. European Journal of Internal Medicine, 2018, 55, 28-34.	2.2	51

#	Article	IF	CITATIONS
307	Prognostic value of a history of hypertension in 11483 patients with acute myocardial infarction treated with thrombolysis. Journal of Hypertension, 1996, 14, 743-750.	0.5	50
308	Different Normalizations for Body Size and Population Attributable Risk of Left Ventricular Hypertrophy: The MAVI Study. American Journal of Hypertension, 2005, 18, 1288-1293.	2.0	50
309	Omega-3 fatty acid supplementation reduces one-year risk of atrial fibrillation in patients hospitalized with myocardial infarction. European Journal of Clinical Pharmacology, 2008, 64, 627-634.	1.9	49
310	Clinical presentation and outcome by age categories in acute heart failure: results from an international observational cohort. European Journal of Heart Failure, 2015, 17, 1114-1123.	7.1	49
311	Baseline characteristics of patients enrolled in the Exenatide Study of Cardiovascular Event Lowering (EXSCEL). American Heart Journal, 2017, 187, 1-9.	2.7	49
312	A comprehensive characterization of acute heart failure with preserved versus mildly reduced versus reduced ejection fraction–Âinsights from the <scp>ESCâ€HFA EORP</scp> Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2022, 24, 335-350.	7.1	49
313	Predictors of nonfetal reinfarction in survivors of myocardial infarction after thrombolysis. Journal of the American College of Cardiology, 1994, 24, 608-615.	2.8	48
314	Phase III clinical trial end points in acute heart failure syndromes: A virtual roundtable with the acute heart failure syndromes international working group. American Heart Journal, 2009, 157, 957-970.	2.7	48
315	Patients with prior coronary artery bypass grafting have a poor outcome after myocardial infarction: an analysis of the VALsartan in acute myocardial iNfarcTion trial (VALIANT). European Heart Journal, 2009, 30, 1450-1456.	2.2	47
316	Adverse outcomes in patients with atrial fibrillation and peripheral arterial disease: a report from the EURObservational research programme pilot survey on atrial fibrillation. Europace, 2017, 19, 1439-1448.	1.7	47
317	Association between antithrombotic treatment and outcomes at 1-year follow-up in patients with atrial fibrillation: the EORP-AF General Long-Term Registry. Europace, 2019, 21, 1013-1022.	1.7	47
318	The association of long-term outcome and biological sex in patients with acute heart failure from different geographic regions. European Heart Journal, 2020, 41, 1357-1364.	2.2	47
319	Depression worsens outcomes in elderly patients with heart failure: An analysis of 48,117 patients in a community setting. European Journal of Heart Failure, 2008, 10, 714-721.	7.1	46
320	Validity and reliability of the HeartQoL questionnaire in a large sample of stable coronary patients: The EUROASPIRE IV Study of the European Society of Cardiology. European Journal of Preventive Cardiology, 2016, 23, 714-721.	1.8	46
321	Prevalence and Prognostic Impact of Chronic Obstructive Pulmonary Disease in Patients with Chronic Heart Failure: Data from the GISSI-HF Trial. Cardiology, 2017, 136, 128-137.	1.4	46
322	Heterogeneity prevails: the state of clinical trial data management in Europe - results of a survey of ECRIN centres. Trials, 2010, 11, 79.	1.6	45
323	The interâ€relationship of diabetes and left ventricular systolic function on outcome after highâ€risk myocardial infarction. European Journal of Heart Failure, 2010, 12, 1229-1237.	7.1	45
324	Ventricular tachyarrhythmia during pregnancy in women with heart disease: Data from the ROPAC, a registry from the European Society of Cardiology. International Journal of Cardiology, 2016, 220, 131-136.	1.7	45

#	Article	IF	CITATIONS
325	Electrocardiographic evolutionary changes and left ventricular remodeling after acute myocardial infarction11The Investigators and Institutions participating in the GISSI-3 Echo Substudy are listed in the Appendix Journal of the American College of Cardiology, 2000, 35, 127-135.	2.8	44
326	Cost-effectiveness of low-dose colchicine after myocardial infarction in the Colchicine Cardiovascular Outcomes Trial (COLCOT). European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 486-495.	4.0	44
327	Rationale and design of the GISSI-Atrial Fibrillation trial: a randomized, prospective, multicentre study on the use of valsartan, an angiotensin II AT1-receptor blocker, in the prevention of atrial fibrillation recurrence. Journal of Cardiovascular Medicine, 2006, 7, 29-38.	1.5	42
328	Addition of either pioglitazone or a sulfonylurea in type 2 diabetic patients inadequately controlled with metformin alone: Impact on cardiovascular events. A randomized controlled trial. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 997-1006.	2.6	42
329	Wine consumption and risk of cardiovascular events after myocardial infarction: Results from the GISSI-Prevenzione trial. International Journal of Cardiology, 2013, 163, 282-287.	1.7	42
330	Secondary prevention after acute myocardial infarction: Drug adherence, treatment goals, and predictors of health lifestyle habits. The BLITZ-4 Registry. European Journal of Preventive Cardiology, 2015, 22, 1548-1556.	1.8	42
331	Prognostic importance of emerging cardiac, inflammatory, and renal biomarkers in chronic heart failure patients with reduced ejection fraction and anaemia: REDâ€HF study. European Journal of Heart Failure, 2018, 20, 268-277.	7.1	42
332	Heart Rate in Coronary Syndromes and Heart Failure. Progress in Cardiovascular Diseases, 2009, 52, 38-45.	3.1	41
333	Epidemiology and patterns of care of patients admitted to Italian Intensive Cardiac Care units: the BLITZ-3 registry. Journal of Cardiovascular Medicine, 2010, 11, 450-461.	1.5	41
334	Uric acid: A cardiovascular risk factor in patients with recent myocardial infarction. International Journal of Cardiology, 2013, 167, 262-269.	1.7	41
335	Regional differences in presentation and treatment of patients with atrial fibrillation in Europe: a report from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) Pilot General Registry. Europace, 2015, 17, 194-206.	1.7	41
336	Non-alcoholic fatty liver disease and increased risk of all-cause mortality in elderly patients admitted for acute heart failure. International Journal of Cardiology, 2018, 265, 162-168.	1.7	41
337	Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology. European Journal of Heart Failure, 2022, 24, 143-168.	7.1	41
338	The â€ ⁻ real' woman with heart failure. Impact of sex on current in-hospital management of heart failure by cardiologists and internists. European Journal of Heart Failure, 2004, 6, 769-779.	7.1	40
339	Prognostic Value of Serial Electrocardiographic Voltage and Repolarization Changes in Essential Hypertension: The HEART Survey Study. American Journal of Hypertension, 2007, 20, 997-1004.	2.0	39
340	Do statins reduce the risk of myocardial infarction in patients with heart failure? A pooled individualâ€level reanalysis of CORONA and GISSIâ€HF. European Journal of Heart Failure, 2015, 17, 434-441.	7.1	39
341	Procedural outcomes associated with transvenous lead extraction in patients with abandoned leads: an ESC-EHRA ELECTRa (European Lead Extraction ConTRolled) Registry Sub-Analysis. Europace, 2019, 21, 645-654.	1.7	39
342	European Society of Cardiology: Cardiovascular Disease Statistics 2019 (Executive Summary). European Heart Journal Quality of Care & Clinical Outcomes, 2020, 6, 7-9.	4.0	39

#	Article	IF	CITATIONS
343	Temporal Trends in Survival and Hospitalizations in Outpatients With Chronic Systolic Heart Failure in 1995 and 1999. Journal of Cardiac Failure, 2005, 11, 270-278.	1.7	38
344	Left ventricular systolic and diastolic function, remodelling, and clinical outcomes among patients with diabetes following myocardial infarction and the influence of direct renin inhibition with aliskiren. European Journal of Heart Failure, 2012, 14, 185-192.	7.1	38
345	Thromboembolic event rate in paroxysmal and persistent atrial fibrillation: Data from the GISSI-AF trial. BMC Cardiovascular Disorders, 2013, 13, 28.	1.7	38
346	Impact of chronic obstructive pulmonary disease on prognosis in atrial fibrillation: A report from the EURObservational Research Programme Pilot Survey on Atrial Fibrillation (EORP-AF) General Registry. American Heart Journal, 2016, 181, 83-91.	2.7	38
347	Confirming the Bidirectional Nature of the Association Between Severe Hypoglycemic and Cardiovascular Events in Type 2 Diabetes: Insights From EXSCEL. Diabetes Care, 2020, 43, 643-652.	8.6	38
348	Risk stratification of patients undergoing transvenous lead extraction with the ELECTRa Registry Outcome Score (EROS): an ESC EHRA EORP European lead extraction ConTRolled ELECTRa registry analysis. Europace, 2021, 23, 1462-1471.	1.7	38
349	Effect of n-3 polyunsaturated fatty acids and rosuvastatin in patients with heart failure: results of the GISSI-HF trial. Expert Review of Cardiovascular Therapy, 2009, 7, 735-748.	1.5	37
350	Effects of tolvaptan on physician-assessed symptoms and signs in patients hospitalized with acute heart failure syndromes: Analysis from the Efficacy of Vasopressin Antagonism in Heart Failure Outcome Study with Tolvaptan (EVEREST) Trials. American Heart Journal, 2011, 161, 1067-1072.	2.7	37
351	Overweight, obesity, and outcomes: fat mass and beyond. Lancet, The, 2014, 383, 935-936.	13.7	37
352	Changes in Serum Potassium Levels During Hospitalization in Patients With Worsening Heart Failure and Reduced Ejection Fraction (from the EVEREST Trial). American Journal of Cardiology, 2015, 115, 790-796.	1.6	37
353	Short- and long-term mortality and hospital readmissions among patients with new hospitalization for heart failure: A population-based investigation from Italy. International Journal of Cardiology, 2015, 181, 81-87.	1.7	37
354	Real-world cost effectiveness of MitraClip combined with Medical Therapy Versus Medical therapy alone in patients with moderate or severe mitral regurgitation. International Journal of Cardiology, 2016, 209, 153-160.	1.7	37
355	Four-year trends in oral anticoagulant use and declining rates of ischemic stroke among 194,030 atrial fibrillation patients drawn from a sample of 12 million people. American Heart Journal, 2020, 220, 12-19.	2.7	37
356	Reperfusion therapies and in-hospital outcomes for ST-elevation myocardial infarction in Europe: the ACVC-EAPCI EORP STEMI Registry of the European Society of Cardiology. European Heart Journal, 2021, 42, 4536-4549.	2.2	37
357	The management of acute myocardial infarction in the cardiological intensive care units in Italy: the â€~BLITZ 4 QualitÃ' campaign for performance measurement and quality improvement. European Heart Journal: Acute Cardiovascular Care, 2012, 1, 143-152.	1.0	36
358	Body surface area as a prognostic marker in chronic heart failure patients: results from the Heart Failure Registry of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2016, 18, 859-868.	7.1	36
359	Mechanisms linking empagliflozin to cardiovascular and renal protection. International Journal of Cardiology, 2017, 241, 450-456.	1.7	36
360	Bleeding and New Cancer Diagnosis in Patients With Atherosclerosis. Circulation, 2019, 140, 1451-1459.	1.6	36

#	Article	IF	CITATIONS
361	Association between loop diuretic dose changes and outcomes in chronic heart failure: observations from the ESCâ€EORP Heart Failure Longâ€Term Registry. European Journal of Heart Failure, 2020, 22, 1424-1437.	7.1	36
362	Amiodarone distribution in human tissues after sudden death during holter recording. American Journal of Cardiology, 1983, 52, 217-218.	1.6	35
363	Incidence of atrial fibrillation in a population with impaired glucose tolerance: The contribution of glucose metabolism and other risk factors. A post hoc analysis of the Nateglinide and Valsartan in Impaired Glucose Tolerance Outcomes Research trial. American Heart Journal, 2013, 166, 935-940.e1.	2.7	35
364	EACVI/HFA Cardiac Oncology Toxicity Registry in breast cancer patients: rationale, study design, and methodology (EACVI/HFA COT Registry)–EURObservational Research Program of the European Society of Cardiology. European Heart Journal Cardiovascular Imaging, 2015, 16, 466-470.	1.2	35
365	Sacubitril/valsartan eligibility and outcomes in the ESCâ€EORPâ€HFA Heart Failure Longâ€Term Registry: bridging between European Medicines Agency/Food and Drug Administration label, the PARADIGMâ€HF trial, ESC guidelines, and real world. European Journal of Heart Failure, 2019, 21, 1383-1397.	7.1	35
366	Incidence and Outcomes of Pneumonia in Patients With HeartÂFailure. Journal of the American College of Cardiology, 2021, 77, 1961-1973.	2.8	35
367	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery. JAMA Cardiology, 2021, 6, 1042.	6.1	35
368	Long-Term Effects of Percutaneous Coronary Intervention of the Totally Occluded Infarct-Related Artery in the Subacute Phase After Myocardial Infarction. Circulation, 2011, 124, 2320-2328.	1.6	34
369	Clinical Profile and Prognostic Value of Anemia at the Time of Admission and Discharge Among Patients Hospitalized for Heart Failure With Reduced Ejection Fraction. Circulation: Heart Failure, 2014, 7, 401-408.	3.9	34
370	Clinical characteristics and management of hospitalized and ambulatory patients with heart failure–results from ESC heart failure longâ€ŧerm registry–Egyptian cohort. ESC Heart Failure, 2015, 2, 159-167.	3.1	34
371	Coronary Artery Disease and Type 2 Diabetes: A Proteomic Study. Diabetes Care, 2020, 43, 843-851.	8.6	34
372	Fatal myocardial rupture after acute myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: The VALsartan In Acute myocardial iNfarcTion Trial (VALIANT). American Heart Journal, 2010, 160, 145-151.	2.7	33
373	<i>>n</i> â€3 polyunsaturated fatty acids and atrial fibrillation in patients with chronic heart failure: the GISSIâ€HF trial. European Journal of Heart Failure, 2013, 15, 1289-1295.	7.1	33
374	Prognostic impact of in-hospital hyperglycemia in hospitalized patients with acute heart failure: Results of the IN-HF (Italian Network on Heart Failure) Outcome registry. International Journal of Cardiology, 2016, 203, 587-593.	1.7	33
375	Preâ€discharge and early postâ€discharge troponin elevation among patients hospitalized for heart failure with reduced ejection fraction: findings from the ASTRONAUT trial. European Journal of Heart Failure, 2018, 20, 281-291.	7.1	33
376	High pulse pressure and low mean arterial pressure: two predictors of death after a myocardial infarction. Journal of Hypertension, 2006, 24, 2377-2385.	0.5	32
377	Clinical trials in acute heart failure: simpler solutions to complex problems. Consensus document arising from a European Society of Cardiology cardiovascular round-table think tank on acute heart failure, 12 May 2009. European Journal of Heart Failure, 2011, 13, 1253-1260.	7.1	32
378	The 30â€day metric in acute heart failure revisited: data from <scp>INâ€HF</scp> Outcome, an Italian nationwide cardiology registry. European Journal of Heart Failure, 2015, 17, 1032-1041.	7.1	32

#	Article	IF	CITATIONS
379	Self-reported physical activity and major adverse events in patients with atrial fibrillation: a report from the EURObservational Research Programme Pilot Survey on Atrial Fibrillation (EORP-AF) General Registry. Europace, 2017, 19, euw150.	1.7	32
380	Association of betaâ€blocker treatment with mortality following myocardial infarction in patients with chronic obstructive pulmonary disease and heart failure or left ventricular dysfunction: a propensity matchedâ€cohort analysis from the Highâ€Risk Myocardial Infarction Database Initiative. European Journal of Heart Failure, 2017, 19, 271-279.	7.1	32
381	Atrial fibrillation management strategies and early mortality after myocardial infarction: results from the Valsartan in Acute Myocardial Infarction (VALIANT) Trial. Heart, 2010, 96, 838-842.	2.9	31
382	Predicting atrial fibrillation recurrence with circulating inflammatory markers in patients in sinus rhythm at high risk for atrial fibrillation: data from the GISSI atrial fibrillation trial. Heart, 2010, 96, 1909-1914.	2.9	31
383	GuÃa de práctica clÃnica de la ESC sobre diagnóstico y tratamiento de la insuficiencia cardiaca aguda y crónica 2012. Revista Espanola De Cardiologia, 2012, 65, 938.e1-938.e59.	1.2	31
384	Rationale for and design of the <scp>TRUEâ€AHF</scp> trial: the effects of ularitide on the shortâ€ŧerm clinical course and longâ€ŧerm mortality of patients with acute heart failure. European Journal of Heart Failure, 2017, 19, 673-681.	7.1	31
385	Statin utilization and lipid goal attainment in high or very-high cardiovascular risk patients: Insights from Italian general practice. Atherosclerosis, 2018, 271, 120-127.	0.8	31
386	Management and prognosis of atrial fibrillation in diabetic patients: an EORP-AF General Pilot Registry report. European Heart Journal - Cardiovascular Pharmacotherapy, 2018, 4, 172-179.	3.0	31
387	Mortality Benefit of Rivaroxaban Plus Aspirin in Patients With Chronic Coronary or Peripheral Artery Disease. Journal of the American College of Cardiology, 2021, 78, 14-23.	2.8	31
388	FDA and CPMP Rulings on Subgroup Analyses. Cardiology, 2007, 107, 97-102.	1.4	30
389	Efficacy of n-3 polyunsaturated fatty acids according to clinical characteristics of patients with recent myocardial infarction: insights from the GISSI-Prevenzione trial. Journal of Cardiovascular Medicine, 2007, 8, S34-S37.	1.5	30
390	Associations of albuminuria in patients with chronic heart failure: findings in the ALiskiren Observation of heart Failure Treatment study. European Journal of Heart Failure, 2011, 13, 746-754.	7.1	30
391	Learning from recent trials and shaping the future of acute heart failure trials. American Heart Journal, 2013, 166, 629-635.	2.7	30
392	Haemodynamic effects, safety, and pharmacokinetics of human stresscopin in heart failure with reduced ejection fractionâ€. European Journal of Heart Failure, 2013, 15, 679-689.	7.1	30
393	Clinical profile and prognostic significance of natriuretic peptide trajectory following hospitalization for worsening chronic heart failure: findings from the <scp>ASTRONAUT</scp> trial. European Journal of Heart Failure, 2015, 17, 98-108.	7.1	30
394	Prognostic impact of elevated serum uric acid levels on long-term outcomes in patients with chronic heart failure: A post-hoc analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza) Tj ETQq0 C	0 rgBT /Ov	verlgck 10 Tf 5
395	205-215. Changes to oral anticoagulant therapy and risk of death over a 3-year follow-up of a contemporary cohort of European patients with atrial fibrillation final report of the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) pilot general registry. International Journal of Cardiology. 2018. 271. 68-74.	1.7	30
396	Major Bleeding in Patients With CoronaryÂor Peripheral Artery Disease Treated With Rivaroxaban Plus Aspirin. Journal of the American College of Cardiology, 2019, 74, 1519-1528.	2.8	30

#	Article	IF	CITATIONS
397	Diabetes and preâ€diabetes in patients with heart failure and preserved ejection fraction. European Journal of Heart Failure, 2022, 24, 497-509.	7.1	30
398	Effect of Colchicine vs Usual Care Alone on Intubation and 28-Day Mortality in Patients Hospitalized With COVID-19. JAMA Network Open, 2021, 4, e2141328.	5.9	30
399	High-risk myocardial infarction in the young: The VALsartan In Acute myocardial iNfarcTion (VALIANT) trial. American Heart Journal, 2008, 155, 706-711.	2.7	29
400	Aldosterone status associated with insulin resistance in patients with heart failuredata from the ALOFT study. Heart, 2009, 95, 1920-1924.	2.9	29
401	Efficacy of oral tolvaptan in acute heart failure patients with hypotension and renal impairment. Journal of Cardiovascular Medicine, 2012, 13, 415-422.	1.5	29
402	EURObservational Research Programme: the Chronic Ischaemic Cardiovascular Disease Registry: Pilot phase (CICD-PILOT). European Heart Journal, 2016, 37, 152-160.	2.2	29
403	Heart failure on admission and the risk of stroke following acute myocardial infarction: the VALIANT registry. European Heart Journal, 2005, 26, 2114-2119.	2.2	28
404	Clinical characteristics of patients with asymptomatic recurrences of atrial fibrillation in the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico–Atrial Fibrillation (GISSI-AF) trial. American Heart Journal, 2011, 162, 382-389.	2.7	28
405	Predictors of early-stage left ventricular dysfunction in type 2 diabetes: results of DYDA study. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 415-423.	2.8	28
406	Analysis of midwall shortening reveals high prevalence of left ventricular myocardial dysfunction in patients with diabetes mellitus: the DYDA study. European Journal of Preventive Cardiology, 2012, 19, 935-943.	1.8	28
407	Prognostic significance of anaemia in patients with heart failure with preserved and reduced ejection fraction: results from the MACGIC individual patient data meta-analysis. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 377-382.	0.5	28
408	Association between hypo- and hyperkalemia and outcome in acute heart failure patients: the role of medications. Clinical Research in Cardiology, 2018, 107, 214-221.	3.3	28
409	Risk factors and clinical outcomes in chronic coronary and peripheral artery disease: An analysis of the randomized, double-blind COMPASS trial. European Journal of Preventive Cardiology, 2020, 27, 296-307.	1.8	28
410	Impact of Sacubitril/Valsartan Versus Ramipril on Total Heart Failure Events in the PARADISE-MI Trial. Circulation, 2022, 145, 87-89.	1.6	28
411	Management of atrial fibrillation in the emergency room and in the cardiology ward: the BLITZ AF study. Europace, 2019, 21, 230-238.	1.7	27
412	Hospital Readmissions of Patients with Heart Failure: The Impact of Hospital and Primary Care Organizational Factors in Northern Italy. PLoS ONE, 2015, 10, e0127796.	2.5	27
413	Left atrium remodeling after acute myocardial infarction (results of the GISSI-3 Echo Substudy). American Journal of Cardiology, 2004, 93, 1156-1159.	1.6	26
414	A clinically practicable diagnostic score for metabolic syndrome improves its predictivity of diabetes mellitus: The Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto miocardico (GISSI)–Prevenzione scoring. American Heart Journal, 2006, 151, 754.e7-754.e17.	2.7	26

#	Article	IF	CITATIONS
415	Causes of death in patients with acute myocardial infarction treated with angiotensin-converting enzyme inhibitors: Findings from the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto (GISSI)–3 trial. American Heart Journal, 2008, 155, 388-394.	2.7	26
416	Regular Wine Consumption in Chronic Heart Failure. Circulation: Heart Failure, 2015, 8, 428-437.	3.9	26
417	Progression of Renal Impairment and Chronic Kidney Disease in Chronic Heart Failure: An Analysis From GISSI-HF. Journal of Cardiac Failure, 2017, 23, 2-9.	1.7	26
418	Retinopathy, Neuropathy, and Subsequent Cardiovascular Events in Patients with Type 2 Diabetes and Acute Coronary Syndrome in the ELIXA: The Importance of Disease Duration. Journal of Diabetes Research, 2018, 2018, 1-9.	2.3	26
419	WITHIN-PATIENT VARIABILITY OF HORMONE AND CYTOKINE CONCENTRATIONS IN HEART FAILURE. Pharmacological Research, 1998, 37, 213-217.	7.1	25
420	Prescription patterns of diuretics in chronic heart failure: A contemporary background as a clue to their role in treatment. Journal of Cardiac Failure, 2003, 9, 210-218.	1.7	25
421	VALIANT (VALsartan In Acute myocardial iNfarcTion) trial. Expert Opinion on Pharmacotherapy, 2005, 6, 507-512.	1.8	25
422	Efficacy of Angiotensin Receptor Blockers in Cardiovascular Disease. Cardiovascular Drugs and Therapy, 2006, 20, 295-308.	2.6	25
423	Programme to improve the use of beta-blockers for heart failure in the elderly and in those with severe symptoms: Results of the BRING-UP 2 Study. European Journal of Heart Failure, 2006, 8, 649-657.	7.1	25
424	Consensus Document ANMCO/ANCE/ARCA/GICR-IACPR/GISE/SICOA: Long-term Antiplatelet Therapy in Patients with Coronary Artery Disease. European Heart Journal Supplements, 2018, 20, F1-F74.	0.1	25
425	Clobal Differences in Heart Failure With Preserved Ejection Fraction. Circulation: Heart Failure, 2021, 14, e007901.	3.9	25
426	The case of gissi in changing the attitudes and practice of Italian cardiologists. Statistics in Medicine, 1990, 9, 17-27.	1.6	24
427	Reproducibility of wall motion score and its correlation with left ventricular ejection fraction in patients with acute myocardial infarction. American Journal of Cardiology, 1996, 78, 855-858.	1.6	24
428	Clinical value of 12-lead electrocardiography to predict the long-term prognosis of gissi-1 patients. Journal of the American College of Cardiology, 2002, 39, 1594-1600.	2.8	24
429	Determinants of use and outcomes of invasive coronary procedures in acute coronary syndromes: results from ENACT. European Heart Journal, 2003, 24, 613-622.	2.2	24
430	Atrial fibrillation or flutter on initial electrocardiogram is associated with worse outcomes in patients admitted for worsening heart failure with reduced ejection fraction: Findings from the EVEREST Trial. American Heart Journal, 2012, 164, 884-892.e2.	2.7	24
431	Management of patients with acute coronary syndromes in real-world practice in Italy: an outcome research study focused on the use of ANTithRombotic Agents: the MANTRA registry. European Heart Journal: Acute Cardiovascular Care, 2013, 2, 27-34.	1.0	24
432	Baseline characteristics of patients in the Reduction of Events with Darbepoetin alfa in Heart Failure trial (REDâ€HF). European Journal of Heart Failure, 2013, 15, 334-341.	7.1	24

#	Article	IF	CITATIONS
433	Exercise oscillatory ventilation and prognosis in heart failure patients with reduced and midâ€range ejection fraction. European Journal of Heart Failure, 2019, 21, 1586-1595.	7.1	24
434	Efficacy and safety of serelaxin when added to standard of care in patients with acute heart failure: results from a PROBE study, RELAXâ€AHFâ€EU. European Journal of Heart Failure, 2019, 21, 322-333.	7.1	24
435	Effects of serelaxin in patients admitted for acute heart failure: a metaâ€analysis. European Journal of Heart Failure, 2020, 22, 315-329.	7.1	24
436	A multinational registry to study the characteristics and outcomes of heart failure patients: The global congestive heart failure (G-CHF) registry. American Heart Journal, 2020, 227, 56-63.	2.7	24
437	Evaluation of highâ€sensitivity Câ€reactive protein and uric acid in vericiguatâ€treated patients with heart failure with reduced ejection fraction. European Journal of Heart Failure, 2020, 22, 1675-1683.	7.1	24
438	Understanding the use of observational and randomized data in cardiovascular medicine. European Heart Journal, 2020, 41, 2571-2578.	2.2	24
439	Outcomes of Participants With Diabetes in the ISCHEMIA Trials. Circulation, 2021, 144, 1380-1395.	1.6	24
440	Outcome of patients on oral anticoagulation undergoing coronary artery stenting: data from discharge to 12 months in the Warfarin and Coronary Stenting (WAR-STENT) Registry. Journal of Invasive Cardiology, 2014, 26, 563-9.	0.4	24
441	Sudden Cardiac Death in Patients With Stable Coronary Artery Disease and Preserved Left Ventricular Systolic Function. American Journal of Cardiology, 2008, 101, 457-461.	1.6	23
442	Clinical characteristics, management, and prognosis of octogenarians with acute heart failure admitted to cardiology wards: Results from the Italian Survey on Acute Heart Failure. American Heart Journal, 2009, 158, 126-132.	2.7	23
443	Clinical epidemiology, management and outcome of acute coronary syndromes in the Italian network on acute coronary syndromes (IN-ACS Outcome study). Acute Cardiac Care, 2012, 14, 71-80.	0.2	23
444	ELECTRa (European Lead Extraction ConTRolled) Registry—Shedding light on transvenous lead extraction real-world practice in Europe. Herzschrittmachertherapie Und Elektrophysiologie, 2013, 24, 171-175.	0.8	23
445	n-3PUFA and Holter-derived autonomic variables in patients with heart failure: Data from the Gruppo Italiano per lo Studio della Sopravvivenza nell'Insufficienza Cardiaca (GISSI-HF) Holter substudy. Heart Rhythm, 2013, 10, 226-232.	0.7	23
446	Treatment with inotropes and related prognosis in acute heart failure: Contemporary data from the Italian Network on Heart Failure (IN-HF) Outcome registry. Journal of Heart and Lung Transplantation, 2014, 33, 1056-1065.	0.6	23
447	Serum Osmolality and Postdischarge Outcomes After Hospitalization for Heart Failure. American Journal of Cardiology, 2016, 117, 1144-1150.	1.6	23
448	Influence of atrial fibrillation on postâ€discharge natriuretic peptide trajectory and clinical outcomes among patients hospitalized for heart failure: insights from the <scp>ASTRONAUT</scp> trial. European Journal of Heart Failure, 2017, 19, 552-562.	7.1	23
449	Overweight and obesity in patients with atrial fibrillation: Sex differences in 1â€year outcomes in the EORPâ€AF General Pilot Registry. Journal of Cardiovascular Electrophysiology, 2018, 29, 566-572.	1.7	23
450	Drug–Drug Interactions and Prescription Appropriateness in Patients with COVID-19: A Retrospective Analysis from a Reference Hospital in Northern Italy. Drugs and Aging, 2020, 37, 925-933.	2.7	23

#	Article	IF	CITATIONS
451	Is heart failure misdiagnosed in hospitalized patients with preserved ejection fraction? From the European Society of Cardiology â€Heart Failure Association EURObservational Research Programme Heart Failure Longâ€Term Registry. ESC Heart Failure, 2020, 7, 2098-2112.	3.1	23
452	The Heart Failure Association Atlas: rationale, objectives, and methods. European Journal of Heart Failure, 2020, 22, 638-645.	7.1	23
453	Differences between familial and sporadic dilated cardiomyopathy: ESC EORP Cardiomyopathy & Myocarditis registry. ESC Heart Failure, 2021, 8, 95-105.	3.1	23
454	Comparison of Renal Function and Cardiovascular Risk Following Acute Myocardial Infarction in Patients With and Without Diabetes Mellitus. American Journal of Cardiology, 2008, 101, 925-929.	1.6	22
455	Clinical predictors of atrial fibrillation recurrence in the Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico–Atrial Fibrillation (CISSI-AF) trial. American Heart Journal, 2010, 159, 857-863.	2.7	22
456	Contemporary antithrombotic strategies in patients with acute coronary syndromes managed without revascularization: insights from the EYESHOT study. European Heart Journal - Cardiovascular Pharmacotherapy, 2015, 1, 168-178.	3.0	22
457	The effect of centre volume and procedure location on major complications and mortality from transvenous lead extraction: an ESC EHRA EORP European Lead Extraction ConTRolled ELECTRa registry subanalysis. Europace, 2020, 22, 1718-1728.	1.7	22
458	Coronary and total thoracic calcium scores predict mortality and provides pathophysiologic insights in COVID-19 patients. Journal of Cardiovascular Computed Tomography, 2021, 15, 421-430.	1.3	22
459	Tolerability of Sibutramine During a 6-week Treatment Period in High-Risk Patients With Cardiovascular Disease and/or Diabetes: A Preliminary Analysis of the Sibutramine Cardiovascular Outcomes (SCOUT) Trial. Journal of Cardiovascular Pharmacology, 2008, 52, 393-402.	1.9	21
460	Influence of documented history of coronary artery disease on outcomes in patients admitted for worsening heart failure with reduced ejection fraction in the EVEREST trial. European Journal of Heart Failure, 2013, 15, 61-68.	7.1	21
461	Association of low body temperature and poor outcomes in patients admitted with worsening heart failure: a substudy of the Efficacy of Vasopressin Antagonism in Heart Failure Outcome Study with Tolvaptan (EVEREST) trial. European Journal of Heart Failure, 2013, 15, 1382-1389.	7.1	21
462	Anemia at Hospital Admission and Its Relation to Outcomes in Patients With Heart Failure (from the) Tj ETQq0 0 (Cardiology, 2017, 119, 2021-2029.) rgBT /Ov 1.6	verlock 10 Tr 21
463	Plasma renin activity, response to aliskiren, and clinical outcomes in patients hospitalized for heart failure: the ASTRONAUT trial. European Journal of Heart Failure, 2018, 20, 677-686.	7.1	21
464	PCSK9 Inhibitors' New Users: Analysis of Prescription Patterns and Patients' Characteristics from an Italian Real-world Study. Clinical Drug Investigation, 2020, 40, 173-181.	2.2	21
465	Study design of Dal-GenE, a pharmacogenetic trial targeting reduction of cardiovascular events with dalcetrapib. American Heart Journal, 2020, 222, 157-165.	2.7	21
466	Integrating High-Sensitivity Troponin T andÂSacubitril/Valsartan Treatment inÂHFpEF. JACC: Heart Failure, 2021, 9, 627-635.	4.1	21
467	Clinical characteristics and predictors of one-year outcome of heart failure patients with atrial fibrillation compared to heart failure patients in sinus rhythm. Kardiologia Polska, 2016, 74, 251-261.	0.6	21
468	Participation versus education: The GISSI story and beyond. American Heart Journal, 2004, 148, 222-229.	2.7	20

#	Article	IF	CITATIONS
469	Effect of canrenone on left ventricular mechanics in patients with mild systolic heart failure and metabolic syndrome: The AREA-in-CHF study. Nutrition, Metabolism and Cardiovascular Diseases, 2011, 21, 783-791.	2.6	20
470	Clinical features, and in-hospital and 1-year mortalities of patients with acute heart failure and severe renal dysfunction. Data from the Italian Registry IN-HF Outcome. International Journal of Cardiology, 2013, 168, 3691-3697.	1.7	20
471	Temporal trends in epidemiology, clinical presentation and management of acute heart failure: results from the Greek cohorts of the Acute Heart Failure Global Registry of Standard Treatment and the European Society of Cardiology-Heart Failure pilot survey. European Heart Journal: Acute Cardiovascular Care. 2014 204887261452701.	1.0	20
472	Changes in Dyspnea Status During Hospitalization and Postdischarge Health-Related Quality of Life in Patients Hospitalized for Heart Failure: Findings From the EVEREST Trial. Circulation: Heart Failure, 2016, 9, .	3.9	20
473	The battle against COVID-19: mortality in Italy. European Heart Journal, 2020, 41, 2050-2052.	2.2	20
474	Methodology for the development of international clinical data standards for common cardiovascular conditions: European Unified Registries for Heart Care Evaluation and Randomised Trials (EuroHeart). European Heart Journal Quality of Care & Clinical Outcomes, 2023, 9, 161-168.	4.0	20
475	Hypertensive disorders in women with peripartum cardiomyopathy: insights from the <scp>ESC</scp> EORP PPCM Registry. European Journal of Heart Failure, 2021, 23, 2058-2069.	7.1	20
476	Role of betaâ€blockers in patients admitted for worsening heart failure in a real world setting: data from the Italian Survey on Acute Heart Failureâ€. European Journal of Heart Failure, 2009, 11, 77-84.	7.1	19
477	Neurohumoral effects of aliskiren in patients with symptomatic heart failure receiving a mineralocorticoid receptor antagonist: the Aliskiren Observation of Heart Failure Treatment study. European Journal of Heart Failure, 2011, 13, 755-764.	7.1	19
478	Relation between serum sodium levels and prognosis in outpatients with chronic heart failure. Journal of Cardiovascular Medicine, 2011, 12, 723-731.	1.5	19
479	RHYTHM-AF: design of an international registry on cardioversion of atrial fibrillation and characteristics of participating centers. BMC Cardiovascular Disorders, 2012, 12, 85.	1.7	19
480	Improving public health by improving clinical trial guidelines and their application. European Heart Journal, 2017, 38, 1632-1637.	2.2	19
481	Regional Validation and Recalibration of Clinical Predictive Models for Patients With Acute Heart Failure. Journal of the American Heart Association, 2017, 6, .	3.7	19
482	Effect of Onceâ€Weekly Exenatide on Clinical Outcomes According to Baseline Risk in Patients With Type 2 Diabetes Mellitus: Insights From the EXSCEL Trial. Journal of the American Heart Association, 2018, 7, e009304.	3.7	19
483	Association of metabolic syndrome with non-thromboembolic adverse cardiac outcomes in patients with atrial fibrillation. European Heart Journal, 2018, 39, 4030-4039.	2.2	19
484	ESC EORP Cardiomyopathy Registry: realâ€life practice of genetic counselling and testing in adult cardiomyopathy patients. ESC Heart Failure, 2020, 7, 3013-3021.	3.1	19
485	ANMCO/ISS/AMD/ANCE/ARCA/FADOI/GICR-IACPR/SICI-GISE/SIBioC/SIC/SICOA/SID/SIF/SIMEU/SIMG/SIMI/SISA Joint Consensus Document on cholesterol and cardiovascular risk: diagnostic–therapeutic pathway in Italy. European Heart Journal Supplements, 2017, 19, D3-D54.	0.1	19
486	Electrocardiographic patterns in acute inferior myocardial infarction with and without right ventricle involvement: Classification, diagnostic and prognostic value, masking effect. Clinical Cardiology, 1999, 22, 37-44.	1.8	18

#	Article	IF	CITATIONS
487	Left Ventricular Assessment in Myocardial Infarction. Archives of Internal Medicine, 2005, 165, 2162.	3.8	18
488	Evolution of renal function during and after an episode of cardiac decompensation: results from the Italian survey on acute heart failure. Journal of Cardiovascular Medicine, 2010, 11, 234-243.	1.5	18
489	Prevalence and prognostic role of anaemia in patients with acute heart failure and preserved or depressed ventricular function. Internal and Emergency Medicine, 2013, 8, 147-155.	2.0	18
490	Prognostic impact of metabolic syndrome in patients with chronic heart failure: Data from GISSI-HF trial. International Journal of Cardiology, 2015, 178, 85-90.	1.7	18
491	Pregnancy outcomes in women with aortic coarctation. Heart, 2021, 107, 290-298.	2.9	18
492	Pregnancy outcomes in women with a systemic right ventricle and transposition of the great arteries results from the ESC-EORP Registry of Pregnancy and Cardiac disease (ROPAC). Heart, 2022, 108, 117-123.	2.9	18
493	Serum uric acid and outcomes in patients with chronic heart failure through the whole spectrum of ejection fraction phenotypes: Analysis of the ESC-EORP Heart Failure Long-Term (HF LT) Registry. European Journal of Internal Medicine, 2021, 89, 65-75.	2.2	18
494	Cardiogenic shock developing in the coronary care unit in patients with ST-elevation myocardial infarction. Journal of Cardiovascular Medicine, 2008, 9, 1023-1029.	1.5	17
495	Implantable Cardioverter-Defibrillators in Patients Hospitalized for Heart Failure With Chronically Reduced Left Ventricular Ejection Fraction. American Journal of Therapeutics, 2010, 17, e78-e87.	0.9	17
496	Early Response to Sibutramine in Patients Not Meeting Current Label Criteria: Preliminary Analysis of SCOUT Leadâ€in Period. Obesity, 2010, 18, 987-994.	3.0	17
497	Weight and blood pressure response to weight management and sibutramine in diabetic and nonâ€diabetic highâ€risk patients: an analysis from the 6â€week leadâ€in period of the sibutramine cardiovascular outcomes (SCOUT) trial. Diabetes, Obesity and Metabolism, 2010, 12, 26-34.	4.4	17
498	Incremental value of echocardiographic assessment beyond clinical evaluation for prediction of death and development of heart failure after high-risk myocardial infarction. American Heart Journal, 2011, 161, 1156-1162.	2.7	17
499	Diagnosis, Clinical Course, and 1-Year Outcome in Patients Hospitalized for Heart Failure With Preserved Ejection Fraction (from the Polish Cohort of the European Society of Cardiology Heart) Tj ETQq1 1 0.	784 £ &4 rgB	T Øverlock
500	Improving Postdischarge Outcomes in Acute Heart Failure. American Journal of Therapeutics, 2018, 25, e475-e486.	0.9	17
501	Synergistic Impact of Systolic Blood Pressure and Perfusion Status on Mortality in Acute Heart Failure. Circulation: Heart Failure, 2021, 14, e007347.	3.9	17
502	Ergometric score systems after myocardial infarction: Prognostic performance of the Duke Treadmill Score, Veterans Administration Medical Center Score, and of a novel score system, GISSI-2 Index, in a cohort of survivors of acute myocardial infarction. American Heart Journal, 2003, 145, 475-483.	2.7	16
503	Baseline characteristics of patients recruited in the AREA IN-CHF study (Antiremodelling Effect of) Tj ETQq1 1 0. Cardiovascular Medicine, 2007, 8, 683-691.	784314 rgE 1.5	3T /Overlock 16
504	CCL21 is associated with fatal outcomes in chronic heart failure: data from CORONA and GISSIâ€HF trials. European Journal of Heart Failure, 2013, 15, 747-755.	7.1	16

#	Article	IF	CITATIONS
505	Hiperpotasemia en pacientes con insuficiencia cardiaca en España y su impacto en las recomendaciones. Registro ESC-EORP-HFA Heart Failure Long-Term. Revista Espanola De Cardiologia, 2020, 73, 313-323.	1.2	16
506	Hyperglycaemia, ejection fraction and the risk of heart failure or cardiovascular death in patients with type 2 diabetes and a recent acute coronary syndrome. European Journal of Heart Failure, 2020, 22, 1133-1143.	7.1	16
507	Association of high-risk coronary atherosclerosis at CCTA with clinical and circulating biomarkers: Insight from CAPIRE study. Journal of Cardiovascular Computed Tomography, 2021, 15, 73-80.	1.3	16
508	Cohort profile: the ESC EURObservational Research Programme Atrial Fibrillation III (AF III) Registry. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 229-237.	4.0	16
509	The hidden interplay between sex and COVID-19 mortality: the role of cardiovascular calcification. GeroScience, 2021, 43, 2215-2229.	4.6	16
510	Measuring multimorbidity inequality across Italy through the multisource comorbidity score: a nationwide study. European Journal of Public Health, 2020, 30, 916-921.	0.3	16
511	Cardiac Amyloidosis Involving the Conduction System and the Aortocoronary Neuroreceptors. Chest, 1986, 90, 619-621.	0.8	15
512	Pericardial involvement in acute myocardial infarction in the postâ€thrombolytic era: Clinical meaning and value. Clinical Cardiology, 1997, 20, 327-331.	1.8	15
513	Introducing new treatments in clinical practice: the Italian approach to beta Âblockers in heart failure. Heart, 1999, 81, 453-454.	2.9	15
514	The continuation of the Prevention of Events With Angiotensin-Converting Enzyme Inhibition (PEACE) Trial. American Heart Journal, 2001, 142, 375-377.	2.7	15
515	Predictors of Outcome and the Lack of Effect of Percutaneous Coronary Intervention Across the Risk Strata in Patients With Persistent Total Occlusion After Myocardial Infarction. JACC: Cardiovascular Interventions, 2008, 1, 511-520.	2.9	15
516	Rationale, design, and results from RENO-DEFEND 1: A randomized, dose-finding study of the selective A1 adenosine antagonist SLV320 in patients hospitalized with acute heart failure. American Heart Journal, 2011, 161, 1012-1023.e3.	2.7	15
517	Opposing Effects of Î ² Blockers and Angiotensin-Converting Enzyme Inhibitors on Development of New-Onset Diabetes Mellitus in Patients With Stable Coronary Artery Disease. American Journal of Cardiology, 2011, 107, 1705-1709.	1.6	15
518	Inhibition of the renin–angiotensin–aldosterone system. Journal of Hypertension, 2012, 30, 647-654.	0.5	15
519	Decision making for oral anticoagulants in atrial fibrillation: The ATA-AF study. European Journal of Internal Medicine, 2013, 24, 324-332.	2.2	15
520	Left ventricular dysfunction and outcome at two-year follow-up in patients with type 2 diabetes: The DYDA study. Diabetes Research and Clinical Practice, 2013, 101, 236-242.	2.8	15
521	Adaptive servo ventilation reduces central sleep apnea in chronic heart failure patients. Journal of Cardiovascular Medicine, 2013, 14, 296-300.	1.5	15

522 Temporal Changes in Postdischarge Mortality Risk After Hospitalization for Heart Failure (from the) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50

#	Article	IF	CITATIONS
523	Increases in Natriuretic Peptides Precede Heart Failure Hospitalization in Patients With a Recent Coronary Event and Type 2 Diabetes Mellitus. Circulation, 2017, 136, 1560-1562.	1.6	15
524	Influence of risk factors in the ESCâ€EHRA EORP atrial fibrillation ablation longâ€ŧerm registry. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 1365-1373.	1.2	15
525	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline. Stroke, 2020, 51, 2901-2909.	2.0	15
526	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. European Psychiatry, 2021, 64, e7.	0.2	15
527	Causes of cardiovascular and noncardiovascular death in the ISCHEMIA trial. American Heart Journal, 2022, 248, 72-83.	2.7	15
528	Ischemic Cardiomyopathy versus Non-Ischemic Dilated Cardiomyopathy in Patients with Reduced Ejection Fraction— Clinical Characteristics and Prognosis Depending on Heart Failure Etiology (Data) Tj ETQqO	0 O. 18gBT /	Ov es lock 101
529	Cost-Effectiveness Analysis of Early Lisinopril Use in Patients With Acute Myocardial Infarction. Pharmacoeconomics, 1998, 13, 337-346.	3.3	14
530	Epidemiologic study of use of resources in patients with unstable angina: The EARISA Registry. American Heart Journal, 2000, 140, 253-261.	2.7	14
531	Congestive heart failure complicating non-ST segment elevation acute coronary syndrome: incidence, predictors, and clinical outcomes. Canadian Journal of Physiology and Pharmacology, 2005, 83, 98-103.	1.4	14
532	Adiponectin in chronic heart failure: influence of diabetes and genetic variants. European Journal of Clinical Investigation, 2011, 41, 1330-1338.	3.4	14
533	Left Atrial Remodeling and Response to Valsartan in the Prevention of Recurrent Atrial Fibrillation. Circulation: Cardiovascular Imaging, 2011, 4, 721-728.	2.6	14
534	Prognostic Value of Monocyte Count in Patients Hospitalized for Heart Failure With Reduced Ejection Fraction (from the EVEREST Trial). American Journal of Cardiology, 2012, 110, 1657-1662.	1.6	14
535	Should we revise our approach to 'optimal medical therapy'? The case of chronic heart failure. European Heart Journal, 2013, 34, 2792-2794.	2.2	14
536	Coronary atherosclerosis in outlier subjects at the opposite extremes of traditional risk factors: Rationale and preliminary results of the Coronary Atherosclerosis in outlier subjects: Protective and novel Individual Risk factors Evaluation (CAPIRE) study. American Heart Journal, 2016, 173, 18-26.	2.7	14
537	Usefulness of High-Sensitivity Cardiac Troponin T for the Identification of Outlier Patients With Diffuse Coronary Atherosclerosis and Low-Risk Factors. American Journal of Cardiology, 2016, 117, 1397-1404.	1.6	14
538	The use of HeartQoL in patients with coronary heart disease: Association with risk factors and European reference values. The EUROASPIRE IV study of the European Society of Cardiology. European Journal of Preventive Cardiology, 2016, 23, 1174-1186.	1.8	14
539	Are all people with diabetes and cardiovascular risk factors or microvascular complications at very high risk? Findings from the Risk and Prevention Study. Acta Diabetologica, 2017, 54, 123-131.	2.5	14
540	Clinical outcomes, pharmacological treatment, and quality of life of patients with stable coronary artery diseases managed by cardiologists: 1-year results of the START study. European Heart Journal Quality of Care & Clinical Outcomes, 2019, 5, 334-342.	4.0	14

#	Article	IF	CITATIONS
541	Pregnancy Outcomes in Women After Arterial Switch Operation for Transposition of the Great Arteries: Results From ROPAC (Registry of Pregnancy and Cardiac Disease) of the European Society of Cardiology EURObservational Research Programme. Journal of the American Heart Association, 2021, 10, e018176.	3.7	14
542	The influence of metformin and the presence of type 2 diabetes mellitus on mortality and hospitalisation in patients with heart failure. Kardiologia Polska, 2018, 76, 1336-1343.	0.6	14
543	Flecainide Half-Life Prolongation in 2 Patients with Congestive Heart Failure and Complex Ventricular. Clinical Pharmacokinetics, 1988, 14, 187-188.	3.5	13
544	Diltiazem improves left ventricular systolic function following acute myocardial infarction treated with streptokinase. American Journal of Cardiology, 1996, 78, 1049-1052.	1.6	13
545	Where Are We With the Management of Hypertension? From Science to Clinical Practice. Journal of Clinical Hypertension, 2009, 11, 66-73.	2.0	13
546	Cardiovascular risk reduction: What do recent trials with rosuvastatin tell us?. Advances in Therapy, 2009, 26, 469-487.	2.9	13
547	Renin Inhibitors in Chronic Heart Failure: The Aliskiren Observation of Heart Failure Treatment Study in Context. Clinical Cardiology, 2010, 33, 536-541.	1.8	13
548	Evidence for the efficacy of ARBs across the cardiovascular continuum. Current Medical Research and Opinion, 2010, 26, 1203-1218.	1.9	13
549	Age-Dependent Prognostic Significance of Atrial Fibrillation in Outpatients with Chronic Heart Failure: Data from the Italian Network on Congestive Heart Failure Registry. Cardiology, 2010, 116, 79-88.	1.4	13
550	Regional differences in referral, procedures, and outcome after ablation for atrial fibrillation in Europe: a report from the Atrial Fibrillation Ablation Pilot Registry of the European Society of Cardiology. Europace, 2016, 18, 191-200.	1.7	13
551	East Asia may have a better 1â€year survival following an acute heart failure episode compared with Europe: results from an international observational cohort. European Journal of Heart Failure, 2018, 20, 1071-1075.	7.1	13
552	Dose-dependent efficacy of β-blocker in patients with chronic heart failure and atrial fibrillation. International Journal of Cardiology, 2018, 273, 141-146.	1.7	13
553	Patterns of treatment with antiplatelet therapy after an acute coronary syndrome: Data from a large database in a community setting. European Journal of Preventive Cardiology, 2019, 26, 836-846.	1.8	13
554	GlObal Secondary Prevention strategiEs to Limit event recurrence after myocardial infarction: the GOSPEL study. A trial from the Italian Cardiac Rehabilitation Network: rationale and design. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 555-561.	2.8	13
555	Impact of Chronic Obstructive Pulmonary Disease in Patients With Heart Failure With Preserved Ejection Fraction: Insights From PARAGONâ€HF. Journal of the American Heart Association, 2021, 10, e021494.	3.7	13
556	Prognostic significance of serum uric acid in outpatients with chronic heart failure is complex and related to body mass index: Data from the IN-CHF Registry. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 442-448.	2.6	12
557	The chronic ischaemic cardiovascular disease ESC Pilot Registry: Results of the six-month follow-up. European Journal of Preventive Cardiology, 2018, 25, 377-387.	1.8	12
558	Effect of Systemic Hypertension With Versus Without Left Ventricular Hypertrophy on the Progression of Atrial Fibrillation (from the Euro Heart Survey). American Journal of Cardiology, 2018, 122, 578-583.	1.6	12

#	Article	IF	CITATIONS
559	Relation between plasma ceramides and cardiovascular death in chronic heart failure: A subset analysis of the GISSIâ€HF trial. ESC Heart Failure, 2020, 7, 3288-3297.	3.1	12
560	Total NT-proBNP, a novel biomarker related to recurrent atrial fibrillation. BMC Cardiovascular Disorders, 2021, 21, 553.	1.7	12
561	Intraventricular conduction defects in patients with congestive heart failure: left but not right bundle branch block is an independent predictor of prognosis. A report from the Italian Network on Congestive Heart Failure (IN-CHF database). Italian Heart Journal: Official Journal of the Italian Federation of Cardiology. 2003. 4. 607-13.	0.1	12
562	Data standards for heart failure: the European Unified Registries for Heart Care Evaluation and Randomized Trials (EuroHeart). European Heart Journal, 2022, 43, 2185-2195.	2.2	12
563	Debate: Should statin be used in patients with heart failure?. Trials, 2001, 2, 266-267.	1.6	11
564	Appropriateness of Prescriptions of Recommended Treatments in Organisation for Economic Co-operation and Development Health Systems: Findings Based on the Long-Term Registry of the European Society of Cardiology on Heart Failure. Value in Health, 2015, 18, 1098-1104.	0.3	11
565	Cardiac Remodeling, Circulating Biomarkers and Clinical Events in Patients with a History of Atrial Fibrillation. Data from the GISSI-AF Trial. Cardiovascular Drugs and Therapy, 2015, 29, 551-561.	2.6	11
566	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. International Journal of Stroke, 2019, 14, 270-281.	5.9	11
567	Impact of monitoring on detection of arrhythmia recurrences in the ESC-EHRA EORP atrial fibrillation ablation long-term registry. Europace, 2019, 21, 1802-1808.	1.7	11
568	Cardiovascular Effects of Pioglitazone or Sulfonylureas According to Pretreatment Risk: Moving Toward Personalized Care. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 3296-3302.	3.6	11
569	Ablation strategies for different types of atrial fibrillation in Europe: results of the ESC-EORP EHRA Atrial Fibrillation Ablation Long-Term registry. Europace, 2020, 22, 558-566.	1.7	11
570	Atrial fibrillation, anticoagulation management and risk of stroke in the Cardiomyopathy/Myocarditis registry of the EURObservational Research Programme of the European Society of Cardiology. ESC Heart Failure, 2020, 7, 3601-3609.	3.1	11
571	Megaâ€trials in heart failure: effects of dilution in examination of new therapies. European Journal of Heart Failure, 2020, 22, 1698-1707.	7.1	11
572	Profile and treatment of chronic coronary syndromes in European Society of Cardiology member countries: The ESC EORP CICD-LT registry. European Journal of Preventive Cardiology, 2021, 28, 432-445.	1.8	11
573	Preventing heart failure: a position paper of the Heart Failure Association in collaboration with the European Association of Preventive Cardiology. European Journal of Preventive Cardiology, 2022, 29, 275-300.	1.8	11
574	Candesartan in heart failure: assessment of reduction in mortality and morbidity (CHARM) and resource utilization and costs in Italy. Vascular Health and Risk Management, 2008, 4, 223-234.	2.3	11
575	Association between common cardiovascular risk factors and clinical phenotype in patients with hypertrophic cardiomyopathy from the European Society of Cardiology (ESC) EurObservational Research Programme (EORP) Cardiomyopathy/Myocarditis registry. European Heart Journal Quality of Care & amp: Clinical Outcomes. 2022. 9. 42-53.	4.0	11
576	Therapeutic Drug Monitoring of Antiarrhythmic Drugs. Clinical Pharmacokinetics, 1990, 18, 91-103.	3.5	10

#	Article	IF	CITATIONS
577	The role of myocardial viability in deriving benefit from reestablishing infarct-related artery flow after acute myocardial infarction. Progress in Cardiovascular Diseases, 2000, 42, 455-470.	3.1	10
578	Geographic variation in the treatment of acute myocardial infarction in the VALsartan In Acute myocardial iNfarcTion (VALIANT) trial. American Heart Journal, 2006, 152, 500-508.	2.7	10
579	A prospective multicentre observational study on the management of patients on oral anticoagulation undergoing coronary artery stenting: rationale and design of the ongoing warfarin and coronary stenting (WAR-STENT) registry. Journal of Cardiovascular Medicine, 2009, 10, 200-203.	1.5	10
580	Effects of Candesartan on Left Ventricular Function, Aldosterone and BNP in Chronic Heart Failure. Cardiovascular Drugs and Therapy, 2012, 26, 131-143.	2.6	10
581	Percutaneous revascularization and long term clinical outcomes of diabetic patients randomized in the Occluded Artery Trial (OAT). International Journal of Cardiology, 2013, 168, 2416-2422.	1.7	10
582	Streamlining cardiovascular clinical trials to improve efficiency and generalisability. Heart, 2017, 103, 1156-1162.	2.9	10
583	Clinical and prognostic value of spot urinary creatinine in chronic heart failure—An analysis from GISSI-HF. American Heart Journal, 2017, 188, 189-195.	2.7	10
584	Influence of socioeconomic factors on pregnancy outcome in women with structural heart disease. Heart, 2018, 104, 745-752.	2.9	10
585	Comparison of outcomes in infected cardiovascular implantable electronic devices between complete, partial, and failed lead removal: an ESC-EHRA-EORP ELECTRa (European Lead Extraction ConTrolled) registry. Europace, 2019, 21, 1876-1889.	1.7	10
586	Comparative Analysis of Long-Term Outcomes of Torasemide and Furosemide in Heart Failure Patients in Heart Failure Registries of the European Society of Cardiology. Cardiovascular Drugs and Therapy, 2019, 33, 77-86.	2.6	10
587	Hyperkalemia in heart failure patients in Spain and its impact on guidelines and recommendations: ESC-EORP-HFA Heart Failure Long-Term Registry. Revista Espanola De Cardiologia (English Ed), 2020, 73, 313-323.	0.6	10
588	Current use of cardiac magnetic resonance in tertiary referral centres for the diagnosis of cardiomyopathy: the ESC EORP Cardiomyopathy/Myocarditis Registry. European Heart Journal Cardiovascular Imaging, 2021, 22, 781-789.	1.2	10
589	Comparison of Days Alive Out of Hospital With Initial Invasive vs Conservative Management. JAMA Cardiology, 2021, 6, 1023.	6.1	10
590	Anti-inflammatory therapy in ischaemic heart disease: from canakinumab to colchicine. European Heart Journal Supplements, 2021, 23, E13-E18.	0.1	10
591	Mannose as a biomarker of coronary artery disease: Angiographic evidence and clinical significance. International Journal of Cardiology, 2022, 346, 86-92.	1.7	10
592	Clinical characteristics and outcome of diabetic patients with acute myocardial infarction. Data from the BLITZ-1 study. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2005, 6, 374-83.	0.1	10
593	Surgery and outcome of infective endocarditis in octogenarians: prospective data from the ESC EORP EURO-ENDO registry. Infection, 2022, 50, 1191-1202.	4.7	10
594	The Angiotensin-receptor Blockers: From Antihypertensives to Cardiovascular All-round Medications in 10 Years?. Blood Pressure, 2002, 11, 328-338.	1.5	9

#	Article	IF	CITATIONS
595	Trialâ€generated profiles for implantation of electrical devices in outpatients with heart failure: realâ€world prevalence and 1â€year outcome. Journal of Evaluation in Clinical Practice, 2010, 16, 82-91.	1.8	9
596	Elderly patients with acute coronary syndromes admitted to Italian intensive cardiac care units. Journal of Cardiovascular Medicine, 2012, 13, 165-174.	1.5	9
597	Periprocedural adverse events in cell therapy trials in myocardial infarction and cardiomyopathy: a systematic review. Clinical Research in Cardiology, 2013, 102, 1-10.	3.3	9
598	Granulocyte-colony stimulating factor for large anterior ST-elevation myocardial infarction: Rationale and design of the prospective randomized phase III STEM-AMI OUTCOME trial. American Heart Journal, 2015, 170, 652-658.e7.	2.7	9
599	Use of lipid lowering drugs in patients at very high risk of cardiovascular events: An analysis on nearly 3,000,000 Italian subjects of the ARNO Observatory. International Journal of Cardiology, 2017, 246, 62-67.	1.7	9
600	Relation between weight loss and causes of death in patients with cardiovascular disease. Journal of Cardiovascular Medicine, 2017, 18, 144-151.	1.5	9
601	Use of statins and adverse outcomes in patients with atrial fibrillation: An analysis from the EURObservational Research Programme Atrial Fibrillation (EORP-AF) general registry pilot phase. International Journal of Cardiology, 2017, 248, 166-172.	1.7	9
602	Atrial fibrillation history impact on catheter ablation outcome. Findings from the ESCâ€EHRA Atrial Fibrillation Ablation Longâ€Term Registry. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 313-320.	1.2	9
603	The ESC ACCA EAPCI EORP acute coronary syndrome ST-elevation myocardial infarction registry. European Heart Journal Quality of Care & Clinical Outcomes, 2020, 6, 100-104.	4.0	9
604	Lead fixation mechanism impacts outcome of transvenous lead extraction: data from the European Lead Extraction ConTRolled Registry. Europace, 2022, 24, 817-827.	1.7	9
605	Utilization of sacubitril/valsartan in patients with heart failure with reduced ejection fraction: real-world data from the ARIADNE registry. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 469-477.	4.0	9
606	Metabolomic correlates of coronary atherosclerosis, cardiovascular risk, both or neither. Results of the 2 × 2 phenotypic CAPIRE study. International Journal of Cardiology, 2021, 336, 14-21.	1.7	9
607	Cancer and Infective Endocarditis: Characteristics and Prognostic Impact. Frontiers in Cardiovascular Medicine, 2021, 8, 766996.	2.4	9
608	Variations in lipoprotein levels after myocardial infarction and unstable angina: the LATIN trial. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2002, 3, 587-92.	0.1	9
609	Predictive value of HDL function in patients with coronary artery disease: relationship with coronary plaque characteristics and clinical events. Annals of Medicine, 2022, 54, 1036-1046.	3.8	9
610	Trends and determinants of calcium antagonist usage after acute myocardial infarction (the GISSI) Tj ETQq0 0 0	rgBT /Ovei 1.6	rlogk 10 Tf 50
611	How to use ACE-inhibitors, β-blockers, and newer therapies in AMI. American Heart Journal, 1999, 138, S183-S187.	2.7	8

Beneficial effects of angiotensin-converting enzyme inhibitor and nitrate association on left ventricular remodeling in patients with large acute myocardial infarction: the delapril remodeling 2.7 8 after acute myocardial infarction (DRAMI) trial. American Heart Journal, 2003, 146, 133A-140A.

#	Article	lF	CITATIONS
613	Documento de Consenso de Expertos sobre el uso de inhibidores de la enzima de conversión de la angiotensina en la enfermedad cardiovascular. Revista Espanola De Cardiologia, 2004, 57, 1213-1232.	1.2	8
614	Levels of Circulating Pro-angiogenic Cells Predict Cardiovascular Outcomes in Patients With Chronic Heart Failure. Journal of Cardiac Failure, 2009, 15, 747-755.	1.7	8
615	A review of the epidemiological profile of patients with atrial fibrillation and heart failure. Expert Review of Cardiovascular Therapy, 2012, 10, 1133-1140.	1.5	8
616	Relation of Serum Magnesium Levels and Postdischarge Outcomes in Patients Hospitalized for Heart Failure (from the EVEREST Trial). American Journal of Cardiology, 2013, 112, 1763-1769.	1.6	8
617	Direct healthcare costs and resource consumption after acute coronary syndrome: a real-life analysis of an Italian subpopulation. European Journal of Preventive Cardiology, 2014, 21, 1090-1096.	1.8	8
618	Use and misuse of statins after ACS: analysis of a prescription database of a community setting of 2,042,968 subjects. European Journal of Preventive Cardiology, 2014, 21, 1109-1116.	1.8	8
619	Mineralocorticoid Receptor Antagonist Use in Hospitalized Patients With Heart Failure, Reduced Ejection Fraction, and Diabetes Mellitus (from the EVEREST Trial). American Journal of Cardiology, 2014, 114, 743-750.	1.6	8
620	Clinical research Patients with heart failure and concomitant chronic obstructive pulmonary disease participating in the Heart Failure Pilot Survey (ESC-HF Pilot) – Polish population. Archives of Medical Science, 2015, 4, 743-750.	0.9	8
621	Adherence to alendronic or risedronic acid treatment, combined or not to calcium and vitamin D, and related determinants in Italian patients with osteoporosis. Patient Preference and Adherence, 2016, 10, 523.	1.8	8
622	Antithrombotic strategies in the catheterization laboratory for patients with acute coronary syndromes undergoing percutaneous coronary interventions. Journal of Cardiovascular Medicine, 2017, 18, 580-589.	1.5	8
623	Arterial hypertension in patients with atrial fibrillation in Europe: A report from the EURObservational Research Programme pilot survey on atrial fibrillation. International Journal of Cardiology, 2018, 254, 136-141.	1.7	8
624	Clinical impact of antithrombotic therapy in transvenous lead extraction complications: a sub-analysis from the ESC-EORP EHRA ELECTRa (European Lead Extraction ConTRolled) Registry. Europace, 2019, 21, 1096-1105.	1.7	8
625	The use of antiplatelet agents after an acute coronary syndrome in a large community Italian setting of more than 12 million subjects. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 527-535.	1.0	8
626	Background and design of the ACCA–EAPCI registry on ST-segment elevation myocardial infarction of the European Society of Cardiology. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 63-67.	1.0	8
627	Cancer in chronic heart failure patients in the GISSIâ€HF trial. European Journal of Clinical Investigation, 2020, 50, e13273.	3.4	8
628	Prevalence, clinical impact and costs of hyperkalaemia: Special focus on heart failure. European Journal of Clinical Investigation, 2021, 51, e13551.	3.4	8
629	Drug–Drug Interactions and Prescription Appropriateness at Hospital Discharge: Experience with COVID-19 Patients. Drugs and Aging, 2021, 38, 341-346.	2.7	8
630	Low-dose rivaroxaban plus aspirin in patients with polypharmacy and multimorbidity: an analysis from the COMPASS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 462-473.	3.0	8

#	Article	IF	CITATIONS
631	Systolic Blood Pressure and Outcome in Patients Admitted With Acute Heart Failure: An Analysis of Individual Patient Data From 4 Randomized Clinical Trials. Journal of the American Heart Association, 2021, 10, e022288.	3.7	8
632	Prevalence Of familial hypercholeSTerolaemia (FH) in Italian Patients with coronary artERy disease: The POSTER study. Atherosclerosis, 2020, 308, 32-38.	0.8	8
633	Cardiovascular Death Risk in Recovered Mid-Range Ejection Fraction Heart Failure: Insights From Cardiopulmonary Exercise Test. Journal of Cardiac Failure, 2020, 26, 932-943.	1.7	8
634	The Economic Crisis and Acute Myocardial Infarction: New Evidence Using Hospital-Level Data. PLoS ONE, 2015, 10, e0142810.	2.5	8
635	Implementation of clinical practices and pathways optimizing ACS patients lipid management: Focus on eight European initiatives. Atherosclerosis Supplements, 2020, 42, e59-e64.	1.2	8
636	Differential Proteomics of Cardiovascular Risk and Coronary Artery Disease in Humans. Frontiers in Cardiovascular Medicine, 2021, 8, 790289.	2.4	8
637	In-hospital management and outcome of patients on warfarin undergoing coronary stent implantation: results of the multicenter, prospective WARfarin and coronary STENTing (WAR-STENT) registry. Journal of Invasive Cardiology, 2013, 25, 170-6.	0.4	8
638	GISSI Trials in Acute Myocardial Infarction. Chest, 1990, 97, 146S-150S.	0.8	7
639	Frequency of predischarge ventricular arrhythmias in postmyocardial infarction patients depends on residual left ventricular pump performance and is independent of the occurrence of acute reperfusion. Journal of the American College of Cardiology, 1994, 23, 290-295.	2.8	7
640	Clinical implications and management of bleeding events in patients with acute coronary syndromes. Journal of Cardiovascular Medicine, 2009, 10, 677-686.	1.5	7
641	Changes in body weight and pulse: outcome events in overweight and obese subjects with cardiovascular disease in the SCOUT trial. International Journal of Obesity, 2015, 39, 849-857.	3.4	7
642	Target Population of Non-deferrable Surgery and Uncontrolled Severe Bleeding Related to Dabigatran. Cardiovascular Drugs and Therapy, 2018, 32, 281-286.	2.6	7
643	Modes of death and prognostic outliers in chronic heart failure. American Heart Journal, 2019, 208, 100-109.	2.7	7
644	Management of heart failure with reduced ejection fraction in Europe: design of the ARIADNE registry. ESC Heart Failure, 2020, 7, 727-736.	3.1	7
645	One-year clinical events and management of patients with atrial fibrillation hospitalized in cardiology centers: Data from the BLITZ-AF study. European Journal of Internal Medicine, 2020, 74, 55-60.	2.2	7
646	Pharmacogenomics of the Efficacy and Safety of Colchicine in COLCOT. Circulation Genomic and Precision Medicine, 2021, 14, e003183.	3.6	7
647	Heart Failure With Mid-range or Recovered Ejection Fraction: Differential Determinants of Transition. Cardiac Failure Review, 2020, 6, e28.	3.0	7
648	Differences in clinical characteristics and one-year outcomes of hospitalized heart failure patients in succeeding European Society of Cardiology-Heart Failure Registries – Pilot and Long-Term. Polish Archives of Internal Medicine, 2019, 129, 106-116.	0.4	7

#	Article	IF	CITATIONS
649	Data standards for acute coronary syndrome and percutaneous coronary intervention: the European Unified Registries for Heart Care Evaluation and Randomised Trials (EuroHeart). European Heart Journal, 2022, 43, 2269-2285.	2.2	7
650	Rivaroxaban and aspirin vs. aspirin alone in Asian compared with non-Asian patients with chronic coronary artery disease or peripheral arterial disease: the COMPASS trial. European Heart Journal, 2022, 43, 3542-3552.	2.2	7
651	The GISSI Story (1983?1996): A Comprehensive Review. Journal of Interventional Cardiology, 1997, 10, 3-28.	1.2	6
652	Administration of thrombolytic therapy to 17,944 patients with acute myocardial infarction: The GISSI-3 database. American Heart Journal, 1998, 135, 443-448.	2.7	6
653	Effect of Aliskiren in Patients with Heart Failure According to Background Dose of ACE Inhibitor: A Retrospective Analysis of the Aliskiren Observation of Heart Failure Treatment (ALOFT) Trial. Cardiovascular Drugs and Therapy, 2011, 25, 315-321.	2.6	6
654	Gender Does Not Affect Postdischarge Outcomes in Patients Hospitalized for Worsening Heart Failure With Reduced Ejection Fraction (from the Efficacy of Vasopressin Antagonism in Heart Failure) Tj ETQq0 0 0 rgB1	/@xerlock	: 160 Tf 50 53
655	Ten years differences in recently onset atrial fibrillation and flutter incidence and management. Monaldi Archives for Chest Disease, 2015, 82, 153-9.	0.6	6
656	CardioScape mapping the cardiovascular funding landscape in Europe. European Heart Journal, 2018, 39, 2423-2430.	2.2	6
657	Sudden Death After Hospitalization for Heart Failure With Reduced Ejection Fraction (from the) Tj ETQq1 1 0.784	1314 rgBT	Qverlock 10
658	Impact of centre volume on atrial fibrillation ablation outcomes in Europe: a report from the ESC EHRA EORP Atrial Fibrillation Ablation Long-Term (AFA LT) Registry. Europace, 2021, 23, 49-58.	1.7	6
659	Insights into real-world treatment of cluster headache through a large Italian database: prevalence, prescription patterns, and costs. Expert Review of Clinical Pharmacology, 2021, 14, 1165-1171.	3.1	6
660	Upstream Treatment of Atrial Fibrillation with n-3 Polyunsaturated Fatty Acids: Myth or Reality?. Arrhythmia and Electrophysiology Review, 2015, 4, 163.	2.4	6
661	Causes of death in early MI survivors with persistent infarct artery occlusion: results from the Occluded Artery Trial (OAT). EuroIntervention, 2009, 5, 610-618.	3.2	6
662	Age-related changes in clinical characteristics and outcomes of chronic heart failure outpatients in a cardiology setting. A report from the Italian Network on Heart Failure. International Journal of Cardiology, 2022, 346, 36-44.	1.7	6
663	Impact of malignancy on outcomes in European patients with atrial fibrillation: A report from the ESCâ€EHRA EURObservational research programme in atrial fibrillation general longâ€ŧerm registry. European Journal of Clinical Investigation, 2022, 52, e13773.	3.4	6
664	Long-Term Treatment with the Combination of Rivaroxaban and Aspirin in Patients with Chronic Coronary or Peripheral Artery Disease: Outcomes During the Open Label Extension of the COMPASS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 786-795.	3.0	6
665	The Role of Thrombolysis in Acute Ischemic Stroke. Herz, 2008, 33, 498-506.	1.1	5
666	Modalities of treatment and 30-day outcomes of unselected patients older than 75 years with acute ST-elevation myocardial infarction: data from the BLITZ study. Journal of Cardiovascular Medicine, 2008, 9, 1045-1051.	1.5	5

#	Article	IF	CITATIONS
667	Prescription at discharge of recommended treatments for secondary prevention in patients with ST-segment elevation myocardial infarction according to reperfusion strategies. Results from the IN-ACS outcome study. Acute Cardiac Care, 2009, 11, 222-228.	0.2	5
668	CardioPulse Articles. European Heart Journal, 2011, 32, 1173-1181.	2.2	5
669	Outcomes, Health Costs and Use of Antiplatelet Agents in 7,082 Patients Admitted for an Acute Coronary Syndrome Occurring in a Large Community Setting. Cardiovascular Drugs and Therapy, 2013, 27, 333-340.	2.6	5
670	COVID-19 trials in Italy: A call for simplicity, top standards and global pooling. International Journal of Cardiology, 2020, 318, 160-164.	1.7	5
671	Trials and tribulations of coronavirus disease-2019 research: with a few bright lights in the fog. Journal of Cardiovascular Medicine, 2020, 21, 841-844.	1.5	5
672	Real-world data on new users of atypical antipsychotics: characterisation, prescription patterns, healthcare costs and early cardio-metabolic occurrences from a large Italian database. European Journal of Clinical Pharmacology, 2020, 76, 1301-1310.	1.9	5
673	Prevalence of risk of thrombosis and of bleeding and antithrombotic treatment in patients with heart failure. European Journal of Heart Failure, 2020, 22, 906-910.	7.1	5
674	Testing longitudinal data for prognostication in ambulatory heart failure patients with reduced ejection fraction. A proof of principle from the GISSI-HF database. International Journal of Cardiology, 2020, 313, 89-96.	1.7	5
675	The "Early Treatment―Approach Reducing Cardiovascular Risk in Patients with TypeÂ2 Diabetes: A Consensus From an Expert Panel Using the Delphi Technique. Diabetes Therapy, 2021, 12, 1445-1461.	2.5	5
676	Cost-Effectiveness Analysis of Rivaroxaban Plus Aspirin Compared with Aspirin Alone in Patients with Coronary and Peripheral Artery Diseases in Italy. Clinical Drug Investigation, 2021, 41, 459-468.	2.2	5
677	Congenital heart disease in the ESC EORP Registry of Pregnancy and Cardiac disease (ROPAC). International Journal of Cardiology Congenital Heart Disease, 2021, 3, 100107.	0.4	5
678	Coffee, Atrial Fibrillation, and Circulating Ceramides in Patients with Chronic Heart Failure. Journal of Agricultural and Food Chemistry, 2021, 69, 11236-11245.	5.2	5
679	Prevalence, prescriptions, outcomes and costs of type 2 diabetes patients with or without prior coronary artery disease or stroke: a longitudinal 5-year claims-data analysis of over 7 million inhabitants. Therapeutic Advances in Chronic Disease, 2021, 12, 204062232110263.	2.5	5
680	Do β-blockers improve one-year survival in heart failure patients with atrial fibrillation? Results from the ESC-HF Registry. Polish Archives of Internal Medicine, 2018, 128, 649-657.	0.4	5
681	In-hospital heart rate reduction and its relation to outcomes of heart failure patients with sinus rhythm: Results from the Polish part of the European Society of Cardiology Heart Failure Pilot and Long-Term Registries. Cardiology Journal, 2020, 27, 25-37.	1.2	5
682	Healthcare Resource Utilization, Cardiovascular Event Rate and Use of Lipid-Lowering Therapies in Secondary Prevention of ASCVD in Hospitalized Patients in Italy. Advances in Therapy, 2022, 39, 314-327.	2.9	5
683	Why Do High-Risk Patients Develop or Not Develop Coronary Artery Disease? Metabolic Insights from the CAPIRE Study. Metabolites, 2022, 12, 123.	2.9	5
684	Osteopontin as Candidate Biomarker of Coronary Disease despite Low Cardiovascular Risk: Insights from CAPIRE Study. Cells, 2022, 11, 669.	4.1	5

#	Article	IF	CITATIONS
685	Cardiac troponins and adverse outcomes in European patients with atrial fibrillation: A report from the ESC-EHRA EORP atrial fibrillation general long-term registry. European Journal of Internal Medicine, 2022, 99, 45-56.	2.2	5
686	Risk Estimates of Imminent Cardiovascular Death and Heart Failure Hospitalization Are Improved Using Serial Natriuretic Peptide Measurements in Patients With Coronary Artery Disease and Type 2 Diabetes. Journal of the American Heart Association, 2022, 11, e021327.	3.7	5
687	Machine learning–derived major adverse event prediction of patients undergoing transvenous lead extraction: Using the ESC EHRA EORP European lead extraction ConTRolled ELECTRa registry. Heart Rhythm, 2022, 19, 885-893.	0.7	5
688	Amiodarone and desethylamiodarone: Plasma concentrations, therapeutic effects and side effects. Journal of the American College of Cardiology, 1988, 11, 209.	2.8	4
689	Myocardial Infarction: When and How Should We Initiate Treatment with ACE Inhibitors?. Cardiology, 1996, 87, 16-22.	1.4	4
690	Valsartan for the treatment of heart failure. Expert Opinion on Pharmacotherapy, 2004, 5, 181-193.	1.8	4
691	The Anp genetic variant Rs5068 and circulating levels of natriuretic peptides in patients with chronic heart failure. International Journal of Cardiology, 2014, 176, 1249-1251.	1.7	4
692	Impact of renal dysfunction on the Seattle Heart Failure Model. Journal of Heart and Lung Transplantation, 2014, 33, 163-169.	0.6	4
693	Reproducibility of inâ€hospital worsening heart failure event adjudication in the RELAXâ€AHFâ€EU trial. European Journal of Heart Failure, 2019, 21, 1661-1662.	7.1	4
694	Transvenous lead extraction procedures in women based on ESC-EHRA EORP European Lead Extraction ConTRolled ELECTRa registry: is female sex a predictor of complications?. Europace, 2019, 21, 1890-1899.	1.7	4
695	Factors associated with anticoagulation prescription in elderly patients with atrial fibrillation. European Journal of Preventive Cardiology, 2019, 26, 660-663.	1.8	4
696	Modeling defibrillation benefit for survival among cardiac resynchronization therapy defibrillator recipients. American Heart Journal, 2020, 222, 93-104.	2.7	4
697	Key words to be adopted for COVID-19 research. European Heart Journal, 2020, 41, 4229-4230.	2.2	4
698	Effects of linagliptin on left ventricular DYsfunction in patients with type 2 DiAbetes and concentric left ventricular geometry: results of the DYDA 2 trial. European Journal of Preventive Cardiology, 2021, 28, 8-17.	1.8	4
699	The prevalence and association of major ECG abnormalities with clinical characteristics and the outcomes of real-life heart failure patients — Heart Failure Registries of the Eu ropean Society of Cardiology. Kardiologia Polska, 2021, 79, 980-987.	0.6	4
700	Impact of digoxin on risk of death in heart failure patients treated with b-blockers. Results from Polish part of ESC Heart Failure Long-Term Registry. Kardiologia Polska, 2018, 76, 1064-1072.	0.6	4
701	Incessant atrioventricular nodal reciprocating tachycardia successfully treated with intravenous amiodarone. American Heart Journal, 1985, 110, 159-161.	2.7	3
702	Secondary prevention: improving outcomes following myocardial infarction. British Heart Journal, 2000, 84, 5i-7.	2.1	3

#	Article	IF	CITATIONS
703	Absence of slowest oscillations in short term heart rate variability of post-myocardial infarction patients. GISSI-3 arrhythmias substudy. Autonomic Neuroscience: Basic and Clinical, 2001, 90, 127-131.	2.8	3
704	Cardiac protection by pharmacological modulation of inflammation. Expert Opinion on Investigational Drugs, 2001, 10, 1913-1924.	4.1	3
705	HEART FAILURE: Treatment strategies for heart failure: beta blockers and antiarrhythmics. British Heart Journal, 2001, 85, 97-103.	2.1	3
706	Use of valsartan in post-myocardial infarction and heart failure patients JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2006, 7, S19.	1.7	3
707	Acute Coronary Syndrome in Patients With Atrial Fibrillation. Circulation, 2012, 126, 1176-1178.	1.6	3
708	Cardiovascular Biomarkers, Cardiac Dysfunction, and Outcomes in Patients With Type 2 Diabetes: A Prospective, Multicenter Study. Diabetes Care, 2013, 36, e137-e138.	8.6	3
709	Rationale and design of GISSI OUTLIERS VAR Study in bicuspid aortic valve patients: Prospective longitudinal, multicenter study to investigate correlation between surgical, echo distinctive features, histologic and genetic findings in phenotypically homogeneous outlier cases. International lournal of Cardiology, 2015, 199, 180-185.	1.7	3
710	Therapeutic Strategies and Health Costs of Patients Admitted for a Cardiovascular Event in Italy. Global & Regional Health Technology Assessment, 2016, 3, GRHTA.5000221.	0.1	3
711	The European Society of Cardiology ACCA-EAPCI Registry on ST elevation myocardial infarction. European Heart Journal, 2017, 38, 138-139.	2.2	3
712	A systematic review of in-hospital worsening heart failure as an endpoint in clinical investigations of therapy for acute heart failure. International Journal of Cardiology, 2018, 250, 215-222.	1.7	3
713	Stroke prevention by low-dose anticoagulation in patients with heart failure and sinus rhythm: is it worth the effort?. European Heart Journal, 2019, 40, 3602-3604.	2.2	3
714	Prospective follow-up in various subtypes of cardiomyopathies: insights from the ESC EORP Cardiomyopathy Registry. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 134-142.	4.0	3
715	Closing the Gap Between Populations Enrolled in Traditional Randomized Controlled Trials and Patients Encountered in Clinical Practice: The Case of Heart Failure. Circulation: Heart Failure, 2021, 14, e008840.	3.9	3
716	Extended dual antiplatelet therapy with ticagrelor 60 mg in patients with prior myocardial infarction: The design of <scp>ALETHEIA</scp> , a multiâ€country observational study. Clinical Cardiology, 2021, 44, 1333-1343.	1.8	3
717	Effects of Dipeptidyl Peptidase-4 Inhibitor Linagliptin on Left Ventricular Dysfunction in Patients with Type 2 Diabetes and Concentric Left Ventricular Geometry (the DYDA 2â,,¢ Trial). Rationale, Design, and Baseline Characteristics of the Study Population. Cardiovascular Drugs and Therapy, 2019, 33, 547-555.	2.6	3
718	Acute lower respiratory infections: real-world evidence of antibiotic prescription pattern and costs from a large administrative Italian database. Family Practice, 2022, 39, 669-677.	1.9	3
719	In-hospital and one-year outcomes of patients with high-risk acute myocardial infarction treated with thrombolysis or primary coronary angioplasty. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2004, 5, 136-45.	0.1	3
720	Blood Pressure Drops During Hospitalization for Acute Heart Failure Treated With Serelaxin: A Patient-Level Analysis of 4 Randomized Controlled Trials. Circulation: Heart Failure, 2022, 15, CIRCHEARTFAILURE121009199.	3.9	3

#	Article	IF	CITATIONS
721	Reperfusion therapy for ST-elevation myocardial infarction complicated by cardiogenic shock: the European Society of Cardiology EurObservational programme acute cardiovascular care-European association of PCI ST-elevation myocardial infarction registry. European Heart Journal: Acute Cardiovascular Care, 2022, 11, 481-490.	1.0	3
722	Impact of anthropometric factors on outcomes in atrial fibrillation patients: analysis on 10 220 patients from the European Society of Cardiology (ESC)-European Heart Rhythm Association (EHRA) EurObservational Research Programme on Atrial Fibrillation (EORP-AF) general long-term registry. European Journal of Preventive Cardiology, 0, , .	1.8	3
723	Two False-negative Responses to the Ajmaline Test in the Wolff-Parkinson-White Syndrome. PACE - Pacing and Clinical Electrophysiology, 1985, 8, 832-837.	1.2	2
724	Factors influencing the non-administration of thrombolytic therapy in 17944 patients randomized to GISSI-3 trial. Journal of the American College of Cardiology, 1996, 27, 246.	2.8	2
725	Treatment of acute myocardial infarction today. American Heart Journal, 1997, 134, s9-s14.	2.7	2
726	Spectral and bidirectional filters give different results for signal-averaged ECG analysis in patients with postmyocardial infarction. Journal of Electrocardiology, 2000, 33, 233-240.	0.9	2
727	RAAS Inhibitors in the Cardiovascular Continuum: What is Still Missing?. Cardiovascular Drugs and Therapy, 2004, 18, 311-320.	2.6	2
728	SCOUT Trial Reports on the Safety Profile of Sibutramine in Patients with Cardiovascular Diseases. Physician and Sportsmedicine, 2009, 37, 95-97.	2.1	2
729	Comparison of Late Results of Percutaneous Coronary Intervention Among Stable Patients â‰ \$ 5 Versus >65 Years of Age With an Occluded Infarct Related Artery (from the Occluded Artery Trial). American Journal of Cardiology, 2012, 109, 614-619.	1.6	2
730	Predictors of mortality in acute heart failure and severe renal dysfunction. Does formula for glomerular filtration rate have any impact? Data from IN-HF outcome registry. International Journal of Cardiology, 2014, 172, e96-e97.	1.7	2
731	Response to Letter Regarding Article, "Risk of Stroke in Chronic Heart Failure Patients Without Atrial Fibrillation: Analysis of the Controlled Rosuvastatin in Multinational Trial Heart Failure (CORONA) and the Gruppo Italiano per lo Studio della Sopravvivenza nell'Insufficienza Cardiaca-Heart Failure (GISSI-HF) Trials.â€: Circulation, 2015, 132, e358.	1.6	2
732	Uncovering difference: a glimpse at patients with heart failure in low-income and middle-income countries. The Lancet Global Health, 2017, 5, e634-e635.	6.3	2
733	Relationship between timing of trial randomization, protocol completion, and clinical outcomes among patients hospitalized for heart failure: from the ASTRONAUT trial. European Journal of Heart Failure, 2018, 20, 1760-1763.	7.1	2
734	Audits of clinical practice should be encouraged. Use of loop diuretics in patients without a diagnosis of heart failure should be discouraged. European Journal of Preventive Cardiology, 2019, 26, 289-290.	1.8	2
735	Brachial pulse pressure in acute heart failure. Results of the Heart Failure Registry. ESC Heart Failure, 2019, 6, 1167-1177.	3.1	2
736	INtegration of care for reaching targetS In Diabetic patiEnts: Design of the INSIDE Study. Diabetes Therapy, 2020, 11, 359-367.	2.5	2
737	Methodological education in response to the quality of COVID-19 publications. Pharmacological Research, 2021, 164, 105381.	7.1	2
738	The ESC-EORP Chronic Ischaemic Cardiovascular Disease Long Term (CICD LT) registry. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 28-33.	4.0	2

#	Article	IF	CITATIONS
739	Temporal trends in the outcomes of acute heart failure: between consolatory evidences and real progress. European Journal of Heart Failure, 2021, 23, 432-435.	7.1	2
740	ls it time to introduce anti-inflammatory drugs into secondary cardiovascular prevention: evidence from clinical trials?. Vessel Plus, 0, 2021, .	0.4	2
741	Sex- and gender‑specific precision medicine for chronic coronary syndromes: challenges and opportunities. Kardiologia Polska, 2021, 79, 373-375.	0.6	2
742	Patient, hospital and country-level risk factors of all-cause mortality among patients with chronic heart failure: Prospective international cohort study. PLoS ONE, 2021, 16, e0250931.	2.5	2
743	Cost-Effectiveness of Posthospital Management of Acute Coronary Syndrome: A Real-World Investigation From Italy. Value in Health, 2022, 25, 185-193.	0.3	2
744	One year on: The impact of COVID-19 on clinical research. European Journal of Internal Medicine, 2021, 92, 24-27.	2.2	2
745	Atrial fibrillation ablation in heart failure: Findings from the ESC-EHRA EORP Atrial Fibrillation Ablation long-term (AFA LT) registry. International Journal of Cardiology, 2022, 346, 19-26.	1.7	2
746	Impact of diabetes on the current in-hospital management of heart failure. From the TEMISTOCLE study. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2003, 4, 685-94.	0.1	2
747	Heart Failure Pilot protocol. European Heart Journal, 2010, 31, 2184-6.	2.2	2
748	Heart failure and catheter ablation of atrial fibrillation: Navigating the difficult waters of heart failure phenotypes. European Journal of Internal Medicine, 2022, 99, 13-18.	2.2	2
749	Clinical trials: conventional or pragmatic?. European Journal of Heart Failure, 2022, 24, 596-599.	7.1	2
750	Fifteen-Year Differences in Indications for Cardiac Resynchronization Therapy in International Guidelines—Insights from the Heart Failure Registries of the European Society of Cardiology. Journal of Clinical Medicine, 2022, 11, 3236.	2.4	2
751	RECPAM (Recursive Partition and Amalgamation), a novel statistical approach for early prediction of outcome in patients with acute myocardial infarction. Journal of the American College of Cardiology, 1996, 27, 250.	2.8	1
752	Very early administration of ACE-inhibitors in acute myocardial infarction. International Journal of Cardiology, 1998, 65, S61-S64.	1.7	1
753	Ramipril following acute MI attenuated LV remodeling. Evidence-based Cardiovascular Medicine, 1998, 2, 13.	0.0	1
754	Review of the new ESC guidelines for the pharmacological management of chronic heart failure. Country Review Ukraine, 2005, 7, J15-J20.	0.8	1
755	CardioPulse Articles. European Heart Journal, 2012, 33, 2237-2245.	2.2	1
756	Shooting beyond score. Journal of Hypertension, 2012, 30, 1909-1910.	0.5	1

#	Article	IF	CITATIONS
757	Newest additions to heart failure treatment. Expert Opinion on Pharmacotherapy, 2014, 15, 1849-1861.	1.8	1
758	Reply to comment on Cost of poor adherence to anti-hypertensive therapy in five European country. European Journal of Health Economics, 2015, 16, 909-911.	2.8	1
759	Outcome improvement of patients with heart failure and reduced ejection fraction: has it ended in the new millennium?. European Journal of Heart Failure, 2016, 18, 512-513.	7.1	1
760	Effect of single and dual renin-angiotensin blockade on stroke in patients with and without diabetes in VALIANT. European Stroke Journal, 2016, 1, 93-100.	5.5	1
761	The year in cardiology 2016: heart failure. European Heart Journal, 2017, 38, ehw638.	2.2	1
762	Judgement over an arbitrary line. European Heart Journal, 2018, 39, 4266-4268.	2.2	1
763	Reply. JACC: Heart Failure, 2018, 6, 810-811.	4.1	1
764	Risk of heart failure in diabetic patients receiving sulfonylureas. European Journal of Heart Failure, 2018, 20, 1371-1372.	7.1	1
765	Smartphones, barbershops, and pharmacists to improve adherence to drug treatment in chronic cardiovascular conditions: the end justifies all the means. European Journal of Heart Failure, 2018, 20, 1360-1362.	7.1	1
766	Blood pressure and mortality in patients with type 2 diabetes and a recent coronary event in the ELIXA trial. Cardiovascular Diabetology, 2020, 19, 175.	6.8	1
767	Cancer unmasked by bleeding during anticoagulant therapy: when a problem may become an opportunity. European Heart Journal, 2020, , .	2.2	1
768	The effect of centre volume and procedure location on major complications and mortality from transvenous lead extraction: an ESC EHRA EORP European Lead Extraction ConTRolled ELECTRa Registry subanalysis—Author's reply. Europace, 2021, 23, 1149-1150.	1.7	1
769	Precision Phenomapping of Acute Coronary Syndromes to Improve Patient Outcomes. Journal of Clinical Medicine, 2021, 10, 1755.	2.4	1
770	Efficacy of COVID-19 Vaccines Against Active Comparators or Inert Placebos. JAMA Internal Medicine, 2021, 181, 1257.	5.1	1
771	Regional variation of effects of new antidiabetic medications in cardiovascular outcome trials. American Heart Journal, 2021, 240, 73-80.	2.7	1
772	Coronary Artery Disease in Patients Older than 35 and Eligible for Cardiovascular Secondary Prevention: An Italian Retrospective Observational Analysis of Healthcare Administrative Databases. Journal of Clinical Medicine, 2021, 10, 4708.	2.4	1
773	Heart failure patients with a previous coronary revascularization: results from the ESC-HF Registry. Kardiologia Polska, 2018, 76, 144-152.	0.6	1
774	Hypertrophy at ECG and its regression during treatment survey (HEART survey). Rationale, design and baseline characteristics of patients. Italian Heart Journal: Official Journal of the Italian Federation of Cardiology, 2003, 4, 479-83.	0.1	1

#	Article	IF	CITATIONS
775	The Ideal Thrombolytic Agent: GISSI-2 and ISIS-3. Journal of Interventional Cardiology, 1990, 3, 157-168.	1.2	0
776	Ethical committees and noninformed consent. Journal of the American College of Cardiology, 1994, 24, 1178.	2.8	0
777	Elevated cardiac troponin T levels were associated with increased 30-day mortality in patients presenting with acute myocardial ischemia. Evidence-based Cardiovascular Medicine, 1997, 1, 39-40.	0.0	0
778	Commentary 1. Evidence-based Cardiovascular Medicine, 2004, 8, 96-97.	0.0	0
779	The long pentraxin PTX3: from innate immunity to ischemic heart disorders. International Congress Series, 2004, 1262, 63-66.	0.2	0
780	Does eplerenone benefit postinfarction patients with heart failure and left ventricular systolic dysfunction?. Nature Clinical Practice Cardiovascular Medicine, 2005, 2, 618-619.	3.3	0
781	Determinants of Late-Onset Heart Failure in Myocardial Infarction Survivors: GISSI Prevenzione Trial Results. Revista Espanola De Cardiologia (English Ed), 2005, 58, 1266-1272.	0.6	0
782	What Is the Optimal Reperfusion Strategy for Elderly Patients With Acute MI?. The American Journal of Geriatric Cardiology, 2006, 15, 14-18.	0.6	0
783	Response to The J-Point Revisited. Hypertension, 2008, 51, .	2.7	0
784	Role of renin–angiotensin system inhibitors in atrial fibrillation. Journal of Cardiovascular Medicine, 2011, 12, 374.	1.5	0
785	Response to Letter Regarding Article, "Pathogenesis of Sudden Unexpected Death in a Clinical Trial of Patients With Myocardial Infarction and Left Ventricular Dysfunction, Heart Failure, or Bothâ€ Circulation, 2011, 123, .	1.6	0
786	Should Heart Failure and Atrial Fibrillation be Considered in Determining the Risk of Noncardiac Surgery?. Circulation, 2011, 124, 276-277.	1.6	0
787	The European Society of Cardiology Heart Failure Association Annual Congress. European Journal of Heart Failure, 2016, 18, 454-455.	7.1	0
788	Galectin-3 and the Mineralocorticoid Receptor Antagonist Canrenone in Mild Heart Failure. Circulation Journal, 2017, 81, 1543-1546.	1.6	0
789	Cardiac resynchronization therapy in clinical practice: some interesting news but methodological advances are needed. European Journal of Heart Failure, 2018, 20, 1052-1054.	7.1	0
790	Lugano perspectives: final considerations. European Heart Journal Supplements, 2018, 20, C25-C26.	0.1	0
791	Foreword by the Guest Editors of the new section of the IJC, "Migration and cardiovascular disease― International Journal of Cardiology, 2018, 254, 353-355.	1.7	0
792	Omega-3 Fatty Acids and HeartÂFailure. JACC: Heart Failure, 2019, 7, 662-663.	4.1	0

#	Article	IF	CITATIONS
793	Appropriate prescriptions mean better outcomes: how can we improve ourselves?. European Journal of Heart Failure, 2019, 21, 930-931.	7.1	Ο
794	Adapting to survive. European Heart Journal, 2020, 41, 3981-3983.	2.2	0
795	Maintaining the balance between benefits and risks: The example of hyperkalemia in patients with heart failure. Revista Portuguesa De Cardiologia, 2020, 39, 543-544.	0.5	Ο
796	How to appropriately update practicing clinicians on innovations in heart failure therapy waiting for the new version of the guidelines?. International Journal of Cardiology, 2021, 329, 148-149.	1.7	0
797	The 70/30 Rule Between Men and Women—Disparity or Opportunity?. JAMA Cardiology, 2021, 6, 481.	6.1	Ο
798	Unexpected high mortality associated with very low lipoprotein(a) after acute myocardial infarction: Identifying the unknown. European Journal of Internal Medicine, 2021, 91, 26-28.	2.2	0
799	The Heart in Diabetes: Results of Trials. , 2000, , 55-65.		Ο
800	Symptomatic despite Multiple Drug Therapy: Where do you Turn Next?. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2005, 6, .	1.7	0
801	Angiotensin II antagonists in acute and post-acute myocardial infarction. , 2006, , 1-12.		О
802	Management of Chronic Heart Failure Therapy in the Setting of Acute Heart Failure. , 2008, , 533-544.		0
803	The Heart in Diabetes: Results of Trials. , 1998, , 51-60.		Ο
804	Maintaining the balance between benefits and risks: The example of hyperkalemia in patients with heart failure. Revista Portuguesa De Cardiologia (English Edition), 2020, 39, 543-544.	0.2	0