

# Hans Brix

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8508052/publications.pdf>

Version: 2024-02-01

265  
papers

17,028  
citations

12330

69  
h-index

19190

118  
g-index

276  
all docs

276  
docs citations

276  
times ranked

11335  
citing authors

#	ARTICLE	IF	CITATIONS
1	Do macrophytes play a role in constructed treatment wetlands?. <i>Water Science and Technology</i> , 1997, 35, 11-17.	2.5	801
2	Wetlands, carbon, and climate change. <i>Landscape Ecology</i> , 2013, 28, 583-597.	4.2	727
3	Do macrophytes play a role in constructed treatment wetlands?. <i>Water Science and Technology</i> , 1997, 35, 11.	2.5	524
4	Development of constructed wetlands in performance intensifications for wastewater treatment: A nitrogen and organic matter targeted review. <i>Water Research</i> , 2014, 57, 40-55.	11.3	489
5	Functions of Macrophytes in Constructed Wetlands. <i>Water Science and Technology</i> , 1994, 29, 71-78.	2.5	486
6	The use of vertical flow constructed wetlands for on-site treatment of domestic wastewater: New Danish guidelines. <i>Ecological Engineering</i> , 2005, 25, 491-500.	3.6	366
7	Phosphorus removal by sands for use as media in subsurface flow constructed reed beds. <i>Water Research</i> , 2001, 35, 1159-1168.	11.3	342
8	Internal pressurization and convective gas flow in some emergent freshwater macrophytes. <i>Limnology and Oceanography</i> , 1992, 37, 1420-1433.	3.1	312
9	Are Phragmites-dominated wetlands a net source or net sink of greenhouse gases?. <i>Aquatic Botany</i> , 2001, 69, 313-324.	1.6	252
10	Phosphorus adsorption maximum of sands for use as media in subsurface flow constructed reed beds as measured by the Langmuir isotherm. <i>Water Research</i> , 2003, 37, 3390-3400.	11.3	238
11	A review of plant-pharmaceutical interactions: from uptake and effects in crop plants to phytoremediation in constructed wetlands. <i>Environmental Science and Pollution Research</i> , 2014, 21, 11729-11763.	5.3	229
12	Treatment of domestic wastewater in tropical, subsurface flow constructed wetlands planted with <i>Canna</i> and <i>Heliconia</i> . <i>Ecological Engineering</i> , 2009, 35, 248-257.	3.6	228
13	Use of constructed wetlands in water pollution control: historical development, present status, and future perspectives. <i>Water Science and Technology</i> , 1994, 30, 209-223.	2.5	227
14	Removal of Pharmaceuticals and Personal Care Products (PPCPs) from Urban Wastewater in a Pilot Vertical Flow Constructed Wetland and a Sand Filter. <i>Environmental Science &amp; Technology</i> , 2007, 41, 8171-8177.	10.0	224
15	Media selection for sustainable phosphorus removal in subsurface flow constructed wetlands. <i>Water Science and Technology</i> , 2001, 44, 47-54.	2.5	207
16	Preliminary screening of small-scale domestic wastewater treatment systems for removal of pharmaceutical and personal care products. <i>Water Research</i> , 2009, 43, 55-62.	11.3	205
17	Accumulation of nutrients and heavy metals in <i>Phragmites australis</i> (Cav.) Trin. ex Steudel and <i>Bolboschoenus maritimus</i> (L.) Palla in a constructed wetland of the Venice lagoon watershed. <i>Environmental Pollution</i> , 2006, 144, 967-975.	7.5	181
18	Microbial communities from different types of natural wastewater treatment systems: Vertical and horizontal flow constructed wetlands and biofilters. <i>Water Research</i> , 2014, 55, 304-312.	11.3	170

#	ARTICLE	IF	CITATIONS
19	Treatment of Wastewater in the Rhizosphere of Wetland Plants – The Root-Zone Method. <i>Water Science and Technology</i> , 1987, 19, 107-118.	2.5	167
20	Treatment of industrial effluents in constructed wetlands: Challenges, operational strategies and overall performance. <i>Environmental Pollution</i> , 2015, 201, 107-120.	7.5	166
21	Gas fluxes achieved by in situ convective flow in <i>Phragmites australis</i> . <i>Aquatic Botany</i> , 1996, 54, 151-163.	1.6	164
22	Can root exudates from emergent wetland plants fuel denitrification in subsurface flow constructed wetland systems?. <i>Ecological Engineering</i> , 2013, 61, 555-563.	3.6	157
23	Tolerance and physiological responses of <i>Phragmites australis</i> to water deficit. <i>Aquatic Botany</i> , 2005, 81, 285-299.	1.6	155
24	Treatment of high-strength wastewater in tropical vertical flow constructed wetlands planted with <i>Typha angustifolia</i> and <i>Cyperus involucreatus</i> . <i>Ecological Engineering</i> , 2009, 35, 238-247.	3.6	150
25	Oxygen transfer and consumption in subsurface flow treatment wetlands. <i>Ecological Engineering</i> , 2013, 61, 544-554.	3.6	148
26	Kinetics of pollutant removal from domestic wastewater in a tropical horizontal subsurface flow constructed wetland system: Effects of hydraulic loading rate. <i>Ecological Engineering</i> , 2010, 36, 527-535.	3.6	144
27	Use of constructed wetland systems with <i>Arundo</i> and <i>Sarcocornia</i> for polishing high salinity tannery wastewater. <i>Journal of Environmental Management</i> , 2012, 95, 66-71.	7.8	143
28	Evaluation of aquatic plants for removing polar microcontaminants: A microcosm experiment. <i>Chemosphere</i> , 2012, 88, 1257-1264.	8.2	142
29	Internal gas transport in <i>Typha latifolia</i> L. and <i>Typha angustifolia</i> L. 1. Humidity-induced pressurization and convective throughflow. <i>Aquatic Botany</i> , 1994, 49, 75-89.	1.6	127
30	Occurrence and behavior of emerging contaminants in surface water and a restored wetland. <i>Chemosphere</i> , 2012, 88, 1083-1089.	8.2	126
31	Effects of NaCl salinity on growth, morphology, photosynthesis and proline accumulation of <i>Salvinia natans</i> . <i>Aquatic Botany</i> , 2009, 91, 181-186.	1.6	123
32	Cosmopolitan Species As Models for Ecophysiological Responses to Global Change: The Common Reed <i>Phragmites australis</i> . <i>Frontiers in Plant Science</i> , 2017, 8, 1833.	3.6	123
33	Growth and root oxygen release by <i>Typha latifolia</i> and its effects on sediment methanogenesis. <i>Aquatic Botany</i> , 1998, 61, 165-180.	1.6	114
34	Controls on soil cellulose decomposition along a salinity gradient in a <i>Phragmites australis</i> wetland in Denmark. <i>Aquatic Botany</i> , 1999, 64, 381-398.	1.6	113
35	Tracing the origin of Gulf Coast <i>Phragmites</i> ( <i>Poaceae</i> ): A story of long-distance dispersal and hybridization. <i>American Journal of Botany</i> , 2012, 99, 538-551.	1.7	113
36	Growth, biomass allocation and nutrient use efficiency in <i>Cladium jamaicense</i> and <i>Typha domingensis</i> as affected by phosphorus and oxygen availability. <i>Aquatic Botany</i> , 2001, 70, 117-133.	1.6	112

#	ARTICLE	IF	CITATIONS
37	Gas exchange through the soil-atmosphere interphase and through dead culms of phragmites australis in a constructed reed bed receiving domestic sewage. <i>Water Research</i> , 1990, 24, 259-266.	11.3	110
38	Root-zone acidity and nitrogen source affects <i>Typha latifolia</i> L. growth and uptake kinetics of ammonium and nitrate. <i>Journal of Experimental Botany</i> , 2002, 53, 2441-2450.	4.8	110
39	Methanogenesis and methane emissions: effects of water table, substrate type and presence of <i>Phragmites australis</i> . <i>Aquatic Botany</i> , 1999, 64, 63-75.	1.6	107
40	Osmotic and ionic effects of NaCl and Na <sub>2</sub> SO <sub>4</sub> salinity on <i>Phragmites australis</i> . <i>Aquatic Botany</i> , 2009, 90, 43-51.	1.6	107
41	Growth and morphology in relation to temperature and light availability during the establishment of three invasive aquatic plant species. <i>Aquatic Botany</i> , 2012, 102, 56-64.	1.6	106
42	The effects of NH <sub>4</sub> <sup>+</sup> and NO <sub>3</sub> <sup>-</sup> on growth, resource allocation and nitrogen uptake kinetics of <i>Phragmites australis</i> and <i>Glyceria maxima</i> . <i>Aquatic Botany</i> , 2005, 81, 326-342.	1.6	104
43	A phylogeographic study of the cosmopolitan genus <i>Phragmites</i> (Poaceae) based on AFLPs. <i>Plant Systematics and Evolution</i> , 2006, 258, 161-182.	0.9	103
44	Removal of indicator bacteria from municipal wastewater in an experimental two-stage vertical flow constructed wetland system. <i>Water Science and Technology</i> , 2003, 48, 35-41.	2.5	91
45	Treatment of high-strength wastewater in tropical constructed wetlands planted with <i>Sesbania sesban</i> : Horizontal subsurface flow versus vertical downflow. <i>Ecological Engineering</i> , 2011, 37, 711-720.	3.6	91
46	Microbial Electrochemical Technologies for Wastewater Treatment: Principles and Evolution from Microbial Fuel Cells to Bioelectrochemical-Based Constructed Wetlands. <i>Water (Switzerland)</i> , 2018, 10, 1128.	2.7	91
47	Large-scale remediation of oil-contaminated water using floating treatment wetlands. <i>Npj Clean Water</i> , 2019, 2, .	8.0	91
48	Critical Review: Biogeochemical Networking of Iron in Constructed Wetlands for Wastewater Treatment. <i>Environmental Science &amp; Technology</i> , 2019, 53, 7930-7944.	10.0	90
49	Geographic variation in growth responses in <i>Phragmites australis</i> . <i>Aquatic Botany</i> , 2001, 69, 89-108.	1.6	89
50	Phosphorus removal from municipal wastewater in an experimental two-stage vertical flow constructed wetland system equipped with a calcite filter. <i>Water Science and Technology</i> , 2003, 48, 51-58.	2.5	89
51	Nitrogen nutrition of <i>Canna indica</i> : Effects of ammonium versus nitrate on growth, biomass allocation, photosynthesis, nitrate reductase activity and N uptake rates. <i>Aquatic Botany</i> , 2010, 92, 142-148.	1.6	89
52	Nitrous oxide emission by aquatic macrofauna. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4296-4300.	7.1	88
53	Comparative analysis of constructed wetlands: The design and construction of the ecotechnology research facility in Langenreichenbach, Germany. <i>Ecological Engineering</i> , 2013, 61, 527-543.	3.6	88
54	Clone-specific differences in <i>Phragmites australis</i> : Effects of ploidy level and geographic origin. <i>Aquatic Botany</i> , 2007, 86, 269-279.	1.6	85

#	ARTICLE	IF	CITATIONS
55	Genetic diversity patterns in <i>Phragmites australis</i> at the population, regional and continental scales. <i>Aquatic Botany</i> , 2008, 88, 160-170.	1.6	84
56	Seasonal and environmental variation in cadmium, copper, lead and zinc concentrations in eelgrass ( <i>Zostera marina</i> L.) in the Limfjor,k Denmark. <i>Aquatic Botany</i> , 1982, 14, 59-74.	1.6	83
57	SOIL OXYGENATION IN CONSTRUCTED REED BEDS: THE ROLE OF MACROPHYTE AND SOIL-ATMOSPHERE INTERFACE OXYGEN TRANSPORT. , 1990, , 53-66.		83
58	The European research project on reed die-back and progression (EUREED). <i>Limnologica</i> , 1999, 29, 5-10.	1.5	82
59	Functionality of microbial communities in constructed wetlands used for pesticide remediation: Influence of system design and sampling strategy. <i>Water Research</i> , 2017, 110, 241-251.	11.3	82
60	Large-scale management of common reed, <i>Phragmites australis</i> , for paper production: A case study from the Liaohe Delta, China. <i>Ecological Engineering</i> , 2014, 73, 760-769.	3.6	81
61	Interactive effects of N and P on growth, nutrient allocation and NH <sub>4</sub> uptake kinetics by <i>Phragmites australis</i> . <i>Aquatic Botany</i> , 1999, 64, 369-380.	1.6	80
62	Internal gas transport in <i>Typha latifolia</i> L. and <i>Typha angustifolia</i> L. 2. Convective throughflow pathways and ecological significance. <i>Aquatic Botany</i> , 1994, 49, 91-105.	1.6	76
63	Nitrogen nutrition of <i>Salvinia natans</i> : Effects of inorganic nitrogen form on growth, morphology, nitrate reductase activity and uptake kinetics of ammonium and nitrate. <i>Aquatic Botany</i> , 2009, 90, 67-73.	1.6	75
64	Eelgrass ( <i>Zostera marina</i> L.) as an indicator organism of trace metals in the Limfjord, Denmark. <i>Marine Environmental Research</i> , 1983, 8, 165-181.	2.5	74
65	Invasion strategies in clonal aquatic plants: are phenotypic differences caused by phenotypic plasticity or local adaptation?. <i>Annals of Botany</i> , 2010, 106, 813-822.	2.9	74
66	Constructed wetland with a polyculture of ornamental plants for wastewater treatment at a rural tourism facility. <i>Ecological Engineering</i> , 2015, 79, 1-7.	3.6	74
67	Removal of nutrients from combined sewer overflows and lake water in a vertical-flow constructed wetland system. <i>Water Science and Technology</i> , 2001, 44, 171-176.	2.5	73
68	Constructed Wetlands for Wastewater Treatment. , 2006, , 69-96.		73
69	Filter bed systems treating domestic wastewater in the Nordic countries – Performance and reuse of filter media. <i>Ecological Engineering</i> , 2010, 36, 1651-1659.	3.6	73
70	<i>Escherichia coli</i> removal and internal dynamics in subsurface flow ecotechnologies: Effects of design and plants. <i>Ecological Engineering</i> , 2013, 61, 564-574.	3.6	73
71	Factors influencing CO <sub>2</sub> and CH <sub>4</sub> emissions from coastal wetlands in the Liaohe Delta, Northeast China. <i>Biogeosciences</i> , 2015, 12, 4965-4977.	3.3	72
72	Treatment of fishpond water by recirculating horizontal and vertical flow constructed wetlands in the tropics. <i>Aquaculture</i> , 2011, 313, 57-64.	3.5	71

#	ARTICLE	IF	CITATIONS
73	Removal of the pesticides imazalil and tebuconazole in saturated constructed wetland mesocosms. <i>Water Research</i> , 2016, 91, 126-136.	11.3	70
74	Phosphorus removal in constructed wetlands: can suitable alternative media be identified?. <i>Water Science and Technology</i> , 2005, 51, 267-273.	2.5	69
75	Rethinking Intensification of Constructed Wetlands as a Green Eco-Technology for Wastewater Treatment. <i>Environmental Science &amp; Technology</i> , 2018, 52, 1693-1694.	10.0	69
76	Growth, photosynthesis and acclimation by two submerged macrophytes in relation to temperature. <i>Oecologia</i> , 1997, 110, 320-327.	2.0	68
77	Effects of NH <sub>4</sub> <sup>+</sup> concentration on growth, morphology and NH <sub>4</sub> <sup>+</sup> uptake kinetics of <i>Salvinia natans</i> . <i>Ecological Engineering</i> , 2009, 35, 695-702.	3.6	68
78	Phytoremediation of imazalil and tebuconazole by four emergent wetland plant species in hydroponic medium. <i>Chemosphere</i> , 2016, 148, 459-466.	8.2	68
79	Uptake and translocation of phosphorus in eelgrass ( <i>Zostera marina</i> ). <i>Marine Biology</i> , 1985, 90, 111-116.	1.5	67
80	Effect of climatic gradients on the photosynthetic responses of four <i>Phragmites australis</i> populations. <i>Aquatic Botany</i> , 2001, 69, 109-126.	1.6	66
81	Danish guidelines for small-scale constructed wetland systems for onsite treatment of domestic sewage. <i>Water Science and Technology</i> , 2005, 51, 1-9.	2.5	65
82	Effects of inorganic nitrogen forms on growth, morphology, nitrogen uptake capacity and nutrient allocation of four tropical aquatic macrophytes ( <i>Salvinia cucullata</i> , <i>Ipomoea aquatica</i> , <i>Cyperus</i> ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 37</i>		
83	Effects of constructed wetland design on ibuprofen removal â€“ A mesocosm scale study. <i>Science of the Total Environment</i> , 2017, 609, 38-45.	8.0	64
84	Removal of the pharmaceuticals ibuprofen and iohexol by four wetland plant species in hydroponic culture: plant uptake and microbial degradation. <i>Environmental Science and Pollution Research</i> , 2016, 23, 2890-2898.	5.3	62
85	Removal of the pesticide tebuconazole in constructed wetlands: Design comparison, influencing factors and modelling. <i>Environmental Pollution</i> , 2018, 233, 71-80.	7.5	62
86	Exploring the borders of European <i>Phragmites</i> within a cosmopolitan genus. <i>AoB PLANTS</i> , 2012, 2012, pls020.	2.3	61
87	Environment versus dispersal in the assembly of western Amazonian palm communities. <i>Journal of Biogeography</i> , 2012, 39, 1318-1332.	3.0	61
88	Gas exchange through dead culms of reed, <i>Phragmites australis</i> (Cav.) Trin. ex Steudel. <i>Aquatic Botany</i> , 1989, 35, 81-98.	1.6	60
89	Pilot-scale comparison of constructed wetlands operated under high hydraulic loading rates and attached biofilm reactors for domestic wastewater treatment. <i>Science of the Total Environment</i> , 2009, 407, 2996-3003.	8.0	60
90	Electroactive biofilm-based constructed wetland (EABB-CW): A mesocosm-scale test of an innovative setup for wastewater treatment. <i>Science of the Total Environment</i> , 2019, 659, 796-806.	8.0	60

#	ARTICLE	IF	CITATIONS
91	Invasion of Old World <i>Phragmites australis</i> in the New World: precipitation and temperature patterns combined with human influences redesign the invasive niche. <i>Global Change Biology</i> , 2013, 19, 3406-3422.	9.5	59
92	Enantioselective uptake, translocation and degradation of the chiral pesticides tebuconazole and imazalil by <i>Phragmites australis</i> . <i>Environmental Pollution</i> , 2017, 229, 362-370.	7.5	59
93	Light-dependent variations in the composition of the internal atmosphere of <i>Phragmites australis</i> (Cav.) Trin. ex steudel. <i>Aquatic Botany</i> , 1988, 30, 319-329.	1.6	58
94	Seed germination of two Everglades species, <i>Cladium jamaicense</i> and <i>Typha domingensis</i> . <i>Aquatic Botany</i> , 2000, 66, 169-180.	1.6	57
95	Recycling of Treated Effluents Enhances Removal of Total Nitrogen in Vertical Flow Constructed Wetlands. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2005, 40, 1431-1443.	1.7	56
96	Effect of NH <sub>4</sub> <sup>+</sup> /NO <sub>3</sub> <sup>-</sup> availability on nitrate reductase activity and nitrogen accumulation in wetland helophytes <i>Phragmites australis</i> and <i>Glyceria maxima</i> . <i>Environmental and Experimental Botany</i> , 2006, 55, 49-60.	4.2	55
97	Biomass and nutrient element dynamics in Douglas-fir: effects of thinning and nitrogen fertilization over 18 years. <i>Canadian Journal of Forest Research</i> , 1996, 26, 376-388.	1.7	54
98	Small genome separates native and invasive populations in an ecologically important cosmopolitan grass. <i>Ecology</i> , 2018, 99, 79-90.	3.2	54
99	How green are aquaculture, constructed wetlands and conventional wastewater treatment systems?. <i>Water Science and Technology</i> , 1999, 40, 45.	2.5	53
100	Twenty years experience with constructed wetland systems in Denmark – what did we learn?. <i>Water Science and Technology</i> , 2007, 56, 63-68.	2.5	53
101	Characteristics of biosolids from sludge treatment wetlands for agricultural reuse. <i>Ecological Engineering</i> , 2012, 40, 210-216.	3.6	52
102	Increased invasive potential of non-native <i>Phragmites australis</i> : elevated CO <sub>2</sub> and temperature alleviate salinity effects on photosynthesis and growth. <i>Global Change Biology</i> , 2014, 20, 531-543.	9.5	51
103	Absorption and translocation of zinc in eelgrass ( <i>Zostera marina</i> L.). <i>Journal of Experimental Marine Biology and Ecology</i> , 1982, 58, 259-270.	1.5	50
104	The flower and the butterfly constructed wetland system at Koh Phi Phi – System design and lessons learned during implementation and operation. <i>Ecological Engineering</i> , 2011, 37, 729-735.	3.6	50
105	Oxygen Stress in Wetland Plants: Comparison of De-Oxygenated and Reducing Root Environments. <i>Functional Ecology</i> , 1996, 10, 521.	3.6	49
106	Zero-discharge of nutrients and water in a willow dominated constructed wetland. <i>Water Science and Technology</i> , 2001, 44, 407-412.	2.5	49
107	Ibuprofen and iohexol removal in saturated constructed wetland mesocosms. <i>Ecological Engineering</i> , 2017, 98, 394-402.	3.6	48
108	Impacts of design configuration and plants on the functionality of the microbial community of mesocosm-scale constructed wetlands treating ibuprofen. <i>Water Research</i> , 2018, 131, 228-238.	11.3	48

#	ARTICLE	IF	CITATIONS
109	The distribution of cadmium, copper, lead, and zinc in eelgrass ( <i>Zostera marina</i> L.). <i>Science of the Total Environment</i> , 1982, 24, 51-63.	8.0	47
110	Monitoring of heavy metal contamination in the Limfjord, Denmark, using biological indicators and sediment. <i>Science of the Total Environment</i> , 1987, 64, 239-252.	8.0	47
111	Genetic diversity in three invasive clonal aquatic species in New Zealand. <i>BMC Genetics</i> , 2010, 11, 52.	2.7	47
112	Increased [CO <sub>2</sub> ] does not compensate for negative effects on yield caused by higher temperature and [O <sub>3</sub> ] in <i>Brassica napus</i> L.. <i>European Journal of Agronomy</i> , 2011, 35, 127-134.	4.1	47
113	Musk fragrances, DEHP and heavy metals in a 20 years old sludge treatment reed bed system. <i>Water Research</i> , 2012, 46, 3889-3896.	11.3	46
114	Sludge Dewatering and Mineralization in Sludge Treatment Reed Beds. <i>Water (Switzerland)</i> , 2017, 9, 160.	2.7	46
115	Side-by-side comparison of 15 pilot-scale conventional and intensified subsurface flow wetlands for treatment of domestic wastewater. <i>Science of the Total Environment</i> , 2019, 658, 1500-1513.	8.0	46
116	Effects of pH on ammonium uptake by <i>Typha latifolia</i> L.. <i>Plant, Cell and Environment</i> , 1996, 19, 1431-1436.	5.7	45
117	Enhanced removal of pharmaceuticals in a biofilter: Effects of manipulating co-degradation by carbon feeding. <i>Chemosphere</i> , 2019, 236, 124303.	8.2	45
118	<i>Eleocharis sphacelata</i> : internal gas transport pathways and modelling of aeration by pressurized flow and diffusion. <i>New Phytologist</i> , 1997, 136, 433-442.	7.3	44
119	Wastewater treatment in tsunami affected areas of Thailand by constructed wetlands. <i>Water Science and Technology</i> , 2007, 56, 69-74.	2.5	44
120	Do ploidy level and nuclear genome size and latitude of origin modify the expression of <i>Phragmites australis</i> traits and interactions with herbivores?. <i>Biological Invasions</i> , 2016, 18, 2531-2549.	2.4	44
121	Global networks for invasion science: benefits, challenges and guidelines. <i>Biological Invasions</i> , 2017, 19, 1081-1096.	2.4	44
122	Die-back of <i>Phragmites australis</i> : influence on the distribution and rate of sediment methanogenesis. <i>Biogeochemistry</i> , 1997, 36, 173-188.	3.5	43
123	Organic acids in the sediments of wetlands dominated by <i>Phragmites australis</i> : evidence of phytotoxic concentrations. <i>Aquatic Botany</i> , 1999, 64, 303-315.	1.6	43
124	Growth responses of the Everglades wet prairie species <i>Eleocharis cellulosa</i> and <i>Rhynchospora tracyi</i> to water level and phosphate availability. <i>Aquatic Botany</i> , 2004, 78, 37-54.	1.6	42
125	Internal methane transport through <i>Scheuchzeria palustris</i> : experimental manipulation of morphological barriers to test above- and below-ground diffusion limitation. <i>New Phytologist</i> , 2012, 196, 799-806.	7.3	42
126	Different genotypes of <i>Phragmites australis</i> show distinct phenotypic plasticity in response to nutrient availability and temperature. <i>Aquatic Botany</i> , 2012, 103, 89-97.	1.6	42



#	ARTICLE	IF	CITATIONS
127	The distribution of some metallic elements in eelgrass ( <i>Zostera marina</i> L.) and sediment in the Limfjord, Denmark. <i>Estuarine, Coastal and Shelf Science</i> , 1983, 16, 455-467.	2.1	40
128	Nitrogen nutrition of <i>Cyperus laevigatus</i> and <i>Phormium tenax</i> : Effects of ammonium versus nitrate on growth, nitrate reductase activity and N uptake kinetics. <i>Aquatic Botany</i> , 2013, 106, 42-51.	1.6	40
129	Use of planted biofilters in integrated recirculating aquaculture-hydroponics systems in the Mekong Delta, Vietnam. <i>Aquaculture Research</i> , 2014, 45, 460-469.	1.8	40
130	Constructed Wetlands for Water Treatment: New Developments. <i>Water (Switzerland)</i> , 2017, 9, 397.	2.7	40
131	Uptake and photosynthetic utilization of sediment-derived carbon by <i>Phragmites australis</i> (Cav.) Trin. ex Steudel. <i>Aquatic Botany</i> , 1990, 38, 377-389.	1.6	38
132	Different sensitivity of <i>Phragmites australis</i> and <i>Glyceria maxima</i> to high availability of ammonium-N. <i>Aquatic Botany</i> , 2008, 88, 93-98.	1.6	38
133	Differences in salinity tolerance of genetically distinct <i>Phragmites australis</i> clones. <i>AoB PLANTS</i> , 2013, 5, .	2.3	38
134	Preadaptation and post-introduction evolution facilitate the invasion of <i>Phragmites australis</i> in North America. <i>Ecology and Evolution</i> , 2014, 4, 4567-4577.	1.9	38
135	Intraspecific variation in <i>Phragmites australis</i> : Clinal adaption of functional traits and phenotypic plasticity vary with latitude of origin. <i>Journal of Ecology</i> , 2020, 108, 2531-2543.	4.0	38
136	Simultaneous elimination of antibiotics resistance genes and dissolved organic matter in treatment wetlands: Characteristics and associated relationship. <i>Chemical Engineering Journal</i> , 2021, 415, 128966.	12.7	36
137	WASTEWATER TREATMENT IN CONSTRUCTED REED BEDS IN DENMARK – STATE OF THE ART. , 1990, , 495-504.		36
138	Effects of recirculation rates on water quality and <i>Oreochromis niloticus</i> growth in aquaponic systems. <i>Aquacultural Engineering</i> , 2017, 78, 95-104.	3.1	35
139	Heavy metals in eelgrass ( <i>Zostera marina</i> L.) during growth and decomposition. <i>Hydrobiologia</i> , 1989, 176-177, 189-196.	2.0	34
140	How “Green” Are Aquaculture, Constructed Wetlands and Conventional Wastewater Treatment Systems?. <i>Water Science and Technology</i> , 1999, 40, 45-50.	2.5	34
141	Alum application to improve water quality in a municipal wastewater treatment wetland: Effects on macrophyte growth and nutrient uptake. <i>Chemosphere</i> , 2010, 79, 186-192.	8.2	34
142	Do tropical wetland plants possess convective gas flow mechanisms?. <i>New Phytologist</i> , 2011, 190, 379-386.	7.3	34
143	Influence of low calcium availability on cadmium uptake and translocation in a fast-growing shrub and a metal-accumulating herb. <i>AoB PLANTS</i> , 2016, 8, .	2.3	33
144	Constructed wetlands and solar-driven disinfection technologies for sustainable wastewater treatment and reclamation in rural India: SWINGS project. <i>Water Science and Technology</i> , 2017, 76, 1474-1489.	2.5	33

#	ARTICLE	IF	CITATIONS
145	Microbial community metabolic function in constructed wetland mesocosms treating the pesticides imazalil and tebuconazole. <i>Ecological Engineering</i> , 2017, 98, 378-387.	3.6	32
146	Nutrient and growth responses of cattail ( <i>Typha domingensis</i> ) to redox intensity and phosphate availability. <i>Annals of Botany</i> , 2010, 105, 175-184.	2.9	31
147	Intraspecies differences in phenotypic plasticity: Invasive versus non-invasive populations of <i>Ceratophyllum demersum</i> . <i>Aquatic Botany</i> , 2012, 97, 49-56.	1.6	31
148	New insights into the effects of support matrix on the removal of organic micro-pollutants and the microbial community in constructed wetlands. <i>Environmental Pollution</i> , 2018, 240, 699-708.	7.5	31
149	Improved urban stormwater treatment and pollutant removal pathways in amended wet detention ponds. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012, 47, 1466-1477.	1.7	30
150	Carbon footprint of sludge treatment reed beds. <i>Ecological Engineering</i> , 2012, 44, 298-302.	3.6	29
151	Cork as a sustainable carbon source for nature-based solutions treating hydroponic wastewaters – Preliminary batch studies. <i>Science of the Total Environment</i> , 2019, 650, 267-276.	8.0	28
152	Nutrient removal potential and biomass production by <i>Phragmites australis</i> and <i>Typha latifolia</i> on European rewetted peat and mineral soils. <i>Science of the Total Environment</i> , 2020, 747, 141102.	8.0	28
153	Interactive effects of redox intensity and phosphate availability on growth and nutrient relations of <i>Cladium jamaicense</i> (Cyperaceae). <i>American Journal of Botany</i> , 2003, 90, 736-748.	1.7	27
154	Oxygen stress in <i>Salvinia natans</i> : Interactive effects of oxygen availability and nitrogen source. <i>Environmental and Experimental Botany</i> , 2009, 66, 153-159.	4.2	27
155	Effects of water vapour pressure deficit and stomatal conductance on photosynthesis, internal pressurization and convective flow in three emergent wetland plants. <i>Plant and Soil</i> , 2003, 253, 71-79.	3.7	26
156	Sources and preservation of organic matter in soils of the wetlands in the Liaohe (Liao River) Delta, North China. <i>Marine Pollution Bulletin</i> , 2013, 71, 276-285.	5.0	26
157	Assessment of culturable bacterial endophytic communities colonizing <i>Canna flaccida</i> inhabiting a wastewater treatment constructed wetland. <i>Ecological Engineering</i> , 2017, 98, 418-426.	3.6	25
158	Physiology of a plant invasion. <i>Preslia</i> , 2019, 91, 51-75.	2.8	25
159	Seasonal changes in the concentrations of Ca, Fe, K, Mg, Mn and Na in eelgrass ( <i>Zostera marina</i> L.) in the Limfjord, Denmark. <i>Aquatic Botany</i> , 1983, 17, 107-117.	1.6	24
160	The Applicability of the Wastewater Treatment Plant in Othfresen as Scientific Documentation of the Root-Zone Method. <i>Water Science and Technology</i> , 1987, 19, 19-24.	2.5	24
161	Phenotypic traits of <i>Phragmites australis</i> clones are not related to ploidy level and distribution range. <i>AoB PLANTS</i> , 2012, 2012, pls017.	2.3	24
162	Can differences in salinity tolerance explain the distribution of four genetically distinct lineages of <i>Phragmites australis</i> in the Mississippi River Delta?. <i>Hydrobiologia</i> , 2014, 737, 5-23.	2.0	24

#	ARTICLE	IF	CITATIONS
163	Distribution of metals in fauna, flora and sediments of wet detention ponds and natural shallow lakes. <i>Ecological Engineering</i> , 2014, 66, 43-51.	3.6	24
164	The interactive effect of <i>Juncus effusus</i> and water table position on mesocosm methanogenesis and methane emissions. <i>Plant and Soil</i> , 2016, 400, 45-54.	3.7	24
165	Ammonium and nitrate are both suitable inorganic nitrogen forms for the highly productive wetland grass <i>Arundo donax</i> , a candidate species for wetland paludiculture. <i>Ecological Engineering</i> , 2017, 105, 379-386.	3.6	24
166	Impact of engineered nanoparticles on microbial transformations of carbon, nitrogen, and phosphorus in wastewater treatment processes – A review. <i>Science of the Total Environment</i> , 2019, 660, 1144-1154.	8.0	24
167	Constructed Wetlands in Latin America and the Caribbean: A Review of Experiences during the Last Decade. <i>Water (Switzerland)</i> , 2020, 12, 1744.	2.7	24
168	Sorption Media for Stormwater Treatment – A Laboratory Evaluation of Five Low-Cost Media for Their Ability to Remove Metals and Phosphorus from Artificial Stormwater. <i>Water Environment Research</i> , 2012, 84, 605-616.	2.7	23
169	Microbial community metabolic profiles in saturated constructed wetlands treating iohexol and ibuprofen. <i>Science of the Total Environment</i> , 2019, 651, 1926-1934.	8.0	23
170	Using Green's Functions to initialize and adjust a global, eddying ocean biogeochemistry general circulation model. <i>Ocean Modelling</i> , 2015, 95, 1-14.	2.4	22
171	Growth and nutrient responses of <i>Eleocharis cellulosa</i> (Cyperaceae) to phosphate level and redox intensity. <i>American Journal of Botany</i> , 2005, 92, 1457-1466.	1.7	21
172	Response of <i>Salvinia cucullata</i> to high NH <sub>4</sub> <sup>+</sup> concentrations at laboratory scales. <i>Ecotoxicology and Environmental Safety</i> , 2012, 79, 69-74.	6.0	21
173	Root phosphatase activity in <i>Cladium jamaicense</i> and <i>Typha domingensis</i> grown in Everglades soil at ambient and elevated phosphorus levels. <i>Wetlands</i> , 2002, 22, 794-800.	1.5	20
174	A rhizotron to study root growth under flooded conditions tested with two wetland Cyperaceae. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2006, 201, 429-439.	1.2	20
175	Assessing nutrient responses and biomass quality for selection of appropriate paludiculture crops. <i>Science of the Total Environment</i> , 2019, 664, 1150-1161.	8.0	20
176	Characterization of Hydrocarbon-Degrading Bacteria in Constructed Wetland Microcosms Used to Treat Crude Oil Polluted Water. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2019, 102, 358-364.	2.7	20
177	Interactive effects of nitrogen form and pH on growth, morphology, N uptake and mineral contents of <i>Coix lacryma-jobi</i> L.. <i>Aquatic Botany</i> , 2013, 111, 144-149.	1.6	19
178	Invasive submerged freshwater macrophytes are more plastic in their response to light intensity than to the availability of free CO <sub>2</sub> in air-equilibrated water. <i>Freshwater Biology</i> , 2015, 60, 929-943.	2.4	19
179	Microbial density and diversity in constructed wetland systems and the relation to pollutant removal efficiency. <i>Water Science and Technology</i> , 2016, 73, 679-686.	2.5	19
180	Comparison of removal efficiency of pathogenic microbes in four types of wastewater treatment systems in Denmark. <i>Ecological Engineering</i> , 2018, 124, 1-6.	3.6	19

#	ARTICLE	IF	CITATIONS
181	Community level physiological profiling of microbial electrochemical-based constructed wetlands. <i>Science of the Total Environment</i> , 2020, 721, 137761.	8.0	19
182	Interactive effects of elevated temperature and CO <sub>2</sub> on two phylogeographically distinct clones of common reed ( <i>Phragmites australis</i> ). <i>AoB PLANTS</i> , 2013, 5, .	2.3	18
183	The reproducibility in the determination of heavy metals in marine plant material – an interlaboratory calibration. <i>Marine Chemistry</i> , 1983, 12, 69-85.	2.3	17
184	Impact of aeration on macrophyte establishment in sub-surface constructed wetlands used for tertiary treatment of sewage. <i>Ecological Engineering</i> , 2016, 91, 65-73.	3.6	17
185	Living in two worlds: Evolutionary mechanisms act differently in the native and introduced ranges of an invasive plant. <i>Ecology and Evolution</i> , 2018, 8, 2440-2452.	1.9	17
186	Media selection for sustainable phosphorus removal in subsurface flow constructed wetlands. <i>Water Science and Technology</i> , 2001, 44, 47-54.	2.5	17
187	The importance of vegetative and sexual dispersal of <i>Luronium natans</i> . <i>Aquatic Botany</i> , 2006, 84, 165-170.	1.6	16
188	Herbarium specimens as a source of DNA for AFLP fingerprinting of <i>Phragmites</i> (Poaceae): possibilities and limitations. <i>Plant Systematics and Evolution</i> , 2008, 272, 223-231.	0.9	16
189	Growth responses of the perennial legume <i>Sesbania sesban</i> to NH <sub>4</sub> and NO <sub>3</sub> nutrition and effects on root nodulation. <i>Aquatic Botany</i> , 2009, 91, 238-244.	1.6	16
190	Toxicity of High Salinity Tannery Wastewater and Effects on Constructed Wetland Plants. <i>International Journal of Phytoremediation</i> , 2012, 14, 669-680.	3.1	16
191	Emissions of CO <sub>2</sub> and CH <sub>4</sub> from sludge treatment reed beds depend on system management and sludge loading. <i>Journal of Environmental Management</i> , 2014, 141, 51-60.	7.8	16
192	<i>Phragmites australis</i> : How do genotypes of different phylogeographic origins differ from their invasive genotypes in growth, nitrogen allocation and gas exchange?. <i>Biological Invasions</i> , 2016, 18, 2563-2576.	2.4	16
193	Cryptic lineages and potential introgression in a mixed ploidy species ( <i>Phragmites australis</i> ) across temperate China. <i>Journal of Systematics and Evolution</i> , 2022, 60, 398-410.	3.1	16
194	Effects of inorganic nitrogen form on growth, morphology, N uptake, and nutrient allocation in hybrid Napier grass ( <i>Pennisetum purpureum</i> × <i>Pennisetum americanum</i> cv. Pakchong1). <i>Ecological Engineering</i> , 2014, 73, 653-658.	3.6	15
195	Inter-Annual Variability of Area-Scaled Gaseous Carbon Emissions from Wetland Soils in the Liaohe Delta, China. <i>PLoS ONE</i> , 2016, 11, e0160612.	2.5	15
196	Photosynthesis of co-existing <i>Phragmites</i> haplotypes in their non-native range: are characteristics determined by adaptations derived from their native origin?. <i>AoB PLANTS</i> , 2013, 5, .	2.3	14
197	Response to multi-generational selection under elevated [CO <sub>2</sub> ] in two temperature regimes suggests enhanced carbon assimilation and increased reproductive output in <i>B. brassica napus</i> L.. <i>Ecology and Evolution</i> , 2013, 3, 1163-1172.	1.9	14
198	Growth performance of tropical wetland species ( <i>Cyperus involucreatus</i> Rottb. and <i>Thalia geniculata</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 143, 105667.	3.6	14

#	ARTICLE	IF	CITATIONS
199	Phylogenetic diversity shapes salt tolerance in <i>Phragmites australis</i> estuarine populations in East China. <i>Scientific Reports</i> , 2020, 10, 17645.	3.3	14
200	Hybrid Napier grass as a candidate species for bio-energy in plant-based water treatment systems: Interactive effects of nitrogen and water depth. <i>Aquatic Botany</i> , 2017, 138, 82-91.	1.6	14
201	Ecosystem Service Value for the Common Reed Wetlands in the Liaohe Delta, Northeast China. <i>Open Journal of Ecology</i> , 2016, 06, 129-137.	1.0	14
202	Can differences in phosphorus uptake kinetics explain the distribution of cattail and sawgrass in the Florida Everglades?. <i>BMC Plant Biology</i> , 2010, 10, 23.	3.6	13
203	Ammonium tolerance and toxicity of <i>Actinoscirpus grossus</i> – A candidate species for use in tropical constructed wetland systems. <i>Ecotoxicology and Environmental Safety</i> , 2014, 107, 319-328.	6.0	13
204	Regression analysis of growth responses to water depth in three wetland plant species. <i>AoB PLANTS</i> , 2012, 2012, pls043-pls043.	2.3	12
205	Elimination and accumulation of polycyclic aromatic hydrocarbons in urban stormwater wet detention ponds. <i>Water Science and Technology</i> , 2011, 64, 818-825.	2.5	11
206	Modeling the eutrophication of two mature planted stormwater ponds for runoff control. <i>Ecological Engineering</i> , 2013, 61, 601-613.	3.6	11
207	Phenotypic traits of the Mediterranean <i>Phragmites australis</i> M1 lineage: differences between the native and introduced ranges. <i>Biological Invasions</i> , 2016, 18, 2551-2561.	2.4	11
208	Minimum Fe requirement and toxic tissue concentration of Fe in <i>Phragmites australis</i> : A tool for alleviating Fe-deficiency in constructed wetlands. <i>Ecological Engineering</i> , 2018, 118, 152-160.	3.6	11
209	Evidence does not support the targeting of cryptic invaders at the subspecies level using classical biological control: the example of <i>Phragmites</i> . <i>Biological Invasions</i> , 2019, 21, 2529-2541.	2.4	11
210	Modelling of in situ oxygen transport and aerobic metabolism in the hydrophyte <i>Eleocharis sphacelata</i> R. Br.. <i>Proceedings of the Royal Society of Edinburgh Section B Biological Sciences</i> , 1994, 102, 367-372.	0.2	10
211	Expression of major photosynthetic and salt-resistance genes in invasive reed lineages grown under elevated CO <sub>2</sub> and temperature. <i>Ecology and Evolution</i> , 2014, 4, 4161-4172.	1.9	10
212	Design and performance of the Phyto-Nutri-Tron: a system for controlling the root and shoot environment for whole-plant ecophysiological studies. <i>Environmental and Experimental Botany</i> , 1998, 39, 141-157.	4.2	9
213	Plasticity in carbon acquisition of the heterophyllous <i>Luronium natans</i> : An endangered freshwater species in Europe. <i>Aquatic Botany</i> , 2011, 94, 127-133.	1.6	9
214	Crushed Autoclaved Aerated Concrete (CAAC), a Potential Reactive Filter Medium for Enhancing Phosphorus Removal in Nature-Based Solutions – Preliminary Batch Studies. <i>Water (Switzerland)</i> , 2019, 11, 1442.	2.7	9
215	Biomethane Yield from Different European <i>Phragmites australis</i> Genotypes, Compared with Other Herbaceous Wetland Species Grown at Different Fertilization Regimes. <i>Resources</i> , 2020, 9, 57.	3.5	9
216	Geographically distinct <i>Ceratophyllum demersum</i> populations differ in growth, photosynthetic responses and phenotypic plasticity to nitrogen availability. <i>Functional Plant Biology</i> , 2012, 39, 774.	2.1	8

#	ARTICLE	IF	CITATIONS
217	SEWAGE TREATMENT IN CONSTRUCTED REED BEDS " DANISH EXPERIENCES. , 1988, , 1665-1668.		8
218	Monitoring of Mercury and Cadmium in Coastal Areas, Using Aquatic Organisms and Sediment. <i>Water Science and Technology</i> , 1987, 19, 1239-1241.	2.5	7
219	Effects of oxygen and nitrate on ammonium uptake kinetics and adenylate pools in <i>Phalaris arundinacea</i> L. and <i>Glyceria maxima</i> (Hartm.) Holmb. <i>Proceedings of the Royal Society of Edinburgh Section B Biological Sciences</i> , 1994, 102, 333-342.	0.2	7
220	The effect of weed cutting on <i>Luronium natans</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2006, 16, 409-417.	2.0	7
221	Monitoring the startup of a wet detention pond equipped with sand filters and sorption filters. <i>Water Science and Technology</i> , 2009, 60, 1071-1079.	2.5	7
222	Gas exchange and growth responses to nutrient enrichment in invasive <i>Glyceria maxima</i> and native New Zealand <i>Carex</i> species. <i>Aquatic Botany</i> , 2012, 103, 37-47.	1.6	7
223	Closely related freshwater macrophyte species, <i>Ceratophyllum demersum</i> and <i>C. submersum</i> , differ in temperature response. <i>Freshwater Biology</i> , 2014, 59, 777-788.	2.4	7
224	Does <i>Juncus effusus</i> enhance methane emissions from grazed pastures on peat?. <i>Biogeosciences</i> , 2015, 12, 5667-5676.	3.3	7
225	Multilayer Substrate Configuration Enhances Removal Efficiency of Pollutants in Constructed Wetlands. <i>Water (Switzerland)</i> , 2016, 8, 556.	2.7	7
226	Phylogeography reveals a potential cryptic invasion in the Southern Hemisphere of <i>Ceratophyllum demersum</i> , New Zealand's worst invasive macrophyte. <i>Scientific Reports</i> , 2017, 7, 16569.	3.3	7
227	Differences in relative air humidity affect responses to soil salinity in freshwater and salt marsh populations of the dominant grass species <i>Phragmites australis</i> . <i>Hydrobiologia</i> , 2021, 848, 3353-3369.	2.0	7
228	The use of treatment wetlands plants for protein and cellulose valorization in biorefinery platform. <i>Science of the Total Environment</i> , 2022, 810, 152376.	8.0	7
229	Heavy metals in eelgrass ( <i>Zostera marina</i> L.) during growth and decomposition. , 1989, , 189-196.		6
230	Treatment of Anaerobic Digester Effluent Using <i>Acorus calamus</i> : Effects on Plant Growth and Tissue Composition. <i>Plants</i> , 2018, 7, 36.	3.5	6
231	Wastewater-Fertigated Short-Rotation Coppice, a Combined Scheme of Wastewater Treatment and Biomass Production: A State-of-the-Art Review. <i>Forests</i> , 2022, 13, 810.	2.1	6
232	Carbon sequestration and its controlling factors in the temperate wetland communities along the Bohai Sea, China. <i>Marine and Freshwater Research</i> , 2018, 69, 700.	1.3	5
233	Transcriptome Analysis of Tetraploid and Octoploid Common Reed ( <i>Phragmites australis</i> ). <i>Frontiers in Plant Science</i> , 2021, 12, 653183.	3.6	5
234	Microbial Electrochemically Assisted Treatment Wetlands: Current Flow Density as a Performance Indicator in Real-Scale Systems in Mediterranean and Northern European Locations. <i>Frontiers in Microbiology</i> , 2022, 13, 843135.	3.5	5

#	ARTICLE	IF	CITATIONS
235	Design and performance evaluation of a highly loaded aerated treatment wetland managing effluents from a food processing industry in Denmark. <i>Water Practice and Technology</i> , 2015, 10, 644-651.	2.0	4
236	Acclimation to light and avoidance of photoinhibition in <i>Typha latifolia</i> is associated with high photosynthetic capacity and xanthophyll pigment content. <i>Functional Plant Biology</i> , 2017, 44, 774.	2.1	4
237	In-Situ CO <sub>2</sub> Partitioning Measurements in a <i>Phragmites australis</i> Wetland: Understanding Carbon Loss through Ecosystem Respiration. <i>Wetlands</i> , 2020, 40, 901-914.	1.5	4
238	Suitability of Wild <i>Phragmites australis</i> as Bio-Resource: Tissue Quality and Morphology of Populations from Three Continents. <i>Resources</i> , 2020, 9, 143.	3.5	4
239	Phosphorus Recovery from Wastewater: Bioavailability of P Bound to Calcareous Material for Maize ( <i>Zea Mays</i> L.) Growth. <i>Recycling</i> , 2021, 6, 25.	5.0	4
240	Preface: Wetland ecosystemsâ€™ functions and use in a changing climate. <i>Hydrobiologia</i> , 2021, 848, 3255-3258.	2.0	4
241	Investigating degradation metabolites and underlying pathway of azo dye â€œReactive Black 5â€ in bioaugmented floating treatment wetlands. <i>Environmental Science and Pollution Research</i> , 2021, 28, 65229-65242.	5.3	4
242	Monitoring the Short-Term Response to Salt Exposure of Two Genetically Distinct &#x201c; <i>Phragmites australis</i> &#x201c; Clones with Different Salinity Tolerance Levels. <i>American Journal of Plant Sciences</i> , 2014, 05, 1098-1109.	0.8	4
243	SWS European Chapter Meeting on wetland restorationâ€™ Challenges and opportunities. <i>Ecological Engineering</i> , 2014, 66, 1-5.	3.6	3
244	Critical Review: Biogeochemical Networking of Iron, Is It Important in Constructed Wetlands for Wastewater Treatment?. <i>Environmental Science &amp; Technology</i> , 2019, , .	10.0	3
245	Relationship between Polycyclic Aromatic Hydrocarbons in Sediments and Invertebrates of Natural and Artificial Stormwater Retention Ponds. <i>Water (Switzerland)</i> , 2020, 12, 2020.	2.7	3
246	Negative Feedback by Vegetation on Soil Organic Matter Decomposition in a Coastal Wetland. <i>Wetlands</i> , 2020, 40, 2785-2797.	1.5	3
247	Shade and salinity responses of two dominant coastal wetland grasses: implications for light competition at the transition zone. <i>Annals of Botany</i> , 2021, 128, 469-480.	2.9	3
248	Potential Use of Plant Biomass from Treatment Wetland Systems for Producing Biofuels through a Biocrude Green-Biorefining Platform. <i>Energies</i> , 2021, 14, 8157.	3.1	3
249	Effects of effluent recycle on treatment performance in a vertical flow constructed wetland. <i>Ecological Engineering</i> , 2022, 180, 106675.	3.6	3
250	Ecology of <i>Phragmites</i> populations in the changing landscape. <i>Folia Geobotanica</i> , 2000, 35, 351-351.	0.9	2
251	Effects of phosphate availability and redox intensity on growth and nutrient uptake of <i>Rhynchospora tracyi</i> , a wet prairie species in the everglades. <i>Wetlands</i> , 2008, 28, 151-163.	1.5	2
252	Gas Transport and Exchange through Wetland Plant Aerenchyma. <i>Soil Science Society of America Book Series</i> , 2015, , 177-196.	0.3	2

#	ARTICLE	IF	CITATIONS
253	Effects of soil type and water saturation on growth, nutrient and mineral content of the perennial forage shrub <i>Sesbania sesban</i> . <i>Agroforestry Systems</i> , 2017, 91, 173-184.	2.0	2
254	Phytoremediation Potential of <i>Typha orientalis</i> and <i>Scirpus littoralis</i> in Removal of Nitrogen and Phosphorus from Intensive Whiteleg Shrimp Wastewater. <i>E3S Web of Conferences</i> , 2018, 68, 04003.	0.5	2
255	A 3-Year In-Situ Measurement of CO <sub>2</sub> Efflux in Coastal Wetlands: Understanding Carbon Loss through Ecosystem Respiration and its Partitioning. <i>Wetlands</i> , 2020, 40, 551-562.	1.5	2
256	Interactive Effects of N Form and P Concentration on Growth and Tissue Composition of Hybrid Napier Grass ( <i>Pennisetum purpureum</i> × <i>Pennisetum americanum</i> ). <i>Plants</i> , 2020, 9, 1003.	3.5	2
257	Appropriate and Sustainable Wastewater Management in Developing Countries by the Use of Constructed Wetlands. , 2010, , .		2
258	Enhanced degradation of hydrocarbons in constructed wetlands aided with nutrients, surfactant, and aeration. <i>International Journal of Phytoremediation</i> , 2022, 24, 1163-1172.	3.1	2
259	The Effect of Sol-Gel Coatings on the Phosphorus (P) Adsorption Capacity of Calcareous Materials for Use in Water Treatment. <i>Water (Switzerland)</i> , 2022, 14, 3.	2.7	2
260	Methodologies for the analysis of pesticides and pharmaceuticals in sediments and plant tissue. <i>Analytical Methods</i> , 2018, 10, 3791-3803.	2.7	1
261	Intraspecific differences of Asian/Australian <i>Phragmites australis</i> subgroups reveal no potentially invasive traits. <i>Hydrobiologia</i> , 2021, 848, 3331-3351.	2.0	1
262	Zero-discharge of nutrients and water in a willow dominated constructed wetland. <i>Water Science and Technology</i> , 2001, 44, 407-12.	2.5	1
263	Sustained Phosphorus Removal by Calcareous Materials in Long-Term (Two Years) Column Experiment. <i>Water (Switzerland)</i> , 2022, 14, 682.	2.7	1
264	Growth and photosynthetic acclimation to temperature in hybrid Napier grass ( <i>Pennisetum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 T 103232.	1.6	0
265	Á«Çnh hÆ°á»Ýng dá°ing Ä'á°im vÃ' cÆj lÃ°n khá°£ nÃfng sinh trÆ°á»Ýng vÃ xÆ°ì% lyì•Ä'á°im cá»Sa cá»•má»“m má»j (Hymenachne a Hoc = <i>Journal of Science</i> , 2017, MÃî trÆ°á»ng 2017, 100.	0.1	0