

Sergio Vano-Galvan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8509221/publications.pdf>

Version: 2024-02-01

249
papers

4,145
citations

136950

32
h-index

175258

52
g-index

278
all docs

278
docs citations

278
times ranked

3464
citing authors

#	ARTICLE	IF	CITATIONS
1	SULT1A1 (Minoxidil Sulfotransferase) enzyme booster significantly improves response to topical minoxidil for hair regrowth. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 343-346.	1.6	6
2	Topical dapsone for folliculitis decalvans: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 150-151.	1.2	4
3	Canities Subita after Extreme Trauma Showing Positive Staining for Anti-PD-L1 Antibodies: A New Clue into Etiopathogenesis?. <i>Skin Appendage Disorders</i> , 2022, 8, 65-69.	1.0	1
4	Serious Adverse effects From Compounding Errors With Low-Dose Oral Minoxidil for Alopecia Treatment. <i>Actas Dermo-sifiligráficas</i> , 2022, 113, 725-727.	0.4	6
5	Refractory folliculitis decalvans treated with adalimumab: A case series of 23 patients. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 666-669.	1.2	11
6	Dutasteride intralesional microinjections in combination with oral minoxidil vs. oral minoxidil monotherapy in men with androgenetic alopecia: a retrospective analysis of 105 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, .	2.4	4
7	Imiquimod-enhanced immunotherapy with diphencyprone for patients with alopecia areata. <i>Dermatologic Therapy</i> , 2022, 35, e15516.	1.7	1
8	Low-dose oral minoxidil for treatment of androgenetic alopecia and telogen effluvium in a pediatric population: A descriptive study. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 700-702.	1.2	10
9	[Artículo traducido] Efectos adversos graves por errores de formulación de minoxidil oral a bajas dosis para el tratamiento de la alopecia. <i>Actas Dermo-sifiligráficas</i> , 2022, 113, T725-T727.	0.4	2
10	Folliculitis decalvans microbiologic signature is specific for disease clinical phenotype. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 1355-1357.	1.2	11
11	Oral minoxidil improves background hair thickness in lichen planopilaris. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1684-1686.	1.2	21
12	Trichoscopic findings of discoid lupus erythematosus alopecia: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 804-806.	1.2	7
13	Epidemiologic and clinical features of pattern III frontal fibrosing alopecia (pseudo fringe type): A multicenter series of 38 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 797-798.	1.2	1
14	Histological evidence for epidermal and dermal atrophy of the alopecic band in treatment-naïve patients with Frontal Fibrosing Alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e47-e49.	2.4	6
15	Antiandrogens may protect against severe COVID-19 outcomes: results from a prospective cohort study of 77 hospitalized men. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e13-e15.	2.4	54
16	Effectiveness of dutasteride in a large series of patients with frontal fibrosing alopecia in real clinical practice. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1285-1294.	1.2	26
17	Reply to comment on: The Gabrin sign. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e149-e150.	1.2	0
18	SARS-CoV-2-induced telogen effluvium: a multicentric study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e181-e183.	2.4	50

#	ARTICLE	IF	CITATIONS
19	Androgenetic alopecia may be associated with weaker COVID-19 T-cell immune response: An insight into a potential COVID-19 vaccine booster. <i>Medical Hypotheses</i> , 2021, 146, 110439.	1.5	12
20	5 α -reductase inhibitors are associated with reduced frequency of COVID-19 symptoms in males with androgenetic alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e243-e246.	2.4	42
21	Characterization and management of hypertrichosis induced by low-dose oral minoxidil in the treatment of hair loss. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 222-223.	1.2	11
22	Trichoscopic features of mild frontal fibrosing alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e205-e207.	2.4	4
23	Androgen receptor genetic variant predicts COVID-19 disease severity: a prospective longitudinal study of hospitalized COVID-19 male patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e15-e17.	2.4	27
24	Frontal Fibrosing Alopecia: Is There a Link in Relatives?. <i>Skin Appendage Disorders</i> , 2021, 7, 206-211.	1.0	5
25	Proxalutamide Significantly Accelerates Viral Clearance and Reduces Time to Clinical Remission in Patients with Mild to Moderate COVID-19: Results from a Randomized, Double-Blinded, Placebo-Controlled Trial. <i>Cureus</i> , 2021, 13, e13492.	0.5	46
26	Localized grey hair repigmentation (canities reversal) in patients with frontal fibrosing alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e408-e410.	2.4	3
27	A Global eDelphi Exercise to Identify Core Domains and Domain Items for the Development of a Global Registry of Alopecia Areata Disease Severity and Treatment Safety (GRASS). <i>JAMA Dermatology</i> , 2021, 157, 439.	4.1	13
28	Comment on "Low dose oral minoxidil for treating alopecia: A 3-year North American retrospective case series": Adding further evidence about side effects. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e237-e238.	1.2	2
29	Alopecia and the Microbiome: A Future Therapeutic Target?. <i>Actas Dermo-sifiligráficas</i> , 2021, 112, 495-502.	0.4	0
30	Safety of low-dose oral minoxidil for hair loss: A multicenter study of 1404 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1644-1651.	1.2	67
31	Proxalutamide Reduces the Rate of Hospitalization for COVID-19 Male Outpatients: A Randomized Double-Blinded Placebo-Controlled Trial. <i>Frontiers in Medicine</i> , 2021, 8, 668698.	2.6	43
32	Guidelines for clinical trials of frontal fibrosing alopecia: consensus recommendations from the International FFA Cooperative Group (IFFACG)*. <i>British Journal of Dermatology</i> , 2021, 185, 1221-1231.	1.5	14
33	Response to "Reply to effectiveness of dutasteride in a large series of patients with FFA in real clinical practice". <i>Journal of the American Academy of Dermatology</i> , 2021, 85, e95-e96.	1.2	2
34	An anti-hair loss treatment in the management of mild androgenetic alopecia: Results from a large, international observational study. <i>Dermatologic Therapy</i> , 2021, 34, e15134.	1.7	2
35	Time of onset and duration of post-COVID-19 acute telogen effluvium. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 975-976.	1.2	30
36	Trichodynia and telogen effluvium in COVID-19 patients: Results of an international expert opinion survey on diagnosis and management. <i>JAAD International</i> , 2021, 5, 11-18.	2.2	39

#	ARTICLE	IF	CITATIONS
37	Beard loss in men with frontal fibrosing alopecia. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	1.2	3
38	Alopecia y microbioma: ¿futura diana terapéutica?. <i>Actas Dermo-sifiliográficas</i> , 2021, 112, 495-495.	0.4	3
39	Current controversies in trichology: a European expert consensus statement. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 3-11.	2.4	7
40	Localized Telogen Effluvium of the Donor Area After Hair Transplant Surgery in 12 Patients. <i>Dermatologic Surgery</i> , 2021, 47, 1023-1024.	0.8	3
41	Epidermis as a Platform for Bacterial Transmission. <i>Frontiers in Immunology</i> , 2021, 12, 774018.	4.8	5
42	Reply to: "Very-low-dose oral minoxidil in male androgenetic alopecia: A study with quantitative trichoscopic documentation". <i>Journal of the American Academy of Dermatology</i> , 2020, 82, e23-e24.	1.2	4
43	Analysis of the gut microbiota in alopecia areata: identification of bacterial biomarkers. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 400-405.	2.4	68
44	Trichoscopy activity scale for folliculitis decalvans. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e55-e57.	2.4	21
45	Image Gallery: Giant rhinophyma. <i>British Journal of Dermatology</i> , 2020, 182, e52.	1.5	0
46	Frontal fibrosing alopecia: histopathological, immunohistochemical and hormonal study of clinically unaffected scalp areas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e84-e85.	2.4	6
47	Effectiveness and safety of oral dutasteride for male androgenetic alopecia in real clinical practice: A descriptive monocentric study. <i>Dermatologic Therapy</i> , 2020, 33, e13182.	1.7	6
48	Enanthem in Patients With COVID-19 and Skin Rash. <i>JAMA Dermatology</i> , 2020, 156, 1134.	4.1	68
49	17562 Genetic anticipation in frontal fibrosing alopecia: An inadequate follow-up time bias. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, AB196.	1.2	0
50	Safety of low-dose oral minoxidil treatment for hair loss. A systematic review and pooled analysis of individual patient data. <i>Dermatologic Therapy</i> , 2020, 33, e14106.	1.7	29
51	Tuberous sclerosis complex presenting as periungual fibromas and seizures in a 52-year-old woman. <i>Cmaj</i> , 2020, 192, E714-E714.	2.0	0
52	Prescribing Habits for Androgenic Alopecia among Dermatologists in Spain in 2019–2020: A Cross-Sectional Study. <i>Skin Appendage Disorders</i> , 2020, 6, 283-286.	1.0	6
53	Novel "After Minoxidil" spray improves topical minoxidil compliance and hair style manageability. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 2647-2649.	1.6	4
54	Androgenetic alopecia in COVID-19: Compared to age-matched epidemiologic studies and hospital outcomes with or without the Gabrin sign. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e453-e454.	1.2	38

#	ARTICLE	IF	CITATIONS
55	Novel topical booster enhances follicular sulfotransferase activity in patients with androgenetic alopecia: a new strategy to improve minoxidil response. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e799-e800.	2.4	5
56	Androgen sensitivity gateway to COVID-19 disease severity. <i>Drug Development Research</i> , 2020, 81, 771-776.	2.9	126
57	Impacto de la intervención psicológica en mujeres con alopecia areata universal: un estudio piloto. <i>Actas Dermo-sifilográficas</i> , 2020, 111, 694-696.	0.4	1
58	Low-Dose Oral Minoxidil for Female Pattern Hair Loss: A Unicenter Descriptive Study of 148 Women. <i>Skin Appendage Disorders</i> , 2020, 6, 175-176.	1.0	15
59	What does androgenetic alopecia have to do with COVID-19? An insight into a potential new therapy. <i>Dermatologic Therapy</i> , 2020, 33, e13365.	1.7	52
60	Erosive pustular dermatosis of the scalp: a multicentre study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1348-1354.	2.4	19
61	Case report: a rare and generalized presentation of frontal fibrosing alopecia in a man. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e517-e518.	2.4	0
62	Racial variations in COVID-19 deaths may be due to androgen receptor genetic variants associated with prostate cancer and androgenetic alopecia. Are antiandrogens a potential treatment for COVID-19?. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 1542-1543.	1.6	75
63	Association of Inflammation With Progression of Hair Loss in Women With Frontal Fibrosing Alopecia. <i>JAMA Dermatology</i> , 2020, 156, 700.	4.1	17
64	Bicalutamide: A potential new oral antiandrogenic drug for female pattern hair loss. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e355-e356.	1.2	16
65	A preliminary observation: Male pattern hair loss among hospitalized COVID-19 patients in Spain – A potential clue to the role of androgens in COVID-19 severity. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 1545-1547.	1.6	149
66	Androgenetic alopecia present in the majority of patients hospitalized with COVID-19: The “Gabrin sign”. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 680-682.	1.2	136
67	Scarring Alopecias. , 2020, , 139-160.		0
68	Pigmented linear discoid lupus erythematosus following the lines of Blaschko: A retrospective study of a Chinese series. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2020, 86, 359.	0.6	5
69	Folliculitis Decalvans. , 2019, , 161-165.		1
70	Dissecting Cellulitis of the Scalp. , 2019, , 167-172.		0
71	Erosive Pustular Dermatitis of the Scalp. , 2019, , 179-182.		3
72	Image Gallery: Multiple yellowish papules and verrucous plaques on the vulva. <i>British Journal of Dermatology</i> , 2019, 181, e116.	1.5	0

#	ARTICLE	IF	CITATIONS
73	Hair transplant in frontal fibrosing alopecia: A multicenter review of 51 patients. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 865-866.	1.2	16
74	Image Gallery: Atrophic cutis marmorata telangiectatica congenita. <i>British Journal of Dermatology</i> , 2019, 181, e32.	1.5	0
75	Novel shampoo reduces hair shedding by contracting the arrector pili muscle via the trace amine-associated receptor. <i>Journal of Cosmetic Dermatology</i> , 2019, 18, 2037-2039.	1.6	4
76	Oral bicalutamide for female pattern hair loss: A pilot study. <i>Dermatologic Therapy</i> , 2019, 32, e13096.	1.7	12
77	Precision Medicine and the Practice of Trichiatry: Adapting the Concept. <i>Skin Appendage Disorders</i> , 2019, 5, 338-343.	1.0	7
78	Effectiveness and safety of low-dose oral minoxidil in male androgenetic alopecia. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 648-649.	1.2	71
79	An Unusual Birthmark on the Scalp: A Quiz. <i>Acta Dermato-Venereologica</i> , 2019, 99, 846-847.	1.3	0
80	Factors influencing frontal fibrosing alopecia severity: a multicentre cross-sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e315-e316.	2.4	5
81	Genome-wide association study in frontal fibrosing alopecia identifies four susceptibility loci including HLA-B*07:02. <i>Nature Communications</i> , 2019, 10, 1150.	12.8	82
82	Tretinoin enhances minoxidil response in androgenetic alopecia patients by upregulating follicular sulfotransferase enzymes. <i>Dermatologic Therapy</i> , 2019, 32, e12915.	1.7	12
83	Adverse Hair Reactions to New Targeted Therapies for Cancer. <i>Actas Dermo-sifiligráficas</i> , 2019, 110, 182-192.	0.4	0
84	Frequency of the Types of Alopecia at Twenty-Two Specialist Hair Clinics: A Multicenter Study. <i>Skin Appendage Disorders</i> , 2019, 5, 309-315.	1.0	61
85	Reacciones capilares de las nuevas terapias diana dirigidas contra el cáncer. <i>Actas Dermo-sifiligráficas</i> , 2019, 110, 182-192.	0.4	11
86	FR " Minoxidil oral para el tratamiento de la alopecia androgénica femenina y otras alopecias. <i>Actas Dermo-sifiligráficas</i> , 2019, 110, 861-862.	0.4	6
87	RF " Oral Minoxidil for Female Pattern Hair Loss and Other Alopecias. <i>Actas Dermo-sifiligráficas</i> , 2019, 110, 861-862.	0.4	0
88	Porokeratosis Ptychotropica on the Penis and Scrotum: A Case Report. <i>Acta Dermato-Venereologica</i> , 2019, 99, 246-247.	1.3	3
89	Reply to: "Comment on "Folliculitis decalvans: Effectiveness of therapies and prognostic factors in a multicenter series of 60 patients with long-term follow-up". <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e85.	1.2	0
90	Risk factors associated with frontal fibrosing alopecia: a multicentre case-control study. <i>Clinical and Experimental Dermatology</i> , 2019, 44, 404-410.	1.3	57

#	ARTICLE	IF	CITATIONS
91	A painful erythematous plaque on the right labium majora. American Journal of Obstetrics and Gynecology, 2019, 220, 204.	1.3	0
92	Central centrifugal cicatricial alopecia in a fair phototype patient. International Journal of Trichology, 2019, 11, 251.	0.5	1
93	Health-Related Quality of Life in Patients With Frontal Fibrosing Alopecia. JAMA Dermatology, 2018, 154, 479.	4.1	23
94	Estudio transversal acerca de los hábitos de prescripción en alopecia androgénica de los dermatólogos en España en 2017. Actas Dermo-sifilográficas, 2018, 109, 536-542.	0.4	10
95	Frontal fibrosing alopecia and cutaneous comorbidities: A potential relationship with rosacea. Journal of the American Academy of Dermatology, 2018, 78, 596-597.e1.	1.2	18
96	Effectiveness of low-level laser therapy in lichen planopilaris. Journal of the American Academy of Dermatology, 2018, 78, 1020-1023.	1.2	18
97	Large, Long-standing Tumor on the Scalp and Ipsilateral Lymphadenopathy. Actas Dermo-sifilográficas, 2018, 109, 63-64.	0.4	0
98	Tumoración en cuero cabelludo de gran tamaño de larga evolución con adenopatías ipsilaterales. Actas Dermo-sifilográficas, 2018, 109, 63-64.	0.4	0
99	Development and validation of the Frontal Fibrosing Alopecia Severity Score. Journal of the American Academy of Dermatology, 2018, 78, 522-529.	1.2	36
100	Impact of Folliculitis Decalvans on Quality of Life and Subjective Perception of Disease. Skin Appendage Disorders, 2018, 4, 34-36.	1.0	5
101	Acknowledging the pseudo "œfringe sign" in frontal fibrosing alopecia has diagnostic and prognostic implications. Journal of the American Academy of Dermatology, 2018, 78, e19.	1.2	3
102	Updated diagnostic criteria for frontal fibrosing alopecia. Journal of the American Academy of Dermatology, 2018, 78, e21-e22.	1.2	32
103	Folliculitis decalvans: Effectiveness of therapies and prognostic factors in a multicenter series of 60 patients with long-term follow-up. Journal of the American Academy of Dermatology, 2018, 79, 878-883.	1.2	48
104	Clinical Description of Frontal Fibrosing Alopecia with Concomitant Lichen Planopilaris. Skin Appendage Disorders, 2018, 4, 105-107.	1.0	13
105	Steroid-induced changes noted on trichoscopy of patients with frontal fibrosing alopecia. Journal of the American Academy of Dermatology, 2018, 79, 956-957.	1.2	11
106	Prescribing Habits for Androgenic Alopecia Among Dermatologists in Spain in 2017: A Cross-Sectional Study. Actas Dermo-sifilográficas, 2018, 109, 536-542.	0.4	5
107	Spontaneous hair regrowth in eight patients with severe alopecia areata. Australasian Journal of Dermatology, 2018, 59, e318-e319.	0.7	2
108	Reply to: "Response to "Development and validation of the Frontal Fibrosing Alopecia Severity Score" Journal of the American Academy of Dermatology, 2018, 79, e117.	1.2	2

#	ARTICLE	IF	CITATIONS
109	Hormonal and Gynecological Risk Factors in Frontal Fibrosing Alopecia: A Case-Control Study. <i>Skin Appendage Disorders</i> , 2018, 4, 274-276.	1.0	12
110	Trichologist, Dermatotr ichologist, or Trichi atrist? A Global Perspective on a Strictly Medical Discipline. <i>Skin Appendage Disorders</i> , 2018, 4, 202-207.	1.0	7
111	Novedades terapéuticas en tricología. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 221-228.	0.4	24
112	Objective Structured Clinical Examination as an Assessment Tool for Clinical Skills in Dermatology. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 237-243.	0.4	5
113	Actinic Granuloma. <i>New England Journal of Medicine</i> , 2017, 376, 475-475.	27.0	7
114	New Treatments for Hair Loss. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 221-228.	0.4	7
115	Frontal fibrosing alopecia: clinical and prognostic classification. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1739-1745.	2.4	70
116	Reply to: "Regarding trichoscopy of dissecting cellulitis of the scalp". <i>Journal of the American Academy of Dermatology</i> , 2017, 76, e215-e216.	1.2	1
117	Sex hormone status in premenopausal women with frontal fibrosing alopecia: a multicentre review of 43 patients. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 921-923.	1.3	16
118	Therapeutic experience with oral finasteride for androgenetic alopecia in female-to-male transgender patients. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 743-748.	1.3	35
119	FR-Enfriamiento del cuero cabelludo. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 945-946.	0.4	0
120	Valor del trasplante capilar realizado por el dermatólogo. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 495-497.	0.4	2
121	Objective Structured Clinical Examination as an Assessment Tool for Clinical Skills in Dermatology. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 237-243.	0.4	0
122	Tissue and Circulating MicroRNA Co-expression Analysis Shows Potential Involvement of miRNAs in the Pathobiology of Frontal Fibrosing Alopecia. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2440-2443.	0.7	8
123	Frontal fibrosing alopecia in male patients: a report of 12 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e112-e114.	2.4	21
124	Beard alopecia areata: a multicentre review of 55 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 187-192.	2.4	16
125	Epidemiology, clinical presentation and therapeutic approach in a multicentre series of dissecting cellulitis of the scalp. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e199-e200.	2.4	38
126	Alopecia areata totalis and universalis: a multicenter review of 132 patients in Spain. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 550-556.	2.4	23

#	ARTICLE	IF	CITATIONS
127	Frontal fibrosing alopecia and environment: may tobacco be protective?. Journal of the European Academy of Dermatology and Venereology, 2017, 31, e98-e99.	2.4	14
128	RF-Scalp Cooling. Actas Dermo-sifiligráficas, 2017, 108, 945-946.	0.4	0
129	Mesotherapy with dutasteride in the treatment of androgenetic alopecia. International Journal of Trichology, 2017, 9, 143.	0.5	30
130	Trichoscopic features of folliculitis decalvans: Results in 58 Patients. International Journal of Trichology, 2017, 9, 140.	0.5	18
131	Reply to: Hyperprolactinemia and hirsutism in patients without polycystic ovary syndrome. International Journal of Trichology, 2017, 9, 42.	0.5	0
132	Differential Diagnosis of Two Chinese Families with Dyschromatoses by Targeted Gene Sequencing. Chinese Medical Journal, 2016, 129, 33-38.	2.3	6
133	Reply to: "Frontal Fibrosing Alopecia Severity Index (FFASI): a validated scoring system for assessing frontal fibrosing alopecia". British Journal of Dermatology, 2016, 175, 648-648.	1.5	3
134	Reply: Treatment of folliculitis decalvans with photodynamic therapy. Journal of the American Academy of Dermatology, 2016, 74, e71.	1.2	0
135	Creeping Eruption " Cutaneous Larva Migrans. New England Journal of Medicine, 2016, 374, e16.	27.0	17
136	Treatment of recalcitrant adult alopecia areata universalis with oral azathioprine. Journal of the American Academy of Dermatology, 2016, 74, 1007-1008.	1.2	21
137	Pulse corticosteroid therapy with oral dexamethasone for the treatment of adult alopecia totalis and universalis. Journal of the American Academy of Dermatology, 2016, 74, 1005-1007.	1.2	21
138	Clinical and trichoscopic characteristics of temporal triangular alopecia: A multicenter study. Journal of the American Academy of Dermatology, 2016, 75, 634-637.	1.2	31
139	Trichoscopy of dissecting cellulitis of the scalp: Exclamation mark hairs and white dots as markers of disease chronicity. Journal of the American Academy of Dermatology, 2016, 75, 1267-1268.	1.2	18
140	Diffuse hypotrichosis from early childhood. Journal of the American Academy of Dermatology, 2016, 75, e125-e126.	1.2	0
141	In situ production of ROS in the skin by photodynamic therapy as a powerful tool in clinical dermatology. Methods, 2016, 109, 190-202.	3.8	39
142	Antiandrogenic drugs, a therapeutic option for frontal fibrosing alopecia patients. Journal of the American Academy of Dermatology, 2016, 74, e77.	1.2	11
143	Recurrence of stewart-treves syndrome in a patient with chronic lymphedema secondary to breast cancer. Indian Journal of Dermatology, 2016, 61, 126.	0.3	1
144	Afatinib-induced hypertrichosis of the eyelashes and eyebrows. Indian Journal of Dermatology, Venereology and Leprology, 2016, 82, 192.	0.6	7

#	ARTICLE	IF	CITATIONS
145	Alopecia areata sisaipho: Clinical and therapeutic approach in 13 patients in Spain. International Journal of Trichology, 2016, 8, 99.	0.5	5
146	Folliculitis decalvans: a multicentre review of 82 patients. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1750-1757.	2.4	73
147	Treatment of folliculitis decalvans with photodynamic therapy: Results in 10 patients. Journal of the American Academy of Dermatology, 2015, 72, 1085-1087.	1.2	35
148	Depression of the frontal veins: A new clinical sign of frontal fibrosing alopecia. Journal of the American Academy of Dermatology, 2015, 72, 1087-1088.	1.2	20
149	Skin Self-examination Using Smartphone Photography to Improve the Early Diagnosis of Melanoma. Actas Dermo-sifilográficas, 2015, 106, 75-77.	0.4	5
150	A dermoscopic clue for alopecic plaques in children. Journal of the American Academy of Dermatology, 2015, 72, e71-e72.	1.2	0
151	Flesh-colored plaques on the scrotum. Journal of the American Academy of Dermatology, 2015, 72, e75-e76.	1.2	1
152	Trichoscopic features of frontal fibrosing alopecia: Results in 249 patients. Journal of the American Academy of Dermatology, 2015, 72, 357-359.	1.2	47
153	Cutaneous Collagenous Vasculopathy. New England Journal of Medicine, 2015, 373, e14.	27.0	6
154	Classic Kaposi's sarcoma treated with topical rapamycin. Dermatologic Therapy, 2015, 28, 40-43.	1.7	22
155	Autocontrol fotográfico mediante smartphones para mejorar el diagnóstico precoz del melanoma. Actas Dermo-sifilográficas, 2015, 106, 75-77.	0.4	3
156	Extrafacial rosacea with predominant scalp involvement. Indian Journal of Dermatology, Venereology and Leprology, 2015, 81, 511.	0.6	5
157	Annular Secondary Syphilis. New England Journal of Medicine, 2014, 371, 2017-2017.	27.0	7
158	Fulminant necrotizing fasciitis caused by <i>Serratia marcescens</i> in an immunosuppressed host. International Journal of Dermatology, 2014, 53, e57-e58.	1.0	9
159	Dermatitis alérgica de contacto a cosméticos. Actas Dermo-sifilográficas, 2014, 105, 822-832.	0.4	32
160	Nodular lesion in a renal transplant recipient. Journal of the American Academy of Dermatology, 2014, 70, e53-e54.	1.2	0
161	Reply to "Frontal fibrosing alopecia". Journal of the American Academy of Dermatology, 2014, 71, 594-595.	1.2	6
162	Allergic Contact Dermatitis Caused by Cosmetic Products. Actas Dermo-sifilográficas, 2014, 105, 822-832.	0.4	11

#	ARTICLE	IF	CITATIONS
163	Frontal fibrosing alopecia: A multicenter review of 355 patients. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 670-678.	1.2	362
164	Sarcoidal infiltration of tattoos. <i>Cleveland Clinic Journal of Medicine</i> , 2014, 81, 717-718.	1.3	2
165	Bowel-associated dermatosis-arthritis syndrome: another cutaneous manifestation of inflammatory intestinal disease. <i>International Journal of Dermatology</i> , 2013, 52, 1596-1598.	1.0	17
166	Syphilitic Chancres of the Lips. <i>New England Journal of Medicine</i> , 2013, 368, e8.	27.0	6
167	Importance of a Patient Dosimetry and Clinical Follow-up Program in the Detection of Radiodermatitis After Long Percutaneous Coronary Interventions. <i>CardioVascular and Interventional Radiology</i> , 2013, 36, 330-337.	2.0	24
168	Congenital plaque-like glomangioma treated successfully with dual wavelength pulsed dye and neodymium:yttrium-aluminum-garnet laser. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2013, 29, 212-214.	1.5	7
169	Dynamic skin changes of acute radiation dermatitis revealed by <i>in vivo</i> reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1143-1150.	2.4	23
170	Asymptomatic crusted lesions. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, e161-e162.	1.2	0
171	Knowledge and perceptions of junior and senior Spanish resident doctors about antibiotic use and resistance: Results of a multicenter survey. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2013, 31, 199-204.	0.5	57
172	Vitiligo in 2 patients receiving vemurafenib for metastatic melanoma. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, e28-e29.	1.2	18
173	Trichomycosis Axillaris. <i>New England Journal of Medicine</i> , 2013, 369, 1735-1735.	27.0	13
174	Piezogenic pedal papules. <i>Cmaj</i> , 2013, 185, E847-E847.	2.0	11
175	Congenital Smooth Muscle Hamartoma on the Face Treated Using Vascular Laser. <i>Pediatric Dermatology</i> , 2013, 30, e250-1.	0.9	3
176	Perforating dermatosis in a patient receiving azathioprine. <i>Indian Journal of Dermatology</i> , 2013, 58, 158.	0.3	3
177	Odynophagia, peripheral facial nerve paralysis, mucocutaneous lesions. <i>Cleveland Clinic Journal of Medicine</i> , 2013, 80, 76-77.	1.3	2
178	Chronic itch on the upper back, with pain. <i>Cleveland Clinic Journal of Medicine</i> , 2013, 80, 550-552.	1.3	0
179	Chronic itch on the back associated with disc hernia—a case study. <i>Australian Family Physician</i> , 2013, 42, 131-2.	0.5	0
180	Patchy hair loss on the pubis—a case study. <i>Australian Family Physician</i> , 2013, 42, 487-9.	0.5	1

#	ARTICLE	IF	CITATIONS
181	Chilblains: Figure 1:. Cmaj, 2012, 184, 67-67.	2.0	16
182	Lipschütz Ulcers in Twin Sisters. Pediatric Dermatology, 2012, 29, 370-372.	0.9	12
183	Folliculocystic and collagen hamartoma of tuberous sclerosis complex. Journal of the American Academy of Dermatology, 2012, 66, 617-621.	1.2	49
184	Increased serum baseline tryptase levels and extensive skin involvement are predictors for the severity of mast cell activation episodes in children with mastocytosis. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 813-821.	5.7	126
185	Analysis of the Cost Effectiveness of Home-Based Phototherapy With Narrow-Band UV-B Radiation Compared With Biological Drugs For the Treatment of Moderate to Severe Psoriasis. Actas Dermo-sifiligráficas, 2012, 103, 127-137.	0.4	6
186	Dermatology Residency Training: Past, Present, and Future. Actas Dermo-sifiligráficas, 2012, 103, 453-455.	0.4	0
187	Anemia, leukocytosis, abdominal pain, flushing, and bone and skin lesions. Cleveland Clinic Journal of Medicine, 2012, 79, 384-386.	1.3	0
188	Lesions on tattooed skin--a case study. Australian Family Physician, 2012, 41, 308-9.	0.5	3
189	Erosive pustular dermatosis of the scalp. JPMA the Journal of the Pakistan Medical Association, 2012, 62, 501-2.	0.2	5
190	Multiple penile lesions - a case study. Australian Family Physician, 2012, 41, 701-2.	0.5	0
191	Skin rash associated with limb weakness. Australian Family Physician, 2012, 41, 801-3.	0.5	0
192	Resistant itchy lesions in a young man. Australian Family Physician, 2012, 41, 951-3.	0.5	0
193	Store-and-Forward Teledermatology: Assessment of Validity in a Series of 2000 Observations. Actas Dermo-sifiligráficas, 2011, 102, 277-283.	0.4	8
194	Disseminated Congenital Comedones. Pediatric Dermatology, 2011, 28, 58-59.	0.9	8
195	Un caso de abscesos asépticos cutáneos múltiples. Piel, 2011, 26, 487-488.	0.0	0
196	Classic Kaposi sarcoma. Cmaj, 2011, 183, E1040-E1040.	2.0	2
197	Dermoscopic Features of Skin Lesions in Patients With Mastocytosis. Archives of Dermatology, 2011, 147, 932.	1.4	72
198	Reflectance confocal microscopy in the diagnosis of basal cell carcinoma. Expert Review of Dermatology, 2011, 6, 35-43.	0.3	0

#	ARTICLE	IF	CITATIONS
199	Hyperpigmentation in Laugier-Hunziker syndrome. <i>Cmaj</i> , 2011, 183, 1402-1402.	2.0	6
200	Photosensitive erythema multiforme presenting as juvenile spring eruption. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010, 26, 53-54.	1.5	10
201	Erupción pruriginosa en la palma de la mano al regresar de un país tropical. <i>Piel</i> , 2010, 25, 35-37.	0.0	0
202	Lupus tumidus induced by bortezomib not requiring discontinuation of the drug. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010, 24, 1363-1364.	2.4	10
203	Infestation of the eyelashes with <i>Phthirus pubis</i> . <i>Cmaj</i> , 2010, 182, E187-E187.	2.0	10
204	Cetuximab-induced hypertrichosis of the scalp and eyelashes. <i>Journal of the American Academy of Dermatology</i> , 2010, 62, 531-533.	1.2	15
205	Indications of therapy in subcutaneous implantation of mercury. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, e37.	1.2	0
206	Papulosis linfomatoide en la infancia: presentación de 9 casos y revisión de la literatura. <i>Actas Dermo-sifilográficas</i> , 2010, 101, 693-701.	0.4	19
207	Lesions on the hands, high aminotransferase levels. <i>Cleveland Clinic Journal of Medicine</i> , 2010, 77, 34-36.	1.3	2
208	Question: Can you identify this condition? Erythema ab igne. <i>Canadian Family Physician</i> , 2010, 56, 665.	0.4	1
209	Painful nail lesions. <i>Australian Family Physician</i> , 2010, 39, 120-1.	0.5	0
210	Sweet syndrome after gastrointestinal tract infection. <i>Israel Medical Association Journal</i> , 2010, 12, 128.	0.1	2
211	Indolent systemic mastocytosis. <i>Israel Medical Association Journal</i> , 2010, 12, 185-7.	0.1	3
212	Chronic verrucous varicella zoster skin infection in a lung transplant recipient. <i>European Journal of Dermatology</i> , 2010, 20, 635-6.	0.6	0
213	Atypical Pityriasis rosea in a black child: a case report. <i>Cases Journal</i> , 2009, 2, 6796.	0.4	10
214	Cutaneous metastases of breast carcinoma: a case report. <i>Cases Journal</i> , 2009, 2, 71.	0.4	10
215	Technetium and blood extravasation before gammagraphy: a case report. <i>Cases Journal</i> , 2009, 2, 141.	0.4	3
216	Successful treatment of large venous malformation with dual wavelength 595 and 1064nm system. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2009, 25, 283-284.	1.5	10

#	ARTICLE	IF	CITATIONS
217	Squamous Cell Carcinoma Arising from Giant Porokeratosis. <i>Dermatologic Surgery</i> , 2009, 35, 1999-2000.	0.8	3
218	Successful treatment of erosive vulvar lichen sclerosus with methylaminolaevulinic acid and laser-mediated photodynamic therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 71-72.	2.4	15
219	Treatment of light-coloured solar lentigines with cryotherapy plus alexandrite laser. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 850-852.	2.4	13
220	Perforating dermatosis in a patient receiving bevacizumab. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2009, 23, 972-974.	2.4	17
221	Accidental subcutaneous implant of mercury after thermometer trauma. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 535-537.	1.2	7
222	Extravasation of Epirubicin. <i>New England Journal of Medicine</i> , 2009, 360, 2117-2117.	27.0	7
223	Cutaneous larva migrans: a case report. <i>Cases Journal</i> , 2009, 2, 112.	0.4	9
224	Reactive angioendotheliomatosis in a patient with Myelodysplastic Syndrome presenting as a cellulitis-like plaque. <i>European Journal of Dermatology</i> , 2009, 19, 182-183.	0.6	7
225	A facial cutaneous horn. <i>Cleveland Clinic Journal of Medicine</i> , 2009, 76, 92-95.	1.3	2
226	A persistently swollen lip. <i>Cleveland Clinic Journal of Medicine</i> , 2009, 76, 12-15.	1.3	1
227	Painful eye with a facial rash. <i>Cleveland Clinic Journal of Medicine</i> , 2009, 76, 410-412.	1.3	5
228	Complications of nonphysician-supervised laser hair removal: case report and literature review. <i>Canadian Family Physician</i> , 2009, 55, 50-2.	0.4	19
229	Dermacase. Auricular pseudocyst. <i>Canadian Family Physician</i> , 2009, 55, 271-2.	0.4	1
230	Progressive trichomegaly. <i>Netherlands Journal of Medicine</i> , 2009, 67, 35-6.	0.5	6
231	A cutaneous horn on the ear. <i>Australian Family Physician</i> , 2009, 38, 118.	0.5	1
232	Giant inguinoscrotal hernia. <i>Australian Family Physician</i> , 2009, 38, 222-3.	0.5	3
233	Dermatoscopy for in vivo diagnosis of malignant melanoma. <i>Australian Family Physician</i> , 2009, 38, 420-1.	0.5	0
234	Bullous dermatosis. Bullous pemphigoid. <i>Netherlands Journal of Medicine</i> , 2009, 67, 200-1.	0.5	0

#	ARTICLE	IF	CITATIONS
235	A purpuric rash. <i>Australian Family Physician</i> , 2009, 38, 889-90.	0.5	3
236	Advances in treatment of cutaneous and subcutaneous vascular anomalies by pulsed dual wavelength 595- and 1064-nm application. <i>Medical Laser Application: International Journal for Laser Treatment and Research</i> , 2008, 23, 121-126.	0.3	19
237	Subcutaneous emphysema caused by cryotherapy application over a corticosteroid-induced atrophic skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 508-509.	2.4	7
238	Squamous-Cell Carcinoma Manifesting as a Cutaneous Horn. <i>New England Journal of Medicine</i> , 2008, 359, e10.	27.0	4
239	The Clinical Picture: Generalized pruritus after a beach vacation. <i>Cleveland Clinic Journal of Medicine</i> , 2008, 75, 474-478.	1.3	2
240	Black hairy tongue. <i>Cleveland Clinic Journal of Medicine</i> , 2008, 75, 847-848.	1.3	13
241	Acute facial purpura in an 82-year-old woman with a respiratory tract infection. <i>Cleveland Clinic Journal of Medicine</i> , 2008, 75, 352.	1.3	1
242	Severe psoriasis due to cessation of antiretroviral therapy in a patient with human immunodeficiency virus. <i>Israel Medical Association Journal</i> , 2008, 10, 557-8.	0.1	4
243	Sudden hair loss associated with trachyonychia. <i>Cleveland Clinic Journal of Medicine</i> , 2008, 75, 567-8.	1.3	0
244	Lichenoid type of cutaneous sarcoidosis: great response to topical tacrolimus. <i>European Journal of Dermatology</i> , 2008, 18, 89-90.	0.6	9
245	Solitary naevus lipomatosus cutaneous superficialis on the sole. <i>European Journal of Dermatology</i> , 2008, 18, 353-4.	0.6	11
246	Severe cutaneous toxicity during concomitant radiotherapy and cetuximab treatment of head and neck cancer. <i>European Journal of Dermatology</i> , 2008, 18, 471-2.	0.6	7
247	Classic Kaposi's sarcoma. <i>Israel Medical Association Journal</i> , 2007, 9, 896.	0.1	0
248	Imatinib-induced erythroderma mediated by an unusual non-dose-dependent mechanism. <i>European Journal of Dermatology</i> , 2007, 17, 538-9.	0.6	7
249	Treatments for alopecia areata: a network meta-analysis. <i>The Cochrane Library</i> , 0, , .	2.8	1