

Monika Jasek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/850944/publications.pdf>

Version: 2024-02-01

38
papers

761
citations

516710

16
h-index

552781

26
g-index

38
all docs

38
docs citations

38
times ranked

1460
citing authors

#	ARTICLE	IF	CITATIONS
1	Gene for the activating natural killer cell receptor, KIR2DS1, is associated with susceptibility to psoriasis vulgaris. <i>Human Immunology</i> , 2004, 65, 758-766.	2.4	135
2	TP53 mutations in myeloid malignancies are either homozygous or hemizygous due to copy number-neutral loss of heterozygosity or deletion of 17p. <i>Leukemia</i> , 2010, 24, 216-219.	7.2	67
3	Characterization of chromosome arm 20q abnormalities in myeloid malignancies using genome-wide single nucleotide polymorphism array analysis. <i>Genes Chromosomes and Cancer</i> , 2010, 49, 390-399.	2.8	56
4	Associations of killer cell immunoglobulin-like receptor genes with complications of rheumatoid arthritis. <i>Genes and Immunity</i> , 2007, 8, 678-683.	4.1	46
5	The impact of HLA-G, LILRB1 and LILRB2 gene polymorphisms on susceptibility to and severity of endometriosis. <i>Molecular Genetics and Genomics</i> , 2018, 293, 601-613.	2.1	39
6	ALCAM and CD6 are multiple sclerosis risk factors. <i>Journal of Neuroimmunology</i> , 2014, 276, 98-103.	2.3	29
7	Immune Checkpoint Molecules' Inherited Variations as Markers for Cancer Risk. <i>Frontiers in Immunology</i> , 2020, 11, 606721.	4.8	28
8	Association of PTPN22 single nucleotide polymorphism with rheumatoid arthritis but not with allergic asthma. <i>European Journal of Human Genetics</i> , 2007, 15, 1043-1048.	2.8	25
9	Polymorphisms in CD28, CTLA-4, CD80 and CD86 genes may influence the risk of multiple sclerosis and its age of onset. <i>Journal of Neuroimmunology</i> , 2015, 288, 79-86.	2.3	25
10	Intragenic Variations in BTLA Gene Influence mRNA Expression of BTLA Gene in Chronic Lymphocytic Leukemia Patients and Confer Susceptibility to Chronic Lymphocytic Leukemia. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2016, 64, 137-145.	2.3	21
11	Inhibitory and activatory KIR gene frequencies in the Polish population. <i>International Journal of Immunogenetics</i> , 2006, 33, 167-170.	1.8	20
12	CTLA-4 gene polymorphisms and natural soluble CTLA-4 protein in psoriasis vulgaris. <i>International Journal of Immunogenetics</i> , 2006, 33, 217-224.	1.8	20
13	6.7-kbp deletion in LILRA3 (ILT6) gene is associated with later onset of the multiple sclerosis in a Polish population. <i>Human Immunology</i> , 2013, 74, 353-357.	2.4	20
14	Graft-versus-Host Disease: Role of Inflammation in the Development of Chromosomal Abnormalities of Keratinocytes. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 1665-1673.	2.0	18
15	Molecular lesions in childhood and adult acute megakaryoblastic leukaemia. <i>British Journal of Haematology</i> , 2012, 156, 316-325.	2.5	18
16	MICA polymorphism identified by whole genome array associated with NKG2D-mediated cytotoxicity in T-cell large granular lymphocyte leukemia. <i>Haematologica</i> , 2010, 95, 1713-1721.	3.5	17
17	ALCAM is Novel multiple sclerosis locus interfering with HLA-DRB1*1501. <i>Journal of Neuroimmunology</i> , 2013, 258, 71-76.	2.3	16
18	Investigation of gene-gene interactions between CD40 and CD40L in Polish multiple sclerosis patients. <i>Human Immunology</i> , 2014, 75, 796-801.	2.4	16

#	ARTICLE	IF	CITATIONS
19	MS risk allele rs1883832T is associated with decreased mRNA expression of CD40. <i>Journal of Molecular Neuroscience</i> , 2015, 56, 540-545.	2.3	14
20	Distribution of CTLA-4 Polymorphisms in Allergic Asthma. <i>International Archives of Allergy and Immunology</i> , 2006, 141, 223-229.	2.1	13
21	Association of variants in BAFF (rs9514828 and rs1041569) and BAFF-R (rs61756766) genes with the risk of chronic lymphocytic leukemia. <i>Tumor Biology</i> , 2016, 37, 13617-13626.	1.8	12
22	A novel polymorphism in the cytoplasmic region of the human immunoglobulin A Fc receptor gene*. <i>International Journal of Immunogenetics</i> , 2004, 31, 59-62.	1.2	11
23	Are Single Nucleotide Polymorphisms of the Immunoglobulin A Fc Receptor Gene Associated with Allergic Asthma?. <i>International Archives of Allergy and Immunology</i> , 2004, 135, 325-331.	2.1	10
24	Distribution of the CTLA-4 single nucleotide polymorphisms CT60G>A and +49A>G in psoriasis vulgaris patients and control individuals from a Polish Caucasian population. <i>International Journal of Immunogenetics</i> , 2008, 35, 51-55.	1.8	10
25	Haplotype dependent association of rs7927894 (11q13.5) with atopic dermatitis and chronic allergic rhinitis: A study in ECAP cohort. <i>PLoS ONE</i> , 2017, 12, e0183922.	2.5	10
26	Polymorphisms of Antigen-Presenting Machinery Genes in Non-Small Cell Lung Cancer: Different Impact on Disease Risk and Clinical Parameters in Smokers and Never-Smokers. <i>Frontiers in Immunology</i> , 2021, 12, 664474.	4.8	9
27	Distribution of LILRA3 (ILT6/LIR4) deletion in psoriatic patients and healthy controls. <i>Human Immunology</i> , 2003, 64, 458-461.	2.4	8
28	SNP-SNP Interaction in Genes Encoding PD-1/PD-L1 Axis as a Potential Risk Factor for Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2020, 12, 3521.	3.7	7
29	Distribution of killer cell immunoglobulin-like receptor genes in Poles. <i>International Journal of Immunogenetics</i> , 2008, 35, 405-407.	1.8	6
30	Polymorphism of the TGFBI gene is not associated with bronchial allergic asthma in a Polish population. <i>Human Immunology</i> , 2009, 70, 134-138.	2.4	6
31	Clonal hematopoiesis in Philadelphia chromosome-negative bone marrow cells of chronic myeloid leukemia patients receiving dasatinib. <i>Leukemia Research</i> , 2010, 34, 708-713.	0.8	6
32	Polymorphisms in genes of the BAFF/APRIL system may constitute risk factors of CLL – A preliminary study on a Polish population. <i>Tissue Antigens</i> , 2015, 86, 279-284.	1.0	6
33	Preliminary Study on the Role of TMEM39A Gene in Multiple Sclerosis. <i>Journal of Molecular Neuroscience</i> , 2017, 62, 181-187.	2.3	6
34	Association of Common Variants of TNFSF13 and TNFRSF13B Genes with CLL Risk and Clinical Picture, as Well as Expression of Their Products – APRIL and TACI Molecules. <i>Cancers</i> , 2020, 12, 2873.	3.7	4
35	Is the TAP2 single nucleotide polymorphism rs241447 truly associated with psoriasis in Poles?. <i>Human Immunology</i> , 2020, 81, 85-90.	2.4	2
36	SNP Array-Based Analysis of Chromosome 17 Reveals Biallelic TP53 Mutations Due to Uniparental Disomy 17p in Advanced MDS and AML with Cooperating Deletions of Chromosomes 5 and 7. <i>Blood</i> , 2008, 112, 2521-2521.	1.4	2

#	ARTICLE	IF	CITATIONS
37	Expression of MICA by Granulocytes in Neutropenia Due to Large Granular Lymphocyte Leukemia Points towards Cytotoxicity Exerted Via NKG2D on Clonal Cytotoxic T Cells.. Blood, 2008, 112, 1262-1262.	1.4	2
38	Investigations of Genetic Risk Factors in MDS and AML Using High- Density 6.0 Affymetrix Arrays. Blood, 2008, 112, 638-638.	1.4	1