

# G K Mini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8510106/publications.pdf>

Version: 2024-02-01

75  
papers

32,201  
citations

186265

28  
h-index

88630

70  
g-index

75  
all docs

75  
docs citations

75  
times ranked

43410  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of a School-Based Educational Intervention to Improve Hypertension Control Among Schoolteachers: A Cluster-Randomized Controlled Trial. <i>Journal of the American Heart Association</i> , 2022, 11, e023145.	3.7	3
2	Prevalence, Awareness, Treatment, and Control of Hypertension in Young Adults (20-39 Years) in Kerala, South India. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 765442.	2.4	15
3	Editorial: Awareness, Treatment, and Control of Hypertension or Diabetes in India: The Impact of Public Health Promotion. <i>Frontiers in Public Health</i> , 2022, 10, 906862.	2.7	0
4	Multi-morbidity and blood pressure control: Results of a cross-sectional study among school teachers in Kerala, India. <i>Indian Journal of Public Health</i> , 2021, 65, 190.	0.6	2
5	Reply to letter to the editor titled: Generalizability of hypertension risk factors and achieving blood pressure control in educator populations in India. <i>Indian Heart Journal</i> , 2021, 73, 255.	0.5	0
6	Prevalence, awareness, treatment and control of hypertension among adults aged 30 years and above in Barmer district, Rajasthan, India. <i>Indian Heart Journal</i> , 2021, 73, 236-238.	0.5	5
7	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	6.0	41
8	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2021, 6, e482-e499.	10.0	38
9	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 398, 870-905.	13.7	229
10	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet</i> , The, 2021, 398, 957-980.	13.7	1,289
11	Tracking development assistance for health and for COVID-19: a review of development assistance, government, out-of-pocket, and other private spending on health for 204 countries and territories, 1990-2050. <i>Lancet</i> , The, 2021, 398, 1317-1343.	13.7	79
12	One-year clinical outcome of patients with nonvalvular atrial fibrillation: Insights from KERALA-AF registry. <i>Indian Heart Journal</i> , 2021, 73, 56-62.	0.5	7
13	Additive association of knowledge and awareness on control of hypertension: a cross-sectional survey in rural India. <i>Journal of Hypertension</i> , 2021, 39, 107-116.	0.5	6
14	Complementary and alternative medicine use in the prevention of COVID-19 pandemic: a cross-sectional survey in Kerala, India. <i>International Journal of Community Medicine and Public Health</i> , 2021, 8, 5329.	0.1	1
15	Global, regional, and national mortality among young people aged 10-24 years, 1950-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet</i> , The, 2021, 398, 1593-1618.	13.7	92
16	ASHA-Led Community-Based Groups to Support Control of Hypertension in Rural India Are Feasible and Potentially Scalable. <i>Frontiers in Medicine</i> , 2021, 8, 771822.	2.6	6
17	Multimorbidity patterns among rural adults with Type-2 diabetes mellitus: A cross-sectional study in Kerala, India. <i>WHO South-East Asia Journal of Public Health</i> , 2021, 10, 32.	0.7	4
18	Effectiveness of a scalable group-based education and monitoring program, delivered by health workers, to improve control of hypertension in rural India: A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1002997.	8.4	41

#	ARTICLE	IF	CITATIONS
19	Control of hypertension among teachers in schools in Kerala (CHATS-K), India. <i>Indian Heart Journal</i> , 2020, 72, 416-420.	0.5	5
20	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	13.7	3,928
21	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	6.3	23
22	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1162-e1185.	6.3	91
23	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	13.7	219
24	Prevalence and attributable health burden of chronic respiratory diseases, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine, the</i> , 2020, 8, 585-596.	10.7	1,049
25	Scale-up of the Kerala Diabetes Prevention Program (K-DPP) in Kerala, India: implementation evaluation findings. <i>Translational Behavioral Medicine</i> , 2020, 10, 5-12.	2.4	10
26	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i3-i11.	2.4	185
27	Hypertension in Rural India: The Contribution of Socioeconomic Position. <i>Journal of the American Heart Association</i> , 2020, 9, e014486.	3.7	15
28	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	30.7	47
29	Overweight, the major determinant of metabolic syndrome among industrial workers in Kerala, India: Results of a cross-sectional study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 3025-3030.	3.6	11
30	Evidence based interventions and implementation gaps in control of tuberculosis: A systematic review in low and middle-income countries with special focus on India. <i>Indian Journal of Tuberculosis</i> , 2019, 66, 268-278.	0.7	4
31	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	27.8	161
32	Global, regional, and national burden of neurological disorders, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 459-480.	10.2	2,625
33	Intracluster correlation estimates from a World Health Organisation STEPwise approach to surveillance (STEPS) survey for cardiovascular risk factors in Vellore, Tamil Nadu, India. <i>Public Health</i> , 2019, 168, 102-106.	2.9	0
34	Cluster randomised controlled trial of behavioural intervention program: a study protocol for control of hypertension among teachers in schools in Kerala (CHATS-K), India. <i>BMC Public Health</i> , 2019, 19, 1718.	2.9	5
35	Health Related Quality of Life and itâ€™s Correlates among Older Adults in Rural Pathanamthitta District, India: a Cross Sectional Study Using SF-36. <i>Ageing International</i> , 2019, 44, 271-282.	1.3	1
36	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2019, 18, 56-87.	10.2	1,064

#	ARTICLE	IF	CITATIONS
37	Low-level smoking among diabetes patients in India: a smoking cessation challenge. <i>Clinical Epidemiology and Global Health</i> , 2018, 6, 176-180.	1.9	4
38	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	13.7	716
39	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	13.7	4,989
40	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	13.7	3,269
41	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	13.7	294
42	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	13.7	8,569
43	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	13.7	335
44	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	13.7	2,123
45	Risk of progression to hypertension from prehypertension and normal blood pressure: Results from a prospective cohort study among industrial workers in Kerala, India. <i>Heart and Mind (Mumbai, India)</i> , 2018, 2, 106.	0.6	3
46	Incidence of type-2 diabetes among industrial Workers in Kerala, India. <i>International Journal of Diabetes in Developing Countries</i> , 2017, 37, 280-285.	0.8	1
47	Pattern, correlates and implications of non-communicable disease multimorbidity among older adults in selected Indian states: a cross-sectional study. <i>BMJ Open</i> , 2017, 7, e013529.	1.9	84
48	Complementary and alternative medicine use by diabetes patients in Kerala, India. <i>Global Health, Epidemiology and Genomics</i> , 2017, 2, e6.	0.8	26
49	Falls among Older Adults: A Community-Based Study in Rural Kerala, India. <i>Global Journal of Health Science</i> , 2017, 9, 165.	0.2	3
50	Switching to smokeless tobacco, the most common smoking cessation method: results from the Global Adult Tobacco Survey, India. <i>Public Health</i> , 2016, 136, 172-174.	2.9	6
51	Cluster randomised feasibility trial to improve the Control of Hypertension In Rural India (CHIRI): a study protocol. <i>BMJ Open</i> , 2016, 6, e012404.	1.9	17
52	Is Migration Affecting Prevalence, Awareness, Treatment and Control of Hypertension of Men in Kerala, India?. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 1365-1370.	1.6	9
53	Impact of Migration on Non-Communicable Disease Risk Factors: Comparison of Gulf Migrants and their Non-migrant Contemporaries in the District of Origin in Kerala, India. <i>International Archives of BioMedical and Clinical Research</i> , 2016, 2, .	0.0	3
54	Tobacco use during pregnancy in rural Jharkhand, India. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 131, 170-173.	2.3	12

#	ARTICLE	IF	CITATIONS
55	Doctorsâ€™ self-reported physical activity, their counselling practices and their correlates in urban Trivandrum, South India: should a full-service doctor be a physically active doctor?. <i>British Journal of Sports Medicine</i> , 2015, 49, 413-416.	6.7	15
56	Confirmation of self-reported non-smoking status by salivary cotinine among diabetes patients in Kerala, India. <i>Clinical Epidemiology and Global Health</i> , 2015, 3, 44-46.	1.9	5
57	Developing a smoke free homes initiative in Kerala, India. <i>BMC Public Health</i> , 2015, 15, 480.	2.9	32
58	Developing a fully integrated tobacco curriculum in medical colleges in India. <i>BMC Medical Education</i> , 2015, 15, 90.	2.4	9
59	The Adherence to Medications in Diabetic Patients in Rural Kerala, India. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP513-NP523.	1.0	52
60	Does Increased Knowledge of Risk and Complication of Smoking on Diabetes Affect Quit Rate? Findings from a Randomized Controlled Trial in Kerala, India. <i>Tobacco Use Insights</i> , 2014, 7, TUI.S15583.	1.6	3
61	Smoking Cessation Among Diabetic Patients in Kerala, India: 1-Year Follow-up Results From a Pilot Randomized Controlled Trial. <i>Diabetes Care</i> , 2014, 37, e256-e257.	8.6	11
62	Pattern of Tobacco Use and its Correlates among Older Adults in India. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 6195-6198.	1.2	18
63	Risk factor profile for non-communicable diseases among Mishing tribes in Assam, India: results from a WHO STEPs survey. <i>Indian Journal of Medical Research</i> , 2014, 140, 370-8.	1.0	11
64	Smoking cessation among diabetes patients: results of a pilot randomized controlled trial in Kerala, India. <i>BMC Public Health</i> , 2013, 13, 47.	2.9	51
65	PP034 FEASIBILITY OF DISEASE CENTERED SMOKING CESSATION AMONG DIABETES PATIENTS. <i>Respiratory Medicine</i> , 2013, 107, S16.	2.9	2
66	Impact of a community based intervention program on awareness, treatment and control of hypertension in a rural Panchayat, Kerala, India. <i>Indian Heart Journal</i> , 2013, 65, 504-509.	0.5	18
67	High knowledge of Framework Convention on Tobacco Control provisions among local government representatives does not translate into effective implementation: Findings from Kerala, India. <i>Public Health</i> , 2013, 127, 178-181.	2.9	9
68	25 HYPERTENSION AND ITS RISK FACTOR PROFILE OF A REMOTE TRIBAL COMMUNITY IN INDIA. <i>Journal of Hypertension</i> , 2012, 30, e8.	0.5	0
69	Smokeless tobacco use among patients with tuberculosis in Karnataka: the need for cessation services. <i>The National Medical Journal of India</i> , 2012, 25, 142-5.	0.3	9
70	Risk factor profile for chronic non-communicable diseases: results of a community-based study in Kerala, India. <i>Indian Journal of Medical Research</i> , 2010, 131, 53-63.	1.0	112
71	SOCIOECONOMIC AND DEMOGRAPHIC DIVERSITY IN THE HEALTH STATUS OF ELDERLY PEOPLE IN A TRANSITIONAL SOCIETY, KERALA, INDIA. <i>Journal of Biosocial Science</i> , 2009, 41, 457-467.	1.2	27
72	Caseâ€“Control Study of Smoking and Death in India. <i>New England Journal of Medicine</i> , 2008, 358, 2842-2845.	27.0	15

#	ARTICLE	IF	CITATIONS
73	Socioeconomic and demographic correlates of tobacco use and alcoholic consumption among Indian women. Indian Journal of Community Medicine, 2007, 32, 150.	0.4	3
74	Tobacco use among health professionals and their role in tobacco cessation in Nepal. Prevention and Control: the Official Journal of the World Heart Federation, 2006, 2, 117-125.	0.3	4
75	Prevalence-correlates-awareness-treatment and control of hypertension in kumarakom, kerala: baseline results of a community-based intervention program. Indian Heart Journal, 2006, 58, 28-33.	0.5	31