

Neville Owen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8514385/publications.pdf>

Version: 2024-02-01

580
papers

73,831
citations

967

118
h-index

804

253
g-index

586
all docs

586
docs citations

586
times ranked

43713
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations of Vigorous Gardening With Cardiometabolic Risk Markers for Middle-Aged and Older Adults. <i>Journal of Aging and Physical Activity</i> , 2022, 30, 466-472.	0.5	4
2	Low-carbon built environments and cardiometabolic health: a systematic review of Australian studies. <i>Cities and Health</i> , 2022, 6, 418-431.	1.6	1
3	Start with reducing sedentary behavior: A stepwise approach to physical activity counseling in clinical practice. <i>Patient Education and Counseling</i> , 2022, 105, 1353-1361.	1.0	22
4	Prevalence of physically active and sedentary travel in a regional area of Japan: Geographic and demographic variations. <i>Journal of Transport and Health</i> , 2022, 24, 101318.	1.1	3
5	Workplace neighbourhood built-environment attributes and sitting at work and for transport among Japanese desk-based workers. <i>Scientific Reports</i> , 2022, 12, 195.	1.6	2
6	Impact on adolescent mental health of replacing screen-use with exercise: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2022, 301, 240-247.	2.0	12
7	Active Aging and Public Health: Evidence, Implications, and Opportunities. <i>Annual Review of Public Health</i> , 2022, 43, 439-459.	7.6	42
8	Associations of park features with park use and park-based physical activity in an urban environment in Asia: A cross-sectional study. <i>Health and Place</i> , 2022, 75, 102790.	1.5	21
9	The Associations of COVID-19 Lockdown Restrictions With Longer-Term Activity Levels of Working Adults With Type 2 Diabetes: Cohort Study. <i>JMIR Diabetes</i> , 2022, 7, e36181.	0.9	3
10	Sitting less and moving more for improved metabolic and brain health in type 2 diabetes: â€œOPTIMISE your healthâ€™ trial protocol. <i>BMC Public Health</i> , 2022, 22, 929.	1.2	4
11	Determining thresholds for spatial urban design and transport features that support walking to create healthy and sustainable cities: findings from the IPEN Adult study. <i>The Lancet Global Health</i> , 2022, 10, e895-e906.	2.9	42
12	Neighbourhood walkability and dietary attributes: effect modification by area-level socio-economic status. <i>Public Health Nutrition</i> , 2022, , 1-18.	1.1	1
13	Effects of sedentary behaviour interventions on biomarkers of cardiometabolic risk in adults: systematic review with meta-analyses. <i>British Journal of Sports Medicine</i> , 2021, 55, 144-154.	3.1	86
14	Older Adultsâ€™ Daily Step Counts and Time in Sedentary Behavior and Different Intensities of Physical Activity. <i>Journal of Epidemiology</i> , 2021, 31, 350-355.	1.1	17
15	Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. <i>Experimental Gerontology</i> , 2021, 143, 111149.	1.2	14
16	Acute effects of interrupting prolonged sitting on vascular function in type 2 diabetes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H393-H403.	1.5	24
17	Office spatial design attributes, sitting, and face-to-face interactions: Systematic review and research agenda. <i>Building and Environment</i> , 2021, 187, 107426.	3.0	16
18	Calibration of the Active Australia questionnaire and application to a logistic regression model. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 474-480.	0.6	8

#	ARTICLE	IF	CITATIONS
19	Associations of older adults's excursions from home with health-related physical activity and sedentary behavior. <i>Archives of Gerontology and Geriatrics</i> , 2021, 92, 104276.	1.4	4
20	The association of TV viewing time with 2-hour plasma glucose is modified by a prudent dietary pattern. <i>Journal of Diabetes</i> , 2021, 13, 661-671.	0.8	1
21	Frequency of Interruptions to Sitting Time: Benefits for Postprandial Metabolism in Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, 1254-1263.	4.3	15
22	Sit less and move more for cardiovascular health: emerging insights and opportunities. <i>Nature Reviews Cardiology</i> , 2021, 18, 637-648.	6.1	116
23	Urban Densification and Physical Activity Change: A 12-Year Longitudinal Study of Australian Adults. <i>American Journal of Epidemiology</i> , 2021, 190, 2116-2123.	1.6	3
24	Interrupting Sitting Time in Postmenopausal Women: Protocol for the Rise for Health Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e28684.	0.5	2
25	Descriptive Epidemiology of Interruptions to Free-Living Sitting Time in Middle-Age and Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2503-2511.	0.2	2
26	Variations between major and regional Australian cities in physically active and sedentary travel behaviors. <i>Cities</i> , 2021, 114, 103200.	2.7	3
27	Different frequencies of active interruptions to sitting have distinct effects on 22h glycemic control in type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2969-2978.	1.1	2
28	Less Sitting for Preventing Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, 2194-2196.	4.3	1
29	Rise and Recharge: Exploring Employee Perceptions of and Contextual Factors Influencing an Individual-Level E-Health Smartphone Intervention to Reduce Office Workers's Sedentary Time at Work. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9627.	1.2	3
30	Sugar sweetened beverages and increasing prevalence of type 2 diabetes in the Indigenous community of Australia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2825-2830.	1.1	6
31	Mortality Effects of Hypothetical Interventions on Physical Activity and TV Viewing. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 316-323.	0.2	4
32	Acute cardiometabolic effects of brief active breaks in sitting for patients with rheumatoid arthritis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 321, E782-E794.	1.8	7
33	How supportive are workplace environments for sitting less and moving more? A descriptive study of Australian workplaces participating in the BeUpstanding program. <i>Preventive Medicine Reports</i> , 2021, 24, 101616.	0.8	6
34	Protocol for a randomized controlled trial of sitting reduction to improve cardiometabolic health in older adults. <i>Contemporary Clinical Trials</i> , 2021, 111, 106593.	0.8	1
35	Trends in Television Viewing and Overweight /Obesity among Nepalese Women: Findings from 2006, 2011 and 2016 Nepal Demographic and Health Surveys. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, , .	1.1	1
36	Contrasting compositions of sitting, standing, stepping, and sleeping time: associations with glycaemic outcome by diabetes risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 155.	2.0	4

#	ARTICLE	IF	CITATIONS
37	Musculoskeletal pain and sedentary behaviour in occupational and non-occupational settings: a systematic review with meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 159.	2.0	39
38	Distinct effects of acute exercise and breaks in sitting on working memory and executive function in older adults: a three-arm, randomised cross-over trial to evaluate the effects of exercise with and without breaks in sitting on cognition. <i>British Journal of Sports Medicine</i> , 2020, 54, 776-781.	3.1	60
39	Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. <i>British Journal of Psychiatry</i> , 2020, 217, 413-419.	1.7	71
40	Associations of built environment attributes with bicycle use for transport. <i>Environment and Planning B: Urban Analytics and City Science</i> , 2020, 47, 1745-1757.	1.0	8
41	A quantitative bias analysis to estimate measurement error-related attenuation of the association between self-reported physical activity and colorectal cancer risk. <i>International Journal of Epidemiology</i> , 2020, 49, 153-161.	0.9	8
42	Understanding and Influencing Occupational Sedentary Behavior: A Mixed-Methods Approach in a Multiethnic Asian Population. <i>Health Education and Behavior</i> , 2020, 47, 419-429.	1.3	8
43	Sedentary Behavior and Public Health: Integrating the Evidence and Identifying Potential Solutions. <i>Annual Review of Public Health</i> , 2020, 41, 265-287.	7.6	103
44	Prospective relationships of mentally passive sedentary behaviors with depression: Mediation by sleep problems. <i>Journal of Affective Disorders</i> , 2020, 265, 538-544.	2.0	25
45	Passive Versus Mentally Active Sedentary Behaviors and Depression. <i>Exercise and Sport Sciences Reviews</i> , 2020, 48, 20-27.	1.6	89
46	Reliability of a multi-domain sedentary behaviour questionnaire and comparability to an overall sitting time estimate. <i>Journal of Sports Sciences</i> , 2020, 38, 351-356.	1.0	7
47	Car use and cardiovascular disease risk: Systematic review and implications for transport research. <i>Journal of Transport and Health</i> , 2020, 19, 100930.	1.1	18
48	Diurnal patterns of objectively measured sedentary time and interruptions to sedentary time are associated with glycaemic indices in type 2 diabetes. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 1074-1079.	0.6	8
49	Workplace neighbourhood built environment and workers' physically-active and sedentary behaviour: a systematic review of observational studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 148.	2.0	24
50	Changes in rural older adults' sedentary and physically-active behaviors between a non-snowfall and a snowfall season: compositional analysis from the NEIGE study. <i>BMC Public Health</i> , 2020, 20, 1248.	1.2	7
51	Agreement between the International Physical Activity Questionnaire and Accelerometry in Adults with Orthopaedic Injury. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6139.	1.2	2
52	Rise and Recharge: Effects on Activity Outcomes of an e-Health Smartphone Intervention to Reduce Office Workers' Sitting Time. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9300.	1.2	8
53	Combined effects of continuous exercise and intermittent active interruptions to prolonged sitting on postprandial glucose, insulin, and triglycerides in adults with obesity: a randomized crossover trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 152.	2.0	16
54	Built Environment, Physical Activity, and Obesity: Findings from the International Physical Activity and Environment Network (IPEN) Adult Study. <i>Annual Review of Public Health</i> , 2020, 41, 119-139.	7.6	110

#	ARTICLE	IF	CITATIONS
55	Associations of interruptions to leisure-time sedentary behaviour with symptoms of depression and anxiety. <i>Translational Psychiatry</i> , 2020, 10, 128.	2.4	35
56	Sedentary behaviour, physical activity, and renal function in older adults: isotemporal substitution modelling. <i>BMC Nephrology</i> , 2020, 21, 211.	0.8	13
57	Local Area Walkability and Socioeconomic Disparities of Cardiovascular Disease Mortality in Japan. <i>Journal of the American Heart Association</i> , 2020, 9, e016152.	1.6	15
58	Physical Activity and Sedentary Behavior 6 Months After Musculoskeletal Trauma: What Factors Predict Recovery?. <i>Physical Therapy</i> , 2020, 100, 332-345.	1.1	7
59	Associations of sedentary behavior in leisure and occupational contexts with symptoms of depression and anxiety. <i>Preventive Medicine</i> , 2020, 133, 106021.	1.6	42
60	Sitting at work & waist circumference—A cross-sectional study of Australian workers. <i>Preventive Medicine</i> , 2020, 141, 106243.	1.6	13
61	Supporting Workers to Sit Less and Move More Through the Web-Based BeUpstanding Program: Protocol for a Single-Arm, Repeated Measures Implementation Study. <i>JMIR Research Protocols</i> , 2020, 9, e15756.	0.5	15
62	Perceived Availability of Office Shared Spaces and Workplace Sitting: Moderation by Organizational Norms and Behavioral Autonomy. <i>Environment and Behavior</i> , 2019, 51, 856-878.	2.1	7
63	Do the associations of sedentary behaviour with cardiovascular disease mortality and cancer mortality differ by physical activity level? A systematic review and harmonised meta-analysis of data from 850 060 participants. <i>British Journal of Sports Medicine</i> , 2019, 53, 886-894.	3.1	232
64	Associations of neighborhood walkability with intensity- and bout-specific physical activity and sedentary behavior of older adults in Japan. <i>Geriatrics and Gerontology International</i> , 2019, 19, 861-867.	0.7	24
65	Urban Densification and 12-Year Changes in Cardiovascular Risk Markers. <i>Journal of the American Heart Association</i> , 2019, 8, e013199.	1.6	11
66	Sedentary Behavior, Physical Activity, and All-Cause Mortality: Dose-Response and Intensity Weighted Time-Use Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1206-1212.e3.	1.2	26
67	Associations of built environment and proximity of food outlets with weight status: Analysis from 14 cities in 10 countries. <i>Preventive Medicine</i> , 2019, 129, 105874.	1.6	16
68	Neighborhood walkability and 12-year changes in cardio-metabolic risk: the mediating role of physical activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 86.	2.0	34
69	Interrupting Sitting Time with Simple Resistance Activities Lowers Postprandial Insulinemia in Adults with Overweight or Obesity. <i>Obesity</i> , 2019, 27, 1428-1433.	1.5	10
70	Distances walked to and from local destinations: Age-related variations and implications for determining buffer sizes. <i>Journal of Transport and Health</i> , 2019, 15, 100621.	1.1	14
71	Population density is beneficially associated with 12-year diabetes risk marker change among residents of lower socio-economic neighborhoods. <i>Health and Place</i> , 2019, 57, 74-81.	1.5	3
72	Acute effects of active breaks during prolonged sitting on subcutaneous adipose tissue gene expression: an ancillary analysis of a randomised controlled trial. <i>Scientific Reports</i> , 2019, 9, 3847.	1.6	18

#	ARTICLE	IF	CITATIONS
73	Arriba por la Vida Estudio (AVE): Study protocol for a standing intervention targeting postmenopausal Latinas. <i>Contemporary Clinical Trials</i> , 2019, 79, 66-72.	0.8	2
74	Associations of local-area walkability with disparities in residents' walking and car use. <i>Preventive Medicine</i> , 2019, 120, 126-130.	1.6	12
75	Patterns of objectively assessed sedentary time and physical activity among Japanese workers: a cross-sectional observational study. <i>BMJ Open</i> , 2019, 9, e021690.	0.8	26
76	Temporal features of sitting, standing and stepping changes in a cluster-randomised controlled trial of a workplace sitting-reduction intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 111.	2.0	12
77	Hypertension, white-coat hypertension and masked hypertension in Australia. <i>Journal of Hypertension</i> , 2019, 37, 1615-1623.	0.3	9
78	Associations of Device-Measured Sitting, Standing, and Stepping Time With Informal Face-to-Face Interactions at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 431-436.	0.9	7
79	Letter to the Editor. <i>Current Sports Medicine Reports</i> , 2019, 18, 421-422.	0.5	0
80	Do associations of sex, age and education with transport and leisure-time physical activity differ across 17 cities in 12 countries?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 121.	2.0	29
81	Controversies in the Science of Sedentary Behaviour and Health: Insights, Perspectives and Future directions from the 2018 Queensland Sedentary Behaviour Think Tank. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4762.	1.2	27
82	Are Neighborhood Environmental Attributes More Important for Older Than for Younger Adultsâ€™ Walking? Testing Effect Modification by Age. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 354-359.	0.5	5
83	Between-meal sucrose-sweetened beverage consumption impairs glycaemia and lipid metabolism during prolonged sitting: A randomized controlled trial. <i>Clinical Nutrition</i> , 2019, 38, 1536-1543.	2.3	8
84	Natural movement: A space syntax theory linking urban form and function with walking for transport. <i>Health and Place</i> , 2019, 58, 102072.	1.5	51
85	Too much sitting and dysglycemia: Mechanistic links and implications for obesity. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019, 4, 42-49.	0.6	22
86	Objectively-Assessed Patterns and Reported Domains of Sedentary Behavior Among Japanese Older Adults. <i>Journal of Epidemiology</i> , 2019, 29, 334-339.	1.1	32
87	Sedentary behaviour and physical activity patterns in adults with traumatic limb fracture. <i>AIMS Medical Science</i> , 2019, 6, 1-12.	0.2	5
88	A cluster randomized controlled trial to reduce office workersâ€™ sitting time: effect on productivity outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 483-492.	1.7	17
89	Standing up to the cardiometabolic consequences of hematological cancers. <i>Blood Reviews</i> , 2018, 32, 349-360.	2.8	5
90	Associations of office workersâ€™ objectively assessed occupational sitting, standing and stepping time with musculoskeletal symptoms. <i>Ergonomics</i> , 2018, 61, 1187-1195.	1.1	17

#	ARTICLE	IF	CITATIONS
91	Prolonged uninterrupted sitting elevates postprandial hyperglycaemia proportional to degree of insulin resistance. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1526-1530.	2.2	41
92	Models for Understanding Sedentary Behaviour. <i>Springer Series on Epidemiology and Public Health</i> , 2018, , 381-403.	0.5	10
93	Walk Score® and Japanese adults' physically-active and sedentary behaviors. <i>Cities</i> , 2018, 74, 151-155.	2.7	21
94	Physical Activity and Sedentary Behavior Subsequent to Serious Orthopedic Injury: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 164-177.e6.	0.5	39
95	Retirement Health and Lifestyle Study: Australian Neighborhood Environments and Physical Activity in Older Adults. <i>Environment and Behavior</i> , 2018, 50, 426-453.	2.1	11
96	Prospective Associations of Local Destinations and Routes With Middle-to-Older Aged Adults's Walking. <i>Gerontologist</i> , The, 2018, 58, 121-129.	2.3	17
97	Are public open space attributes associated with walking and depression?. <i>Cities</i> , 2018, 74, 119-125.	2.7	34
98	Cardiometabolic Impact of Changing Sitting, Standing, and Stepping in the Workplace. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 516-524.	0.2	60
99	Prolonged uninterrupted sitting increases fatigue in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 135, 128-133.	1.1	17
100	Domain-specific physical activity and the risk of colorectal cancer: results from the Melbourne Collaborative Cohort Study. <i>BMC Cancer</i> , 2018, 18, 1063.	1.1	15
101	Validity and Reliability of Japanese-Language Self-reported Measures for Assessing Adults Domain-Specific Sedentary Time. <i>Journal of Epidemiology</i> , 2018, 28, 149-155.	1.1	28
102	Associations of context-specific sitting time with markers of cardiometabolic risk in Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 114.	2.0	47
103	Replacing sedentary time with physical activity: effects on health-related quality of life in older Japanese adults. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 240.	1.0	26
104	Evaluating the Evidence on Sitting, Smoking, and Health: Is Sitting Really the New Smoking?. <i>American Journal of Public Health</i> , 2018, 108, 1478-1482.	1.5	41
105	Perceptions of the acceptability and feasibility of reducing occupational sitting: review and thematic synthesis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 90.	2.0	43
106	What strategies do desk-based workers choose to reduce sitting time and how well do they work? Findings from a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 98.	2.0	16
107	Sitting Less and Moving More. <i>Hypertension</i> , 2018, 72, 1037-1046.	1.3	85
108	Simple intermittent resistance activity mitigates the detrimental effect of prolonged unbroken sitting on arterial function in overweight and obese adults. <i>Journal of Applied Physiology</i> , 2018, 125, 1787-1794.	1.2	41

#	ARTICLE	IF	CITATIONS
109	Associations of neighborhood environmental attributes with adults' objectively-assessed sedentary time: IPEN adult multi-country study. <i>Preventive Medicine</i> , 2018, 115, 126-133.	1.6	20
110	Objectively-assessed neighbourhood destination accessibility and physical activity in adults from 10 countries: An analysis of moderators and perceptions as mediators. <i>Social Science and Medicine</i> , 2018, 211, 282-293.	1.8	71
111	Associations of neighbourhood walkability indices with weight gain. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 33.	2.0	13
112	Passive and mentally-active sedentary behaviors and incident major depressive disorder: A 13-year cohort study. <i>Journal of Affective Disorders</i> , 2018, 241, 579-585.	2.0	93
113	Replacing Sedentary Time: Meta-analysis of Objective-Assessment Studies. <i>American Journal of Preventive Medicine</i> , 2018, 55, 395-402.	1.6	83
114	Economic evaluation of a randomized controlled trial of an intervention to reduce office workers' sitting time: the "Stand Up Victoria" trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 503-511.	1.7	30
115	Changes in physical activity and sedentary behavior associated with an exercise intervention in depressed adults. <i>Psychology of Sport and Exercise</i> , 2017, 30, 10-18.	1.1	7
116	Social participation among older adults not engaged in full- or part-time work is associated with more physical activity and less sedentary time. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1921-1927.	0.7	51
117	Breaking Up Prolonged Sitting Alters the Postprandial Plasma Lipidomic Profile of Adults With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1991-1999.	1.8	41
118	Pre-existing low-back symptoms impact adversely on sitting time reduction in office workers. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 609-618.	1.1	8
119	Gender differences in physical activity following acute myocardial infarction in adults: A prospective, observational study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 192-203.	0.8	47
120	Twelve-Year Television Viewing Time Trajectories and Physical Function in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1359-1365.	0.2	16
121	Television Viewing Time and Inflammatory-Related Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2040-2047.	0.2	7
122	Reducing occupational sitting: Workers' perspectives on participation in a multi-component intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 73.	2.0	48
123	Does the type of activity "break" from prolonged sitting differentially impact on postprandial blood glucose reductions? An exploratory analysis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 897-900.	0.9	20
124	Sedentary Behavior and Health: Broadening the Knowledge Base and Strengthening the Science. <i>Research Quarterly for Exercise and Sport</i> , 2017, 88, 123-129.	0.8	7
125	Associations of street layout with walking and sedentary behaviors in an urban and a rural area of Japan. <i>Health and Place</i> , 2017, 45, 64-69.	1.5	35
126	Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortality. <i>International Journal of Cancer</i> , 2017, 140, 1538-1544.	2.3	8

#	ARTICLE	IF	CITATIONS
127	Built environmental factors and adults' travel behaviors: Role of street layout and local destinations. <i>Preventive Medicine</i> , 2017, 96, 124-128.	1.6	39
128	Interrupting prolonged sitting in type 2 diabetes: nocturnal persistence of improved glycaemic control. <i>Diabetologia</i> , 2017, 60, 499-507.	2.9	83
129	Prevalence and correlates of walkable short car trips: A cross-sectional multilevel analysis. <i>Journal of Transport and Health</i> , 2017, 4, 73-80.	1.1	19
130	Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. <i>British Journal of Sports Medicine</i> , 2017, 51, 1539-1539.	3.1	155
131	Sedentary time in older men and women: an international consensus statement and research priorities. <i>British Journal of Sports Medicine</i> , 2017, 51, 1526-1532.	3.1	84
132	Intervening to reduce workplace sitting: mediating role of social-cognitive constructs during a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 27.	2.0	29
133	Do associations between objectively-assessed physical activity and neighbourhood environment attributes vary by time of the day and day of the week? IPEN adult study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 34.	2.0	49
134	A Cluster RCT to Reduce Workers'™ Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2032-2039.	0.2	101
135	Associations of sedentary behavior and physical activity with older adults'™ physical function: an isotemporal substitution approach. <i>BMC Geriatrics</i> , 2017, 17, 280.	1.1	50
136	Descriptive Epidemiology of Sitting Time in Omani Men and Women: A Known Risk Factor for Non-Communicable Diseases. <i>Oman Medical Journal</i> , 2017, 32, 233-239.	0.3	10
137	Associations of sitting accumulation patterns with cardio-metabolic risk biomarkers in Australian adults. <i>PLoS ONE</i> , 2017, 12, e0180119.	1.1	120
138	Comparability of activity monitors used in Asian and Western-country studies for assessing free-living sedentary behaviour. <i>PLoS ONE</i> , 2017, 12, e0186523.	1.1	53
139	Perceived Neighborhood Environmental Attributes Associated with Walking and Cycling for Transport among Adult Residents of 17 Cities in 12 Countries: The IPEN Study. <i>Environmental Health Perspectives</i> , 2016, 124, 290-298.	2.8	195
140	Associations of Monitor-Assessed Activity with Performance-Based Physical Function. <i>PLoS ONE</i> , 2016, 11, e0153398.	1.1	28
141	Exercise, Physical Activity, and Sedentary Behavior in the Treatment of Depression: Broadening the Scientific Perspectives and Clinical Opportunities. <i>Frontiers in Psychiatry</i> , 2016, 7, 36.	1.3	71
142	A Cluster Randomized Controlled Trial to Reduce Office Workers'™ Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1787-1797.	0.2	219
143	Physical Activity, Television Viewing Time, and 12-Year Changes in Waist Circumference. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 633-640.	0.2	33
144	Interrupting prolonged sitting with brief bouts of light walking or simple resistance activities reduces resting blood pressure and plasma noradrenaline in type 2 diabetes. <i>Journal of Hypertension</i> , 2016, 34, 2376-2382.	0.3	101

#	ARTICLE	IF	CITATIONS
145	Feasibility and acceptability of reducing workplace sitting time: a qualitative study with Australian office workers. <i>BMC Public Health</i> , 2016, 16, 933.	1.2	82
146	Identifying adults's valid waking wear time by automated estimation in activPAL data collected with a 24 h wear protocol. <i>Physiological Measurement</i> , 2016, 37, 1653-1668.	1.2	174
147	Acute effects of breaking up prolonged sitting on fatigue and cognition: a pilot study. <i>BMJ Open</i> , 2016, 6, e009630.	0.8	115
148	Walkability and walking for transport: characterizing the built environment using space syntax. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 121.	2.0	67
149	Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study. <i>Lancet, The</i> , 2016, 387, 2207-2217.	6.3	800
150	Benefits for Type 2 Diabetes of Interrupting Prolonged Sitting With Brief Bouts of Light Walking or Simple Resistance Activities. <i>Diabetes Care</i> , 2016, 39, 964-972.	4.3	273
151	Habitual physical activity levels predict treatment outcomes in depressed adults: A prospective cohort study. <i>Preventive Medicine</i> , 2016, 88, 53-58.	1.6	17
152	A systematic review of physical activity and sedentary behaviour research in the oil-producing countries of the Arabian Peninsula. <i>BMC Public Health</i> , 2016, 16, 1003.	1.2	73
153	Sitting Less and Moving More: Improved Glycaemic Control for Type 2 Diabetes Prevention and Management. <i>Current Diabetes Reports</i> , 2016, 16, 114.	1.7	125
154	City planning and population health: a global challenge. <i>Lancet, The</i> , 2016, 388, 2912-2924.	6.3	781
155	Too much sitting and all-cause mortality: is there a causal link?. <i>BMC Public Health</i> , 2016, 16, 635.	1.2	96
156	Sedentary Behavior and Cardiovascular Morbidity and Mortality: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2016, 134, e262-79.	1.6	490
157	Alternating Sitting and Standing Increases the Workplace Energy Expenditure of Overweight Adults. <i>Journal of Physical Activity and Health</i> , 2016, 13, 24-29.	1.0	28
158	Associations of Perceived and Objectively Measured Neighborhood Environmental Attributes With Leisure-Time Sitting for Transport. <i>Journal of Physical Activity and Health</i> , 2016, 13, 1372-1377.	1.0	10
159	Correlates of Agreement between Accelerometry and Self-reported Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1075-1084.	0.2	119
160	Does physical activity attenuate, or even eliminate, the detrimental association of sitting time with mortality? A harmonised meta-analysis of data from more than 1 million men and women. <i>Lancet, The</i> , 2016, 388, 1302-1310.	6.3	1,783
161	The SOS-framework (Systems of Sedentary behaviours): an international transdisciplinary consensus framework for the study of determinants, research priorities and policy on sedentary behaviour across the life course: a DEDIPAC-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 83.	2.0	102
162	Frequent interruptions of sedentary time modulates contraction- and insulin-stimulated glucose uptake pathways in muscle: Ancillary analysis from randomized clinical trials. <i>Scientific Reports</i> , 2016, 6, 32044.	1.6	89

#	ARTICLE	IF	CITATIONS
163	Office workers' objectively assessed total and prolonged sitting time: Individual-level correlates and worksite variations. <i>Preventive Medicine Reports</i> , 2016, 4, 184-191.	0.8	84
164	Classroom Standing Desks and Sedentary Behavior: A Systematic Review. <i>Pediatrics</i> , 2016, 137, e20153087.	1.0	86
165	Adverse associations of car time with markers of cardio-metabolic risk. <i>Preventive Medicine</i> , 2016, 83, 26-30.	1.6	62
166	Discussion of "How to Have Sustainable Transportation without Making People Drive Less or Give Up Suburban Living" by Mark Delucchi and Kenneth S. Kurani. <i>Journal of the Urban Planning and Development Division, ASCE</i> , 2016, 142, 07016001.	0.8	2
167	Street network measures and adults' walking for transport: Application of space syntax. <i>Health and Place</i> , 2016, 38, 89-95.	1.5	85
168	Test-retest reliability of the Physical Activity Neighborhood Environment Scale among school students in China. <i>Public Health</i> , 2016, 130, 91-94.	1.4	3
169	Reducing youth screen time: Qualitative metasynthesis of findings on barriers and facilitators. <i>Health Psychology</i> , 2015, 34, 381-397.	1.3	74
170	Validity of a multi-context sitting questionnaire across demographically diverse population groups: AusDiab3. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 148.	2.0	50
171	Quality of Public Open Spaces and Recreational Walking. <i>American Journal of Public Health</i> , 2015, 105, 2490-2495.	1.5	57
172	Excessive sitting at work and at home: Correlates of occupational sitting and TV viewing time in working adults. <i>BMC Public Health</i> , 2015, 15, 899.	1.2	69
173	Associations of Low- and High-Intensity Light Activity with Cardiometabolic Biomarkers. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2093-2101.	0.2	54
174	Utilization and Harmonization of Adult Accelerometry Data. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 2129-2139.	0.2	222
175	International study of perceived neighbourhood environmental attributes and Body Mass Index: IPEN Adult study in 12 countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 62.	2.0	52
176	Breaking up of prolonged sitting over three days sustains, but does not enhance, lowering of postprandial plasma glucose and insulin in overweight and obese adults. <i>Clinical Science</i> , 2015, 129, 117-127.	1.8	67
177	Translating active living research into policy and practice: One important pathway to chronic disease prevention. <i>Journal of Public Health Policy</i> , 2015, 36, 231-243.	1.0	126
178	Associations of overall sitting time and TV viewing time with fibrinogen and C reactive protein: the AusDiab study. <i>British Journal of Sports Medicine</i> , 2015, 49, 255-258.	3.1	41
179	Recommendations for physical activity in older adults. <i>BMJ, The</i> , 2015, 350, h100-h100.	3.0	257
180	Acceptability and feasibility of potential intervention strategies for influencing sedentary time at work: focus group interviews in executives and employees. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 22.	2.0	86

#	ARTICLE	IF	CITATIONS
181	Neighborhood Environmental Attributes and Adults' Maintenance of Regular Walking. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1204-1210.	0.2	17
182	Neighborhood environmental attributes and adults' sedentary behaviors: Review and research agenda. <i>Preventive Medicine</i> , 2015, 77, 141-149.	1.6	95
183	Novel Strategies for Sedentary Behavior Research. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1311-1315.	0.2	30
184	Perceived neighbourhood environmental attributes and prospective changes in TV viewing time among older Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 50.	2.0	18
185	Public open space, physical activity, urban design and public health: Concepts, methods and research agenda. <i>Health and Place</i> , 2015, 33, 75-82.	1.5	292
186	Joint Impact of Physical Activity and Family History on the Development of Diabetes Among Urban Adults in Mainland China. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP372-NP381.	0.4	7
187	Too Much Sitting and Chronic Disease Risk: Steps to Move the Science Forward. <i>Annals of Internal Medicine</i> , 2015, 162, 146-147.	2.0	36
188	Sensitivity to Change of Objectively-Derived Measures of Sedentary Behavior. <i>Measurement in Physical Education and Exercise Science</i> , 2015, 19, 138-147.	1.3	56
189	Replacing sitting time with standing or stepping: associations with cardio-metabolic risk biomarkers. <i>European Heart Journal</i> , 2015, 36, 2643-2649.	1.0	227
190	Walk Score and Australian adults' home-based walking for transport. <i>Health and Place</i> , 2015, 35, 60-65.	1.5	52
191	Moderating effects of age, gender and education on the associations of perceived neighborhood environment attributes with accelerometer-based physical activity: The IPEN adult study. <i>Health and Place</i> , 2015, 36, 65-73.	1.5	44
192	Walkable Area Within Which Destinations Matter. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP2757-NP2763.	0.4	10
193	International study of objectively measured physical activity and sedentary time with body mass index and obesity: IPEN adult study. <i>International Journal of Obesity</i> , 2015, 39, 199-207.	1.6	127
194	Breaking-up Sedentary Time Is Associated With Physical Function in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 119-124.	1.7	135
195	Diurnal Patterns and Correlates of Older Adults' Sedentary Behavior. <i>PLoS ONE</i> , 2015, 10, e0133175.	1.1	28
196	Joint Associations of Physical Activity and Hypertension with the Development of Type 2 Diabetes among Urban Men and Women in Mainland China. <i>PLoS ONE</i> , 2014, 9, e88719.	1.1	14
197	Brazilian Adults' Sedentary Behaviors by Life Domain: Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e91614.	1.1	60
198	International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: the IPEN adult study. <i>International Journal of Health Geographics</i> , 2014, 13, 43.	1.2	176

#	ARTICLE	IF	CITATIONS
199	Living Well With Diabetes: 24-Month Outcomes From a Randomized Trial of Telephone-Delivered Weight Loss and Physical Activity Intervention to Improve Glycemic Control. <i>Diabetes Care</i> , 2014, 37, 2177-2185.	4.3	67
200	Distinct associations of different sedentary behaviors with health-related attributes among older adults. <i>Preventive Medicine</i> , 2014, 67, 335-339.	1.6	84
201	Reducing occupational sedentary time: a systematic review and meta-analysis of evidence on activity-permissive workstations. <i>Obesity Reviews</i> , 2014, 15, 822-838.	3.1	254
202	Sedentary behaviour and health: mapping environmental and social contexts to underpin chronic disease prevention. <i>British Journal of Sports Medicine</i> , 2014, 48, 174-177.	3.1	166
203	Alternating Bouts of Sitting and Standing Attenuate Postprandial Glucose Responses. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 2053-2061.	0.2	160
204	Addressing physical inactivity in Omani adults: perceptions of public health managers. <i>Public Health Nutrition</i> , 2014, 17, 674-681.	1.1	26
205	Neighborhood Environments and Objectively Measured Physical Activity in 11 Countries. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 2253-2264.	0.2	96
206	Iterative development of Stand Up Australia: a multi-component intervention to reduce workplace sitting. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 21.	2.0	87
207	Activity-Friendly Built Environment Attributes and Adult Adiposity. <i>Current Obesity Reports</i> , 2014, 3, 183-198.	3.5	21
208	Reallocating Time to Sleep, Sedentary Behaviors, or Active Behaviors: Associations With Cardiovascular Disease Risk Biomarkers, NHANES 2005-2006. <i>American Journal of Epidemiology</i> , 2014, 179, 323-334.	1.6	317
209	Street connectivity and walking for transport: Role of neighborhood destinations. <i>Preventive Medicine</i> , 2014, 66, 118-122.	1.6	62
210	Breaking up workplace sitting time with intermittent standing bouts improves fatigue and musculoskeletal discomfort in overweight/obese office workers. <i>Occupational and Environmental Medicine</i> , 2014, 71, 765-771.	1.3	161
211	Older adults' reporting of specific sedentary behaviors: validity and reliability. <i>BMC Public Health</i> , 2014, 14, 734.	1.2	57
212	Associations of television viewing time with adults' well-being and vitality. <i>Preventive Medicine</i> , 2014, 69, 69-74.	1.6	31
213	Managing Sedentary Behavior to Reduce the Risk of Diabetes and Cardiovascular Disease. <i>Current Diabetes Reports</i> , 2014, 14, 522.	1.7	138
214	Workplace Sitting and Height-Adjustable Workstations. <i>American Journal of Preventive Medicine</i> , 2014, 46, 30-40.	1.6	187
215	Perceived neighbourhood environmental attributes associated with adults' recreational walking: IPEN Adult study in 12 countries. <i>Health and Place</i> , 2014, 28, 22-30.	1.5	125
216	Breaking up prolonged sitting reduces resting blood pressure in overweight/obese adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 976-982.	1.1	152

#	ARTICLE	IF	CITATIONS
217	Individual, Psychosocial, and Environmental Correlates of 4-Year Declines in Walking Among Middle-to-Older Aged Adults. <i>Journal of Physical Activity and Health</i> , 2014, 11, 1078-1084.	1.0	13
218	Relationships of Individual, Social, and Physical Environmental Factors With Older Adults'™ Television Viewing Time. <i>Journal of Aging and Physical Activity</i> , 2014, 22, 508-517.	0.5	42
219	Associations of Leisure-Time Sitting in Cars With Neighborhood Walkability. <i>Journal of Physical Activity and Health</i> , 2014, 11, 1129-1132.	1.0	21
220	Interacting psychosocial and environmental correlates of leisure-time physical activity: A three-country study.. <i>Health Psychology</i> , 2014, 33, 699-709.	1.3	35
221	A National Strategy for Promoting Physical Activity in Oman: A call for action. <i>Sultan Qaboos University Medical Journal</i> , 2014, 14, e170-5.	0.3	9
222	Results from the dissemination of an evidence-based telephone-delivered intervention for healthy lifestyle and weight loss: the Optimal Health Program. <i>Translational Behavioral Medicine</i> , 2013, 3, 340-350.	1.2	13
223	Sharing good NEWS across the world: developing comparable scores across 12 countries for the neighborhood environment walkability scale (NEWS). <i>BMC Public Health</i> , 2013, 13, 309.	1.2	113
224	Correlates of prolonged television viewing time in older Japanese men and women. <i>BMC Public Health</i> , 2013, 13, 213.	1.2	55
225	Six-Month Outcomes from Living Well with Diabetes: A Randomized Trial of a Telephone-Delivered Weight Loss and Physical Activity Intervention to Improve Glycemic Control. <i>Annals of Behavioral Medicine</i> , 2013, 46, 193-203.	1.7	37
226	Initiating and maintaining recreational walking: A longitudinal study on the influence of neighborhood green space. <i>Preventive Medicine</i> , 2013, 57, 178-182.	1.6	95
227	Don't take cancer sitting down. <i>Cancer</i> , 2013, 119, 1928-1935.	2.0	101
228	Commuting by Car. <i>American Journal of Preventive Medicine</i> , 2013, 44, 169-173.	1.6	72
229	Author Response. <i>American Journal of Preventive Medicine</i> , 2013, 45, e2.	1.6	0
230	Reducing sitting time in office workers: Short-term efficacy of a multicomponent intervention. <i>Preventive Medicine</i> , 2013, 57, 43-48.	1.6	286
231	Independent and joint associations of TV viewing time and snack food consumption with the metabolic syndrome and its components; a cross-sectional study in Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 96.	2.0	48
232	Reducing office workers'™ sitting time: rationale and study design for the Stand Up Victoria cluster randomized trial. <i>BMC Public Health</i> , 2013, 13, 1057.	1.2	111
233	Joint associations of poor diet quality and prolonged television viewing time with abnormal glucose metabolism in Australian men and women. <i>Preventive Medicine</i> , 2013, 57, 471-476.	1.6	14
234	Perceived neighborhood environmental attributes associated with adults'™ leisure-time physical activity: Findings from Belgium, Australia and the USA. <i>Health and Place</i> , 2013, 19, 59-68.	1.5	96

#	ARTICLE	IF	CITATIONS
235	Evaluation Framework for Translational Research. <i>Health Promotion Practice</i> , 2013, 14, 380-389.	0.9	30
236	Effects of breaking up prolonged sitting on skeletal muscle gene expression. <i>Journal of Applied Physiology</i> , 2013, 114, 453-460.	1.2	115
237	Television Viewing Time is Associated With Overweight/Obesity Among Older Adults, Independent of Meeting Physical Activity and Health Guidelines Reply to Stabler and Colleagues. <i>Journal of Epidemiology</i> , 2013, 23, 398-398.	1.1	4
238	Advancing Science and Policy Through a Coordinated International Study of Physical Activity and Built Environments: IPEN Adult Methods. <i>Journal of Physical Activity and Health</i> , 2013, 10, 581-601.	1.0	148
239	Correlates of Omani adults' physical inactivity and sitting time. <i>Public Health Nutrition</i> , 2013, 16, 65-72.	1.1	30
240	Adults' Past-Day Recall of Sedentary Time. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1198-1207.	0.2	65
241	Impact on Hemostatic Parameters of Interrupting Sitting with Intermittent Activity. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1285-1291.	0.2	70
242	Is Measurement Error Altered by Participation in a Physical Activity Intervention?. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1004-1011.	0.2	10
243	Associations of Strength Training with Impaired Glucose Metabolism. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 299-303.	0.2	17
244	Light-Intensity Physical Activity and Cardiometabolic Biomarkers in US Adolescents. <i>PLoS ONE</i> , 2013, 8, e71417.	1.1	156
245	Correlates of Change in Adults' Television Viewing Time. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1287-1292.	0.2	41
246	Translation from Research to Practice: Community Dissemination of a Telephone-Delivered Physical Activity and Dietary Behavior Change Intervention. <i>American Journal of Health Promotion</i> , 2012, 26, 253-259.	0.9	15
247	Destination and Route Attributes Associated with Adults' Walking. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1275-1286.	0.2	235
248	Breaking Up Prolonged Sitting Reduces Postprandial Glucose and Insulin Responses. <i>Diabetes Care</i> , 2012, 35, 976-983.	4.3	952
249	Ambulatory monitoring and sedentary behaviour: a population-health perspective. <i>Physiological Measurement</i> , 2012, 33, 1801-1810.	1.2	33
250	Television viewing time and reduced life expectancy: a life table analysis. <i>British Journal of Sports Medicine</i> , 2012, 46, 927-930.	3.1	82
251	Identifying sedentary time using automated estimates of accelerometer wear time. <i>British Journal of Sports Medicine</i> , 2012, 46, 436-442.	3.1	77
252	Correlates of Omani adults' physical inactivity and sitting time – Corrigendum. <i>Public Health Nutrition</i> , 2012, 15, 2164-2164.	1.1	2

#	ARTICLE	IF	CITATIONS
253	Addressing the Nonexercise Part of the Activity Continuum: A More Realistic and Achievable Approach to Activity Programming for Adults With Mobility Disability?. <i>Physical Therapy</i> , 2012, 92, 614-625.	1.1	114
254	New Exercise Prescription: Don't Just Sit There: Stand Up and Move More, More Often. <i>Archives of Internal Medicine</i> , 2012, 172, 500.	4.3	18
255	2nd International Conference on Ambulatory Monitoring of Physical Activity and Movement (Glasgow) Tj ETQq1 1 0,784314 rgBT /Overt	1.2	11
256	The neurobiology of overeating. <i>EMBO Reports</i> , 2012, 13, 785-790.	2.0	22
257	High Neighborhood Walkability Mitigates Declines in Middle-to-Older Aged Adults's Walking for Transport. <i>Journal of Physical Activity and Health</i> , 2012, 9, 1004-1008.	1.0	25
258	Reported Physical Activity and Sedentary Behavior: Why Do You Ask?. <i>Journal of Physical Activity and Health</i> , 2012, 9, S68-S75.	1.0	129
259	Television Viewing Time is Associated with Overweight/Obesity Among Older Adults, Independent of Meeting Physical Activity and Health Guidelines. <i>Journal of Epidemiology</i> , 2012, 22, 50-56.	1.1	112
260	Global physical activity levels: surveillance progress, pitfalls, and prospects. <i>Lancet, The</i> , 2012, 380, 247-257.	6.3	4,021
261	Evidence-based intervention in physical activity: lessons from around the world. <i>Lancet, The</i> , 2012, 380, 272-281.	6.3	898
262	Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. <i>Lancet, The</i> , 2012, 380, 219-229.	6.3	6,107
263	Prolonged sitting in cars: Prevalence, socio-demographic variations, and trends. <i>Preventive Medicine</i> , 2012, 55, 315-318.	1.6	43
264	Sedentary behavior: Understanding and influencing adults' prolonged sitting time. <i>Preventive Medicine</i> , 2012, 55, 535-539.	1.6	148
265	Too much sitting " A health hazard. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 368-376.	1.1	458
266	Prolonged sedentary time and physical activity in workplace and non-work contexts: a cross-sectional study of office, customer service and call centre employees. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 128.	2.0	347
267	Perceived neighborhood environmental attributes associated with adults's transport-related walking and cycling: Findings from the USA, Australia and Belgium. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 70.	2.0	119
268	Letter to the Editor: Standardized use of the terms "sedentary" and "sedentary behaviours". <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 540-542.	0.9	1,500
269	Associations of Physical Activity and Sitting Time With the Metabolic Syndrome Among Omani Adults. <i>Obesity</i> , 2012, 20, 2290-2295.	1.5	32
270	Sit "Stand Workstations. <i>American Journal of Preventive Medicine</i> , 2012, 43, 298-303.	1.6	318

#	ARTICLE	IF	CITATIONS
271	Sedentary behaviors of adults in relation to neighborhood walkability and income.. Health Psychology, 2012, 31, 704-713.	1.3	64
272	Relationships of Sun-Protection Habit Strength with Sunscreen Use During Outdoor Sport and Physical Activity. International Journal of Environmental Research and Public Health, 2012, 9, 916-923.	1.2	11
273	Associations between perceived neighborhood environmental attributes and adultsâ€™ sedentary behavior: Findings from the USA, Australia and Belgium. Social Science and Medicine, 2012, 74, 1375-1384.	1.8	86
274	Habitual active transport, TV viewing and weight gain: A four year follow-up study. Preventive Medicine, 2012, 54, 201-204.	1.6	15
275	Physical activity, family history of diabetes and risk of developing hyperglycaemia and diabetes among adults in Mainland China. Diabetic Medicine, 2012, 29, 593-599.	1.2	14
276	Adverse associations of increases in television viewing time with 5â€¢year changes in glucose homeostasis markers: the AusDiab study. Diabetic Medicine, 2012, 29, 918-925.	1.2	18
277	Active Transport, the Built Environment, and Human Health. Springer Optimization and Its Applications, 2012, , 43-65.	0.6	2
278	Designing for the Dissemination of Environmental and Policy Initiatives and Programs for High-Risk Groups. , 2012, , 114-127.		5
279	Physical Activity, Television Viewing Time, and Retinal Microvascular Caliber: The Multi-Ethnic Study of Atherosclerosis. American Journal of Epidemiology, 2011, 173, 518-525.	1.6	31
280	Hours spent and energy expended in physical activity domains: Results from The Tomorrow Project cohort in Alberta, Canada. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 110.	2.0	39
281	Sedentary time and cardio-metabolic biomarkers in US adults: NHANES 2003â€¢06. European Heart Journal, 2011, 32, 590-597.	1.0	1,150
282	Feasibility of Reducing Older Adults' Sedentary Time. American Journal of Preventive Medicine, 2011, 41, 174-177.	1.6	213
283	Sedentary Behaviors and Subsequent Health Outcomes in Adults. American Journal of Preventive Medicine, 2011, 41, 207-215.	1.6	1,211
284	Adults' Sedentary Behavior. American Journal of Preventive Medicine, 2011, 41, 189-196.	1.6	691
285	Lifestyle factors associated concurrently and prospectively with co-morbid cardiovascular disease in a population-based cohort of colorectal cancer survivors. European Journal of Cancer, 2011, 47, 267-276.	1.3	70
286	Associations of Physical Activity and Television Viewing Time with Retinal Vascular Caliber in a Multiethnic Asian Population. , 2011, 52, 6522.		14
287	Physical Activity, Television Viewing Time, and Retinal Vascular Caliber. Medicine and Science in Sports and Exercise, 2011, 43, 280-286.	0.2	23
288	Who Participates in Physical Activity Intervention Trials?. Journal of Physical Activity and Health, 2011, 8, 85-103.	1.0	88

#	ARTICLE	IF	CITATIONS
289	Objectively assessed physical activity, sedentary time and waist circumference among prostate cancer survivors: findings from the National Health and Nutrition Examination Survey (2003-2006). <i>European Journal of Cancer Care</i> , 2011, 20, 514-519.	0.7	67
290	Associations Between Television Viewing Time and Overall Sitting Time with the Metabolic Syndrome in Older Men and Women: The Australian Diabetes Obesity and Lifestyle Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 788-796.	1.3	142
291	Abdominal obesity, TV-viewing time and prospective declines in physical activity. <i>Preventive Medicine</i> , 2011, 53, 299-302.	1.6	36
292	Associations of objectively-assessed physical activity and sedentary time with depression: NHANES (2005-2006). <i>Preventive Medicine</i> , 2011, 53, 284-288.	1.6	187
293	Mismatch between perceived and objectively assessed neighborhood walkability attributes: Prospective relationships with walking and weight gain. <i>Health and Place</i> , 2011, 17, 519-524.	1.5	203
294	Relationships between neighborhood walkability and adults' physical activity: How important is residential self-selection?. <i>Health and Place</i> , 2011, 17, 1011-1014.	1.5	73
295	Associations of objectively assessed physical activity and sedentary time with biomarkers of breast cancer risk in postmenopausal women: findings from NHANES (2003-2006). <i>Breast Cancer Research and Treatment</i> , 2011, 130, 183-194.	1.1	103
296	Television viewing time of colorectal cancer survivors is associated prospectively with quality of life. <i>Cancer Causes and Control</i> , 2011, 22, 1111-1120.	0.8	50
297	Environmental and Psychosocial Correlates of Accelerometer-Assessed and Self-Reported Physical Activity in Belgian Adults. <i>International Journal of Behavioral Medicine</i> , 2011, 18, 235-245.	0.8	78
298	Socio-demographic, psychosocial and home-environmental attributes associated with adults' domestic screen time. <i>BMC Public Health</i> , 2011, 11, 668.	1.2	45
299	Mediators of physical activity change in a behavioral modification program for type 2 diabetes patients. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 105.	2.0	33
300	Physical activity and sedentary behaviours among rural adults in suixi, china: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 37.	2.0	34
301	Social Cognitive Correlates of Young Adult Sport Competitors' Sunscreen Use. <i>Health Education and Behavior</i> , 2011, 38, 6-14.	1.3	19
302	A Telephone-Delivered Physical Activity and Dietary Intervention for Type 2 Diabetes and Hypertension: Does Intervention Dose Influence Outcomes?. <i>American Journal of Health Promotion</i> , 2011, 25, 257-263.	0.9	26
303	Relationship of Television Time with Accelerometer-Derived Sedentary Time. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 822-828.	0.2	107
304	Validity of Self-Reported Measures of Workplace Sitting Time and Breaks in Sitting Time. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1907-1912.	0.2	98
305	Measuring Older Adults' Sedentary Time. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 2127-2133.	0.2	143
306	Evidence of physical activity participation among men and women in the countries of the Gulf Cooperation Council: a review. <i>Obesity Reviews</i> , 2010, 11, 457-464.	3.1	104

#	ARTICLE	IF	CITATIONS
307	Increased Cardiometabolic Risk Is Associated with Increased TV Viewing Time. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 1511-1518.	0.2	137
308	Associations Between Recreational Walking and Attractiveness, Size, and Proximity of Neighborhood Open Spaces. <i>American Journal of Public Health</i> , 2010, 100, 1752-1757.	1.5	321
309	Perceived Barriers to Leisure-Time Physical Activity in Adults: An Ecological Perspective. <i>Journal of Physical Activity and Health</i> , 2010, 7, 451-459.	1.0	135
310	Habitual Active Transport Moderates the Association of TV Viewing Time With Body Mass Index. <i>Journal of Physical Activity and Health</i> , 2010, 7, 11-16.	1.0	30
311	Socio-Demographic Correlates of Prolonged Television Viewing Time in Australian Men and Women: The AusDiab Study. <i>Journal of Physical Activity and Health</i> , 2010, 7, 595-601.	1.0	82
312	Measuring Physical Activity Change in Broad-Reach Intervention Trials. <i>Journal of Physical Activity and Health</i> , 2010, 7, 194-202.	1.0	46
313	Perceived barriers to physical activity for colorectal cancer survivors. <i>Supportive Care in Cancer</i> , 2010, 18, 729-734.	1.0	43
314	Associations of Residential Density with Adolescents' Physical Activity in a Rapidly Urbanizing Area of Mainland China. <i>Journal of Urban Health</i> , 2010, 87, 44-53.	1.8	53
315	Bicycle Use for Transport in an Australian and a Belgian City: Associations with Built-Environment Attributes. <i>Journal of Urban Health</i> , 2010, 87, 189-198.	1.8	51
316	Relationships of Land Use Mix with Walking for Transport: Do Land Uses and Geographical Scale Matter?. <i>Journal of Urban Health</i> , 2010, 87, 782-795.	1.8	141
317	Multiple Health Behavior Changes and Co-variation in a Telephone Counseling Trial. <i>Annals of Behavioral Medicine</i> , 2010, 39, 250-257.	1.7	21
318	Television Viewing Time and Risk of Chronic Kidney Disease in Adults: The AusDiab Study. <i>Annals of Behavioral Medicine</i> , 2010, 40, 265-274.	1.7	30
319	Objectively measured physical activity and sedentary time of breast cancer survivors, and associations with adiposity: findings from NHANES (2003-2006). <i>Cancer Causes and Control</i> , 2010, 21, 283-288.	0.8	192
320	Physical activity as a mediator of the associations between neighborhood walkability and adiposity in Belgian adults. <i>Health and Place</i> , 2010, 16, 952-960.	1.5	51
321	Gender differences in prevalence of the metabolic syndrome in Gulf Cooperation Council Countries: a systematic review. <i>Diabetic Medicine</i> , 2010, 27, 593-597.	1.2	115
322	Deleterious Associations of Sitting Time and Television Viewing Time With Cardiometabolic Risk Biomarkers. <i>Diabetes Care</i> , 2010, 33, 327-334.	4.3	243
323	Response to Letters Regarding Article, "Television Viewing Time and Mortality: The Australian Diabetes, Obesity and Lifestyle Study (AusDiab)". <i>Circulation</i> , 2010, 122, .	1.6	3
324	Psychosocial correlates of leisure-time walking among Australian adults of lower and higher socio-economic status. <i>Health Education Research</i> , 2010, 25, 316-324.	1.0	24

#	ARTICLE	IF	CITATIONS
325	Too Much Sitting. Exercise and Sport Sciences Reviews, 2010, 38, 105-113.	1.6	1,713
326	Are Barriers to Physical Activity Similar for Adults With and Without Abnormal Glucose Metabolism?. The Diabetes Educator, 2010, 36, 495-502.	2.6	9
327	Sedentary versus inactive: distinctions for disease prevention. Nature Reviews Cardiology, 2010, 7, 1-1.	6.1	12
328	Residential density and adolescent overweight in a rapidly urbanising region of mainland China. Journal of Epidemiology and Community Health, 2010, 64, 1017-1021.	2.0	42
329	Sedentary Behavior: Emerging Evidence for a New Health Risk. Mayo Clinic Proceedings, 2010, 85, 1138-1141.	1.4	617
330	Physiological and health implications of a sedentary lifestyle. Applied Physiology, Nutrition and Metabolism, 2010, 35, 725-740.	0.9	1,020
331	Sedentary Behaviour and Biomarkers of Cardiometabolic Health Risk in Adolescents: An Emerging Scientific and Public Health Issue. Revista Espanola De Cardiologia (English Ed), 2010, 63, 261-264.	0.4	11
332	Maintenance of physical activity and dietary change following a telephone-delivered intervention.. Health Psychology, 2010, 29, 566-573.	1.3	34
333	Perceptions of representatives of public, private, and community sector institutions of the barriers and enablers for physically active transport. Transport Policy, 2010, 17, 496-504.	3.4	45
334	Neighborhood SES and walkability are related to physical activity behavior in Belgian adults. Preventive Medicine, 2010, 50, S74-S79.	1.6	244
335	Are workplace interventions to reduce sitting effective? A systematic review. Preventive Medicine, 2010, 51, 352-356.	1.6	212
336	Identifying Subgroups of U.S. Adults at Risk for Prolonged Television Viewing to Inform Program Development. American Journal of Preventive Medicine, 2010, 38, 17-26.	1.6	63
337	Neighborhood Walkability and Sedentary Time in Belgian Adults. American Journal of Preventive Medicine, 2010, 39, 25-32.	1.6	83
338	Occupational Sitting and Health Risks. American Journal of Preventive Medicine, 2010, 39, 379-388.	1.6	423
339	Television Viewing Time and Mortality. Circulation, 2010, 121, 384-391.	1.6	684
340	“Too Much Sitting”™ and Metabolic Risk “Has Modern Technology Caught Up with Us?”. European Endocrinology, 2010, 06, 19.	0.8	33
341	Cost-Effectiveness of a Telephone-Delivered Intervention for Physical Activity and Diet. PLoS ONE, 2009, 4, e7135.	1.1	72
342	Health and mortality consequences of abdominal obesity: evidence from the AusDiab study. Medical Journal of Australia, 2009, 191, 202-208.	0.8	72

#	ARTICLE	IF	CITATIONS
343	Explaining socio-economic status differences in walking for transport: An ecological analysis of individual, social and environmental factors. <i>Social Science and Medicine</i> , 2009, 68, 1013-1020.	1.8	95
344	Physical activity for recreation or exercise on neighbourhood streets: Associations with perceived environmental attributes. <i>Health and Place</i> , 2009, 15, 1058-1063.	1.5	81
345	Television viewing time and weight gain in colorectal cancer survivors: a prospective population-based study. <i>Cancer Causes and Control</i> , 2009, 20, 1355-1362.	0.8	47
346	Correlates of Non-Concordance between Perceived and Objective Measures of Walkability. <i>Annals of Behavioral Medicine</i> , 2009, 37, 228-238.	1.7	240
347	Determinants of continuity and change over 10 years in young women's smoking. <i>Addiction</i> , 2009, 104, 478-487.	1.7	43
348	Validity and reliability of measures of television viewing time and other non-occupational sedentary behaviour of adults: a review. <i>Obesity Reviews</i> , 2009, 10, 7-16.	3.1	250
349	Spousal concordance and reliability of the "Prudence Score"™ as a summary of diet and lifestyle. <i>Australian and New Zealand Journal of Public Health</i> , 2009, 33, 320-324.	0.8	15
350	Randomized trial of a neighborhood environment-focused physical activity website intervention. <i>Preventive Medicine</i> , 2009, 48, 144-150.	1.6	71
351	Associations of multiple physical activity domains with mental well-being. <i>Mental Health and Physical Activity</i> , 2009, 2, 55-64.	0.9	72
352	Sociodemographic Variation in the Perception of Barriers to Exercise Among Japanese Adults. <i>Journal of Epidemiology</i> , 2009, 19, 161-168.	1.1	33
353	Associations of Leisure-Time Internet and Computer Use With Overweight and Obesity, Physical Activity and Sedentary Behaviors: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2009, 11, e28.	2.1	155
354	Is Television Viewing Time a Marker of a Broader Pattern of Sedentary Behavior?. <i>Annals of Behavioral Medicine</i> , 2008, 35, 245-250.	1.7	152
355	Associations of Perceived Community Environmental Attributes with Walking in a Population-Based Sample of Adults with Type 2 Diabetes. <i>Annals of Behavioral Medicine</i> , 2008, 35, 170-178.	1.7	24
356	Too little exercise and too much sitting: Inactivity physiology and the need for new recommendations on sedentary behavior. <i>Current Cardiovascular Risk Reports</i> , 2008, 2, 292-298.	0.8	656
357	Health behaviors of Australian colorectal cancer survivors, compared with noncancer population controls. <i>Supportive Care in Cancer</i> , 2008, 16, 1097-1104.	1.0	56
358	Should we be concerned about children spending extended periods of time in sedentary pursuits even among the highly active?. <i>Pediatric Obesity</i> , 2008, 3, 66-68.	3.2	31
359	Joint associations of multiple leisure-time sedentary behaviours and physical activity with obesity in Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 35.	2.0	129
360	Self-reported information on the diagnosis of colorectal cancer was reliable but not necessarily valid. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 498-504.	2.4	22

#	ARTICLE	IF	CITATIONS
361	Testing a Hierarchy-of-Effects Model. <i>American Journal of Preventive Medicine</i> , 2008, 34, S249-S256.	1.6	67
362	Objectively Measured Sedentary Time, Physical Activity, and Metabolic Risk. <i>Diabetes Care</i> , 2008, 31, 369-371.	4.3	887
363	Too much sitting: a novel and important predictor of chronic disease risk?. <i>British Journal of Sports Medicine</i> , 2008, 43, 81-83.	3.1	313
364	Glucose Indices, Health Behaviors, and Incidence of Diabetes in Australia. <i>Diabetes Care</i> , 2008, 31, 267-272.	4.3	181
365	The Implications of Genetic Susceptibility for the Prevention of Colorectal Cancer: A Qualitative Study of Older Adults’ Understanding. <i>Public Health Genomics</i> , 2008, 11, 283-288.	1.0	9
366	Associations of neighbourhood greenness with physical and mental health: do walking, social coherence and local social interaction explain the relationships?. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, e9-e9.	2.0	570
367	Breaks in Sedentary Time. <i>Diabetes Care</i> , 2008, 31, 661-666.	4.3	1,220
368	Stand up, sit down, keep moving: turning circles in physical activity research?. <i>British Journal of Sports Medicine</i> , 2008, 43, 86-88.	3.1	67
369	Prospective Relationships of Physical Activity With Quality of Life Among Colorectal Cancer Survivors. <i>Journal of Clinical Oncology</i> , 2008, 26, 4480-4487.	0.8	91
370	Smoking reduction and cessation among young adult women: a 7-year prospective analysis. <i>Nicotine and Tobacco Research</i> , 2008, 10, 1457-1466.	1.4	17
371	Objective Versus Perceived Walking Distances to Destinations. <i>Environment and Behavior</i> , 2008, 40, 401-425.	2.1	115
372	An Australian Version of the Neighborhood Environment Walkability Scale: Validity Evidence. <i>Measurement in Physical Education and Exercise Science</i> , 2008, 12, 31-51.	1.3	79
373	Associations of television viewing time with excess body weight among urban and rural high-school students in regional mainland China. <i>Public Health Nutrition</i> , 2008, 11, 891-896.	1.1	33
374	New Techniques and Issues in Assessing Walking Behavior and Its Contexts. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S574-S583.	0.2	11
375	Motivational readiness for active commuting by university students: incentives and barriers. <i>Health Promotion Journal of Australia</i> , 2008, 19, 210-215.	0.6	10
376	Television Time and Continuous Metabolic Risk in Physically Active Adults. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 639-645.	0.2	335
377	Occasional tobacco use among young adult women: a longitudinal analysis of smoking transitions. <i>Tobacco Control</i> , 2007, 16, 248-254.	1.8	30
378	Does Walking in the Neighbourhood Enhance Local Sociability?. <i>Urban Studies</i> , 2007, 44, 1677-1695.	2.2	125

#	ARTICLE	IF	CITATIONS
379	Objectively Measured Light-Intensity Physical Activity Is Independently Associated With 2-h Plasma Glucose. <i>Diabetes Care</i> , 2007, 30, 1384-1389.	4.3	508
380	Residential proximity to school and the active travel choices of parents. <i>Health Promotion Journal of Australia</i> , 2007, 18, 127-134.	0.6	24
381	Website-Delivered Physical Activity Interventions. <i>American Journal of Preventive Medicine</i> , 2007, 33, 54-64.	1.6	434
382	Neighborhood Walkability and the Walking Behavior of Australian Adults. <i>American Journal of Preventive Medicine</i> , 2007, 33, 387-395.	1.6	529
383	Neighborhood Walkability and TV Viewing Time Among Australian Adults. <i>American Journal of Preventive Medicine</i> , 2007, 33, 444-449.	1.6	122
384	Telephone Interventions for Physical Activity and Dietary Behavior Change. <i>American Journal of Preventive Medicine</i> , 2007, 32, 419-434.	1.6	309
385	Association of Television Viewing With Fasting and 2-h Postchallenge Plasma Glucose Levels in Adults Without Diagnosed Diabetes. <i>Diabetes Care</i> , 2007, 30, 516-522.	4.3	208
386	Modes of presentation and pathways to diagnosis of colorectal cancer in Queensland. <i>Medical Journal of Australia</i> , 2007, 186, 288-291.	0.8	36
387	Community Capacity Building for Health Promotion: Lessons from a Regional Australian Initiative. <i>Australian Journal of Primary Health</i> , 2007, 13, 22.	0.4	3
388	Sitting time and socio-economic differences in overweight and obesity. <i>International Journal of Obesity</i> , 2007, 31, 169-176.	1.6	109
389	Of mass campaigns, Red Chairs and sedentary policy processes. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 405-406.	0.8	2
390	Sun exposure and sun protection behaviours among young adult sport competitors. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 230-234.	0.8	46
391	Better understanding the influence of cigarette smoking and indoor air pollution on chronic obstructive pulmonary disease: A case-control study in Mainland China. <i>Respirology</i> , 2007, 12, 891-897.	1.3	38
392	Walkability of local communities: Using geographic information systems to objectively assess relevant environmental attributes. <i>Health and Place</i> , 2007, 13, 111-122.	1.5	476
393	Destinations that matter: Associations with walking for transport. <i>Health and Place</i> , 2007, 13, 713-724.	1.5	235
394	Physical activity, activity change, and their correlates in a population-based sample of colorectal cancer survivors. <i>Annals of Behavioral Medicine</i> , 2007, 34, 135-143.	1.7	53
395	Associations of leisure-time physical activity with quality of life in a large, population-based sample of colorectal cancer survivors. <i>Cancer Causes and Control</i> , 2007, 18, 735-742.	0.8	60
396	Sun exposure concern, sun protection behaviors and physical activity among Australian adults. <i>Cancer Causes and Control</i> , 2007, 18, 1009-1014.	0.8	33

#	ARTICLE	IF	CITATIONS
397	Cigarette Smoking is Negatively Associated with Family Average Income Among Urban and Rural Men in Regional Mainland China. <i>International Journal of Mental Health and Addiction</i> , 2007, 5, 17-23.	4.4	7
398	Applying GIS in Physical Activity Research: Community "Walkability" and Walking Behaviors. <i>Lecture Notes in Geoinformation and Cartography</i> , 2007, , 72-89.	0.5	12
399	Objectively Assessing "Walkability" of Local Communities: Using GIS to Identify the Relevant Environmental Attributes. , 2007, , 91-104.		12
400	Evidence-Based Approaches to Dissemination and Diffusion of Physical Activity Interventions. <i>American Journal of Preventive Medicine</i> , 2006, 31, 35-44.	1.6	132
401	Small-scale randomized controlled trials need more powerful methods of mediational analysis than the Baron-Kenny method. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 457-464.	2.4	55
402	Neighborhood and Individual Socio-Economic Variations in the Contribution of Occupational Physical Activity to Total Physical Activity. <i>Journal of Physical Activity and Health</i> , 2006, 3, 179-190.	1.0	6
403	Socio-Demographic Variations in Walking for Transport and for Recreation or Exercise Among Adult Australians. <i>Journal of Physical Activity and Health</i> , 2006, 3, 164-178.	1.0	53
404	Reliability of a Measure of Prediagnosis Physical Activity for Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 715-719.	0.2	10
405	Dimensions of quality of life and psychosocial variables most salient to colorectal cancer patients. <i>Psycho-Oncology</i> , 2006, 15, 20-30.	1.0	101
406	Family average income and diagnosed Type 2 diabetes in urban and rural residents in regional mainland China. <i>Diabetic Medicine</i> , 2006, 23, 1239-1246.	1.2	40
407	"Occasional" and "social" smokers: potential target groups for smoking cessation campaigns?. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 550-554.	0.8	23
408	Physical activity and population health. <i>Journal of Science and Medicine in Sport</i> , 2006, 9, 209-210.	0.6	1
409	From partying to parenthood: young women's perceptions of cigarette smoking across life transitions. <i>Health Education Research</i> , 2006, 21, 428-439.	1.0	32
410	Beneficial Associations of Physical Activity With 2-h but Not Fasting Blood Glucose in Australian Adults: The AusDiab Study. <i>Diabetes Care</i> , 2006, 29, 2598-2604.	4.3	59
411	Community Center-Based Resistance Training for the Maintenance of Glycemic Control in Adults With Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 2586-2591.	4.3	79
412	Physical activity measurement- a primer for health promotion. <i>Global Health Promotion</i> , 2006, 13, 92-103.	0.8	122
413	Residents' perceptions of walkability attributes in objectively different neighbourhoods: a pilot study. <i>Health and Place</i> , 2005, 11, 227-236.	1.5	324
414	Piloting the feasibility and effectiveness of print- and telephone-mediated interventions for promoting the adoption of physical activity in Australian adults. <i>Journal of Science and Medicine in Sport</i> , 2005, 8, 134-142.	0.6	13

#	ARTICLE	IF	CITATIONS
415	Unprotected eyes in squash: not seeing the risk of injury. <i>Journal of Science and Medicine in Sport</i> , 2005, 8, 92-100.	0.6	14
416	Do squash players accurately report use of appropriate protective eyewear?. <i>Journal of Science and Medicine in Sport</i> , 2005, 8, 352-356.	0.6	13
417	Associations of TV viewing and physical activity with the metabolic syndrome in Australian adults. <i>Diabetologia</i> , 2005, 48, 2254-2261.	2.9	338
418	Does high-intensity resistance training maintain bone mass during moderate weight loss in older overweight adults with type 2 diabetes?. <i>Osteoporosis International</i> , 2005, 16, 1703-1712.	1.3	89
419	Exploring the feasibility and acceptability of using Internet technology to promote physical activity within a defined community. <i>Health Promotion Journal of Australia</i> , 2005, 16, 82-84.	0.6	21
420	Increasing male involvement in family planning decision making: trial of a social-cognitive intervention in rural Vietnam. <i>Health Education Research</i> , 2005, 20, 548-556.	1.0	24
421	Predictors of Men's Acceptance of Modern Contraceptive Practice: Study in Rural Vietnam. <i>Health Education and Behavior</i> , 2005, 32, 738-750.	1.3	8
422	Levels of Physical Activity for Colon Cancer Prevention Compared with Generic Public Health Recommendations: Population Prevalence and Sociodemographic Correlates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 1000-1002.	1.1	17
423	Young Women as Smokers and Nonsmokers: A Qualitative Social Identity Approach. <i>Qualitative Health Research</i> , 2005, 15, 1345-1359.	1.0	46
424	The effectiveness of a squash eyewear promotion strategy. <i>British Journal of Sports Medicine</i> , 2005, 39, 681-685.	3.1	27
425	Home-Based Resistance Training Is Not Sufficient to Maintain Improved Glycemic Control Following Supervised Training in Older Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 3-9.	4.3	157
426	Engagement and retention of participants in a physical activity website. <i>Preventive Medicine</i> , 2005, 40, 54-59.	1.6	134
427	Prospective study of individual, social, and environmental predictors of physical activity: women's leisure running. <i>Psychology of Sport and Exercise</i> , 2005, 6, 363-376.	1.1	44
428	Family average income and body mass index above the healthy weight range among urban and rural residents in regional Mainland China. <i>Public Health Nutrition</i> , 2005, 8, 47-51.	1.1	34
429	Overweight and obesity in Australia: the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Medical Journal of Australia</i> , 2004, 180, 418-418.	0.8	368
430	Associations of Location and Perceived Environmental Attributes with Walking in Neighborhoods. <i>American Journal of Health Promotion</i> , 2004, 18, 239-242.	0.9	142
431	Physical Activity and Television Viewing in Relation to Risk of Undiagnosed Abnormal Glucose Metabolism in Adults. <i>Diabetes Care</i> , 2004, 27, 2603-2609.	4.3	198
432	Test-retest reliability of four physical activity measures used in population surveys. <i>Journal of Science and Medicine in Sport</i> , 2004, 7, 205-215.	0.6	448

#	ARTICLE	IF	CITATIONS
433	Changes in neighborhood walking are related to changes in perceptions of environmental attributes. <i>Annals of Behavioral Medicine</i> , 2004, 27, 60-67.	1.7	197
434	Stages of motivational readiness for physical activity: A comparison of different algorithms of classification. <i>British Journal of Health Psychology</i> , 2004, 9, 253-267.	1.9	40
435	Measurement and prediction of energy expenditure in males during household and garden tasks. <i>European Journal of Applied Physiology</i> , 2004, 91, 61-70.	1.2	40
436	Knowledge, beliefs and attitudes of squash venue operators relating to use of protective eyewear. <i>International Journal of Injury Control and Safety Promotion</i> , 2004, 11, 47-53.	0.7	12
437	Protective Eyewear Promotion. <i>Sports Medicine</i> , 2004, 34, 629-638.	3.1	52
438	Trial of print and telephone delivered interventions to influence walking. <i>Preventive Medicine</i> , 2004, 39, 635-641.	1.6	35
439	Perceived environment attributes, residential location, and walking for particular purposes. <i>American Journal of Preventive Medicine</i> , 2004, 26, 119-125.	1.6	327
440	Understanding environmental influences on walking. <i>American Journal of Preventive Medicine</i> , 2004, 27, 67-76.	1.6	1,043
441	Reaching Out to Promote Physical Activity in Australia: A Statewide Randomized Controlled Trial of a Stage-Targeted Intervention. <i>American Journal of Health Promotion</i> , 2004, 18, 283-287.	0.9	41
442	Gender, Age, and Educational-Attainment Differences in Australian Adults'™ Participation in Vigorous Sporting and Fitness Activities. <i>Journal of Physical Activity and Health</i> , 2004, 1, 377-388.	1.0	17
443	Evaluation of an internet-based physical activity intervention: A preliminary investigation. <i>Annals of Behavioral Medicine</i> , 2003, 25, 92-99.	1.7	211
444	Population-based randomized controlled trial of a stage-targeted physical activity intervention. <i>Annals of Behavioral Medicine</i> , 2003, 25, 194-202.	1.7	69
445	Physical activity and population health outcomes. <i>Journal of Science and Medicine in Sport</i> , 2003, 6, 368-370.	0.6	5
446	The effectiveness of personalized smoking cessation strategies for callers to a Quitline service. <i>Addiction</i> , 2003, 98, 837-846.	1.7	51
447	Trends in physical activity participation and the impact of integrated campaigns among Australian adults, 1997-99. <i>Australian and New Zealand Journal of Public Health</i> , 2003, 27, 76-79.	0.8	106
448	Reliability of moderate-intensity and vigorous physical activity stage of change measures for young adults. <i>Preventive Medicine</i> , 2003, 37, 177-181.	1.6	18
449	Print versus website physical activity programs. <i>American Journal of Preventive Medicine</i> , 2003, 25, 88-94.	1.6	176
450	Physical activity and sedentary behavior: A population-based study of barriers, enjoyment, and preference.. <i>Health Psychology</i> , 2003, 22, 178-188.	1.3	682

#	ARTICLE	IF	CITATIONS
451	Male involvement in family planning in rural Vietnam: an application of the Transtheoretical Model. <i>Health Education Research</i> , 2003, 18, 171-180.	1.0	19
452	Overweight and obesity in Australia: the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Medical Journal of Australia</i> , 2003, 178, 427-432.	0.8	489
453	Physical activity and sedentary behavior: a population-based study of barriers, enjoyment, and preference. <i>Health Psychology</i> , 2003, 22, 178-88.	1.3	276
454	Checklist of Health Promotion Environments at Worksites (CHEW): Development and Measurement Characteristics. <i>American Journal of Health Promotion</i> , 2002, 16, 288-299.	0.9	117
455	Determining energy expenditure during some household and garden tasks. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 895-902.	0.2	54
456	Correlates of adults' participation in physical activity: review and update. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1996-2001.	0.2	2,203
457	Perceived Barriers to Physical Activity among Older Australians. <i>Journal of Aging and Physical Activity</i> , 2002, 10, 271-280.	0.5	73
458	High-Intensity Resistance Training Improves Glycemic Control in Older Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 1729-1736.	4.3	581
459	Environmental factors associated with adults' participation in physical activity A review. <i>American Journal of Preventive Medicine</i> , 2002, 22, 188-199.	1.6	1,427
460	Toward a better understanding of the influences on physical activity. <i>American Journal of Preventive Medicine</i> , 2002, 23, 5-14.	1.6	814
461	Response to Catania and Dolcini. <i>Annals of Behavioral Medicine</i> , 2002, 24, 79-79.	1.7	0
462	Perceived Environmental Aesthetics and Convenience and Company Are Associated with Walking for Exercise among Australian Adults. <i>Preventive Medicine</i> , 2001, 33, 434-440.	1.6	395
463	Impact of an Australian mass media campaign targeting physical activity in 1998. <i>American Journal of Preventive Medicine</i> , 2001, 21, 41-47.	1.6	143
464	University campus settings and the promotion of physical activity in young adults: lessons from research in Australia and the USA. <i>Health Education</i> , 2001, 101, 116-125.	0.4	95
465	Physical activity and health. , 2001, , 155-161.		3
466	Current injury or disability as a barrier to being more physically active. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 778-782.	0.2	86
467	The effectiveness of callback counselling for smoking cessation: a randomized trial. <i>Addiction</i> , 2001, 96, 881-889.	1.7	107
468	Associations of physical activity with body weight and fat in men and women. <i>International Journal of Obesity</i> , 2001, 25, 914-919.	1.6	100

#	ARTICLE	IF	CITATIONS
469	Injury prevention and the promotion of physical activity: What is the nexus?. <i>Journal of Science and Medicine in Sport</i> , 2001, 4, 77-87.	0.6	59
470	Age-related differences in physical activity levels of young adults. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 255-258.	0.2	79
471	The association between television viewing and overweight among Australian adults participating in varying levels of leisure-time physical activity. <i>International Journal of Obesity</i> , 2000, 24, 600-606.	1.6	231
472	The relationship between body mass index and waist circumference: implications for estimates of the population prevalence of overweight. <i>International Journal of Obesity</i> , 2000, 24, 1058-1061.	1.6	77
473	Obesity as a barrier to physical activity. <i>Australian and New Zealand Journal of Public Health</i> , 2000, 24, 331-333.	0.8	205
474	Computer use and physical inactivity in young adults: Public health perils and potentials of new information technologies. <i>Annals of Behavioral Medicine</i> , 2000, 22, 269-275.	1.7	77
475	Behavioral epidemiology: A systematic framework to classify phases of research on health promotion and disease prevention. <i>Annals of Behavioral Medicine</i> , 2000, 22, 294-298.	1.7	324
476	Promoting physical activity: the new imperative for public health. <i>Health Education Research</i> , 2000, 15, 367-376.	1.0	99
477	Leisure-Time, Occupational, and Household Physical Activity among Professional, Skilled, and Less-Skilled Workers and Homemakers. <i>Preventive Medicine</i> , 2000, 30, 191-199.	1.6	179
478	Socialâ€“Cognitive and Perceived Environment Influences Associated with Physical Activity in Older Australians. <i>Preventive Medicine</i> , 2000, 31, 15-22.	1.6	588
479	The Australian National Workplace Health Project: Design and Baseline Findings. <i>Preventive Medicine</i> , 2000, 31, 249-260.	1.6	36
480	Introduction Interactive health communication in preventive medicine. <i>American Journal of Preventive Medicine</i> , 2000, 19, 111-112.	1.6	11
481	Interactive health communication in preventive medicine Internet-based strategies in teaching and research. <i>American Journal of Preventive Medicine</i> , 2000, 19, 113-120.	1.6	116
482	Inactive Australian College Students' Preferred Activities, Sources of Assistance, and Motivators. <i>American Journal of Health Promotion</i> , 1999, 13, 197-199.	0.9	30
483	Health promotion research and the diffusion and institutionalization of interventions. <i>Health Education Research</i> , 1999, 14, 121-130.	1.0	131
484	Physical activity initiatives for male factory workers: gatekeepers' perceptions of potential motivators and barriers. <i>Australian and New Zealand Journal of Public Health</i> , 1999, 23, 505-510.	0.8	7
485	Physical activity of adult Australians: Epidemiological evidence and potential strategies for health gain. <i>Journal of Science and Medicine in Sport</i> , 1999, 2, 30-41.	0.6	47
486	Insufficiently Active Australian College Students: Perceived Personal, Social, and Environmental Influences. <i>Preventive Medicine</i> , 1999, 28, 20-27.	1.6	237

#	ARTICLE	IF	CITATIONS
487	Stage Distributions for Five Health Behaviors in the United States and Australia. Preventive Medicine, 1999, 28, 61-74.	1.6	124
488	Promoting Reduced Smoking Rates in the Context of Workplace Smoking Bans. American Journal of Health Promotion, 1999, 14, 1-3.	0.9	10
489	Utility of pwc75% as an estimate of aerobic power in epidemiological and population-based studies. Medicine and Science in Sports and Exercise, 1999, 31, 348-351.	0.2	42
490	Physical Inactivity and Other Health Risks Among Australian Males in Less-Skilled Occupations. Journal of Occupational and Environmental Medicine, 1999, 41, 794-798.	0.9	2
491	Who comes to a workplace health risk assessment?. International Journal of Behavioral Medicine, 1998, 5, 323-334.	0.8	28
492	Weight-control practices of adults in a rural community. Australian and New Zealand Journal of Public Health, 1998, 22, 73-79.	0.8	18
493	Physical activity interventions using mass media, print media, and information technology. American Journal of Preventive Medicine, 1998, 15, 362-378.	1.6	270
494	Health Promotion: Perspectives on Physical Activity and Weight Control. , 1998, , 675-689.		0
495	Predicting Australian adolescents' intentions to minimize sun exposure. Psychology and Health, 1998, 13, 111-119.	1.2	12
496	Effects of body composition and fat distribution on ventilatory function in adults. American Journal of Clinical Nutrition, 1998, 68, 35-41.	2.2	135
497	Physical Activity Preferences, Preferred Sources of Assistance, and Perceived Barriers to Increased Activity among Physically Inactive Australians. Preventive Medicine, 1997, 26, 131-137.	1.6	474
498	Influence of Socioeconomic Status on the Effectiveness of Dietary Counselling in Healthy Volunteers. Journal of Nutrition Education and Behavior, 1997, 29, 27-35.	0.5	10
499	HIV infection among male prisoners in South Australia, 1989 to 1994. Australian and New Zealand Journal of Public Health, 1997, 21, 572-576.	0.8	4
500	Relating physical activity to health status, social connections and community facilities. Australian and New Zealand Journal of Public Health, 1997, 21, 631-637.	0.8	30
501	Leaving work to smoke. Addiction, 1997, 92, 1361-1368.	1.7	19
502	Can psychiatric and chemical dependency treatment units be smoke free?. Journal of Substance Abuse Treatment, 1996, 13, 107-118.	1.5	78
503	Educational and environmental interventions for cardiovascular health promotion in socially disadvantaged primary schools. Australian and New Zealand Journal of Public Health, 1996, 20, 188-194.	0.8	9
504	Smoking behaviours and beliefs of older Australians. Australian and New Zealand Journal of Public Health, 1996, 20, 603-606.	0.8	4

#	ARTICLE	IF	CITATIONS
505	Relationship between a 14-Day Recall Measure of Leisure-Time Physical Activity and a Submaximal Test of Physical Work Capacity in a Population Sample of Australian Adults. <i>Research Quarterly for Exercise and Sport</i> , 1996, 67, 221-227.	0.8	61
506	Strategic initiatives to promote participation in physical activity. <i>Health Promotion International</i> , 1996, 11, 213-218.	0.9	17
507	Retest Reliability of Recall Measures of Leisure-Time Physical Activity in Australian Adults. <i>International Journal of Epidemiology</i> , 1996, 25, 153-159.	0.9	105
508	A perspective on the behavioural epidemiology, the determinants, and the stages of exercise involvement. <i>Australian Psychologist</i> , 1995, 30, 135-140.	0.9	7
509	Preventive care in general practice in Australia: a public health perspective. <i>Patient Education and Counseling</i> , 1995, 25, 305-310.	1.0	10
510	Need to Smoke in the Context of Workplace Smoking Bans. <i>Preventive Medicine</i> , 1995, 24, 56-60.	1.6	31
511	Low-Rate Smokers. <i>Preventive Medicine</i> , 1995, 24, 80-84.	1.6	73
512	An Economic Evaluation of Four Work Site Based Cardiovascular Risk Factor Interventions. <i>Health Education Quarterly</i> , 1995, 22, 9-19.	1.5	26
513	Socioeconomic status and personal characteristics as predictors of dietary change. <i>Journal of Nutrition Education and Behavior</i> , 1995, 27, 173-181.	0.5	29
514	Colorectal cancer and its prevention: prevalence of beliefs, attitudes, intentions and behaviour. <i>Australian Journal of Public Health</i> , 1995, 19, 19-23.	0.2	73
515	Dietary behaviours of volunteers for a nutrition education program, compared with a population sample. <i>Australian Journal of Public Health</i> , 1995, 19, 64-69.	0.2	12
516	Smoking-related beliefs and behaviour of South Australians with diabetes. <i>Australian Journal of Public Health</i> , 1995, 19, 309-312.	0.2	11
517	The behavioural epidemiology of weight control. <i>Australian Journal of Public Health</i> , 1994, 18, 143-148.	0.2	17
518	Trial of an intervention to reduce chronic benzodiazepine use among residents of aged-care accommodation. <i>Australian and New Zealand Journal of Medicine</i> , 1993, 23, 343-347.	0.5	33
519	Pilot study of the effects of a workplace smoking ban on indices of smoking, cigarette craving, stress and other health behaviours. <i>Psychology and Health</i> , 1993, 8, 223-229.	1.2	9
520	Population Prevalence and Correlates of Stages of Change in Physical Activity. <i>Health Education Quarterly</i> , 1993, 20, 431-440.	1.5	81
521	Medication use and its correlates among the elderly. <i>Australian Journal of Public Health</i> , 1993, 17, 18-22.	0.2	22
522	The Descriptive Epidemiology of a Sedentary Lifestyle in Adult Australians. <i>International Journal of Epidemiology</i> , 1992, 21, 305-310.	0.9	121

#	ARTICLE	IF	CITATIONS
523	Effects of a national mass-media campaign on physical activity participation. Health Promotion International, 1992, 7, 241-247.	0.9	63
524	Stages of readiness to quit smoking: Population prevalence and correlates.. Health Psychology, 1992, 11, 413-417.	1.3	45
525	Perspectives on the management of type II diabetes. Australian Psychologist, 1992, 27, 99-102.	0.9	3
526	The Effect of Adding Telephone Contact to Self-Instructional Smoking-Cessation Materials. Behaviour Change, 1992, 9, 216-222.	0.6	17
527	Characteristics of heavy smokers. Preventive Medicine, 1992, 21, 311-319.	1.6	47
528	Associations of social status and health-related beliefs with dietary fat and fiber densities. Preventive Medicine, 1992, 21, 735-745.	1.6	47
529	Motivational Readiness, Self-Efficacy and Decision-Making for Exercise1. Journal of Applied Social Psychology, 1992, 22, 3-16.	1.3	316
530	Protection Motivation Theory and Adolescents' Perceptions of Exercise1. Journal of Applied Social Psychology, 1992, 22, 55-69.	1.3	56
531	Self-help smoking cessation materials. Australian Journal of Public Health, 1992, 16, 188-191.	0.2	9
532	Stages of readiness to quit smoking: population prevalence and correlates. Health Psychology, 1992, 11, 413-7.	1.3	20
533	Assessment of Addictive Behaviours, Dennis M. Donovan & G. Alan Marlatt (Editors), New York: Guilford Press, 1989, 497pp. hard cover, \$A74.90.. Behaviour Change, 1991, 8, 45-46.	0.6	0
534	The Nature of Drug Dependence, Griffith Edwards & Malcolm Lader (Editors) Oxford: Oxford University Press, 1990, 240pp., \$97.50 hard cover.. Behaviour Change, 1991, 8, 43-43.	0.6	0
535	Regulatory influences on health-related behaviours: The case of workplace smoking-bans. Australian Psychologist, 1991, 26, 188-191.	0.9	8
536	AIDS prevention: Epidemiologic and behavioural perspectives. Australian Psychologist, 1991, 26, 11-17.	0.9	2
537	Predicting attempts and sustained cessation of smoking after the introduction of workplace smoking bans.. Health Psychology, 1991, 10, 336-342.	1.3	85
538	Smokers unlikely to quit. Journal of Behavioral Medicine, 1991, 14, 627-636.	1.1	21
539	The Research and Development Agenda for Cancer Prevention and Education in Australia. Asia-Pacific Journal of Public Health, 1991, 5, 249-255.	0.4	1
540	Changes in smoking behaviour after a total workplace smoking ban. Australian Journal of Public Health, 1991, 15, 130-134.	0.2	48

#	ARTICLE	IF	CITATIONS
541	Predicting attempts and sustained cessation of smoking after the introduction of workplace smoking bans. <i>Health Psychology</i> , 1991, 10, 336-42.	1.3	34
542	Habitual physical activity and cardiovascular risk factors. <i>Medical Journal of Australia</i> , 1991, 154, 22-28.	0.8	42
543	Why the Tobacco Industry Fears the Passive Smoking Issue. <i>International Journal of Health Services</i> , 1990, 20, 417-427.	1.2	38
544	Australia: Perspectives in School Health. <i>Journal of School Health</i> , 1990, 60, 301-307.	0.8	7
545	Preventing Substance Abuse among Children and Adolescents Jean E. Rhodes and Leonard A. Jason New York: Pergamon, 1988, 146pp., hard cover \$22.50, soft cover \$12.95. <i>Behaviour Change</i> , 1990, 7, 90-90.	0.6	0
546	Population versus Clinical Perspectives on Smoking Behaviour. <i>Behaviour Change</i> , 1990, 7, 120-125.	0.6	7
547	Health psychology in australia. <i>Psychology and Health</i> , 1990, 4, 73-81.	1.2	7
548	Community Cholesterol Screenings: The Impact of Follow-up Letters and Incentives on Retest Rates and Biometric Changes in Follow-up Screenings. <i>American Journal of Health Promotion</i> , 1990, 5, 58-61.	0.9	10
549	Changes in acceptance of workplace smoking bans following their implementation: A prospective study. <i>Preventive Medicine</i> , 1990, 19, 314-322.	1.6	56
550	Smokers' preferences for assistance with cessation. <i>Preventive Medicine</i> , 1990, 19, 424-431.	1.6	53
551	RECENT TRENDS AND SOCIO–DEMOGRAPHIC DETERMINANTS OF EXERCISE PARTICIPATION IN AUSTRALIA. <i>Community Health Studies</i> , 1990, 14, 19-26.	0.0	58
552	Behavioural Medicine: Research and Development in Disease Prevention. <i>Behaviour Change</i> , 1989, 6, 3-11.	0.6	6
553	Staff members' acceptance of the introduction of workplace smoking bans in the Australian public service. <i>Medical Journal of Australia</i> , 1989, 151, 525-528.	0.8	22
554	Behavioral intervention studies and behavioral epidemiology research to improve smoking-cessation strategies. <i>Health Education Research</i> , 1989, 4, 145-153.	1.0	14
555	Development of Behaviorally-Based Policy Guidelines for the Promotion of Exercise. <i>Journal of Public Health Policy</i> , 1989, 10, 43.	1.0	24
556	Smoking cessation by mail: A comparison of standard and personalized correspondence course formats. <i>Addictive Behaviors</i> , 1989, 14, 355-363.	1.7	44
557	Do Operant Treatments of Chronic Pain Adhere to Precepts of Behavioural Analysis?. <i>Behavioural and Cognitive Psychotherapy</i> , 1988, 16, 153-164.	0.9	2
558	Psychology, public health, and cigarette smoking. <i>Australian Psychologist</i> , 1988, 23, 137-152.	0.9	13

#	ARTICLE	IF	CITATIONS
559	Validity of a simplified measure of participation in vigorous physical activity. Medical Journal of Australia, 1988, 148, 600-600.	0.8	7
560	APPROACHES TO PROMOTING MORE WIDESPREAD PARTICIPATION IN PHYSICAL ACTIVITY. Community Health Studies, 1988, 12, 339-347.	0.0	12
561	USE OF BENZODIAZEPINES AMONG RESIDENTS OF AGED CARE ACCOMMODATION. Community Health Studies, 1988, 12, 394-399.	0.0	8
562	Current status of sport psychology. Australian Psychologist, 1987, 22, 63-76.	0.9	11
563	Exercise by Mail: A Mediated Behavior-Change Program for Aerobic Exercise. Journal of Sport and Exercise Psychology, 1987, 9, 346-357.	1.0	39
564	Trial of an intervention to reduce passive smoking in infancy. Pediatric Pulmonology, 1987, 3, 173-178.	1.0	69
565	Self-Help Books in Behavioural Sport Psychology. Behaviour Change, 1986, 3, 127-134.	0.6	1
566	Issues in Changing Behaviour to Promote Health. Behaviour Change, 1986, 3, 150-157.	0.6	6
567	Exercise persistence: Contributions of psychology to the promotion of regular physical activity. Australian Psychologist, 1986, 21, 427-466.	0.9	12
568	Towards more rigorous evaluation of health promotion programmes. Australian Psychologist, 1986, 21, 79-91.	0.9	22
569	Community exercise programs: Follow-up difficulty and outcome. Journal of Behavioral Medicine, 1986, 9, 111-117.	1.1	5
570	STRENGTHENING HEALTH PROMOTION IN THE COMMUNITY HEALTH SECTOR. Community Health Studies, 1986, 10, 438-443.	0.0	1
571	Advising patients to stop smoking. Medical Journal of Australia, 1985, 142, 176-178.	0.8	8
572	BEHAVIOURALLY-BASED PRINCIPLES AS GUIDELINES FOR HEALTH PROMOTION. Community Health Studies, 1985, 9, 131-138.	0.0	14
573	COMMENTARY: BEHAVIOURAL MEDICINE. Community Health Studies, 1983, 7, 85-91.	0.0	2
574	How to: Organize and Conduct Joint and Integrated Teaching. Medical Teacher, 1982, 4, 47-55.	1.0	4
575	Social and behavioural dimensions of community health: An introductory course on psychology in health care settings. Australian Psychologist, 1980, 15, 169-180.	0.9	3
576	Facilitating Transfer and Maintenance of Fluency in Stuttering Therapy. The Journal of Speech and Hearing Disorders, 1977, 42, 65-76.	1.3	15

#	ARTICLE	IF	CITATIONS
577	Relating physical activity to health status, social connections and community facilities. Australian and New Zealand Journal of Public Health, 1977, 21, 631-637.	0.8	0
578	Response depression and facilitation components of the frustration effect in children's behavior. Journal of Experimental Child Psychology, 1972, 13, 478-487.	0.7	1
579	Too much sitting and too little exercise: sedentary behavior and health. Revista Brasileira De Atividade Física E Saãde, 0, 23, 1-4.	0.1	3
580	Descriptive epidemiology of high TV-viewing time in Brazilian adults. Revista Brasileira De Atividade Física E Saãde, 0, 23, 1-6.	0.1	2