## Han-Zhu Qian

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8514757/publications.pdf

Version: 2024-02-01

102 papers 2,211 citations

28 h-index 302126 39 g-index

104 all docs

104 docs citations

104 times ranked 2700 citing authors

#	Article	IF	CITATIONS
1	Syphilis Among Female Sex Workers in Southwestern China: Potential for HIV Transmission. Sexually Transmitted Diseases, 2006, 33, 719-723.	1.7	84
2	High normal plasma triglycerides are associated with preserved cognitive function in Chinese oldest-old. Age and Ageing, 2012, 41, 600-606.	1.6	67
3	Use of oral contraceptives, intrauterine devices and tubal sterilization and cancer risk in a large prospective study, from 1996 to 2006. International Journal of Cancer, 2009, 124, 2442-2449.	5.1	62
4	Incidence of HIV, hepatitis C and hepatitis B viruses among injection drug users in southwestern China: a 3-year follow-up study. Aids, 2007, 21, S39-S46.	2.2	59
5	Anal Human Papillomavirus Infection Among HIV-Infected and Uninfected Men Who Have Sex With Men in Beijing, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 103-114.	2.1	55
6	Qualitative Assessment of Barriers and Facilitators of Access to HIV Testing Among Men Who Have Sex with Men in China. AIDS Patient Care and STDs, 2015, 29, 481-489.	2.5	55
7	Home-Based HIV Testing for Men Who Have Sex with Men in China: A Novel Community-Based Partnership to Complement Government Programs. PLoS ONE, 2014, 9, e102812.	2.5	54
8	Recreational drug use and risks of HIV and sexually transmitted infections among Chinese men who have sex with men: Mediation through multiple sexual partnerships. BMC Infectious Diseases, 2014, 14, 642.	2.9	54
9	Recreational Drug Use among Chinese Men Who Have Sex with Men: A Risky Combination with Unprotected Sex for Acquiring HIV Infection. BioMed Research International, 2014, 2014, 1-9.	1.9	54
10	Predictors of HIV Testing Among Men Who Have Sex With Men in a Large Chinese City. Sexually Transmitted Diseases, 2013, 40, 235-240.	1.7	52
11	Low-density lipoprotein cholesterol was inversely associated with 3-year all-cause mortality among Chinese oldest old: Data from the Chinese Longitudinal Healthy Longevity Survey. Atherosclerosis, 2015, 239, 137-142.	0.8	52
12	Association Between Depression and Antiretroviral Therapy Use Among People Living with HIV: A Meta-analysis. AIDS and Behavior, 2018, 22, 1542-1550.	2.7	52
13	Effects of depression and anxiety on antiretroviral therapy adherence among newly diagnosed HIV-infected Chinese MSM. Aids, 2017, 31, 401-406.	2.2	50
14	Barriers and Facilitators of Linkage to and Engagement in HIV Care Among HIV-Positive Men Who Have Sex with Men in China: A Qualitative Study. AIDS Patient Care and STDs, 2016, 30, 70-77.	2.5	46
15	Impact of Depression and Anxiety on Initiation of Antiretroviral Therapy Among Men Who Have Sex with Men with Newly Diagnosed HIV Infections in China. AIDS Patient Care and STDs, 2017, 31, 96-104.	2.5	46
16	Poppers use and risky sexual behaviors among men who have sex with men in Beijing, China. Drug and Alcohol Dependence, 2016, 160, 42-48.	3.2	43
17	Antiretroviral treatment interruption among people living with HIV during COVIDâ€19 outbreak in China: a nationwide crossâ€sectional study. Journal of the International AIDS Society, 2020, 23, e25637.	3.0	43
18	The Complex Interaction Between Methamphetamine Abuse and HIV-1 Pathogenesis. Journal of NeuroImmune Pharmacology, 2015, 10, 477-486.	4.1	41

#	Article	IF	Citations
19	Relationship of Stigma and Depression Among Newly HIV-Diagnosed Chinese Men Who Have Sex with Men. AIDS and Behavior, 2017, 21, 292-299.	2.7	41
20	Non-injection drug use and HIV disease progression in the era of combination antiretroviral therapy. Journal of Substance Abuse Treatment, 2011, 40, 386-396.	2.8	39
21	A U-shaped Association Between Blood Pressure and Cognitive Impairment in Chinese Elderly. Journal of the American Medical Directors Association, 2017, 18, 193.e7-193.e13.	2.5	39
22	Impact of providing free HIV self-testing kits on frequency of testing among men who have sex with men and their sexual partners in China: A randomized controlled trial. PLoS Medicine, 2020, 17, e1003365.	8.4	36
23	Active cocaine use is associated with lack of HIV-1 virologic suppression independent of nonadherence to antiretroviral therapy: Use of a rapid screening tool during routine clinic visits. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 109-117.	1.2	34
24	Effectiveness of HIV Risk Reduction Interventions among Men who have Sex with Men in China: A Systematic Review and Meta-Analysis. PLoS ONE, 2013, 8, e72747.	2.5	34
25	Impact of methadone on drug use and risky sex in China. Journal of Substance Abuse Treatment, 2008, 34, 391-397.	2.8	33
26	Willingness to Receive COVID-19 Vaccination Among People Living With HIV and AIDS in China: Nationwide Cross-sectional Online Survey. JMIR Public Health and Surveillance, 2021, 7, e31125.	2.6	33
27	Modeling the Impact on HIV Incidence of Combination Prevention Strategies among Men Who Have Sex with Men in Beijing, China. PLoS ONE, 2014, 9, e90985.	2.5	33
28	Sex with Women Among Men Who Have Sex with Men in China: Prevalence and Sexual Practices. AIDS Patient Care and STDs, 2013, 27, 524-528.	2.5	32
29	Predictors of HIV and Syphilis among Men Who Have Sex with Men in a Chinese Metropolitan City: Comparison of Risks among Students and Non-Students. PLoS ONE, 2012, 7, e37211.	2.5	31
30	Efficacy of Peer-Led Interventions to Reduce Unprotected Anal Intercourse among Men Who Have Sex with Men: A Meta-Analysis. PLoS ONE, 2014, 9, e90788.	2.5	30
31	Frequent HIV Testing: Impact on HIV Risk Among Chinese Men Who Have Sex with Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 452-461.	2.1	29
32	Interventions to improve the HIV continuum of care in China. Current HIV/AIDS Reports, 2019, 16, 448-457.	3.1	29
33	HIV and Associated Risk Factors Among Male Clients of Female Sex Workers in a Chinese Border Region. Sexually Transmitted Diseases, 2012, 39, 750-755.	1.7	28
34	Lower HIV Risk Among Circumcised Men Who Have Sex With Men in China. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 71, 444-451.	2.1	27
35	Circumcision and HIV Prevention Among Men Who Have Sex With Men. JAMA - Journal of the American Medical Association, 2008, 300, 1698.	7.4	26
36	Condom use during commercial sex among clients of Hijra sex workers in Karachi, Pakistan (cross-sectional study). BMJ Open, 2011, 1, e000154-e000154.	1.9	25

#	Article	IF	CITATIONS
37	Association of Human Papillomavirus Infection and Abnormal Anal Cytology among HIV-Infected MSM in Beijing, China. PLoS ONE, 2012, 7, e35983.	2.5	24
38	Negative associations between general self-efficacy and anxiety/depression among newly HIV-diagnosed men who have sex with men in Beijing, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 629-635.	1.2	24
39	HIV Risk Perception among HIV Negative or Status-Unknown Men Who Have Sex with Men in China. BioMed Research International, 2014, 2014, 1-9.	1.9	23
40	Alcohol misuse, risky sexual behaviors, and HIV or syphilis infections among Chinese men who have sex with men. Drug and Alcohol Dependence, 2016, 168, 239-246.	3.2	22
41	Peer counselling versus standardâ€ofâ€care on reducing highâ€risk behaviours among newly diagnosed <scp>HIV</scp> â€positive men who have sex with men in Beijing, China: a randomized intervention study. Journal of the International AIDS Society, 2018, 21, e25079.	3.0	22
42	Effectiveness of Integrated HIV Prevention Interventions among Chinese Men Who Have Sex with Men: Evaluation of a 16-City Public Health Program. PLoS ONE, 2012, 7, e50873.	2.5	22
43	Nonfatal Overdose Among Heroin Users in Southwestern China. American Journal of Drug and Alcohol Abuse, 2007, 33, 505-516.	2.1	20
44	Predictors of antiretroviral therapy initiation: a cross-sectional study among Chinese HIV-infected men who have sex with men. BMC Infectious Diseases, 2015, 15, 570.	2.9	20
45	Association between medical male circumcision and HIV risk compensation among heterosexual men: a systematic review and meta-analysis. The Lancet Global Health, 2021, 9, e932-e941.	6.3	20
46	HIV Nonoccupational Postexposure Prophylaxis Among Men Who Have Sex with Men: A Systematic Review and Meta-Analysis of Global Data. AIDS Patient Care and STDs, 2020, 34, 193-204.	2.5	19
47	Sexual mixing patterns among social networks of HIV-positive and HIV-negative Beijing men who have sex with men: a multilevel comparison using roundtable network mapping. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1014-1025.	1.2	18
48	Seeking Male Sexual Partners via Internet and Traditional Venues among Chinese Men Who Have Sex with Men: Implications for HIV Risk Reduction Interventions. AIDS and Behavior, 2016, 20, 2222-2230.	2.7	18
49	Prevalence and patterns of drug resistance among pulmonary tuberculosis patients in Hangzhou, China. Antimicrobial Resistance and Infection Control, 2018, 7, 61.	4.1	18
50	The relationship between injection and noninjection drug use and HIV disease progression. Journal of Substance Abuse Treatment, 2011, 41, 14-20.	2.8	17
51	Alcohol Use among Chinese Men Who Have Sex with Men: An Epidemiological Survey and Meta-Analysis. BioMed Research International, 2014, 2014, 1-11.	1.9	17
52	Risk Behaviors for Reproductive Tract Infection in Women Who Have Sex with Women in Beijing, China. PLoS ONE, 2012, 7, e40114.	2.5	16
53	Human Immunodeficiency Virus Infection and Incident Heart Failure: A Meta-Analysis of Prospective Studies. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 87, 741-749.	2.1	16
54	Sexual Risk Reduction for HIV-Infected Persons: A Meta-Analytic Review of "Positive Prevention― Randomized Clinical Trials. PLoS ONE, 2014, 9, e107652.	2.5	16

#	Article	IF	Citations
55	Multi-level intersectional stigma reduction intervention to increase HIV testing among men who have sex with men in Ghana: Protocol for a cluster randomized controlled trial. PLoS ONE, 2021, 16, e0259324.	2.5	16
56	Commercial sex and risk of HIV, syphilis, and herpes simplex virus-2 among men who have sex with men in six Chinese cities. BMC Infectious Diseases, 2016, 16, 765.	2.9	15
57	HIV testing and sexual risks among migrant men who have sex with men: findings from a large cross-sectional study in Beijing, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 86-94.	1.2	15
58	Risk Prediction Score for HIV Infection: Development and Internal Validation with Cross-Sectional Data from Men Who Have Sex with Men in China. AIDS and Behavior, 2018, 22, 2267-2276.	2.7	15
59	Genomic Characterization of Two Novel HIV-1 Second-Generation Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. AIDS Research and Human Retroviruses, 2015, 31, 342-346.	1.1	14
60	Association between stigma towards HIV and MSM and intimate partner violence among newly HIV-diagnosed Chinese men who have sex with men. BMC Public Health, 2020, 20, 204.	2.9	13
61	High HIV risk among Uigur minority ethnic drug users in northwestern China. Tropical Medicine and International Health, 2008, 13, 814-817.	2.3	12
62	Treatment outcomes of HIV patients with hepatitis B and C virus co-infections in Southwest China: an observational cohort study. Infectious Diseases of Poverty, 2022, 11, 7.	3.7	12
63	Sexual Behaviors Linked to Drug and Alcohol Use Among Men Who Have Sex With Men in China. Substance Use and Misuse, 2016, 51, 1821-1830.	1.4	11
64	Subsequent Sexual Risks Among Men Who Have Sex with Men May Differ by Sex of First Partner and Age at Sexual Debut: A Cross-Sectional Study in Beijing, China. AIDS and Behavior, 2017, 21, 2913-2923.	2.7	11
65	Assisted Partner Notification and Uptake of HIV Testing among Men Who Have Sex with Men: A Randomized Controlled Trial in China. The Lancet Regional Health - Western Pacific, 2021, 12, 100171.	2.9	11
66	Association of HIV infection and cognitive impairment in older adults: A meta-analysis. Ageing Research Reviews, 2021, 68, 101310.	10.9	11
67	Human Immunodeficiency Virus Status Differentially Associated With Genital and Anal Human Papillomavirus Infection Among Chinese Men Who Have Sex With Men: A Cross-Sectional Survey. Sexually Transmitted Diseases, 2017, 44, 656-662.	1.7	10
68	Higher Risks of Virologic Failure and All-Cause Deaths Among Older People Living with HIV in Chongqing, China. AIDS Research and Human Retroviruses, 2019, 35, 1095-1102.	1.1	10
69	Factors associated with past HIV testing among men who have sex with men attending university in China: a cross-sectional study. Sexual Health, 2021, 18, 58.	0.9	9
70	Genomic Characterization of Two Novel HIV-1 Unique (CRF01_AE/B) Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. AIDS Research and Human Retroviruses, 2015, 31, 921-925.	1.1	8
71	HIV incidence and cohort retention among men who have sex with men in Hangzhou, China. Medicine (United States), 2019, 98, e17419.	1.0	8
72	The Molecular Epidemiological Study of HCV Subtypes among Intravenous Drug Users and Non-Injection Drug Users in China. PLoS ONE, 2015, 10, e0140263.	2.5	8

#	Article	IF	CITATIONS
73	Policy Drives Harm Reduction for Drug Abuse and HIV/AIDS Prevention in Some Developing Countries. Drug and Alcohol Dependence, 2007, 91, 300-305.	3.2	7
74	Voluntary medical male circumcision and HIV infection among men who have sex with men: Implications from a systematic review. SAGE Open Medicine, 2019, 7, 205031211986911.	1.8	7
75	Risk Factors for Loss to Follow-Up among People Who Inject Drugs in a Risk Reduction Program at Karachi, Pakistan. A Case-Cohort Study. PLoS ONE, 2016, 11, e0147912.	2.5	6
76	Substance use and HIV-risk behaviors among HIV-positive men who have sex with men in China: repeated measures in a cohort study design. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2017, 29, 644-653.	1.2	6
77	Treatment outcomes of multidrug-resistant tuberculosis in Hangzhou, China, 2011 to 2015. Medicine (United States), 2020, 99, e21296.	1.0	6
78	Time to sputum culture conversion and its predictors among patients with multidrug-resistant tuberculosis in Hangzhou, China. Medicine (United States), 2020, 99, e23649.	1.0	6
79	Improving accuracy of estimating glomerular filtration rate using artificial neural network: model development and validation. Journal of Translational Medicine, 2020, 18, 120.	4.4	6
80	Using protection motivation theory to explain the intention to initiate human papillomavirus vaccination among men who have sex with men in China. Tumour Virus Research, 2021, 12, 200222.	3.8	6
81	Global burden of oropharyngeal cancer attributable to human papillomavirus by anatomical subsite and geographic region. Cancer Epidemiology, 2022, 78, 102140.	1.9	6
82	Associations of current marital status and living arrangements with HIV and syphilis risk: findings from a community-based sample of men who have sex with men in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1461-1466.	1.2	5
83	Modeling economic and epidemiological impact of voluntary medical male circumcision among men who have sex with men in Beijing, China. International Journal of STD and AIDS, 2019, 30, 630-638.	1.1	5
84	Trends of HIV, hepatitis C virus and syphilis seroprevalence among injection and non-injection drug users in southwestern China, 2010–2017. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, , 1-6.	1.2	5
85	Expanded antiretroviral treatment, sexual networks, and condom use: Treatment as prevention unlikely to succeed without partner reduction among men who have sex with men in China. PLoS ONE, 2017, 12, e0171295.	2.5	5
86	COVID-19 Vaccination Uptake Among a Nationwide Sample of People Living With HIV During the Early Phase of Vaccine Rollout in China. Frontiers in Medicine, 0, 9, .	2.6	5
87	Inconsistent Condom Use and History of Trauma Among Vietnamese Female Sex Workers in a Chinese Border Region. Sexuality and Culture, 2014, 18, 119-131.	1.5	4
88	Predicting the long-term impact of voluntary medical male circumcision on HIV incidence among men who have sex with men in Beijing, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 343-353.	1.2	4
89	Are Low- and Middle-Income Countries Repeating Mistakes Made by High-Income Countries in the Control of HIV for Men who have Sex with Men?. Journal of AIDS & Clinical Research, 2012, 01, e001.	0.5	4
90	Exploration of Implementation Patterns and Content from a Text-Based Outreach Intervention Clinical Trial for Newly Diagnosed, HIV-Positive MSM in Beijing, China. AIDS and Behavior, 2019, 23, 1158-1165.	2.7	3

#	Article	IF	CITATIONS
91	Acceptability of male circumcision for HIV prevention among men who have sex with men in China: a short report. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2022, 34, 371-378.	1.2	3
92	Post-lockdown Rebounding High-risk Behaviors and HIV Testing Among MSM in China in the Era of the COVID-19 Pandemic. Current HIV Research, 2022, 20, 287-295.	0.5	2
93	Is circumcision an answer for HIV prevention in men who have sex with men? – Authors' reply. The Lancet Global Health, 2019, 7, e1012.	6.3	1
94	A brief smartphone-based intervention significantly improved pre-exposure prophylaxis adherence among Chinese men sex with men: Findings of a randomized controlled trial. Journal of Infection, 2022, 84, 248-288.	3.3	0
95	Title is missing!. , 2020, 17, e1003365.		0
96	Title is missing!. , 2020, 17, e1003365.		0
97	Title is missing!. , 2020, 17, e1003365.		0
98	Title is missing!. , 2020, 17, e1003365.		0
99	Title is missing!. , 2020, 17, e1003365.		0
100	Title is missing!. , 2020, 17, e1003365.		0
101	Title is missing!. , 2020, 17, e1003365.		0
102	Title is missing!. , 2020, 17, e1003365.		0