

Han-Zhu Qian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8514757/publications.pdf>

Version: 2024-02-01

102
papers

2,211
citations

186265

28
h-index

302126

39
g-index

104
all docs

104
docs citations

104
times ranked

2700
citing authors

#	ARTICLE	IF	CITATIONS
1	Acceptability of male circumcision for HIV prevention among men who have sex with men in China: a short report. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2022, 34, 371-378.	1.2	3
2	Treatment outcomes of HIV patients with hepatitis B and C virus co-infections in Southwest China: an observational cohort study. <i>Infectious Diseases of Poverty</i> , 2022, 11, 7.	3.7	12
3	A brief smartphone-based intervention significantly improved pre-exposure prophylaxis adherence among Chinese men sex with men: Findings of a randomized controlled trial. <i>Journal of Infection</i> , 2022, 84, 248-288.	3.3	0
4	Global burden of oropharyngeal cancer attributable to human papillomavirus by anatomical subsite and geographic region. <i>Cancer Epidemiology</i> , 2022, 78, 102140.	1.9	6
5	Post-lockdown Rebounding High-risk Behaviors and HIV Testing Among MSM in China in the Era of the COVID-19 Pandemic. <i>Current HIV Research</i> , 2022, 20, 287-295.	0.5	2
6	Factors associated with past HIV testing among men who have sex with men attending university in China: a cross-sectional study. <i>Sexual Health</i> , 2021, 18, 58.	0.9	9
7	Human Immunodeficiency Virus Infection and Incident Heart Failure: A Meta-Analysis of Prospective Studies. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 87, 741-749.	2.1	16
8	Willingness to Receive COVID-19 Vaccination Among People Living With HIV and AIDS in China: Nationwide Cross-sectional Online Survey. <i>JMIR Public Health and Surveillance</i> , 2021, 7, e31125.	2.6	33
9	Assisted Partner Notification and Uptake of HIV Testing among Men Who Have Sex with Men: A Randomized Controlled Trial in China. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 12, 100171.	2.9	11
10	Association of HIV infection and cognitive impairment in older adults: A meta-analysis. <i>Ageing Research Reviews</i> , 2021, 68, 101310.	10.9	11
11	Association between medical male circumcision and HIV risk compensation among heterosexual men: a systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2021, 9, e932-e941.	6.3	20
12	Using protection motivation theory to explain the intention to initiate human papillomavirus vaccination among men who have sex with men in China. <i>Tumour Virus Research</i> , 2021, 12, 200222.	3.8	6
13	Multi-level intersectional stigma reduction intervention to increase HIV testing among men who have sex with men in Ghana: Protocol for a cluster randomized controlled trial. <i>PLoS ONE</i> , 2021, 16, e0259324.	2.5	16
14	Predicting the long-term impact of voluntary medical male circumcision on HIV incidence among men who have sex with men in Beijing, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 343-353.	1.2	4
15	Impact of providing free HIV self-testing kits on frequency of testing among men who have sex with men and their sexual partners in China: A randomized controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003365.	8.4	36
16	Antiretroviral treatment interruption among people living with HIV during COVID-19 outbreak in China: a nationwide cross-sectional study. <i>Journal of the International AIDS Society</i> , 2020, 23, e25637.	3.0	43
17	Treatment outcomes of multidrug-resistant tuberculosis in Hangzhou, China, 2011 to 2015. <i>Medicine (United States)</i> , 2020, 99, e21296.	1.0	6
18	Time to sputum culture conversion and its predictors among patients with multidrug-resistant tuberculosis in Hangzhou, China. <i>Medicine (United States)</i> , 2020, 99, e23649.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Trends of HIV, hepatitis C virus and syphilis seroprevalence among injection and non-injection drug users in southwestern China, 2010â€”2017. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, , 1-6.	1.2	5
20	HIV Nonoccupational Postexposure Prophylaxis Among Men Who Have Sex with Men: A Systematic Review and Meta-Analysis of Global Data. <i>AIDS Patient Care and STDs</i> , 2020, 34, 193-204.	2.5	19
21	Improving accuracy of estimating glomerular filtration rate using artificial neural network: model development and validation. <i>Journal of Translational Medicine</i> , 2020, 18, 120.	4.4	6
22	Association between stigma towards HIV and MSM and intimate partner violence among newly HIV-diagnosed Chinese men who have sex with men. <i>BMC Public Health</i> , 2020, 20, 204.	2.9	13
23	Title is missing!. , 2020, 17, e1003365.		0
24	Title is missing!. , 2020, 17, e1003365.		0
25	Title is missing!. , 2020, 17, e1003365.		0
26	Title is missing!. , 2020, 17, e1003365.		0
27	Title is missing!. , 2020, 17, e1003365.		0
28	Title is missing!. , 2020, 17, e1003365.		0
29	Title is missing!. , 2020, 17, e1003365.		0
30	Title is missing!. , 2020, 17, e1003365.		0
31	Is circumcision an answer for HIV prevention in men who have sex with men? â€” Authors' reply. <i>The Lancet Global Health</i> , 2019, 7, e1012.	6.3	1
32	Voluntary medical male circumcision and HIV infection among men who have sex with men: Implications from a systematic review. <i>SAGE Open Medicine</i> , 2019, 7, 205031211986911.	1.8	7
33	Higher Risks of Virologic Failure and All-Cause Deaths Among Older People Living with HIV in Chongqing, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 1095-1102.	1.1	10
34	Modeling economic and epidemiological impact of voluntary medical male circumcision among men who have sex with men in Beijing, China. <i>International Journal of STD and AIDS</i> , 2019, 30, 630-638.	1.1	5
35	Interventions to improve the HIV continuum of care in China. <i>Current HIV/AIDS Reports</i> , 2019, 16, 448-457.	3.1	29
36	HIV incidence and cohort retention among men who have sex with men in Hangzhou, China. <i>Medicine (United States)</i> , 2019, 98, e17419.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Negative associations between general self-efficacy and anxiety/depression among newly HIV-diagnosed men who have sex with men in Beijing, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 629-635.	1.2	24
38	Exploration of Implementation Patterns and Content from a Text-Based Outreach Intervention Clinical Trial for Newly Diagnosed, HIV-Positive MSM in Beijing, China. <i>AIDS and Behavior</i> , 2019, 23, 1158-1165.	2.7	3
39	Peer counselling versus standard care on reducing high-risk behaviours among newly diagnosed HIV-positive men who have sex with men in Beijing, China: a randomized intervention study. <i>Journal of the International AIDS Society</i> , 2018, 21, e25079.	3.0	22
40	Association Between Depression and Antiretroviral Therapy Use Among People Living with HIV: A Meta-analysis. <i>AIDS and Behavior</i> , 2018, 22, 1542-1550.	2.7	52
41	HIV testing and sexual risks among migrant men who have sex with men: findings from a large cross-sectional study in Beijing, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 86-94.	1.2	15
42	Risk Prediction Score for HIV Infection: Development and Internal Validation with Cross-Sectional Data from Men Who Have Sex with Men in China. <i>AIDS and Behavior</i> , 2018, 22, 2267-2276.	2.7	15
43	Prevalence and patterns of drug resistance among pulmonary tuberculosis patients in Hangzhou, China. <i>Antimicrobial Resistance and Infection Control</i> , 2018, 7, 61.	4.1	18
44	Relationship of Stigma and Depression Among Newly HIV-Diagnosed Chinese Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2017, 21, 292-299.	2.7	41
45	Subsequent Sexual Risks Among Men Who Have Sex with Men May Differ by Sex of First Partner and Age at Sexual Debut: A Cross-Sectional Study in Beijing, China. <i>AIDS and Behavior</i> , 2017, 21, 2913-2923.	2.7	11
46	A U-shaped Association Between Blood Pressure and Cognitive Impairment in Chinese Elderly. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 193.e7-193.e13.	2.5	39
47	Impact of Depression and Anxiety on Initiation of Antiretroviral Therapy Among Men Who Have Sex with Men with Newly Diagnosed HIV Infections in China. <i>AIDS Patient Care and STDs</i> , 2017, 31, 96-104.	2.5	46
48	Effects of depression and anxiety on antiretroviral therapy adherence among newly diagnosed HIV-infected Chinese MSM. <i>Aids</i> , 2017, 31, 401-406.	2.2	50
49	Human Immunodeficiency Virus Status Differentially Associated With Genital and Anal Human Papillomavirus Infection Among Chinese Men Who Have Sex With Men: A Cross-Sectional Survey. <i>Sexually Transmitted Diseases</i> , 2017, 44, 656-662.	1.7	10
50	Substance use and HIV-risk behaviors among HIV-positive men who have sex with men in China: repeated measures in a cohort study design. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 644-653.	1.2	6
51	Expanded antiretroviral treatment, sexual networks, and condom use: Treatment as prevention unlikely to succeed without partner reduction among men who have sex with men in China. <i>PLoS ONE</i> , 2017, 12, e0171295.	2.5	5
52	Risk Factors for Loss to Follow-Up among People Who Inject Drugs in a Risk Reduction Program at Karachi, Pakistan. A Case-Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0147912.	2.5	6
53	Frequent HIV Testing: Impact on HIV Risk Among Chinese Men Who Have Sex with Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 452-461.	2.1	29
54	Lower HIV Risk Among Circumcised Men Who Have Sex With Men in China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, 444-451.	2.1	27

#	ARTICLE	IF	CITATIONS
55	Associations of current marital status and living arrangements with HIV and syphilis risk: findings from a community-based sample of men who have sex with men in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1461-1466.	1.2	5
56	Commercial sex and risk of HIV, syphilis, and herpes simplex virus-2 among men who have sex with men in six Chinese cities. <i>BMC Infectious Diseases</i> , 2016, 16, 765.	2.9	15
57	Alcohol misuse, risky sexual behaviors, and HIV or syphilis infections among Chinese men who have sex with men. <i>Drug and Alcohol Dependence</i> , 2016, 168, 239-246.	3.2	22
58	Sexual Behaviors Linked to Drug and Alcohol Use Among Men Who Have Sex With Men in China. <i>Substance Use and Misuse</i> , 2016, 51, 1821-1830.	1.4	11
59	Seeking Male Sexual Partners via Internet and Traditional Venues among Chinese Men Who Have Sex with Men: Implications for HIV Risk Reduction Interventions. <i>AIDS and Behavior</i> , 2016, 20, 2222-2230.	2.7	18
60	Poppers use and risky sexual behaviors among men who have sex with men in Beijing, China. <i>Drug and Alcohol Dependence</i> , 2016, 160, 42-48.	3.2	43
61	Barriers and Facilitators of Linkage to and Engagement in HIV Care Among HIV-Positive Men Who Have Sex with Men in China: A Qualitative Study. <i>AIDS Patient Care and STDs</i> , 2016, 30, 70-77.	2.5	46
62	Predictors of antiretroviral therapy initiation: a cross-sectional study among Chinese HIV-infected men who have sex with men. <i>BMC Infectious Diseases</i> , 2015, 15, 570.	2.9	20
63	Genomic Characterization of Two Novel HIV-1 Second-Generation Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 342-346.	1.1	14
64	Low-density lipoprotein cholesterol was inversely associated with 3-year all-cause mortality among Chinese oldest old: Data from the Chinese Longitudinal Healthy Longevity Survey. <i>Atherosclerosis</i> , 2015, 239, 137-142.	0.8	52
65	Genomic Characterization of Two Novel HIV-1 Unique (CRF01_AE/B) Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 921-925.	1.1	8
66	The Complex Interaction Between Methamphetamine Abuse and HIV-1 Pathogenesis. <i>Journal of NeuroImmune Pharmacology</i> , 2015, 10, 477-486.	4.1	41
67	Qualitative Assessment of Barriers and Facilitators of Access to HIV Testing Among Men Who Have Sex with Men in China. <i>AIDS Patient Care and STDs</i> , 2015, 29, 481-489.	2.5	55
68	The Molecular Epidemiological Study of HCV Subtypes among Intravenous Drug Users and Non-Injection Drug Users in China. <i>PLoS ONE</i> , 2015, 10, e0140263.	2.5	8
69	Efficacy of Peer-Led Interventions to Reduce Unprotected Anal Intercourse among Men Who Have Sex with Men: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e90788.	2.5	30
70	Home-Based HIV Testing for Men Who Have Sex with Men in China: A Novel Community-Based Partnership to Complement Government Programs. <i>PLoS ONE</i> , 2014, 9, e102812.	2.5	54
71	Recreational drug use and risks of HIV and sexually transmitted infections among Chinese men who have sex with men: Mediation through multiple sexual partnerships. <i>BMC Infectious Diseases</i> , 2014, 14, 642.	2.9	54
72	Alcohol Use among Chinese Men Who Have Sex with Men: An Epidemiological Survey and Meta-Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	17

#	ARTICLE	IF	CITATIONS
73	HIV Risk Perception among HIV Negative or Status-Unknown Men Who Have Sex with Men in China. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	23
74	Recreational Drug Use among Chinese Men Who Have Sex with Men: A Risky Combination with Unprotected Sex for Acquiring HIV Infection. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	54
75	Inconsistent Condom Use and History of Trauma Among Vietnamese Female Sex Workers in a Chinese Border Region. <i>Sexuality and Culture</i> , 2014, 18, 119-131.	1.5	4
76	Modeling the Impact on HIV Incidence of Combination Prevention Strategies among Men Who Have Sex with Men in Beijing, China. <i>PLoS ONE</i> , 2014, 9, e90985.	2.5	33
77	Sexual Risk Reduction for HIV-Infected Persons: A Meta-Analytic Review of "Positive Prevention" Randomized Clinical Trials. <i>PLoS ONE</i> , 2014, 9, e107652.	2.5	16
78	Active cocaine use is associated with lack of HIV-1 virologic suppression independent of nonadherence to antiretroviral therapy: Use of a rapid screening tool during routine clinic visits. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 109-117.	1.2	34
79	Predictors of HIV Testing Among Men Who Have Sex With Men in a Large Chinese City. <i>Sexually Transmitted Diseases</i> , 2013, 40, 235-240.	1.7	52
80	Anal Human Papillomavirus Infection Among HIV-Infected and Uninfected Men Who Have Sex With Men in Beijing, China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 64, 103-114.	2.1	55
81	Sex with Women Among Men Who Have Sex with Men in China: Prevalence and Sexual Practices. <i>AIDS Patient Care and STDs</i> , 2013, 27, 524-528.	2.5	32
82	Effectiveness of HIV Risk Reduction Interventions among Men who have Sex with Men in China: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e72747.	2.5	34
83	High normal plasma triglycerides are associated with preserved cognitive function in Chinese oldest-old. <i>Age and Ageing</i> , 2012, 41, 600-606.	1.6	67
84	Association of Human Papillomavirus Infection and Abnormal Anal Cytology among HIV-Infected MSM in Beijing, China. <i>PLoS ONE</i> , 2012, 7, e35983.	2.5	24
85	HIV and Associated Risk Factors Among Male Clients of Female Sex Workers in a Chinese Border Region. <i>Sexually Transmitted Diseases</i> , 2012, 39, 750-755.	1.7	28
86	Predictors of HIV and Syphilis among Men Who Have Sex with Men in a Chinese Metropolitan City: Comparison of Risks among Students and Non-Students. <i>PLoS ONE</i> , 2012, 7, e37211.	2.5	31
87	Risk Behaviors for Reproductive Tract Infection in Women Who Have Sex with Women in Beijing, China. <i>PLoS ONE</i> , 2012, 7, e40114.	2.5	16
88	Effectiveness of Integrated HIV Prevention Interventions among Chinese Men Who Have Sex with Men: Evaluation of a 16-City Public Health Program. <i>PLoS ONE</i> , 2012, 7, e50873.	2.5	22
89	Are Low- and Middle-Income Countries Repeating Mistakes Made by High-Income Countries in the Control of HIV for Men who have Sex with Men?. <i>Journal of AIDS & Clinical Research</i> , 2012, 01, e001.	0.5	4
90	Sexual mixing patterns among social networks of HIV-positive and HIV-negative Beijing men who have sex with men: a multilevel comparison using roundtable network mapping. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011, 23, 1014-1025.	1.2	18

#	ARTICLE	IF	CITATIONS
91	Non-injection drug use and HIV disease progression in the era of combination antiretroviral therapy. <i>Journal of Substance Abuse Treatment</i> , 2011, 40, 386-396.	2.8	39
92	The relationship between injection and noninjection drug use and HIV disease progression. <i>Journal of Substance Abuse Treatment</i> , 2011, 41, 14-20.	2.8	17
93	Condom use during commercial sex among clients of Hijra sex workers in Karachi, Pakistan (cross-sectional study). <i>BMJ Open</i> , 2011, 1, e000154-e000154.	1.9	25
94	Use of oral contraceptives, intrauterine devices and tubal sterilization and cancer risk in a large prospective study, from 1996 to 2006. <i>International Journal of Cancer</i> , 2009, 124, 2442-2449.	5.1	62
95	High HIV risk among Uigur minority ethnic drug users in northwestern China. <i>Tropical Medicine and International Health</i> , 2008, 13, 814-817.	2.3	12
96	Impact of methadone on drug use and risky sex in China. <i>Journal of Substance Abuse Treatment</i> , 2008, 34, 391-397.	2.8	33
97	Circumcision and HIV Prevention Among Men Who Have Sex With Men. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 1698.	7.4	26
98	Incidence of HIV, hepatitis C and hepatitis B viruses among injection drug users in southwestern China: a 3-year follow-up study. <i>Aids</i> , 2007, 21, S39-S46.	2.2	59
99	Policy Drives Harm Reduction for Drug Abuse and HIV/AIDS Prevention in Some Developing Countries. <i>Drug and Alcohol Dependence</i> , 2007, 91, 300-305.	3.2	7
100	Nonfatal Overdose Among Heroin Users in Southwestern China. <i>American Journal of Drug and Alcohol Abuse</i> , 2007, 33, 505-516.	2.1	20
101	Syphilis Among Female Sex Workers in Southwestern China: Potential for HIV Transmission. <i>Sexually Transmitted Diseases</i> , 2006, 33, 719-723.	1.7	84
102	COVID-19 Vaccination Uptake Among a Nationwide Sample of People Living With HIV During the Early Phase of Vaccine Rollout in China. <i>Frontiers in Medicine</i> , 0, 9, .	2.6	5