PÃ¥l Klepstad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8524054/publications.pdf

Version: 2024-02-01

57758 71685 6,564 147 44 76 citations h-index papers

g-index 153 153 153 6732 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The inflammatory response is related to circulatory failure after out-of-hospital cardiac arrest: A prospective cohort study. Resuscitation, 2022, 170, 115-125.	3.0	19
2	Characteristics of circulatory failure after out-of-hospital cardiac arrest: a prospective cohort study. Open Heart, 2022, 9, e001890.	2.3	5
3	Antibiotic Therapy in Integrated Oncology and Palliative Cancer Care: An Observational Study. Cancers, 2022, 14, 1602.	3.7	O
4	Short-term effects of endotracheal suctioning in post-cardiac arrest patients: A prospective observational cohort study. Resuscitation Plus, 2022, 10, 100221.	1.7	0
5	A Web-Based Communication Tool for Postoperative Follow-up and Pain Assessment at Home After Primary Knee Arthroplasty: Feasibility and Usability Study. JMIR Formative Research, 2022, 6, e34543.	1.4	4
6	Acute kidney injury in patients with COVID-19 in the intensive care unit: evaluation of risk factors and mortality in a national cohort. BMJ Open, 2022, 12, e059046.	1.9	7
7	The short-term impact of methylprednisolone on patient-reported sleep in patients with advanced cancer in a randomized, placebo-controlled, double-blind trial. Supportive Care in Cancer, 2021, 29, 2047-2055.	2.2	O
8	Frailty is associated with long-term outcome in patients with sepsis who are over 80Âyears old: results from an observational study in 241 European ICUs. Age and Ageing, 2021, 50, 1719-1727.	1.6	20
9	Interventions and symptom relief in hospital palliative cancer care: results from a prospective longitudinal study. Supportive Care in Cancer, 2021, 29, 6595-6603.	2.2	6
10	Frailty and survival in elderly intensive care patients in Norway. Acta Anaesthesiologica Scandinavica, 2021, 65, 1065-1072.	1.6	6
11	Desflurane consumption with automated vapour control systems in two different anaesthesia machines. A randomized controlled study. Acta Anaesthesiologica Scandinavica, 2021, 65, 895-901.	1.6	1
12	Circulatory trajectories after out-of-hospital cardiac arrest: a prospective cohort study. BMC Anesthesiology, 2021, 21, 219.	1.8	7
13	Clinical Predictors for Analgesic Response to Radiotherapy in Patients with Painful Bone Metastases. Journal of Pain and Symptom Management, 2021, 62, 681-690.	1.2	5
14	Tapentadol vs oxycodone for postoperative pain treatment the first 7 days after total knee arthroplasty: a randomized clinical trial. Pain, 2021, 162, 396-404.	4.2	7
15	Improper monitoring and deviations from physiologic treatment goals in patients with brain injury in the early phases of emergency care. Journal of Clinical Monitoring and Computing, 2021, 35, 147-153.	1.6	2
16	An in-hospital clinical care pathway with integrated decision support for cancer pain management reduced pain intensity and needs for hospital stay. Supportive Care in Cancer, 2020, 28, 671-682.	2.2	8
17	Sleep quality in hospitalized patients with advanced cancer: an observational study using self-reports of sleep and actigraphy. Supportive Care in Cancer, 2020, 28, 2015-2023.	2.2	22
18	The Use of Low-Dose Methadone as Add-On to Regular Opioid Therapy in Cancer-Related Pain at End of Life: A National Swedish Survey in Specialized Palliative Care. Journal of Palliative Medicine, 2020, 23, 226-232.	1.1	22

#	Article	IF	CITATIONS
19	Pain management index (PMI)â€"does it reflect cancer patients' wish for focus on pain?. Supportive Care in Cancer, 2020, 28, 1675-1684.	2.2	10
20	Continuous subcutaneous infusion for pain control in dying patients: experiences from a tertiary palliative care center. BMC Palliative Care, 2020, 19, 172.	1.8	9
21	Breakthrough cancer pain in 2020. Current Opinion in Supportive and Palliative Care, 2020, 14, 94-99.	1.3	10
22	Respiratory Mechanics and Outcomes in Immunocompromised Patients With ARDS. Chest, 2020, 158, 1947-1957.	0.8	12
23	Identification of genetic polymorphisms modulating nausea and vomiting in two series of opioid-treated cancer patients. Scientific Reports, 2020, 10, 542.	3.3	4
24	Breakthrough pain is not a fixed fraction of constant cancer pain. European Journal of Pain, 2020, 24, 999-1000.	2.8	2
25	Sleep quality with WHO Step III opioid use for cancer pain. BMJ Supportive and Palliative Care, 2019, 9, 307-315.	1.6	15
26	Quality measurement in physician-staffed emergency medical services: a systematic literature review. International Journal for Quality in Health Care, 2019, 31, 2-10.	1.8	10
27	Feasibility of Preâ€Hospital Resuscitative Endovascular Balloon Occlusion of the Aorta in Nonâ€Traumatic Outâ€ofâ€Hospital Cardiac Arrest. Journal of the American Heart Association, 2019, 8, e014394.	3.7	53
28	Diagnosis and outcome of acuteÂrespiratory failure in immunocompromised patients afterÂbronchoscopy. European Respiratory Journal, 2019, 54, 1802442.	6.7	36
29	Resuscitative endovascular balloon occlusion of the aorta (REBOA) in non-traumatic out-of-hospital cardiac arrest: evaluation of an educational programme. BMJ Open, 2019, 9, e027980.	1.9	32
30	<p>Use of National Early Warning Score for observation for increased risk for clinical deterioration during post-ICU care at a surgical ward</p> . Therapeutics and Clinical Risk Management, 2019, Volume 15, 315-322.	2.0	13
31	Interventional Techniques for the Management of Cancer-Related Pain: Clinical and Critical Aspects. Cancers, 2019, 11, 443.	3.7	28
32	Clinically Significant Drug-Drug Interactions Involving Medications Used for Symptom Control in Patients With Advanced Malignant Disease: A Systematic Review. Journal of Pain and Symptom Management, 2019, 57, 989-998.e1.	1.2	9
33	Improved Pain Control in Terminally Ill Cancer Patients by Introducing Low-Dose Oral Methadone in Addition to Ongoing Opioid Treatment. Journal of Palliative Medicine, 2018, 21, 177-181.	1.1	19
34	Pain Intensity Factors Changing Breakthrough Pain Prevalence in Patients with Advanced Cancer: A Secondary Analysis of a Cross-Sectional Observational International Study. Pain and Therapy, 2018, 7, 193-203.	3.2	7
35	The Palliative Radiotherapy and Inflammation Study (PRAIS) - protocol for a longitudinal observational multicenter study on patients with cancer induced bone pain. BMC Palliative Care, 2018, 17, 110.	1.8	10
36	Long-term health-related quality of life and survival after cardiac surgery: A prospective study. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 2183-2190.e2.	0.8	22

#	Article	IF	CITATIONS
37	Single-Nucleotide Polymorphisms in TAOK3 Are Associated With High Opioid Requirement for Pain Management in Patients With Advanced Cancer Admitted to a Tertiary Palliative Care Unit. Journal of Pain and Symptom Management, 2018, 56, 560-566.	1.2	9
38	Prediction of opioid dose in cancer pain patients using genetic profiling: not yet an option with support vector machine learning. BMC Research Notes, 2018, 11, 78.	1.4	15
39	Transitions Between Circulatory States After Out-of-Hospital Cardiac Arrest: Protocol for an Observational, Prospective Cohort Study. JMIR Research Protocols, 2018, 7, e17.	1.0	6
40	The breath of life. Patients' experiences of breathing during and after mechanical ventilation. Intensive and Critical Care Nursing, 2017, 40, 85-93.	2.9	12
41	Long-Term Outcomes After ICU Admission Triage in Octogenarians. Critical Care Medicine, 2017, 45, e363-e371.	0.9	45
42	COMBAT study – Computer based assessment and treatment – A clinical trial evaluating impact of a computerized clinical decision support tool on pain in cancer patients. Scandinavian Journal of Pain, 2017, 17, 99-106.	1.3	16
43	Developing quality indicators for physician-staffed emergency medical services: a consensus process. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 14.	2.6	38
44	A multicenter study of attitudinal barriers to cancer pain management. Supportive Care in Cancer, 2017, 25, 3595-3602.	2.2	39
45	Open Abdomen Treated with Negative Pressure Wound Therapy: Indications, Management and Survival. World Journal of Surgery, 2017, 41, 152-161.	1.6	28
46	The relationship between pro-inflammatory cytokines and pain, appetite and fatigue in patients with advanced cancer. PLoS ONE, 2017, 12, e0177620.	2.5	74
47	Genetic findings related to pain and analgesics–why are they so inconsistent?. Pain, 2016, 157, 284-285.	4.2	3
48	Genetic variability of pain – A patient focused end-point. Scandinavian Journal of Pain, 2016, 10, 13-14.	1.3	0
49	Authors' Reply to Davies etÂal Journal of Pain and Symptom Management, 2016, 52, e1-e2.	1.2	2
50	Quality of Life in Patients With Advanced Cancer: Differential Association With Performance Status and Systemic Inflammatory Response. Journal of Clinical Oncology, 2016, 34, 2769-2775.	1.6	125
51	Genetic variation and cognitive dysfunction in opioidâ€treated patients with cancer. Brain and Behavior, 2016, 6, e00471.	2.2	13
52	Reply: Assessment of Intensive Care Unit Patients' Experience of Breathlessness. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 1439-1441.	5.6	0
53	Psychometric properties of the Arabic version of EORTC QLQ-C15-PAL among cancer patients in Jordan. Supportive Care in Cancer, 2016, 24, 2455-2462.	2.2	16
54	Minimally invasive procedures for the management of vertebral bone pain due to cancer: The EAPC recommendations. Acta Oncol \tilde{A}^3 gica, 2016, 55, 129-133.	1.8	10

#	Article	IF	CITATIONS
55	Human Genetic Variability Contributes to Postoperative Morphine Consumption. Journal of Pain, 2016, 17, 628-636.	1.4	57
56	From "Breakthrough―to "Episodic―Cancer Pain? A European Association for Palliative Care Research Network Expert Delphi Survey Toward a Common Terminology and Classification of Transient Cancer Pain Exacerbations. Journal of Pain and Symptom Management, 2016, 51, 1013-1019.	1.2	65
57	Clinical Factors Associated With a Short Survival Time After Percutaneous Nephrostomy for Ureteric Obstruction in Cancer Patients: An Updated Model. Journal of Pain and Symptom Management, 2016, 51, 255-261.	1.2	22
58	Intracranial Pressure During Pressure Control and Pressure-Regulated Volume Control Ventilation in Patients with Traumatic Brain Injury: A Randomized Crossover trial. Neurocritical Care, 2016, 24, 332-341.	2.4	17
59	Serum and urine concentrations of morphine and morphine metabolites in patients with advanced cancer receiving continuous intravenous morphine: an observational study. BMC Palliative Care, 2015, 14, 53.	1.8	10
60	Reply to A. Molfino et al. Journal of Clinical Oncology, 2015, 33, 1513-1513.	1.6	0
61	Interrater reliability of Nursing Activities Score among Intensive Care Unit health professionals. Revista Da Escola De Enfermagem Da U S P, 2015, 49, 117-122.	0.9	7
62	Clinically significant drug–drug interactions involving opioid analgesics used for pain treatment in patients with cancer: a systematic review. Drug Design, Development and Therapy, 2015, 9, 5255.	4.3	28
63	Innate Immune Signalling Genetics of Pain, Cognitive Dysfunction and Sickness Symptoms in Cancer Pain Patients Treated with Transdermal Fentanyl. PLoS ONE, 2015, 10, e0137179.	2.5	20
64	Tromboelastography: variability and relation to conventional coagulation test in non-bleeding intensive care unit patients. BMC Anesthesiology, 2015, 15, 28.	1.8	15
65	Sympathetic blocks for visceral cancer pain management: A systematic review and EAPC recommendations. Critical Reviews in Oncology/Hematology, 2015, 96, 577-583.	4.4	53
66	Underestimation of Patient Breathlessness by Nurses and Physicians during a Spontaneous Breathing Trial. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 1440-1448.	5.6	68
67	Genetic and Non-genetic Factors Associated With Constipation in Cancer Patients Receiving Opioids. Clinical and Translational Gastroenterology, 2015, 6, e90.	2.5	24
68	Can variability in the effect of opioids on refractory breathlessness be explained by genetic factors?. BMJ Open, 2015, 5, e006818-e006818.	1.9	32
69	Evidence of peripheral nerve blocks for cancer-related pain: a systematic review. Minerva Anestesiologica, 2015, 81, 789-93.	1.0	15
70	Clinical and Genetic Factors Related to Cancer-Induced Bone Pain and Bone Pain Relief. Oncologist, 2014, 19, 1276-1283.	3.7	9
71	Norwegian trauma care: a national cross-sectional survey of all hospitals involved in the management of major trauma patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2014, 22, 64.	2.6	8
72	Confirming neuropathic pain in cancer patients: Applying the NeuPSIG grading system in clinical practice and clinical research. Pain, 2014, 155, 859-863.	4.2	39

#	Article	IF	CITATIONS
73	Genetic, pathological and physiological determinants of transdermal fentanyl pharmacokinetics in 620 cancer patients of the EPOS study. Pharmacogenetics and Genomics, 2014, 24, 185-194.	1.5	42
74	Efficacy of Methylprednisolone on Pain, Fatigue, and Appetite Loss in Patients With Advanced Cancer Using Opioids: A Randomized, Placebo-Controlled, Double-Blind Trial. Journal of Clinical Oncology, 2014, 32, 3221-3228.	1.6	167
75	A cross-sectional study on prevalence of pain and breakthrough pain among an unselected group of outpatients in a tertiary cancer clinic. Supportive Care in Cancer, 2014, 22, 1965-1971.	2.2	28
76	Biological pathways, candidate genes, and molecular markers associated with quality-of-life domains: an update. Quality of Life Research, 2014, 23, 1997-2013.	3.1	59
77	Risk Factors and Early Pharmacological Interventions to Prevent Chronic Postsurgical Pain Following Cardiac Surgery. American Journal of Cardiovascular Drugs, 2014, 14, 335-342.	2.2	44
78	Polypharmacy in Patients With Advanced Cancer and Pain: A European Cross-Sectional Study of 2282 Patients. Journal of Pain and Symptom Management, 2014, 48, 1145-1159.	1.2	90
79	The characteristics of physical activity and gait in patients receiving radiotherapy in cancer induced bone pain. Radiotherapy and Oncology, 2014, 111, 18-24.	0.6	7
80	Polymorphism in the ν-opioid receptor gene OPRM1 A118G â€"An example of the enigma of genetic variability behind chronic pain syndromes. Scandinavian Journal of Pain, 2014, 5, 8-9.	1.3	2
81	Clopidogrel does not work following cardiopulmonary resuscitation. European Journal of Clinical Pharmacology, 2013, 69, 1727-1727.	1.9	3
82	The Edmonton Classification System for Cancer Pain: Comparison of Pain Classification Features and Pain Intensity Across Diverse Palliative Care Settings in Eight Countries. Journal of Palliative Medicine, 2013, 16, 516-523.	1.1	41
83	Are all patients that count included in palliative care studies?. BMJ Supportive and Palliative Care, 2013, 3, 292-293.	1.6	3
84	Effects of Hypothermia on the Disposition of Morphine, Midazolam, Fentanyl, and Propofol in Intensive Care Unit Patients. Drug Metabolism and Disposition, 2013, 41, 214-223.	3.3	76
85	Undertreatment of pain in the prehospital setting. European Journal of Emergency Medicine, 2013, 20, 428-430.	1.1	22
86	The Systemic Inflammatory Response and Its Relationship to Pain and Other Symptoms in Advanced Cancer. Oncologist, 2013, 18, 1050-1055.	3.7	111
87	Prognostic Factors in Patients with Advanced Cancer: A Comparison of Clinicopathological Factors and the Development of an Inflammation-Based Prognostic System. Clinical Cancer Research, 2013, 19, 5456-5464.	7.0	165
88	Survival and quality of life in an elderly cardiac surgery population: 5-year follow-up. European Journal of Cardio-thoracic Surgery, 2013, 44, e182-e188.	1.4	23
89	Opioids in pain management of mesothelioma and lung cancer patients. Acta Oncológica, 2013, 52, 30-37.	1.8	18
90	Variability in UDP-glucuronosyltransferase genes and morphine metabolism. Pharmacogenetics and Genomics, 2013, 23, 117-126.	1.5	19

#	Article	IF	CITATIONS
91	Lack of association between genetic variability and multiple pain-related outcomes in a large cohort of patients with advanced cancer: the European Pharmacogenetic Opioid Study (EPOS). BMJ Supportive and Palliative Care, 2012, 2, 351-355.	1.6	10
92	Recovery patterns and health-related quality of life in older patients undergoing cardiac surgery: a prospective study. European Journal of Cardiovascular Nursing, 2012, 11, 322-330.	0.9	11
93	The importance and pitfalls of correlational science in palliative care research. Current Opinion in Supportive and Palliative Care, 2012, 6, 508-513.	1.3	5
94	Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. Lancet Oncology, The, 2012, 13, e58-e68.	10.7	1,017
95	Interviews with patients with advanced cancer—another step towards an international cancer pain classification system. Supportive Care in Cancer, 2012, 20, 2491-2500.	2.2	8
96	Is there a genetic cause of appetite loss?—an explorative study in 1,853 cancer patients. Journal of Cachexia, Sarcopenia and Muscle, 2012, 3, 191-198.	7.3	15
97	Response to letter by Mercadante. Pain, 2012, 153, 1771-1772.	4.2	0
98	Propofol and remifentanil versus midazolam and fentanyl for sedation during therapeutic hypothermia after cardiac arrest: a randomised trial. Intensive Care Medicine, 2012, 38, 959-967.	8.2	74
99	Is Oxycodone Efficacy Reflected in Serum Concentrations? A Multicenter, Cross-Sectional Study in 456 Adult Cancer Patients. Journal of Pain and Symptom Management, 2012, 43, 694-705.	1.2	19
100	Which domains should be included in a cancer pain classification system? Analyses of longitudinal data. Pain, 2012, 153, 696-703.	4.2	54
101	Do CYP2D6 genotypes reflect oxycodone requirements for cancer patients treated for cancer pain? A cross-sectional multicentre study. European Journal of Clinical Pharmacology, 2012, 68, 55-64.	1.9	96
102	Expert conference on cancer pain assessment and classification-the need for international consensus: working proposals on international standards. BMJ Supportive and Palliative Care, 2011, 1, 281-287.	1.6	56
103	Clinical and genetic factors associated with nausea and vomiting in cancer patients receiving opioids. European Journal of Cancer, 2011, 47, 1682-1691.	2.8	78
104	Reply to S. McMorn et al. Journal of Clinical Oncology, 2011, 29, 4343-4344.	1.6	0
105	Inadequate symptom control in advanced cancer patients across Europe. Supportive Care in Cancer, 2011, 19, 2005-2014.	2.2	49
106	Influences on the pharmacokinetics of oxycodone: a multicentre cross-sectional study in 439 adult cancer patients. European Journal of Clinical Pharmacology, 2011, 67, 493-506.	1.9	54
107	Which variables are associated with pain intensity and treatment response in advanced cancer patients?— Implications for a future classification system for cancer pain. European Journal of Pain, 2011, 15, 320-327.	2.8	63
108	Multiple Loci Modulate Opioid Therapy Response for Cancer Pain. Clinical Cancer Research, 2011, 17, 4581-4587.	7.0	37

#	Article	IF	CITATIONS
109	Prevalence and Predictors of Cognitive Dysfunction in Opioid-Treated Patients With Cancer: A Multinational Study. Journal of Clinical Oncology, 2011, 29, 1297-1303.	1.6	75
110	Starting Step III opioids for moderate to severe pain in cancer patients: Dose titration: A systematic review. Palliative Medicine, 2011, 25, 424-430.	3.1	41
111	Management of opioid-induced nausea and vomiting in cancer patients: systematic review and evidence-based recommendations. Palliative Medicine, 2011, 25, 442-453.	3.1	50
112	Biological pathways and genetic variables involved in pain. Quality of Life Research, 2010, 19, 1407-1417.	3.1	33
113	A GTP cyclohydrolase 1 genetic variant delays cancer pain. Pain, 2010, 148, 103-106.	4.2	67
114	Health care providers underestimate symptom intensities of cancer patients: A multicenter European study. Health and Quality of Life Outcomes, 2010, 8, 104.	2.4	258
115	Antiplatelet effect of clopidogrel is reduced in patients treated with therapeutic hypothermia after cardiac arrest. Resuscitation, 2010, 81, 1627-1631.	3.0	61
116	Patterns of smoking behaviour in patients following cardiac surgery. A prospective study. Scandinavian Cardiovascular Journal, 2010, 44, 295-300.	1.2	11
117	The Establishment of the GENEQOL Consortium to Investigate the Genetic Disposition of Patient-Reported Quality-of-Life Outcomes. Twin Research and Human Genetics, 2009, 12, 301-311.	0.6	48
118	A Double-Blind, Randomized, Crossover Comparison Between Single-Dose and Double-Dose Immediate-Release Oral Morphine at Bedtime in Cancer Patients. Journal of Pain and Symptom Management, 2009, 37, 68-76.	1.2	22
119	Cancer patients' barriers to pain management and psychometric properties of the Norwegian version of the Barriers Questionnaire II. Scandinavian Journal of Caring Sciences, 2009, 23, 518-528.	2.1	22
120	Intensity and treatment of symptoms in 3,030 palliative care patients: A cross-sectional survey of the EAPC Research Network. Journal of Opioid Management, 2009, 5, 11-21.	0.5	56
121	Early pharmacokinetics of nasal fentanyl: is there a significant arterio-venous difference?. European Journal of Clinical Pharmacology, 2008, 64, 497-502.	1.9	50
122	Genetic Variation in the <i>Catechol-O-Methyltransferase (COMT) </i> Gene and Morphine Requirements in Cancer Patients with Pain. Molecular Pain, 2008, 4, 1744-8069-4-64.	2.1	128
123	Direct transport versus interhospital transfer of patients with severe head injury in Norway. European Journal of Emergency Medicine, 2008, 15, 249-255.	1.1	13
124	The Brief Pain Inventory: Pain's Interference With Functions Is Different in Cancer Pain Compared With Noncancer Chronic Pain. Clinical Journal of Pain, 2008, 24, 219-225.	1.9	48
125	Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: OPRM1 and COMT gene. Pain, 2007, 130, 25-30.	4.2	269
126	Long term methadone for chronic pain: A pilot study of pharmacokinetic aspects. European Journal of Pain, 2007, 11, 599-604.	2.8	18

#	Article	IF	CITATIONS
127	Genetic variability and opioid efficacy. Current Anaesthesia and Critical Care, 2007, 18, 149-156.	0.3	4
128	Validation of the Brief Pain Inventory in Patients Six Months After Cardiac Surgery. Journal of Pain and Symptom Management, 2007, 34, 648-656.	1.2	78
129	Common sense won: engagement from experts repealed Norwegian restrictions for ICU research. Intensive Care Medicine, 2007, 33, 1827-1828.	8.2	1
130	Opioid switching from oral slow release morphine to oral methadone may improve pain control in chronic non-malignant pain: a nine-month follow-up study. Palliative Medicine, 2006, 20, 35-41.	3.1	36
131	Health-related quality of life three years after coronary surgery: A comparison with the general population. Scandinavian Cardiovascular Journal, 2006, 40, 29-36.	1.2	20
132	Further restrictions for ICU research. Intensive Care Medicine, 2006, 32, 175-175.	8.2	10
133	Opioid Switching from Morphine to Methadone Causes a Minor But Not Clinically Significant Increase in QTc Time: A Prospective 9-Month Follow-Up Study. Journal of Pain and Symptom Management, 2006, 32, 180-185.	1.2	37
134	Genetic variability and clinical efficacy of morphine. Acta Anaesthesiologica Scandinavica, 2005, 49, 902-908.	1.6	94
135	Health-related quality of life in long term-survivors of thoracoabdominal aortic aneurysm repair. Journal of Vascular Nursing, 2005, 23, 88-94.	0.7	17
136	Which Mini-Mental State Exam Items Can Be Used to Screen for Delirium and Cognitive Impairment?. Journal of Pain and Symptom Management, 2005, 30, 41-50.	1.2	53
137	Pain and pain treatments in European palliative care units. A cross sectional survey from the European Association for Palliative Care Research Network. Palliative Medicine, 2005, 19, 477-484.	3.1	119
138	The European Union–not united in opioid use. Palliative Medicine, 2005, 19, 177-178.	3.1	6
139	The Val158Met polymorphism of the human catechol-O-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients. Pain, 2005, 116, 73-78.	4.2	298
140	Day-to-day variations during clinical drug monitoring of morphine, morphine-3-glucuronide and morphine-6-glucuronide serum concentrations in cancer patients. A prospective observational study. BMC Clinical Pharmacology, 2004, 4, 7.	2.5	11
141	Routine drug monitoring of serum concentrations of morphine, morphine-3-glucuronide and morphine-6-glucuronide do not predict clinical observations in cancer patients. Palliative Medicine, 2003, 17, 679-687.	3.1	52
142	Self-reports are not related to objective assessments of cognitive function and sedation in patients with cancer pain admitted to a palliative care unit. Palliative Medicine, 2002, 16, 513-519.	3.1	45
143	The Norwegian Brief Pain Inventory Questionnaire. Journal of Pain and Symptom Management, 2002, 24, 517-525.	1.2	272
144	Morphine glucuronide-to-morphine plasma ratios are unaffected by the UGT2B7 H268Y and UGT1A1*28 polymorphisms in cancer patients on chronic morphine therapy. European Journal of Clinical Pharmacology, 2002, 58, 353-356.	1.9	125

PÃ¥L KLEPSTAD

#	Article	IF	CITATIONS
145	Pharmacogenetic considerations in the treatment of cancer pain. , 2001, , 180-194.		0
146	Effects on Cancer Patients' Health-Related Quality of Life After the Start of Morphine Therapy. Journal of Pain and Symptom Management, 2000, 20, 19-26.	1.2	62
147	High levels of discordant antimicrobial therapy in hospital-acquired bloodstream infections is associated with increased mortality in an intensive care, low antimicrobial resistance setting. Infectious Diseases, 0, , 1-10.	2.8	1