Stephen Iliffe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8524758/publications.pdf

Version: 2024-02-01

		46918	18075
172	15,722	47	120
papers	citations	h-index	g-index
176	176	176	20224
176	176	176	20324
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Frailty in elderly people. Lancet, The, 2013, 381, 752-762.	6.3	6,145
2	Performance of an Abbreviated Version of the Lubben Social Network Scale Among Three European Community-Dwelling Older Adult Populations. Gerontologist, The, 2006, 46, 503-513.	2.3	1,252
3	The Hawthorne Effect: a randomised, controlled trial. BMC Medical Research Methodology, 2007, 7, 30.	1.4	1,180
4	Factors affecting timely recognition and diagnosis of dementia across Europe: from awareness to stigma. International Journal of Geriatric Psychiatry, 2005, 20, 377-386.	1.3	244
5	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. Health Technology Assessment, 2014, 18, 1-148.	1.3	244
6	<p>Frailty syndrome: implications and challenges for health care policy</p> . Risk Management and Healthcare Policy, 2019, Volume 12, 23-30.	1.2	216
7	Adherence to Mediterranean Diet Reduces Incident Frailty Risk: Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2018, 66, 783-788.	1.3	203
8	Rapid appraisal of barriers to the diagnosis and management of patients with dementia in primary care: a systematic review. BMC Family Practice, 2010, 11, 52.	2.9	185
9	Transitions between frailty states among community-dwelling older people: A systematic review and meta-analysis. Ageing Research Reviews, 2019, 50, 81-88.	5.0	184
10	Psychosocial Factors That Shape Patient and Carer Experiences of Dementia Diagnosis and Treatment: A Systematic Review of Qualitative Studies. PLoS Medicine, 2012, 9, e1001331.	3.9	181
11	Sooner or later? Issues in the early diagnosis of dementia in general practice: a qualitative study. Family Practice, 2003, 20, 376-381.	0.8	174
12	Survival of people with clinical diagnosis of dementia in primary care: cohort study. BMJ: British Medical Journal, 2010, 341, c3584-c3584.	2.4	171
13	Internet-Based Interventions Aimed at Supporting Family Caregivers of People With Dementia: Systematic Review. Journal of Medical Internet Research, 2018, 20, e216.	2.1	170
14	Effectiveness of educational interventions in improving detection and management of dementia in primary care: cluster randomised controlled study. BMJ: British Medical Journal, 2006, 332, 692-696.	2.4	169
15	Primary care and dementia: 1. diagnosis, screening and disclosure. International Journal of Geriatric Psychiatry, 2009, 24, 895-901.	1.3	165
16	Clinical practice with anti-dementia drugs: a consensus statement from British Association for Psychopharmacology. Journal of Psychopharmacology, 2006, 20, 732-755.	2.0	145
17	Which factors are associated with fear of falling in community-dwelling older people?. Age and Ageing, 2014, 43, 76-84.	0.7	144
18	Psychological approach to successful ageing predicts future quality of life in older adults. Health and Quality of Life Outcomes, 2011, 9, 13.	1.0	134

#	Article	IF	CITATIONS
19	Multicentre cluster randomised trial comparing a community group exercise programme and home-based exercise with usual care for people aged 65 years and over in primary care. Health Technology Assessment, 2014, 18, 1-106.	1.3	128
20	A Primary Care Nurse-Delivered Walking Intervention in Older Adults: PACE (Pedometer Accelerometer) Tj ETQq(0 0 0, gBT	/Oygrlock 10
21	Does the timed up and go test predict future falls among British community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. BMC Geriatrics, 2015, 15, 38.	1.1	112
22	End of life care for community dwelling older people with dementia: an integrated review. International Journal of Geriatric Psychiatry, 2010, 25, 329-337.	1.3	107
23	Acceptability of a theory-based sedentary behaviour reduction intervention for older adults (†On) Tj ETQq1 1 (0.784314 1.2	rgBT/Overloc
24	Smoking as a predictor of frailty: a systematic review. BMC Geriatrics, 2015, 15, 131.	1.1	91
25	Health promotion interventions for community-dwelling older people with mild or pre-frailty: a systematic review and meta-analysis. BMC Geriatrics, 2017, 17, 157.	1.1	90
26	Predicting dementia risk in primary care: development and validation of the Dementia Risk Score using routinely collected data. BMC Medicine, 2016, 14, 6.	2.3	86
27	The effect of exercise on behavioural and psychological symptoms of dementia: the EVIDEMâ€E randomised controlled clinical trial. International Journal of Geriatric Psychiatry, 2014, 29, 819-827.	1.3	78
28	Strategies to improve engagement of †hard to reach†older people in research on health promotion: a systematic review. BMC Public Health, 2017, 17, 349.	1.2	77
29	Quality end-of-life care for dementia: What have family carers told us so far? A narrative synthesis. Palliative Medicine, 2014, 28, 919-930.	1.3	76
30	Effect of a Primary Care Walking Intervention with and without Nurse Support on Physical Activity Levels in 45- to 75-Year-Olds: The Pedometer And Consultation Evaluation (PACE-UP) Cluster Randomised Clinical Trial. PLoS Medicine, 2017, 14, e1002210.	3.9	73
31	On Your Feet to Earn Your Seat: pilot RCT of a theory-based sedentary behaviour reduction intervention for older adults. Pilot and Feasibility Studies, 2017, 3, 23.	0.5	72
32	Ginkgo biloba for mild to moderate dementia in a community setting: a pragmatic, randomised, parallelâ€group, doubleâ€blind, placeboâ€controlled trial. International Journal of Geriatric Psychiatry, 2008, 23, 1222-1230.	1.3	70
33	†On Your Feet to Earn Your Seat', a habit-based intervention to reduce sedentary behaviour in older adults: study protocol for a randomized controlled trial. Trials, 2014, 15, 368.	0.7	68
34	First Diagnosis and Management of Incontinence in Older People with and without Dementia in Primary Care: A Cohort Study Using The Health Improvement Network Primary Care Database. PLoS Medicine, 2013, 10, e1001505.	3.9	64
35	Promotion of health in older people: a randomised controlled trial of health risk appraisal in British general practice. Age and Ageing, 2008, 37, 565-571.	0.7	63
36	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. BMC Geriatrics, 2015, 15, 155.	1.1	61

#	Article	IF	Citations
37	Evaluation of reliability and validity of the General Practice Physical Activity Questionnaire (GPPAQ) in 60–74 year old primary care patients. BMC Family Practice, 2015, 16, 113.	2.9	60
38	Physical activity levels in adults and older adults 3–4 years after pedometer-based walking interventions: Long-term follow-up of participants from two randomised controlled trials in UK primary care. PLoS Medicine, 2018, 15, e1002526.	3.9	60
39	Observational cohort study: deprivation and access to anti-dementia drugs in the UK. Age and Ageing, 2016, 45, 148-154.	0.7	58
40	Dementia care management in primary care. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 68-77.	0.8	58
41	Attitudes to long-term use of benzodiazepine hypnotics by older people in general practice: findings from interviews with service users and providers. Aging and Mental Health, 2004, 8, 242-248.	1.5	57
42	A taboo within a stigma? a qualitative study of managing incontinence with people with dementia living at home. BMC Geriatrics, $2011, 11, 75$.	1.1	57
43	Diurnal patterns of objectively measured physical activity and sedentary behaviour in older men. BMC Public Health, 2015, 15, 609.	1.2	57
44	What do older people experiencing loneliness think about primary care or community based interventions to reduce loneliness? A qualitative study in England. Health and Social Care in the Community, 2017, 25, 1733-1742.	0.7	54
45	Effect of Health Risk Assessment and Counselling on Health Behaviour and Survival in Older People: A Pragmatic Randomised Trial. PLoS Medicine, 2015, 12, e1001889.	3.9	53
46	Does current smoking predict future frailty? The English longitudinal study of ageing. Age and Ageing, 2018, 47, 126-131.	0.7	53
47	Quality palliative care for cancer and dementia in five European countries: some common challenges. Aging and Mental Health, 2014, 18, 400-410.	1.5	51
48	Barriers to the provision of high-quality palliative care for people with dementia in England: a qualitative study of professionals' experiences. Health and Social Care in the Community, 2014, 22, 386-394.	0.7	50
49	Use it or lose it: a qualitative study of the maintenance of physical activity in older adults. BMC Geriatrics, 2019, 19, 349.	1.1	48
50	Home-based health promotion for older people with mild frailty: the HomeHealth intervention development and feasibility RCT. Health Technology Assessment, 2017, 21, 1-128.	1.3	48
51	Subjective memory problems. BMJ: British Medical Journal, 2010, 340, c1425-c1425.	2.4	47
52	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. British Journal of General Practice, 2015, 65, e731-e738.	0.7	47
53	The identification of barriers to the recognition of, and response to, dementia in primary care using a modified focus group approach. Dementia, 2005, 4, 73-85.	1.0	45
54	A qualitative study exploring the difficulties influencing decision making at the end of life for people with dementia. Health Expectations, 2018, 21, 118-127.	1.1	44

#	Article	IF	Citations
55	Dementia diagnosis and management: a narrative review of changing practice. British Journal of General Practice, 2011, 61, e513-e525.	0.7	41
56	Numbers are not the whole story: a qualitative exploration of barriers and facilitators to increased physical activity in a primary care based walking intervention. BMC Public Health, 2014, 14, 1272.	1.2	40
57	Measuring change in trials of physical activity interventions: a comparison of self-report questionnaire and accelerometry within the PACE-UP trial. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 10.	2.0	39
58	Understanding the challenges to implementing case management for people with dementia in primary care in England: a qualitative study using Normalization Process Theory. BMC Health Services Research, 2014, 14, 549.	0.9	38
59	Family caregivers' conceptualisation of quality end-of-life care for people with dementia: A qualitative study. Palliative Medicine, 2017, 31, 726-733.	1.3	38
60	The feasibility and acceptability of a specialist health and social care team for the promotion of health and independence in 'at risk' older adults. Health and Social Care in the Community, 2005, 13, 136-144.	0.7	36
61	The potential of case management for people with dementia: a commentary. International Journal of Geriatric Psychiatry, 2012, 27, 1305-1314.	1.3	36
62	Tailored educational intervention for primary care to improve the management of dementia: the EVIDEM-ED cluster randomized controlled trial. Trials, 2013, 14, 397.	0.7	36
63	Improving the organization of palliative care: identification of barriers and facilitators in five European countries. Implementation Science, 2014, 9, 130.	2.5	35
64	Specifying the content of home-based health behaviour change interventions for older people with frailty or at risk of frailty: an exploratory systematic review. BMJ Open, 2017, 7, e014127.	0.8	34
65	â€We are not blaming anyone, but if we don't know about amenities, we cannot seek them out': black and minority older people's views on the quality of local health and personal social services in England. Ageing and Society, 2009, 29, 93-113.	1.2	32
66	A co-design process developing heuristics for practitioners providing end of life care for people with dementia. BMC Palliative Care, 2016, 15, 68.	0.8	32
67	Fruit and Vegetable Consumption and Frailty: A Systematic Review. Journal of Nutrition, Health and Aging, 2018, 22, 1010-1017.	1.5	32
68	Effect of pedometer-based walking interventions on long-term health outcomes: Prospective 4-year follow-up of two randomised controlled trials using routine primary care data. PLoS Medicine, 2019, 16, e1002836.	3.9	32
69	Completion and Return of Fall Diaries Varies With Participants' Level of Education, First Language, and Baseline Fall Risk. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67A, 210-214.	1.7	31
70	Palliative care services for people with dementia: A synthesis of the literature reporting the views and experiences of professionals and family carers. Dementia, 2014, 13, 96-110.	1.0	31
71	Managing loneliness: a qualitative study of older people's views. Aging and Mental Health, 2021, 25, 1206-1213.	1.5	31
72	Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. Trials, 2010, 11, 6.	0.7	30

#	Article	IF	CITATIONS
73	Effectiveness of general practice-based physical activity promotion for older adults: systematic review. Primary Health Care Research and Development, 2014, 15, 190-201.	0.5	29
74	Assessment and prevention of falls in older people – concise guidance. Clinical Medicine, 2014, 14, 658-662.	0.8	29
75	Strategies employed by older people to manage loneliness: systematic review of qualitative studies and model development. International Psychogeriatrics, 2018, 30, 1767-1781.	0.6	29
76	Developing a Dementia Research Registry: a descriptive case study from North Thames DeNDRoN and the EVIDEM programme. BMC Medical Research Methodology, 2011, 11, 9.	1.4	28
77	Which older people decline participation in a primary care trial of physical activity and why: insights from a mixed methods approach. BMC Geriatrics, 2014, 14, 46.	1.1	28
78	"Keeping Moving― factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. BMC Family Practice, 2015, 16, 67.	2.9	28
79	Costâ€effectiveness of exercise as a therapy for behavioural and psychological symptoms of dementia within the EVIDEMâ€E randomised controlled trial. International Journal of Geriatric Psychiatry, 2016, 31, 656-665.	1.3	28
80	Changing practice in dementia care in the community: developing and testing evidence-based interventions, from timely diagnosis to end of life (EVIDEM). Programme Grants for Applied Research, 2015, 3, 1-596.	0.4	28
81	Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Gerontologist, The, 2021, 61, e269-e282.	2.3	27
82	What factors support older people to increase their physical activity levels? An exploratory analysis of the experiences of PACE-Lift trial participants. Archives of Gerontology and Geriatrics, 2016, 67, 1-6.	1.4	26
83	User involvement in the development of a health promotion technology for older people: findings from the SWISH project. Health and Social Care in the Community, 2010, 18, 147-159.	0.7	25
84	Sociodemographic, behavioural and health factors associated with changes in older adults' TV viewing over 2Âyears. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 102.	2.0	25
85	Alcohol Consumption and Risk of Incident Frailty: The English Longitudinal Study of Aging. Journal of the American Medical Directors Association, 2019, 20, 725-729.	1.2	25
86	General practitioners' understanding of depression in young people: qualitative study. Primary Health Care Research and Development, 2008, 9, 269.	0.5	24
87	Modelling the landscape of palliative care for people with dementia: a European mixed methods study. BMC Palliative Care, 2013, 12, 30.	0.8	23
88	â€~You started something … then I continued by myself': a qualitative study of physical activity maintenance. Primary Health Care Research and Development, 2017, 18, 574-590.	0.5	23
89	Guiding practitioners through end of life care for people with dementia: The use of heuristics. PLoS ONE, 2018, 13, e0206422.	1.1	23
90	PACE-UP (Pedometer and consultation evaluation - UP) – a pedometer-based walking intervention with and without practice nurse support in primary care patients aged 45–75Âyears: study protocol for a randomised controlled trial. Trials, 2013, 14, 418.	0.7	22

#	Article	IF	Citations
91	Testing the Feasibility of Therapeutic Identification of Depression in Young People in British General Practice. Journal of Adolescent Health, 2013, 52, 539-545.	1.2	22
92	Identifying acceptable components for home-based health promotion services for older people with mild frailty: A qualitative study. Health and Social Care in the Community, 2018, 26, 393-403.	0.7	22
93	A pedometer-based walking intervention in 45- to 75-year-olds, with and without practice nurse support: the PACE-UP three-arm cluster RCT. Health Technology Assessment, 2018, 22, 1-274.	1.3	22
94	Randomised controlled trial of a complex intervention by primary care nurses to increase walking in patients aged 60–74 years: protocol of the PACE-Lift (Pedometer Accelerometer Consultation) Tj ETQq0 0 0	rgBTi./ © ver	locl 21 0 Tf 50
95	Exploring non-participation in primary care physical activity interventions: PACE-UP trial interview findings. Trials, 2016, 17, 178.	0.7	21
96	Factors Associated With Improvement in Frailty Status Defined Using the Frailty Phenotype: A Systematic Review and Meta-analysis. Journal of the American Medical Directors Association, 2019, 20, 1647-1649.e2.	1.2	20
97	Engaging †hard to reach†mgroups in health promotion: the views of older people and professionals from a qualitative study in England. BMC Public Health, 2019, 19, 629.	1.2	20
98	Introducing case management for people with dementia in primary care: a mixed-methods study. British Journal of General Practice, 2014, 64, e735-e741.	0.7	19
99	Promoting independence, health and well-being for older people: a feasibility study of computer-aided health and social risk appraisal system in primary care. BMC Family Practice, 2017, 18, 47.	2.9	19
100	Dementia diagnosis in primary care: thinking outside the educational box. Aging Health, 2009, 5, 51-59.	0.3	18
101	Developing an educational intervention on dementia diagnosis and management in primary care for the EVIDEM-ED trial. Trials, 2012, 13, 142.	0.7	18
102	The recognition of adolescent depression in general practice: issues in the acquisition of new skills. Primary Care and Community Psychiatry, 2004, 9, 51-56.	0.4	18
103	Evidence-based interventions in dementia: A pragmatic cluster-randomised trial of an educational intervention to promote earlier recognition and response to dementia in primary care (EVIDEM-ED). Trials, 2010, 11, 13.	0.7	17
104	Designing a complex intervention for dementia case management in primary care. BMC Family Practice, 2013, 14, 101.	2.9	17
105	Evaluating educational initiatives to improve palliative care for people with dementia: A narrative review. Dementia, 2014, 13, 366-381.	1.0	17
106	Contextualizing the findings of a systematic review on patient and carer experiences of dementia diagnosis and treatment: a qualitative study. Health Expectations, 2015, 18, 740-753.	1.1	17
107	Explaining the effects of symptom attribution by carers on help-seeking for individuals living with dementia. Dementia, 2017, 16, 375-387.	1.0	17
108	The UK experience of promoting dementia recognition and management in primary care. Zeitschrift Fur Gerontologie Und Geriatrie, 2017, 50, 63-67.	0.8	17

#	Article	IF	CITATIONS
109	Fruit and Vegetable Consumption and Incident Prefrailty and Frailty in Community-Dwelling Older People: The English Longitudinal Study of Ageing. Nutrients, 2020, 12, 3882.	1.7	17
110	Therapeutic identification of depression in young people: lessons from the introduction of a new technique in general practice. British Journal of General Practice, 2012, 62, e174-e182.	0.7	15
111	"lt's not just about walkingit's the practice nurse that makes it work― a qualitative exploration of the views of practice nurses delivering complex physical activity interventions in primary care. BMC Public Health, 2015, 15, 1236.	1.2	15
112	Promoting older peoples' participation in activity, whose responsibility? A case study of the response of health, local government and voluntary organizations. Journal of Interprofessional Care, 2007, 21, 515-528.	0.8	14
113	Designing and developing a co-produced theoretical and evidence-based online support for family caregivers of people with dementia at the end of life. BMC Palliative Care, 2019, 18, 71.	0.8	13
114	A "separation of worldsâ€. The support and social networks of family carers of people with dementia at the end of life, and the possible role of the internet. Health and Social Care in the Community, 2019, 27, e223-e232.	0.7	13
115	Case Management for People with Dementia and its Translations: A Discussion Paper. Dementia, 2019, 18, 951-969.	1.0	13
116	Smarter Working in Social and Health Care: Professional Perspectives on a New Technology for Risk Appraisal with Older People. British Journal of Social Work, 2010, 40, 1829-1846.	0.9	12
117	Under-provision of medical care for vascular diseases for people with dementia in primary care: a cross-sectional review. British Journal of General Practice, 2013, 63, e88-e96.	0.7	12
118	Improving palliative care in selected settings in England using quality indicators: a realist evaluation. BMC Palliative Care, 2016, 15, 69.	0.8	12
119	Health-Care Delivery for Older People with Dementia in Primary Care. , 2019, , 311-329.		12
120	Health promotion for mild frailty based on behaviour change: Perceptions of older people and service providers. Health and Social Care in the Community, 2019, 27, 1333-1343.	0.7	12
121	The key aspects of online support that older family carers of people with dementia want at the end of life: A qualitative study. Aging and Mental Health, 2020, 24, 1654-1661.	1.5	12
122	Methodological problems in dementia research in primary care: a case study of a randomized controlled trial. Primary Health Care Research and Development, 2007, 8, 12.	0.5	11
123	Targeted case finding for dementia in primary care: Surrey Downs dementia diagnosis project. BMJ Quality Improvement Reports, 2015, 4, u209827.w4086.	0.8	11
124	Strategies to implement evidence into practice to improve palliative care: recommendations of a nominal group approach with expert opinion leaders. BMC Palliative Care, 2015, 14, 47.	0.8	11
125	Relating process evaluation measures to complex intervention outcomes: findings from the PACE-UP primary care pedometer-based walking trial. Trials, 2018, 19, 58.	0.7	11
126	Promoting healthy exercise among older people in general practice: issues in designing and evaluating therapeutic interventions. British Journal of General Practice, 1997, 47, 119-22.	0.7	11

#	Article	IF	CITATIONS
127	Which adolescents attend the GP?. British Journal of General Practice, 1997, 47, 327.	0.7	11
128	Nurse case management and general practice: implications for GP consortia. British Journal of General Practice, 2011, 61, e658-e665.	0.7	10
129	Nurse-led case management in the National Health Service: bridging clinical and social worlds. Primary Health Care Research and Development, 2012, 13, 153-164.	0.5	10
130	A new settlement for health and social care?. BMJ, The, 2014, 349, g4818-g4818.	3.0	10
131	â€~On Your Feet to Earn Your Seat': update to randomised controlled trial protocol. Trials, 2015, 16, 330.	0.7	10
132	Family carers' experiences of the Admiral Nursing Service: a quantitative analysis of carer feedback. Aging and Mental Health, 2016, 20, 669-675.	1.5	10
133	Moving upstream in health promoting policies for older people with early frailty in England? A policy analysis. Journal of Health Services Research and Policy, 2018, 23, 168-175.	0.8	10
134	Improving the organization of palliative care by implementing quality indicators and national and setting-specific interventions: Study protocol of the IMPACT project. Progress in Palliative Care, 2014, 22, 201-205.	0.7	9
135	After the Liverpool Care Pathwayâ€"development of heuristics to guide end of life care for people with dementia: protocol of the ALCP study: FigureÂ1. BMJ Open, 2015, 5, e008832.	0.8	9
136	Community-based interventions for older people with complex needs: time to think again?. Age and Ageing, 2016, 45, 2-3.	0.7	8
137	Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. Disability and Rehabilitation, 2022, 44, 6247-6257.	0.9	8
138	What is the present role for general practitioners in dementia care? Experiences of general practitioners, patients and family carers in Portugal. Dementia, 2021, 20, 1988-2006.	1.0	8
139	Frailty and Social Care: Over- or Under-Familiar Terms?. Social Policy and Society, 2018, 17, 23-33.	0.7	7
140	Short-term and long-term cost-effectiveness of a pedometer-based exercise intervention in primary care: a within-trial analysis and beyond-trial modelling. BMJ Open, 2018, 8, e021978.	0.8	7
141	Interpreting population reach of a large, successful physical activity trial delivered through primary care. BMC Public Health, 2018, 18, 170.	1.2	7
142	Equity-Specific Effects of Interventions to Promote Physical Activity among Middle-Aged and Older Adults: Development of a Collaborative Equity-Specific Re-Analysis Strategy. International Journal of Environmental Research and Public Health, 2019, 16, 3195.	1.2	6
143	Number of Pregnancies and Trajectory of Frailty Index: EnglishÂLongitudinal Study of Ageing. Journal of the American Medical Directors Association, 2020, 21, 1249-1253.e1.	1.2	6
144	Care homes: averting market failure in a post-covid-19 world. BMJ, The, 2021, 372, n118.	3.0	6

#	Article	IF	CITATIONS
145	Promotion of exercise in primary care. BMJ: British Medical Journal, 2008, 337, a2430-a2430.	2.4	6
146	Commissioning Dementia Care: Implementing the National Dementia Strategy. Journal of Integrated Care, 2009, 17, 3-11.	0.2	5
147	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. Public Health, 2021, 197, 11-18.	1.4	5
148	Design and implementation of a computer decision support system for the diagnosis and management of dementia syndromes in primary care. Methods of Information in Medicine, 2002, 41, 98-104.	0.7	5
149	Working together in dementia research: reflections on the EVIDEM programme. Working With Older People, 2013, 17, 138-145.	0.2	4
150	Identifying the content of home-based health behaviour change interventions for frail older people: a systematic review protocol. Systematic Reviews, 2015, 4, 151.	2.5	4
151	Under the radar: General practitioners' experiences of directly employed care workers for older people. Health and Social Care in the Community, 2020, 28, 1099-1108.	0.7	4
152	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 65.	2.0	4
153	Tailored education rather than financial incentives are effective educational interventions for primary dementia care. International Journal of Geriatric Psychiatry, 2012, 27, 764-765.	1.3	3
154	â€~Real world' effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. Age and Ageing, 2021, 50, 1290-1297.	0.7	3
155	â€It's a real fine balancing act': directly employed care workers' experiences of engaging with health services. International Journal of Care and Caring, 2021, 5, 415-432.	0.3	3
156	Collaboration to overcome barriers in primary care. BMJ: British Medical Journal, 2010, 340, c908-c908.	2.4	3
157	Dementia and primary care teams: obstacles to the implementation of Portugal's Dementia Strategy. Primary Health Care Research and Development, 2022, 23, e10.	0.5	3
158	Experiences of intimate continence care and the impact on the family dyad relationship for people living at home with dementia and their co-resident family members. Dementia, 2022, 21, 1556-1573.	1.0	3
159	Barker & Burstow's care packages for England. BMJ, The, 2014, 349, g5879-g5879.	3.0	2
160	OP23â€Exploring the reasons for non-participation in physical activity interventions: PACE-UP trial qualitative findings. Journal of Epidemiology and Community Health, 2014, 68, A14.2-A14.	2.0	2
161	A primary care pedometer-based walking intervention with and without practice nurse support: PACE-UP cluster-randomised controlled trial. Lancet, The, 2015, 386, S13.	6.3	2
162	Challenges and Lifelines: What Was Important to Family Carers of People With Dementia Accessing the Admiral Nurse Services, a Specialist Family-Centered Dementia Support?. SAGE Open, 2019, 9, 215824401985694.	0.8	2

#	Article	IF	CITATIONS
163	â€It is designed for everybody to find their own level and to improve themselves'; views of older people and instructors of the Falls Management Exercise (FaME) programme. Age and Ageing, 2022, 51, .	0.7	2
164	General practitioners should be conducting targeted screening for dementia in people aged 65 to 74: No. Journal of Primary Health Care, 2014, 6, 247-9.	0.2	2
165	Proceed with caution. British Journal of General Practice, 2013, 63, 629.2-629.	0.7	1
166	Response: Compassion in healthcare $\hat{a} \in \text{``lessons from a qualitative study of the end-of-life care of people with dementia. Journal of the Royal Society of Medicine, 2014, 107, 134-134.}$	1.1	1
167	Comment on: Family caregiver assessment in primary care: How to strengthen the <scp>healthcare</scp> triad?. Journal of the American Geriatrics Society, 2021, 69, 2361-2362.	1.3	1
168	Making a jigsaw puzzle in 10 minutes: is case management feasible in general practice?. London Journal of Primary Care, 2011, 4, 56-64.	0.9	0
169	Case finding in dementia is truly a fudge. BMJ, The, 2014, 349, g5634-g5634.	3.0	O
170	Berwick's third era. British Journal of General Practice, 2017, 67, 253.2-254.	0.7	0
171	What is the root cause of the GP workforce crisis?. British Journal of General Practice, 2019, 69, 63.3-64.	0.7	0
172	Does doctor burnout harm patients?. British Journal of General Practice, 2019, 69, 378.2-379.	0.7	0