

Stephen Iliffe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8524758/publications.pdf>

Version: 2024-02-01

172
papers

15,722
citations

46918

47
h-index

18075

120
g-index

176
all docs

176
docs citations

176
times ranked

20324
citing authors

#	ARTICLE	IF	CITATIONS
1	Disentangling interventions to reduce fear of falling in community-dwelling older people: a systematic review and meta-analysis of intervention components. <i>Disability and Rehabilitation</i> , 2022, 44, 6247-6257.	0.9	8
2	“It is designed for everybody to find their own level and to improve themselves”; views of older people and instructors of the Falls Management Exercise (FaME) programme. <i>Age and Ageing</i> , 2022, 51, .	0.7	2
3	Dementia and primary care teams: obstacles to the implementation of Portugal’s Dementia Strategy. <i>Primary Health Care Research and Development</i> , 2022, 23, e10.	0.5	3
4	Experiences of intimate continence care and the impact on the family dyad relationship for people living at home with dementia and their co-resident family members. <i>Dementia</i> , 2022, 21, 1556-1573.	1.0	3
5	Managing loneliness: a qualitative study of older people’s views. <i>Aging and Mental Health</i> , 2021, 25, 1206-1213.	1.5	31
6	Intervention Characteristics Associated With a Reduction in Fear of Falling Among Community-Dwelling Older People: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Gerontologist</i> , The, 2021, 61, e269-e282.	2.3	27
7	Care homes: averting market failure in a post-covid-19 world. <i>BMJ</i> , The, 2021, 372, n118.	3.0	6
8	“Real world” effectiveness of the Falls Management Exercise (FaME) programme: an implementation study. <i>Age and Ageing</i> , 2021, 50, 1290-1297.	0.7	3
9	Equity-specific effects of interventions to promote physical activity among middle-aged and older adults: results from applying a novel equity-specific re-analysis strategy. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 65.	2.0	4
10	Comment on: Family caregiver assessment in primary care: How to strengthen the <sc>healthcare</sc> triad?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2361-2362.	1.3	1
11	Implementation fidelity of the Falls Management Exercise Programme: a mixed methods analysis using a conceptual framework for implementation fidelity. <i>Public Health</i> , 2021, 197, 11-18.	1.4	5
12	“It’s a real fine balancing act”: directly employed care workers’s experiences of engaging with health services. <i>International Journal of Care and Caring</i> , 2021, 5, 415-432.	0.3	3
13	What is the present role for general practitioners in dementia care? Experiences of general practitioners, patients and family carers in Portugal. <i>Dementia</i> , 2021, 20, 1988-2006.	1.0	8
14	The key aspects of online support that older family carers of people with dementia want at the end of life: A qualitative study. <i>Aging and Mental Health</i> , 2020, 24, 1654-1661.	1.5	12
15	Under the radar: General practitioners’ experiences of directly employed care workers for older people. <i>Health and Social Care in the Community</i> , 2020, 28, 1099-1108.	0.7	4
16	Fruit and Vegetable Consumption and Incident Pre frailty and Frailty in Community-Dwelling Older People: The English Longitudinal Study of Ageing. <i>Nutrients</i> , 2020, 12, 3882.	1.7	17
17	Number of Pregnancies and Trajectory of Frailty Index: English Longitudinal Study of Ageing. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1249-1253.e1.	1.2	6
18	Challenges and Lifelines: What Was Important to Family Carers of People With Dementia Accessing the Admiral Nurse Services, a Specialist Family-Centered Dementia Support?. <i>SAGE Open</i> , 2019, 9, 215824401985694.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Health-Care Delivery for Older People with Dementia in Primary Care. , 2019, , 311-329.		12
20	Designing and developing a co-produced theoretical and evidence-based online support for family caregivers of people with dementia at the end of life. BMC Palliative Care, 2019, 18, 71.	0.8	13
21	Equity-Specific Effects of Interventions to Promote Physical Activity among Middle-Aged and Older Adults: Development of a Collaborative Equity-Specific Re-Analysis Strategy. International Journal of Environmental Research and Public Health, 2019, 16, 3195.	1.2	6
22	Factors Associated With Improvement in Frailty Status Defined Using the Frailty Phenotype: A Systematic Review and Meta-analysis. Journal of the American Medical Directors Association, 2019, 20, 1647-1649.e2.	1.2	20
23	Measuring change in trials of physical activity interventions: a comparison of self-report questionnaire and accelerometry within the PACE-UP trial. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 10.	2.0	39
24	Effect of pedometer-based walking interventions on long-term health outcomes: Prospective 4-year follow-up of two randomised controlled trials using routine primary care data. PLoS Medicine, 2019, 16, e1002836.	3.9	32
25	Engaging "hard to reach" groups in health promotion: the views of older people and professionals from a qualitative study in England. BMC Public Health, 2019, 19, 629.	1.2	20
26	Health promotion for mild frailty based on behaviour change: Perceptions of older people and service providers. Health and Social Care in the Community, 2019, 27, 1333-1343.	0.7	12
27	<p>Frailty syndrome: implications and challenges for health care policy</p>. Risk Management and Healthcare Policy, 2019, Volume 12, 23-30.	1.2	216
28	What is the root cause of the GP workforce crisis?. British Journal of General Practice, 2019, 69, 63.3-64.	0.7	0
29	Does doctor burnout harm patients?. British Journal of General Practice, 2019, 69, 378.2-379.	0.7	0
30	Use it or lose it: a qualitative study of the maintenance of physical activity in older adults. BMC Geriatrics, 2019, 19, 349.	1.1	48
31	A "separation of worlds": The support and social networks of family carers of people with dementia at the end of life, and the possible role of the internet. Health and Social Care in the Community, 2019, 27, e223-e232.	0.7	13
32	Transitions between frailty states among community-dwelling older people: A systematic review and meta-analysis. Ageing Research Reviews, 2019, 50, 81-88.	5.0	184
33	Alcohol Consumption and Risk of Incident Frailty: The English Longitudinal Study of Aging. Journal of the American Medical Directors Association, 2019, 20, 725-729.	1.2	25
34	Case Management for People with Dementia and its Translations: A Discussion Paper. Dementia, 2019, 18, 951-969.	1.0	13
35	Moving upstream in health promoting policies for older people with early frailty in England? A policy analysis. Journal of Health Services Research and Policy, 2018, 23, 168-175.	0.8	10
36	Adherence to Mediterranean Diet Reduces Incident Frailty Risk: Systematic Review and Meta-Analysis. Journal of the American Geriatrics Society, 2018, 66, 783-788.	1.3	203

#	ARTICLE	IF	CITATIONS
37	Identifying acceptable components for home-based health promotion services for older people with mild frailty: A qualitative study. <i>Health and Social Care in the Community</i> , 2018, 26, 393-403.	0.7	22
38	A qualitative study exploring the difficulties influencing decision making at the end of life for people with dementia. <i>Health Expectations</i> , 2018, 21, 118-127.	1.1	44
39	Frailty and Social Care: Over- or Under-Familiar Terms?. <i>Social Policy and Society</i> , 2018, 17, 23-33.	0.7	7
40	Does current smoking predict future frailty? The English longitudinal study of ageing. <i>Age and Ageing</i> , 2018, 47, 126-131.	0.7	53
41	Guiding practitioners through end of life care for people with dementia: The use of heuristics. <i>PLoS ONE</i> , 2018, 13, e0206422.	1.1	23
42	Short-term and long-term cost-effectiveness of a pedometer-based exercise intervention in primary care: a within-trial analysis and beyond-trial modelling. <i>BMJ Open</i> , 2018, 8, e021978.	0.8	7
43	Strategies employed by older people to manage loneliness: systematic review of qualitative studies and model development. <i>International Psychogeriatrics</i> , 2018, 30, 1767-1781.	0.6	29
44	Fruit and Vegetable Consumption and Frailty: A Systematic Review. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 1010-1017.	1.5	32
45	Interpreting population reach of a large, successful physical activity trial delivered through primary care. <i>BMC Public Health</i> , 2018, 18, 170.	1.2	7
46	Relating process evaluation measures to complex intervention outcomes: findings from the PACE-UP primary care pedometer-based walking trial. <i>Trials</i> , 2018, 19, 58.	0.7	11
47	Physical activity levels in adults and older adults 3-4 years after pedometer-based walking interventions: Long-term follow-up of participants from two randomised controlled trials in UK primary care. <i>PLoS Medicine</i> , 2018, 15, e1002526.	3.9	60
48	Internet-Based Interventions Aimed at Supporting Family Caregivers of People With Dementia: Systematic Review. <i>Journal of Medical Internet Research</i> , 2018, 20, e216.	2.1	170
49	A pedometer-based walking intervention in 45- to 75-year-olds, with and without practice nurse support: the PACE-UP three-arm cluster RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-274.	1.3	22
50	Explaining the effects of symptom attribution by carers on help-seeking for individuals living with dementia. <i>Dementia</i> , 2017, 16, 375-387.	1.0	17
51	What do older people experiencing loneliness think about primary care or community based interventions to reduce loneliness? A qualitative study in England. <i>Health and Social Care in the Community</i> , 2017, 25, 1733-1742.	0.7	54
52	Dementia care management in primary care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 68-77.	0.8	58
53	Specifying the content of home-based health behaviour change interventions for older people with frailty or at risk of frailty: an exploratory systematic review. <i>BMJ Open</i> , 2017, 7, e014127.	0.8	34
54	â€˜You started something â€˜ then I continued by myselfâ€™: a qualitative study of physical activity maintenance. <i>Primary Health Care Research and Development</i> , 2017, 18, 574-590.	0.5	23

#	ARTICLE	IF	CITATIONS
55	The UK experience of promoting dementia recognition and management in primary care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2017, 50, 63-67.	0.8	17
56	Promoting independence, health and well-being for older people: a feasibility study of computer-aided health and social risk appraisal system in primary care. <i>BMC Family Practice</i> , 2017, 18, 47.	2.9	19
57	Strategies to improve engagement of "hard to reach" older people in research on health promotion: a systematic review. <i>BMC Public Health</i> , 2017, 17, 349.	1.2	77
58	On Your Feet to Earn Your Seat: pilot RCT of a theory-based sedentary behaviour reduction intervention for older adults. <i>Pilot and Feasibility Studies</i> , 2017, 3, 23.	0.5	72
59	Family caregivers' conceptualisation of quality end-of-life care for people with dementia: A qualitative study. <i>Palliative Medicine</i> , 2017, 31, 726-733.	1.3	38
60	Berwick's third era. <i>British Journal of General Practice</i> , 2017, 67, 253.2-254.	0.7	0
61	Health promotion interventions for community-dwelling older people with mild or pre-frailty: a systematic review and meta-analysis. <i>BMC Geriatrics</i> , 2017, 17, 157.	1.1	90
62	Effect of a Primary Care Walking Intervention with and without Nurse Support on Physical Activity Levels in 45- to 75-Year-Olds: The Pedometer And Consultation Evaluation (PACE-UP) Cluster Randomised Clinical Trial. <i>PLoS Medicine</i> , 2017, 14, e1002210.	3.9	73
63	Home-based health promotion for older people with mild frailty: the HomeHealth intervention development and feasibility RCT. <i>Health Technology Assessment</i> , 2017, 21, 1-128.	1.3	48
64	Improving palliative care in selected settings in England using quality indicators: a realist evaluation. <i>BMC Palliative Care</i> , 2016, 15, 69.	0.8	12
65	A co-design process developing heuristics for practitioners providing end of life care for people with dementia. <i>BMC Palliative Care</i> , 2016, 15, 68.	0.8	32
66	Cost-effectiveness of exercise as a therapy for behavioural and psychological symptoms of dementia within the EVIDEM randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 656-665.	1.3	28
67	Predicting dementia risk in primary care: development and validation of the Dementia Risk Score using routinely collected data. <i>BMC Medicine</i> , 2016, 14, 6.	2.3	86
68	Exploring non-participation in primary care physical activity interventions: PACE-UP trial interview findings. <i>Trials</i> , 2016, 17, 178.	0.7	21
69	What factors support older people to increase their physical activity levels? An exploratory analysis of the experiences of PACE-Lift trial participants. <i>Archives of Gerontology and Geriatrics</i> , 2016, 67, 1-6.	1.4	26
70	Observational cohort study: deprivation and access to anti-dementia drugs in the UK. <i>Age and Ageing</i> , 2016, 45, 148-154.	0.7	58
71	Community-based interventions for older people with complex needs: time to think again?. <i>Age and Ageing</i> , 2016, 45, 2-3.	0.7	8
72	Family carers' experiences of the Admiral Nursing Service: a quantitative analysis of carer feedback. <i>Aging and Mental Health</i> , 2016, 20, 669-675.	1.5	10

#	ARTICLE	IF	CITATIONS
73	Promoting physical activity in older people in general practice: ProAct65+ cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2015, 65, e731-e738.	0.7	47
74	Frailty predicts short-term incidence of future falls among British community-dwelling older people: a prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 155.	1.1	61
75	Contextualizing the findings of a systematic review on patient and carer experiences of dementia diagnosis and treatment: a qualitative study. <i>Health Expectations</i> , 2015, 18, 740-753.	1.1	17
76	After the Liverpool Care Pathwayâ€™ development of heuristics to guide end of life care for people with dementia: protocol of the ALCP study: Figure 1. <i>BMJ Open</i> , 2015, 5, e008832.	0.8	9
77	Targeted case finding for dementia in primary care: Surrey Downs dementia diagnosis project. <i>BMJ Quality Improvement Reports</i> , 2015, 4, u209827.w4086.	0.8	11
78	A primary care pedometer-based walking intervention with and without practice nurse support: PACE-UP cluster-randomised controlled trial. <i>Lancet</i> , 2015, 386, S13.	6.3	2
79	Strategies to implement evidence into practice to improve palliative care: recommendations of a nominal group approach with expert opinion leaders. <i>BMC Palliative Care</i> , 2015, 14, 47.	0.8	11
80	Identifying the content of home-based health behaviour change interventions for frail older people: a systematic review protocol. <i>Systematic Reviews</i> , 2015, 4, 151.	2.5	4
81	â€™s not just about walking.....itâ€™s the practice nurse that makes it workâ€™: a qualitative exploration of the views of practice nurses delivering complex physical activity interventions in primary care. <i>BMC Public Health</i> , 2015, 15, 1236.	1.2	15
82	Evaluation of reliability and validity of the General Practice Physical Activity Questionnaire (GPPAQ) in 60â€“74 year old primary care patients. <i>BMC Family Practice</i> , 2015, 16, 113.	2.9	60
83	Smoking as a predictor of frailty: a systematic review. <i>BMC Geriatrics</i> , 2015, 15, 131.	1.1	91
84	â€™On Your Feet to Earn Your Seatâ€™: update to randomised controlled trial protocol. <i>Trials</i> , 2015, 16, 330.	0.7	10
85	Effect of Health Risk Assessment and Counselling on Health Behaviour and Survival in Older People: A Pragmatic Randomised Trial. <i>PLoS Medicine</i> , 2015, 12, e1001889.	3.9	53
86	A Primary Care Nurse-Delivered Walking Intervention in Older Adults: PACE (Pedometer Accelerometer) Tj ETQq0 0 0 rgBT /Overlock 10	3.9	125
87	Does the timed up and go test predict future falls among British community-dwelling older people? Prospective cohort study nested within a randomised controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 38.	1.1	112
88	â€™Keeping Movingâ€™ factors associated with sedentary behaviour among older people recruited to an exercise promotion trial in general practice. <i>BMC Family Practice</i> , 2015, 16, 67.	2.9	28
89	Diurnal patterns of objectively measured physical activity and sedentary behaviour in older men. <i>BMC Public Health</i> , 2015, 15, 609.	1.2	57
90	Acceptability of a theory-based sedentary behaviour reduction intervention for older adults (â€™On) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.2	98

#	ARTICLE	IF	CITATIONS
91	Changing practice in dementia care in the community: developing and testing evidence-based interventions, from timely diagnosis to end of life (EVIDEM). Programme Grants for Applied Research, 2015, 3, 1-596.	0.4	28
92	Barker & Burstow's care packages for England. BMJ, The, 2014, 349, g5879-g5879.	3.0	2
93	A new settlement for health and social care?. BMJ, The, 2014, 349, g4818-g4818.	3.0	10
94	Case finding in dementia is truly a fudge. BMJ, The, 2014, 349, g5634-g5634.	3.0	0
95	Quality palliative care for cancer and dementia in five European countries: some common challenges. Aging and Mental Health, 2014, 18, 400-410.	1.5	51
96	Effectiveness of general practice-based physical activity promotion for older adults: systematic review. Primary Health Care Research and Development, 2014, 15, 190-201.	0.5	29
97	Palliative care services for people with dementia: A synthesis of the literature reporting the views and experiences of professionals and family carers. Dementia, 2014, 13, 96-110.	1.0	31
98	Quality end-of-life care for dementia: What have family carers told us so far? A narrative synthesis. Palliative Medicine, 2014, 28, 919-930.	1.3	76
99	Evaluating educational initiatives to improve palliative care for people with dementia: A narrative review. Dementia, 2014, 13, 366-381.	1.0	17
100	The effect of exercise on behavioural and psychological symptoms of dementia: the EVIDEMâ€œ randomised controlled clinical trial. International Journal of Geriatric Psychiatry, 2014, 29, 819-827.	1.3	78
101	Barriers to the provision of high-quality palliative care for people with dementia in England: a qualitative study of professionals' experiences. Health and Social Care in the Community, 2014, 22, 386-394.	0.7	50
102	â€œOn Your Feet to Earn Your Seatâ€œ™, a habit-based intervention to reduce sedentary behaviour in older adults: study protocol for a randomized controlled trial. Trials, 2014, 15, 368.	0.7	68
103	Understanding the challenges to implementing case management for people with dementia in primary care in England: a qualitative study using Normalization Process Theory. BMC Health Services Research, 2014, 14, 549.	0.9	38
104	Improving the organization of palliative care: identification of barriers and facilitators in five European countries. Implementation Science, 2014, 9, 130.	2.5	35
105	Response: Compassion in healthcare â€œ lessons from a qualitative study of the end-of-life care of people with dementia. Journal of the Royal Society of Medicine, 2014, 107, 134-134.	1.1	1
106	Assessment and prevention of falls in older people â€œ concise guidance. Clinical Medicine, 2014, 14, 658-662.	0.8	29
107	Numbers are not the whole story: a qualitative exploration of barriers and facilitators to increased physical activity in a primary care based walking intervention. BMC Public Health, 2014, 14, 1272.	1.2	40
108	Sociodemographic, behavioural and health factors associated with changes in older adultsâ€™ TV viewing over 2Â½years. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 102.	2.0	25

#	ARTICLE	IF	CITATIONS
109	Which factors are associated with fear of falling in community-dwelling older people?. Age and Ageing, 2014, 43, 76-84.	0.7	144
110	Which older people decline participation in a primary care trial of physical activity and why: insights from a mixed methods approach. BMC Geriatrics, 2014, 14, 46.	1.1	28
111	OP23...Exploring the reasons for non-participation in physical activity interventions: PACE-UP trial qualitative findings. Journal of Epidemiology and Community Health, 2014, 68, A14.2-A14.	2.0	2
112	Introducing case management for people with dementia in primary care: a mixed-methods study. British Journal of General Practice, 2014, 64, e735-e741.	0.7	19
113	Improving the organization of palliative care by implementing quality indicators and national and setting-specific interventions: Study protocol of the IMPACT project. Progress in Palliative Care, 2014, 22, 201-205.	0.7	9
114	Multicentre cluster randomised trial comparing a community group exercise programme and home-based exercise with usual care for people aged 65 years and over in primary care. Health Technology Assessment, 2014, 18, 1-106.	1.3	128
115	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. Health Technology Assessment, 2014, 18, 1-148.	1.3	244
116	General practitioners should be conducting targeted screening for dementia in people aged 65 to 74: No. Journal of Primary Health Care, 2014, 6, 247-9.	0.2	2
117	Modelling the landscape of palliative care for people with dementia: a European mixed methods study. BMC Palliative Care, 2013, 12, 30.	0.8	23
118	PACE-UP (Pedometer and consultation evaluation - UP) - a pedometer-based walking intervention with and without practice nurse support in primary care patients aged 45-75 years: study protocol for a randomised controlled trial. Trials, 2013, 14, 418.	0.7	22
119	Tailored educational intervention for primary care to improve the management of dementia: the EVIDEM-ED cluster randomized controlled trial. Trials, 2013, 14, 397.	0.7	36
120	Testing the Feasibility of Therapeutic Identification of Depression in Young People in British General Practice. Journal of Adolescent Health, 2013, 52, 539-545.	1.2	22
121	Randomised controlled trial of a complex intervention by primary care nurses to increase walking in patients aged 60-74 years: protocol of the PACE-Lift (Pedometer Accelerometer Consultation) Tj ETQq1 1 0.7843.14 rgBT / Overlock	0.7	2
122	Frailty in elderly people. Lancet, The, 2013, 381, 752-762.	6.3	6,145
123	Designing a complex intervention for dementia case management in primary care. BMC Family Practice, 2013, 14, 101.	2.9	17
124	First Diagnosis and Management of Incontinence in Older People with and without Dementia in Primary Care: A Cohort Study Using The Health Improvement Network Primary Care Database. PLoS Medicine, 2013, 10, e1001505.	3.9	64
125	Working together in dementia research: reflections on the EVIDEM programme. Working With Older People, 2013, 17, 138-145.	0.2	4
126	Under-provision of medical care for vascular diseases for people with dementia in primary care: a cross-sectional review. British Journal of General Practice, 2013, 63, e88-e96.	0.7	12

#	ARTICLE	IF	CITATIONS
127	Proceed with caution. <i>British Journal of General Practice</i> , 2013, 63, 629.2-629.	0.7	1
128	Psychosocial Factors That Shape Patient and Carer Experiences of Dementia Diagnosis and Treatment: A Systematic Review of Qualitative Studies. <i>PLoS Medicine</i> , 2012, 9, e1001331.	3.9	181
129	Nurse-led case management in the National Health Service: bridging clinical and social worlds. <i>Primary Health Care Research and Development</i> , 2012, 13, 153-164.	0.5	10
130	Completion and Return of Fall Diaries Varies With Participants' Level of Education, First Language, and Baseline Fall Risk. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 210-214.	1.7	31
131	Developing an educational intervention on dementia diagnosis and management in primary care for the EVIDEM-ED trial. <i>Trials</i> , 2012, 13, 142.	0.7	18
132	Therapeutic identification of depression in young people: lessons from the introduction of a new technique in general practice. <i>British Journal of General Practice</i> , 2012, 62, e174-e182.	0.7	15
133	Tailored education rather than financial incentives are effective educational interventions for primary dementia care. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 764-765.	1.3	3
134	The potential of case management for people with dementia: a commentary. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 1305-1314.	1.3	36
135	Making a jigsaw puzzle in 10 minutes: is case management feasible in general practice?. <i>London Journal of Primary Care</i> , 2011, 4, 56-64.	0.9	0
136	Dementia diagnosis and management: a narrative review of changing practice. <i>British Journal of General Practice</i> , 2011, 61, e513-e525.	0.7	41
137	Nurse case management and general practice: implications for GP consortia. <i>British Journal of General Practice</i> , 2011, 61, e658-e665.	0.7	10
138	Developing a Dementia Research Registry: a descriptive case study from North Thames DeNDRoN and the EVIDEM programme. <i>BMC Medical Research Methodology</i> , 2011, 11, 9.	1.4	28
139	A taboo within a stigma? a qualitative study of managing incontinence with people with dementia living at home. <i>BMC Geriatrics</i> , 2011, 11, 75.	1.1	57
140	Psychological approach to successful ageing predicts future quality of life in older adults. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 13.	1.0	134
141	End of life care for community dwelling older people with dementia: an integrated review. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 329-337.	1.3	107
142	Rapid appraisal of barriers to the diagnosis and management of patients with dementia in primary care: a systematic review. <i>BMC Family Practice</i> , 2010, 11, 52.	2.9	185
143	Evidence-based interventions in dementia: A pragmatic cluster-randomised trial of an educational intervention to promote earlier recognition and response to dementia in primary care (EVIDEM-ED). <i>Trials</i> , 2010, 11, 13.	0.7	17
144	Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. <i>Trials</i> , 2010, 11, 6.	0.7	30

#	ARTICLE	IF	CITATIONS
145	User involvement in the development of a health promotion technology for older people: findings from the SWISH project. <i>Health and Social Care in the Community</i> , 2010, 18, 147-159.	0.7	25
146	Smarter Working in Social and Health Care: Professional Perspectives on a New Technology for Risk Appraisal with Older People. <i>British Journal of Social Work</i> , 2010, 40, 1829-1846.	0.9	12
147	Subjective memory problems. <i>BMJ: British Medical Journal</i> , 2010, 340, c1425-c1425.	2.4	47
148	Survival of people with clinical diagnosis of dementia in primary care: cohort study. <i>BMJ: British Medical Journal</i> , 2010, 341, c3584-c3584.	2.4	171
149	Collaboration to overcome barriers in primary care. <i>BMJ: British Medical Journal</i> , 2010, 340, c908-c908.	2.4	3
150	Primary care and dementia: 1. diagnosis, screening and disclosure. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 895-901.	1.3	165
151	Dementia diagnosis in primary care: thinking outside the educational box. <i>Ageing Health</i> , 2009, 5, 51-59.	0.3	18
152	“We are not blaming anyone, but if we don't know about amenities, we cannot seek them out”: black and minority older people's views on the quality of local health and personal social services in England. <i>Ageing and Society</i> , 2009, 29, 93-113.	1.2	32
153	Commissioning Dementia Care: Implementing the National Dementia Strategy. <i>Journal of Integrated Care</i> , 2009, 17, 3-11.	0.2	5
154	Ginkgo biloba for mild to moderate dementia in a community setting: a pragmatic, randomised, parallel-group, double-blind, placebo-controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 1222-1230.	1.3	70
155	General practitioners' understanding of depression in young people: qualitative study. <i>Primary Health Care Research and Development</i> , 2008, 9, 269.	0.5	24
156	Promotion of health in older people: a randomised controlled trial of health risk appraisal in British general practice. <i>Age and Ageing</i> , 2008, 37, 565-571.	0.7	63
157	Promotion of exercise in primary care. <i>BMJ: British Medical Journal</i> , 2008, 337, a2430-a2430.	2.4	6
158	Promoting older peoples' participation in activity, whose responsibility? A case study of the response of health, local government and voluntary organizations. <i>Journal of Interprofessional Care</i> , 2007, 21, 515-528.	0.8	14
159	Methodological problems in dementia research in primary care: a case study of a randomized controlled trial. <i>Primary Health Care Research and Development</i> , 2007, 8, 12.	0.5	11
160	The Hawthorne Effect: a randomised, controlled trial. <i>BMC Medical Research Methodology</i> , 2007, 7, 30.	1.4	1,180
161	Performance of an Abbreviated Version of the Lubben Social Network Scale Among Three European Community-Dwelling Older Adult Populations. <i>Gerontologist</i> , The, 2006, 46, 503-513.	2.3	1,252
162	Effectiveness of educational interventions in improving detection and management of dementia in primary care: cluster randomised controlled study. <i>BMJ: British Medical Journal</i> , 2006, 332, 692-696.	2.4	169

#	ARTICLE	IF	CITATIONS
163	Clinical practice with anti-dementia drugs: a consensus statement from British Association for Psychopharmacology. <i>Journal of Psychopharmacology</i> , 2006, 20, 732-755.	2.0	145
164	The feasibility and acceptability of a specialist health and social care team for the promotion of health and independence in 'at risk' older adults. <i>Health and Social Care in the Community</i> , 2005, 13, 136-144.	0.7	36
165	Factors affecting timely recognition and diagnosis of dementia across Europe: from awareness to stigma. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 377-386.	1.3	244
166	The identification of barriers to the recognition of, and response to, dementia in primary care using a modified focus group approach. <i>Dementia</i> , 2005, 4, 73-85.	1.0	45
167	Attitudes to long-term use of benzodiazepine hypnotics by older people in general practice: findings from interviews with service users and providers. <i>Aging and Mental Health</i> , 2004, 8, 242-248.	1.5	57
168	The recognition of adolescent depression in general practice: issues in the acquisition of new skills. <i>Primary Care and Community Psychiatry</i> , 2004, 9, 51-56.	0.4	18
169	Sooner or later? Issues in the early diagnosis of dementia in general practice: a qualitative study. <i>Family Practice</i> , 2003, 20, 376-381.	0.8	174
170	Design and implementation of a computer decision support system for the diagnosis and management of dementia syndromes in primary care. <i>Methods of Information in Medicine</i> , 2002, 41, 98-104.	0.7	5
171	Promoting healthy exercise among older people in general practice: issues in designing and evaluating therapeutic interventions. <i>British Journal of General Practice</i> , 1997, 47, 119-22.	0.7	11
172	Which adolescents attend the GP?. <i>British Journal of General Practice</i> , 1997, 47, 327.	0.7	11