

# Christian Rupp

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8525978/publications.pdf>

Version: 2024-02-01

99  
papers

3,624  
citations

201674

27  
h-index

138484

58  
g-index

102  
all docs

102  
docs citations

102  
times ranked

5594  
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient Age, Sex, and Inflammatory Bowel Disease Phenotype Associate With Course of Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2017, 152, 1975-1984.e8.	1.3	355
2	Malignant ascites-derived exosomes of ovarian carcinoma patients contain CD24 and EpCAM. <i>Gynecologic Oncology</i> , 2007, 107, 563-571.	1.4	335
3	CD24 is a marker of exosomes secreted into urine and amniotic fluid. <i>Kidney International</i> , 2007, 72, 1095-1102.	5.2	325
4	A screen for genes required for meiosis and spore formation based on whole-genome expression. <i>Current Biology</i> , 2001, 11, 1001-1009.	3.9	276
5	Loss of EpCAM expression in breast cancer derived serum exosomes: Role of proteolytic cleavage. <i>Gynecologic Oncology</i> , 2011, 122, 437-446.	1.4	248
6	Body Fluid Exosomes Promote Secretion of Inflammatory Cytokines in Monocytic Cells via Toll-like Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2013, 288, 36691-36702.	3.4	203
7	Genome-wide association analysis in Primary sclerosing cholangitis and ulcerative colitis identifies risk loci at <i>GPR35</i> and <i>TCF4</i> . <i>Hepatology</i> , 2013, 58, 1074-1083.	7.3	150
8	Biliary strictures and recurrence after liver transplantation for primary sclerosing cholangitis: A retrospective multicenter analysis. <i>Liver Transplantation</i> , 2016, 22, 42-52.	2.4	111
9	Mnd1 Is Required for Meiotic Interhomolog Repair. <i>Current Biology</i> , 2004, 14, 752-762.	3.9	92
10	Reduction in alkaline phosphatase is associated with longer survival in primary sclerosing cholangitis, independent of dominant stenosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1292-1301.	3.7	88
11	FUT2 and FUT3 genotype determines CA19-9 cut-off values for detection of cholangiocarcinoma in patients with primary sclerosing cholangitis. <i>Journal of Hepatology</i> , 2013, 59, 1278-1284.	3.7	74
12	Refining prediction of survival after TIPS with the novel Freiburg index of post-TIPS survival. <i>Journal of Hepatology</i> , 2021, 74, 1362-1372.	3.7	74
13	Mismatch repair deficiency is a rare but putative therapeutically relevant finding in non-liver fluke associated cholangiocarcinoma. <i>British Journal of Cancer</i> , 2019, 120, 109-114.	6.4	71
14	Rapid Development of Cefiderocol Resistance in Carbapenem-resistant <i>Enterobacter cloacae</i> During Therapy Is Associated With Heterogeneous Mutations in the Catechol Siderophore Receptor <i>cirA</i> . <i>Clinical Infectious Diseases</i> , 2022, 74, 905-908.	5.8	67
15	Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. <i>Laboratory Investigation</i> , 2010, 90, 1102-1116.	3.7	62
16	Cytoplasmic localization of the cell polarity factor scribble supports liver tumor formation and tumor cell invasiveness. <i>Hepatology</i> , 2018, 67, 1842-1856.	7.3	48
17	Emotional Processing Theory Put to Test: A Meta-Analysis on the Association Between Process and Outcome Measures in Exposure Therapy. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 697-711.	2.7	46
18	Cardiac volume overload and pulmonary hypertension in long-term follow-up of patients with a transjugular intrahepatic portosystemic shunt. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 43, 955-965.	3.7	44

#	ARTICLE	IF	CITATIONS
19	Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. <i>Gut</i> , 2018, 67, 1517-1524.	12.1	42
20	Effect of scheduled endoscopic dilatation of dominant strictures on outcome in patients with primary sclerosing cholangitis. <i>Gut</i> , 2019, 68, 2170-2178.	12.1	40
21	Bacteriobilia and fungibilia are associated with outcome in patients with endoscopic treatment of biliary complications after liver transplantation. <i>Endoscopy</i> , 2013, 45, 890-896.	1.8	35
22	Microbiological Assessment of Bile and Corresponding Antibiotic Treatment. <i>Medicine (United States)</i> , 2016, 95, e2390.	1.0	35
23	Pruritus is associated with severely impaired quality of life in patients with primary sclerosing cholangitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 1374-1379.	1.6	32
24	Programmed cell death ligand 1 (PD-L1, CD274) in cholangiocarcinoma – correlation with clinicopathological data and comparison of antibodies. <i>BMC Cancer</i> , 2019, 19, 72.	2.6	32
25	Risk factors and outcome in patients with primary sclerosing cholangitis with persistent biliary candidiasis. <i>BMC Infectious Diseases</i> , 2014, 14, 562.	2.9	31
26	S100A9 is a Biliary Protein Marker of Disease Activity in Primary Sclerosing Cholangitis. <i>PLoS ONE</i> , 2012, 7, e29821.	2.5	29
27	A Frequent PNPLA3 Variant Is a Sex Specific Disease Modifier in PSC Patients with Bile Duct Stenosis. <i>PLoS ONE</i> , 2013, 8, e58734.	2.5	28
28	Defining Primary Sclerosing Cholangitis: Results From an International Primary Sclerosing Cholangitis Study Group Consensus Process. <i>Gastroenterology</i> , 2021, 161, 1764-1775.e5.	1.3	28
29	<i>Fut2</i> genotype is a risk factor for dominant stenosis and biliary candida infections in primary sclerosing cholangitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 873-882.	3.7	25
30	Transcriptomic Cross-Species Analysis of Chronic Liver Disease Reveals Consistent Regulation Between Humans and Mice. <i>Hepatology Communications</i> , 2022, 6, 161-177.	4.3	24
31	Non-IBD immunological diseases are a risk factor for reduced survival in PSC. <i>Liver International</i> , 2013, 33, 86-93.	3.9	23
32	Long-term evaluation of urinary copper excretion and non- caeruloplasmin associated copper in Wilson disease patients under medical treatment. <i>Journal of Inherited Metabolic Disease</i> , 2019, 42, 371-380.	3.6	23
33	Effects of Increased Von Willebrand Factor Levels on Primary Hemostasis in Thrombocytopenic Patients with Liver Cirrhosis. <i>PLoS ONE</i> , 2014, 9, e112583.	2.5	22
34	CD24 Ala57Val polymorphism predicts pathologic complete response to sequential anthracycline- and taxane-based neoadjuvant chemotherapy for primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 819-831.	2.5	21
35	Inflammation But Not Biliary Obstruction Is Associated With Carbohydrate Antigen 19-9 Levels in Patients With Primary Sclerosing Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 2372-2379.	4.4	21
36	Pathological features of primary sclerosing cholangitis identified by bile proteomic analysis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1380-1389.	3.8	21



#	ARTICLE	IF	CITATIONS
55	Prognostic Impact of Carboxylesterase 2 in Cholangiocarcinoma. <i>Scientific Reports</i> , 2019, 9, 4338.	3.3	10
56	Effect of mycophenolic acid on inosine monophosphate dehydrogenase (IMPDH) activity in liver transplant patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 543-550.	1.5	10
57	The MBOAT7 rs641738 variant is associated with an improved outcome in primary sclerosing cholangitis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 646-652.	1.5	10
58	Statin use is associated with the reduction in hepatocellular carcinoma recurrence after liver surgery. <i>BMC Cancer</i> , 2022, 22, 91.	2.6	10
59	Coffee consumption protects against progression in liver cirrhosis and increases long-term survival after liver transplantation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1470-1475.	2.8	9
60	Criteria Used in Clinical Practice to Guide Immunosuppressive Treatment in Patients with Primary Sclerosing Cholangitis. <i>PLoS ONE</i> , 2015, 10, e0140525.	2.5	8
61	Longitudinal analysis of CA19-9 reveals individualised normal range and early changes before development of biliary tract cancer in patients with primary sclerosing cholangitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 769-778.	3.7	8
62	Multidrug-Resistant Bacteria and Disease Progression in Patients with End-Stage Liver Disease and after Liver Transplantation. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 28, 303-310.	0.9	8
63	Serum miRNA-122 is an Independent Biomarker of Survival in Patients with Primary Sclerosing Cholangitis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 27, 145-150.	0.9	8
64	Association of serum zinc levels with liver function and survival in patients awaiting liver transplantation. <i>Langenbeck's Archives of Surgery</i> , 2015, 400, 805-811.	1.9	7
65	Carcinoembryonic Antigen Level in Primary Sclerosing Cholangitis Is Not Influenced by Dominant Strictures or Bacterial Cholangitis. <i>Digestive Diseases and Sciences</i> , 2017, 62, 510-516.	2.3	7
66	Successful combination of direct antiviral agents in liver-transplanted patients with recurrent hepatitis C virus. <i>World Journal of Gastroenterology</i> , 2018, 24, 1353-1360.	3.3	7
67	Is MRCP necessary to diagnose pancreas divisum?. <i>BMC Medical Imaging</i> , 2019, 19, 33.	2.7	6
68	Treatment stage migration and treatment sequences in patients with hepatocellular carcinoma: drawbacks and opportunities. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2471-2481.	2.5	6
69	Prognostic role of selection criteria for liver transplantation in patients with hepatocellular carcinoma: a network meta-analysis. <i>BJS Open</i> , 2022, 6, .	1.7	6
70	Association between serum IgG level and clinical course in primary sclerosing cholangitis. <i>BMC Gastroenterology</i> , 2019, 19, 153.	2.0	4
71	Intrahepatic biliary strictures after liver transplantation are morphologically similar to primary sclerosing cholangitis but immunologically distinct. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 276-284.	1.6	4
72	Pregnancy with inflammatory bowel disease: Outcomes for mothers and their children at a European tertiary care center. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 621-633.	1.3	4

#	ARTICLE	IF	CITATIONS
73	Balanced steady-state free precession MRCP is a robust alternative to respiration-navigated 3D turbo-spin-echo MRCP. BMC Medical Imaging, 2021, 21, 10.	2.7	3
74	Predictors of Jaundice Resolution and Survival After Endoscopic Treatment of Primary Sclerosing Cholangitis. Hepatology Communications, 2022, 6, 809-820.	4.3	3
75	Obesity surgery in patients with end-stage organ failure: Is it worth it?. Surgery for Obesity and Related Diseases, 2022, 18, 495-503.	1.2	3
76	OUP accepted manuscript. British Journal of Surgery, 2022, , .	0.3	3
77	1413 A FREQUENT PNPLA3 VARIANT PREDICTS DISEASE COURSE IN PRIMARY SCLEROSING CHOLANGITIS. Journal of Hepatology, 2012, 56, S556.	3.7	2
78	Editorial: further evidence for the role of serum alkaline phosphatase as a useful surrogate marker of prognosis in <sc>PSC</sc> â€œ authors' reply. Alimentary Pharmacology and Therapeutics, 2015, 41, 151-152.	3.7	2
79	Biliary calprotectin, lactoferrin and dimeric pyruvate kinase after liver transplantation are associated with biliary damage and graft survival in a case-control study. Clinics and Research in Hepatology and Gastroenterology, 2020, 44, 38-48.	1.5	2
80	Genotype-Phenotype Analysis across 130,422 Genetic Variants Identifies Rspo3 as the First Genome-Wide Significant Modifier Gene in Primary Sclerosing Cholangitis. Journal of Hepatology, 2016, 64, S642-S643.	3.7	1
81	Evaluation of two functional CD24 polymorphisms in primary sclerosing cholangitis. Scandinavian Journal of Gastroenterology, 2020, 55, 581-587.	1.5	1
82	HBV-infection rate and long-term outcome after liver-transplantation of anti-HBc-positive liver-grafts to HBV-naïve recipients: A retrospective study. Clinics and Research in Hepatology and Gastroenterology, 2021, 45, 101496.	1.5	1
83	Possible Role of the HMGB1 and RAGE Inflammatory Pathway in Primary Sclerosing Cholangitis. Clinics and Research in Hepatology and Gastroenterology, 2021, 46, 101791.	1.5	1
84	1292 PSC ACTIVITY ASSESSMENT BY BILE PROTEOME ANALYSES AND CYTOLOGY. Journal of Hepatology, 2011, 54, S509.	3.7	0
85	974 IMMUNOLOGICAL DISEASES AS A RISK FACTOR FOR SURVIVAL IN PRIMARY SCLEROSING CHOLANGITIS: INSIGHT INTO PATHOGENESIS?. Journal of Hepatology, 2012, 56, S381.	3.7	0
86	953 FUT2 POLYMORPHISM IS ASSOCIATED WITH DOMINANT STENOSIS AND CANDIDA INFECTION IN PRIMARY SCLEROSING CHOLANGITIS. Journal of Hepatology, 2013, 58, S393.	3.7	0
87	Aggressive systemic mastocytosis of the liver with cholangitis. Hepatic Oncology, 2015, 2, 343-347.	4.2	0
88	O076 : Cardiac volume overload and pulmonary hypertension after long-term follow-up in TIPS patients. Journal of Hepatology, 2015, 62, S228.	3.7	0
89	High SVR12 Rates with Combination of NS5A- and NS5B- Inhibitors for 24 Weeks in Liver Transplanted Patients. Journal of Hepatology, 2016, 64, S752.	3.7	0
90	Only the tip of the Iceberg? Role of <sc>ATP</sc> 7Bâ€œ exon skipping in Wilson disease. Liver International, 2018, 38, 1375-1376.	3.9	0

#	ARTICLE	IF	CITATIONS
91	Evaluation of the impact of Tacrolimus-based immunosuppression on Heidelberg liver transplant cohort (HDTACRO). <i>Medicine (United States)</i> , 2020, 99, e22180.	1.0	0
92	In PSC with dominant bile duct stenosis, multi-resistant bacteriobilia is associated with reduced survival. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, .	0.5	0
93	The rs626283 Variant in the MBOAT7 Gene is Associated with reduced survival in primary biliary cholangitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.5	0
94	Biliary calprotectin, lactoferrin and dimeric pyruvate kinase after liver transplantation are markers for biliary damage and predict graft survival. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.5	0
95	Evaluation of serological markers of extracellular matrix remodeling in primary sclerosing cholangitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.5	0
96	Obeticholic acid for the treatment of primary biliary cholangitis – first data from a real world cohort. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.5	0
97	Alteration of the gut microbiota in patients with primary sclerosing cholangitis and concomitant dominant strictures. , 2020, 58, .		0
98	Evaluation of two functional CD24 polymorphisms in primary sclerosing cholangitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2020, 58, .	0.5	0
99	HER2 amplification is a rare event in non-liver-fluke associated cholangiocarcinogenesis. <i>Zeitschrift Fur Gastroenterologie</i> , 2020, 58, .	0.5	0