

Ri-Bo Tang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8527598/publications.pdf>

Version: 2024-02-01

73
papers

1,110
citations

516710

16
h-index

477307

29
g-index

79
all docs

79
docs citations

79
times ranked

1732
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of COVID-19 Pandemic on Hospital Admissions of Acute Coronary Syndrome: A Beijing Inpatient Database Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 19, 100335.	2.9	13
2	Transseptal puncture in patients with septal occluder devices during catheter ablation of atrial fibrillation. <i>EuroIntervention</i> , 2022, 17, 1112-1119.	3.2	5
3	Impact of Low-density Lipoprotein Cholesterol Levels on Outcomes in Nonvalvular Atrial Fibrillation: Results from the China Atrial Fibrillation Registry Study. <i>Medical Science Monitor</i> , 2022, 28, e934747.	1.1	0
4	The Antiarrhythmic Mechanisms of Flecainide in Catecholaminergic Polymorphic Ventricular Tachycardia. <i>Frontiers in Physiology</i> , 2022, 13, 850117.	2.8	2
5	Associations of anemia with death and major bleeding in patients with atrial fibrillation: A report from the Chinese Atrial Fibrillation Registry Study. <i>Clinical Cardiology</i> , 2022, 45, 91-100.	1.8	6
6	Use of oral anticoagulants and its associated factors among nonvalvular atrial fibrillation patients with new-onset acute ischemic stroke: A report from the China Atrial Fibrillation Registry study. <i>Clinical Cardiology</i> , 2022, 45, 60-67.	1.8	3
7	Ethanol infusion into the vein of Marshall for recurrent perimitral atrial tachycardia after catheter ablation for persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 773-781.	1.2	11
8	Effect of family history of atrial fibrillation on recurrence after atrial fibrillation ablation: A report from the Chinese Atrial Fibrillation Registry Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 678-685.	1.7	2
9	Incidence and predictors of hospitalization in patients with atrial fibrillation: results from the Chinese atrial fibrillation registry study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 146.	1.7	7
10	A simple and easily implemented risk model to predict 1-year ischemic stroke and systemic embolism in Chinese patients with atrial fibrillation. <i>Chinese Medical Journal</i> , 2021, 134, 2293-2298.	2.3	8
11	Effectiveness of ethanol infusion into the vein of Marshall combined with a fixed anatomical ablation strategy (the "upgraded 2C3L" approach) for catheter ablation of persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1849-1856.	1.7	17
12	Incidence and risk factors of post-operative cognitive decline after ablation for atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 341.	1.7	10
13	Comparison of prognosis and outcomes of catheter ablation versus drug therapy in patients with atrial fibrillation and stable coronary artery disease: A prospective propensity score matched cohort study. <i>Clinical Cardiology</i> , 2021, 44, 1422-1431.	1.8	4
14	A strategy of idarucizumab for pericardial tamponade during perioperative period of atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1824-1831.	1.2	1
15	Catheter ablation of atrial fibrillation in situs inversus dextrocardia: Challenge, improved procedure, outcomes, and literature review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 293-305.	1.2	9
16	Antithrombotic strategy and its relationship with outcomes in patients with atrial fibrillation and chronic coronary syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, , 1.	2.1	0
17	Integrated Care of Atrial Fibrillation Using the ABC (Atrial fibrillation Better Care) Pathway Improves Clinical Outcomes in Chinese Population: An Analysis From the Chinese Atrial Fibrillation Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 762245.	2.4	5
18	Factors associated with depression and anxiety among caregivers of patients with atrial fibrillation. <i>Journal of Clinical Nursing</i> , 2021, , .	3.0	2

#	ARTICLE	IF	CITATIONS
19	The safety of discontinuation of oral anticoagulation therapy after apparently successful atrial fibrillation ablation: a report from the Chinese Atrial Fibrillation Registry study. <i>Europace</i> , 2020, 22, 90-99.	1.7	41
20	Right free-wall accessory pathway with branched atrial insertions: Clinical, electrocardiographic, and electrophysiological characteristics. <i>Heart Rhythm</i> , 2020, 17, 243-249.	0.7	4
21	Pericardial access via wire-guided puncture without contrast: The feasibility and safety of a modified approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 30-37.	1.7	6
22	Safety and efficacy of catheter ablation for atrial fibrillation in abdominal solid organ (renal and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 <i>Electrophysiology</i> , 2020, 31, 3141-3149.	1.7	0
23	Left-sided accessory pathways successfully ablated from the aortomitral continuity region: distinctive atrial activation patterns and anatomic concerns. <i>Europace</i> , 2020, 22, 1712-1717.	1.7	1
24	Relationship Between Ablation Lesion Size Estimated by Ablation Index and Different Ablation Settingsâ€™an Ex Vivo Porcine Heart Study. <i>Journal of Cardiovascular Translational Research</i> , 2020, 13, 965-969.	2.4	10
25	Atrial tachycardia eliminated at the ventricular side in patients with congenitally corrected transposition of the great arteries: Electrophysiological findings and anatomical concerns. <i>Heart Rhythm</i> , 2020, 17, 1337-1345.	0.7	5
26	Evidence of 2 conduction exits of the moderator band: Findings from activation and pace mapping study. <i>Heart Rhythm</i> , 2020, 17, 1856-1863.	0.7	6
27	Physical activity and atrial tachyarrhythmia recurrence in atrial fibrillation patients after catheter ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 922-929.	1.2	4
28	Effectiveness and safety of atrial fibrillation ablation in females. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 583-592.	1.2	6
29	3-Dimensional Transseptal Puncture Based on Electrographic Characteristics of Fossa Ovalis. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 1223-1232.	2.9	14
30	New-Onset Atrial Fibrillation and Adverse In-Hospital Outcome in Patients with Acute Pulmonary Embolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2020, 46, 887-894.	2.7	6
31	Catheter ablation for atrial fibrillation is associated with reduced risk of mortality in the elderly: a prospective cohort study and propensity score analysis. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 740-749.	0.2	0
32	Improving Anticoagulant Treatment Strategies of Atrial Fibrillation Using Reinforcement Learning. <i>AMIA ... Annual Symposium proceedings</i> , 2020, 2020, 1431-1440.	0.2	1
33	Prevalence of modifiable risk factors and relation to stroke and death in patients with atrial fibrillation: A report from the China atrial fibrillation registry study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2759-2767.	1.7	12
34	Maternal arrhythmia in structurally normal heart: Prevalence and feasibility of catheter ablation without fluoroscopy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1566-1572.	1.2	18
35	Depolarization and repolarization parameters on ECG predict recurrence after atrial fibrillation ablation in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2405-2413.	1.7	4
36	Association between the use of contact force-sensing catheters and cardiac tamponade in atrial fibrillation ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 137-143.	1.3	8

#	ARTICLE	IF	CITATIONS
37	Body mass index and all-cause mortality in patients with atrial fibrillation: insights from the China atrial fibrillation registry study. <i>Clinical Research in Cardiology</i> , 2019, 108, 1371-1380.	3.3	9
38	U-shaped association between serum free triiodothyronine and recurrence of atrial fibrillation after catheter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 51, 263-270.	1.3	12
39	Transseptal puncture and catheter ablation of atrial fibrillation in patients with atrial septal occluder: initial experience of a single centre. <i>Europace</i> , 2018, 20, 1468-1474.	1.7	17
40	Electrocardiographic left ventricular hypertrophy predicts recurrence of atrial arrhythmias after catheter ablation of paroxysmal atrial fibrillation. <i>Clinical Cardiology</i> , 2018, 41, 797-802.	1.8	11
41	Elevated homocysteine increases the risk of left atrial/left atrial appendage thrombus in non-valvular atrial fibrillation with low CHA2DS2-VASc score. <i>Europace</i> , 2018, 20, 1093-1098.	1.7	24
42	Association Between Blood Lipid Profiles and Atrial Fibrillation: A Case-Control Study. <i>Medical Science Monitor</i> , 2018, 24, 3903-3908.	1.1	25
43	Patient-Reported Treatment Satisfaction with Dabigatran versus Warfarin in Patients with Non-Valvular Atrial Fibrillation in China. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1815-1822.	3.4	16
44	Long-term outcome of catheter ablation for atrial fibrillation in patients with apical hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 951-957.	1.7	15
45	Risk Stratification for Acute Pulmonary Embolism in Patients with Atrial Fibrillation: Role of CHADS2 Score. <i>Seminars in Thrombosis and Hemostasis</i> , 2017, 43, 864-870.	2.7	5
46	Right atrial diameter and outcome of catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 157-164.	1.3	12
47	Whether Warfarin Therapy is Associated with Damage on Renal Function in Chinese Patients with Nonvalvular Atrial Fibrillation. <i>Chinese Medical Journal</i> , 2016, 129, 1135-1139.	2.3	1
48	Long-Term Persistence of Newly Initiated Warfarin Therapy in Chinese Patients With Nonvalvular Atrial Fibrillation. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 380-387.	2.2	35
49	Rationale and design of the Chinese Atrial Fibrillation Registry Study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 130.	1.7	59
50	Plasma homocysteine levels predict early recurrence after catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2016, 19, euw081.	1.7	21
51	Atrial fibrillation is associated with an increased risk of myocardial infarction: Insights from a meta-analysis. <i>Atherosclerosis</i> , 2016, 254, 1-7.	0.8	16
52	Ridge-related reentry despite apparent bidirectional mitral isthmus block. <i>Heart Rhythm</i> , 2016, 13, 1845-1851.	0.7	11
53	Uptake of evidence-based statin therapy among atrial fibrillation patients in China: A report from the CAFR (Chinese Atrial Fibrillation Registry) Study. <i>International Journal of Cardiology</i> , 2016, 220, 284-289.	1.7	4
54	Current Status and Time Trends of Oral Anticoagulation Use Among Chinese Patients With Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2016, 47, 1803-1810.	2.0	86

#	ARTICLE	IF	CITATIONS
55	Prospective randomized comparison between a fixed “C3L”™ approach vs. stepwise approach for catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2015, 17, 1798-1806.	1.7	84
56	Plasma galectin-3 predicts clinical outcomes after catheter ablation in persistent atrial fibrillation patients without structural heart disease. <i>Europace</i> , 2015, 17, 1541-1547.	1.7	43
57	Catheter ablation of atrial fibrillation in patients with rheumatoid arthritis. <i>Journal of Cardiology</i> , 2015, 66, 320-325.	1.9	9
58	Pouched Mitral Isthmus Is Associated with Incomplete Linear Block in Atrial Fibrillation Patients with Mechanical Mitral Valve Replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 501-508.	1.7	3
59	Incidence and clinical characteristics of transient ST-T elevation during transeptal catheterization for atrial fibrillation ablation. <i>Europace</i> , 2015, 17, 579-583.	1.7	17
60	Serum Uric Acid and Risk of Left Atrial Thrombus in Patients With Nonvalvular Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1415-1421.	1.7	43
61	Predictors of recurrence after a repeat ablation procedure for paroxysmal atrial fibrillation: role of left atrial enlargement. <i>Europace</i> , 2014, 16, 1569-1574.	1.7	31
62	Left ventricular synchronization and systolic function estimated by speckle tracking echocardiography pre-and post-radiofrequency ablation in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014, 172, 217-219.	1.7	3
63	Omega-3 Fatty Acids for Postoperative Atrial Fibrillation: Alone or in Combination with Antioxidant Vitamins?. <i>Heart Lung and Circulation</i> , 2014, 23, 743-750.	0.4	17
64	Long-term results of single-procedure catheter ablation for atrial fibrillation in pre- and post-menopausal women. <i>Journal of Geriatric Cardiology</i> , 2014, 11, 120-5.	0.2	5
65	Efficacy of catheter ablation of atrial fibrillation beyond HATCH score. <i>Chinese Medical Journal</i> , 2012, 125, 3425-9.	2.3	16
66	High-Normal Thyroid Function and Risk of Recurrence of Atrial Fibrillation After Catheter Ablation. <i>Circulation Journal</i> , 2010, 74, 1316-1321.	1.6	24
67	Body Mass Index and Risk of Left Atrial Thrombus in Patients With Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2009, 104, 1699-1703.	1.6	25
68	Metabolic Syndrome and Risk of Recurrence of Atrial Fibrillation After Catheter Ablation. <i>Circulation Journal</i> , 2009, 73, 438-443.	1.6	62
69	Metabolic syndrome in patients with atrial fibrillation in the absence of structural heart disease from a tertiary hospital in China. <i>Chinese Medical Journal</i> , 2009, 122, 2744-7.	2.3	7
70	Obstructive sleep apnoea risk profile and the risk of recurrence of atrial fibrillation after catheter ablation. <i>Europace</i> , 2008, 11, 100-105.	1.7	62
71	Postcardiac injury syndrome complicating circumferential pulmonary vein radiofrequency ablation for atrial fibrillation. <i>Chinese Medical Journal</i> , 2007, 120, 1940-2.	2.3	4
72	Unconscious sedation/analgesia with propofol versus conscious sedation with fentanyl/midazolam for catheter ablation of atrial fibrillation: a prospective, randomized study. <i>Chinese Medical Journal</i> , 2007, 120, 2036-8.	2.3	5

#	ARTICLE	IF	CITATIONS
73	Does adenosine deaminase play a key role in coronary artery disease. Medical Hypotheses, 2006, 67, 371-374.	1.5	15