

Justo Lobato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8533602/publications.pdf>

Version: 2024-02-01

151
papers

7,504
citations

47006

47
h-index

58581

82
g-index

153
all docs

153
docs citations

153
times ranked

5587
citing authors

#	ARTICLE	IF	CITATIONS
1	Can the green energies improve the sustainability of electrochemically-assisted soil remediation processes?. <i>Science of the Total Environment</i> , 2022, 803, 149991.	8.0	3
2	Adapting the low-cost pre-disinfection column PREDICO for simultaneous softening and disinfection of pore water. <i>Chemosphere</i> , 2022, 287, 132334.	8.2	1
3	Scale-up in PEM electro-ozonizers for the degradation of organics. <i>Separation and Purification Technology</i> , 2022, 284, 120261.	7.9	8
4	Characterization of PBI/Graphene Oxide Composite Membranes for the SO ₂ Depolarized Electrolysis at High Temperature. <i>Membranes</i> , 2022, 12, 116.	3.0	9
5	Improving stability of chloralkaline high-temperature PBI-PEMFCs. <i>Journal of Electroanalytical Chemistry</i> , 2022, 904, 115940.	3.8	1
6	Electrospray Deposition of Catalyst Layers with Ultralow Pt Loading for Cost-Effective H ₂ Production by SO ₂ Electrolysis. <i>ACS Applied Energy Materials</i> , 2022, 5, 2138-2149.	5.1	8
7	Electrolytic removal of volatile organic compounds: Keys to understand the process. <i>Journal of Electroanalytical Chemistry</i> , 2022, 912, 116259.	3.8	11
8	Production of value-added substances from the electrochemical oxidation of volatile organic compounds in methanol medium. <i>Chemical Engineering Journal</i> , 2022, 440, 135803.	12.7	12
9	Using solar power regulation to electrochemically capture carbon dioxide: Process integration and case studies. <i>Energy Reports</i> , 2022, 8, 4957-4963.	5.1	5
10	Influence of current density and inlet gas flow in the treatment of gaseous streams polluted with benzene by electro-absorption. <i>Electrochimica Acta</i> , 2022, 423, 140610.	5.2	5
11	Enhancement of SO ₂ high temperature depolarized electrolysis by means of graphene oxide composite polybenzimidazole membranes. <i>Journal of Cleaner Production</i> , 2022, 363, 132372.	9.3	7
12	Highly Efficient Electrochemical Production of Hydrogen Peroxide Using the GDE Technology. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 10660-10669.	3.7	12
13	Improving sustainability of electrolytic wastewater treatment processes by green powering. <i>Science of the Total Environment</i> , 2021, 754, 142230.	8.0	17
14	Modelling of the treatment of wastewater by photovoltaic solar electrochemical oxidation (PSEO) assisted by redox-flow batteries. <i>Journal of Water Process Engineering</i> , 2021, 40, 101974.	5.6	9
15	Toward more sustainable photovoltaic solar electrochemical oxidation treatments: Influence of hydraulic and electrical distribution. <i>Journal of Environmental Management</i> , 2021, 285, 112064.	7.8	16
16	Management of solar energy to power electrochemical wastewater treatments. <i>Journal of Water Process Engineering</i> , 2021, 41, 102056.	5.6	10
17	Platinum Recovery Techniques for a Circular Economy. <i>Catalysts</i> , 2021, 11, 937.	3.5	17
18	Electroscrubbers for removing volatile organic compounds and odorous substances from polluted gaseous streams. <i>Current Opinion in Electrochemistry</i> , 2021, 28, 100718.	4.8	4

#	ARTICLE	IF	CITATIONS
19	First approaches for hydrogen production by the depolarized electrolysis of SO ₂ using phosphoric acid doped polybenzimidazole membranes. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 29763-29773.	7.1	8
20	Chloralkali low temperature PEM reversible electrochemical cells. <i>Electrochimica Acta</i> , 2021, 387, 138542.	5.2	5
21	Evaluation of Goethite as a Catalyst for the Thermal Stage of the Westinghouse Process for Hydrogen Production. <i>Catalysts</i> , 2021, 11, 1145.	3.5	1
22	Platinum: A key element in electrode composition for reversible chloralkaline electrochemical cells. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 32602-32611.	7.1	4
23	Towards the Electrochemical Retention of CO ₂ : Is it Worth it?. <i>ChemElectroChem</i> , 2021, 8, 3947-3953.	3.4	4
24	Impact of carbonaceous particles concentration in a nanofluidic electrolyte for vanadium redox flow batteries. <i>Carbon</i> , 2020, 156, 287-298.	10.3	19
25	Synthesis and characterization of Pt on novel catalyst supports for the H ₂ production in the Westinghouse cycle. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 25672-25680.	7.1	11
26	Prediction and management of solar energy to power electrochemical processes for the treatment of wastewater effluents. <i>Electrochimica Acta</i> , 2020, 335, 135594.	5.2	13
27	Environmental and Preliminary Cost Assessments of Redox Flow Batteries for Renewable Energy Storage. <i>Energy Technology</i> , 2020, 8, 1900914.	3.8	37
28	Recent Progress in Catalysts for Hydrogen-Chlorine Regenerative Fuel Cells. <i>Catalysts</i> , 2020, 10, 1263.	3.5	16
29	Storage of energy using a gas-liquid H ₂ /Cl ₂ fuel cell: A first approach to electrochemically-assisted absorbers. <i>Chemosphere</i> , 2020, 254, 126795.	8.2	13
30	Electro-disinfection with BDD-electrodes featuring PEM technology. <i>Separation and Purification Technology</i> , 2020, 248, 117081.	7.9	28
31	How to avoid the formation of hazardous chlorates and perchlorates during electro-disinfection with diamond anodes?. <i>Journal of Environmental Management</i> , 2020, 265, 110566.	7.8	11
32	Effect of the anode composition on the performance of reversible chlor-alkali electro-absorption cells. <i>Separation and Purification Technology</i> , 2020, 248, 117017.	7.9	9
33	Importance of Electrode Tailoring in the Coupling of Electrolysis with Renewable Energy. <i>ChemElectroChem</i> , 2020, 7, 2925-2932.	3.4	4
34	Testing the use of cells equipped with solid polymer electrolytes for electro-disinfection. <i>Science of the Total Environment</i> , 2020, 725, 138379.	8.0	26
35	Strategies for powering electrokinetic soil remediation: A way to optimize performance of the environmental technology. <i>Journal of Environmental Management</i> , 2020, 267, 110665.	7.8	24
36	Operating the CabECO [®] membrane electrolytic technology in continuous mode for the direct disinfection of highly fecal-polluted water. <i>Separation and Purification Technology</i> , 2019, 208, 110-115.	7.9	30

#	ARTICLE	IF	CITATIONS
37	Environmental applications of electrochemical technology. What is needed to enable full-scale applications?. <i>Current Opinion in Electrochemistry</i> , 2019, 16, 149-156.	4.8	87
38	Powering with Solar Energy the Anodic Oxidation of Wastewater Polluted with Pesticides. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8303-8309.	6.7	24
39	Review of Anodic Catalysts for SO ₂ Depolarized Electrolysis for "Green Hydrogen" Production. <i>Catalysts</i> , 2019, 9, 63.	3.5	44
40	Thermally-treated algal suspensions as fuel for microbial fuel cells. <i>Journal of Electroanalytical Chemistry</i> , 2018, 814, 77-82.	3.8	6
41	Towards the sustainable powering of the electrocoagulation of wastewater through the use of solar-vanadium redox flow battery: A first approach. <i>Electrochimica Acta</i> , 2018, 270, 14-21.	5.2	17
42	Influence of the ion-exchange membrane on the performance of double-compartment microbial fuel cells. <i>Journal of Electroanalytical Chemistry</i> , 2018, 808, 427-432.	3.8	35
43	Algal biomass as fuel for stacked "MFCs for profitable, sustainable and carbon neutral bioenergy generation. <i>Journal of Chemical Technology and Biotechnology</i> , 2018, 93, 287-293.	3.2	9
44	Vanadium redox flow batteries for the storage of electricity produced in wind turbines. <i>International Journal of Energy Research</i> , 2018, 42, 720-730.	4.5	29
45	Pre-disinfection columns to improve the performance of the direct electro-disinfection of highly faecal-polluted surface water. <i>Journal of Environmental Management</i> , 2018, 222, 135-140.	7.8	12
46	Influence of hydraulic retention time and carbon loading rate on the production of algae. <i>Journal of Biotechnology</i> , 2018, 282, 70-79.	3.8	6
47	Influence of the initial sludge characteristics and acclimation on the long-term performance of double-compartment acetate-fed microbial fuel cells. <i>Journal of Electroanalytical Chemistry</i> , 2018, 825, 1-7.	3.8	6
48	Enhancement of Electrode Stability Using Platinum-Cobalt Nanocrystals on a Novel Composite SiCTiC Support. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 5927-5936.	8.0	31
49	Selection of cheap electrodes for two-compartment microbial fuel cells. <i>Journal of Electroanalytical Chemistry</i> , 2017, 785, 235-240.	3.8	51
50	SiCTiC as catalyst support for HT-PEMFCs. Influence of Ti content. <i>Applied Catalysis B: Environmental</i> , 2017, 207, 244-254.	20.2	17
51	Improving a Redox Flow Battery Working under Realistic Conditions by Using of Graphene based Nanofluids. <i>ChemistrySelect</i> , 2017, 2, 8446-8450.	1.5	14
52	High-Stability Electrodes for High-Temperature Proton Exchange Membrane Fuel Cells by Using Advanced Nanocarbonaceous Materials. <i>ChemElectroChem</i> , 2017, 4, 3288-3295.	3.4	8
53	Performance of a vanadium redox flow battery for the storage of electricity produced in photovoltaic solar panels. <i>Renewable Energy</i> , 2017, 114, 1123-1133.	8.9	32
54	Towards the scale-up of bioelectrogenic technology: stacking microbial fuel cells to produce larger amounts of electricity. <i>Journal of Applied Electrochemistry</i> , 2017, 47, 1115-1125.	2.9	35

#	ARTICLE	IF	CITATIONS
55	Is microbial fuel cell technology ready? An economic answer towards industrial commercialization. Applied Energy, 2017, 185, 698-707.	10.1	201
56	Composite Titanium Silicon Carbide as a Promising Catalyst Support for High-Temperature Proton-Exchange Membrane Fuel Cell Electrodes. ChemCatChem, 2016, 8, 848-854.	3.7	24
57	Enhancement of high temperature PEMFC stability using catalysts based on Pt supported on SiC based materials. Applied Catalysis B: Environmental, 2016, 198, 516-524.	20.2	42
58	Long-term effects of the transient COD concentration on the performance of microbial fuel cells. Biotechnology Progress, 2016, 32, 883-890.	2.6	13
59	Influence of the fuel and dosage on the performance of double-compartment microbial fuel cells. Water Research, 2016, 99, 16-23.	11.3	53
60	Life test of a high temperature PEM fuel cell prepared by electrospray. International Journal of Hydrogen Energy, 2016, 41, 20294-20304.	7.1	19
61	Improved Electrodes for High Temperature Proton Exchange Membrane Fuel Cells using Carbon Nanospheres. ChemSusChem, 2016, 9, 1187-1193.	6.8	23
62	PBI-Based Composite Membranes. , 2016, , 275-295.		3
63	Microporous layer based on SiC for high temperature proton exchange membrane fuel cells. Journal of Power Sources, 2015, 288, 288-295.	7.8	27
64	Bioelectro-Claus processes using MFC technology: Influence of co-substrate. Bioresource Technology, 2015, 189, 94-98.	9.6	23
65	Improving of Micro Porous Layer based on Advanced Carbon Materials for High Temperature Proton Exchange Membrane Fuel Cell Electrodes. Fuel Cells, 2015, 15, 375-383.	2.4	31
66	Characterization of light/dark cycle and long-term performance test in a photosynthetic microbial fuel cell. Fuel, 2015, 140, 209-216.	6.4	50
67	Long-term testing of a high-temperature proton exchange membrane fuel cell short stack operated with improved polybenzimidazole-based composite membranes. Journal of Power Sources, 2015, 274, 177-185.	7.8	74
68	Effects of External Resistance on Microbial Fuel Cell's Performance. Handbook of Environmental Chemistry, 2014, , 175-197.	0.4	14
69	Study of a photosynthetic MFC for energy recovery from synthetic industrial fruit juice wastewater. International Journal of Hydrogen Energy, 2014, 39, 21828-21836.	7.1	37
70	Energy recovery of biogas from juice wastewater through a short high temperature PEMFC stack. International Journal of Hydrogen Energy, 2014, 39, 6937-6943.	7.1	13
71	Microbial Fuel Cell: The Definitive Technological Approach for Valorizing Organic Wastes. Handbook of Environmental Chemistry, 2014, , 287-316.	0.4	6
72	Neuro-evolutionary approach applied for optimizing the PEMFC performance. International Journal of Hydrogen Energy, 2014, 39, 4037-4043.	7.1	8

#	ARTICLE	IF	CITATIONS
73	Durability study of HTPEMFC through current distribution measurements and the application of a model. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 21678-21687.	7.1	17
74	Bioelectricity generation in a self-sustainable Microbial Solar Cell. <i>Bioresource Technology</i> , 2014, 159, 451-454.	9.6	24
75	Lagooning microbial fuel cells: A first approach by coupling electricity-producing microorganisms and algae. <i>Applied Energy</i> , 2013, 110, 220-226.	10.1	96
76	Microbial fuel cell with an algae-assisted cathode: A preliminary assessment. <i>Journal of Power Sources</i> , 2013, 242, 638-645.	7.8	167
77	From biomass to pure hydrogen: Electrochemical reforming of bio-ethanol in a PEM electrolyser. <i>Applied Catalysis B: Environmental</i> , 2013, 134-135, 302-309.	20.2	93
78	Short-term effects of temperature and COD in a microbial fuel cell. <i>Applied Energy</i> , 2013, 101, 213-217.	10.1	129
79	Titanium composite PBI-based membranes for high temperature polymer electrolyte membrane fuel cells. Effect on titanium dioxide amount. <i>RSC Advances</i> , 2012, 2, 1547-1556.	3.6	94
80	Life study of a PBI-PEM fuel cell by current distribution measurement. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 711-718.	2.9	15
81	An easy parameter estimation procedure for modeling a HT-PEMFC. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 11308-11320.	7.1	22
82	Electricity production by integration of acidogenic fermentation of fruit juice wastewater and fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 9028-9037.	7.1	28
83	An evaluation of aerobic and anaerobic sludges as start-up material for microbial fuel cell systems. <i>New Biotechnology</i> , 2012, 29, 415-420.	4.4	40
84	Hydrodynamics and Current Distribution Analysis of Bipolar Plates for Direct Ethanol Fuel Cells. <i>ECS Transactions</i> , 2011, 41, 1909-1925.	0.5	1
85	Enhancement of the fuel cell performance of a high temperature proton exchange membrane fuel cell running with titanium composite polybenzimidazole-based membranes. <i>Journal of Power Sources</i> , 2011, 196, 8265-8271.	7.8	78
86	A novel titanium PBI-based composite membrane for high temperature PEMFCs. <i>Journal of Membrane Science</i> , 2011, 369, 105-111.	8.2	96
87	Promising TiOSO ₄ Composite Polybenzimidazole-Based Membranes for High Temperature PEMFCs. <i>ChemSusChem</i> , 2011, 4, 1489-1497.	6.8	45
88	Testing PtRu/CNF catalysts for a high temperature polybenzimidazole-based direct ethanol fuel cell. Effect of metal content. <i>Applied Catalysis B: Environmental</i> , 2011, 106, 174-174.	20.2	14
89	Study of flow channel geometry using current distribution measurement in a high temperature polymer electrolyte membrane fuel cell. <i>Journal of Power Sources</i> , 2011, 196, 4209-4217.	7.8	64
90	Scale-up of a high temperature polymer electrolyte membrane fuel cell based on polybenzimidazole. <i>Journal of Power Sources</i> , 2011, 196, 4306-4313.	7.8	34

#	ARTICLE	IF	CITATIONS
91	Modeling of Electrochemical Process for the Treatment of Wastewater Containing Organic Pollutants. , 2010, , 99-124.		0
92	Study of the Catalytic Layer in Polybenzimidazole-Based High Temperature PEMFC: Effect of Platinum Content on the Carbon Support. Fuel Cells, 2010, 10, 312-319.	2.4	67
93	Optimisation of the Microporous Layer for a Polybenzimidazole-Based High Temperature PEMFC – Effect of Carbon Content. Fuel Cells, 2010, 10, 770-777.	2.4	44
94	Study of the influence of the amount of PBI-H ₃ PO ₄ in the catalytic layer of a high temperature PEMFC. International Journal of Hydrogen Energy, 2010, 35, 1347-1355.	7.1	148
95	Three-dimensional model of a 50Åcm ² high temperature PEM fuel cell. Study of the flow channel geometry influence. International Journal of Hydrogen Energy, 2010, 35, 5510-5520.	7.1	123
96	Direct and inverse neural networks modelling applied to study the influence of the gas diffusion layer properties on PBI-based PEM fuel cells. International Journal of Hydrogen Energy, 2010, 35, 7889-7897.	7.1	28
97	Effect of the electron-acceptors on the performance of a MFC. Bioresource Technology, 2010, 101, 7014-7018.	9.6	53
98	Testing a Vapour-Fed PBI-Based Direct Ethanol Fuel Cell. Fuel Cells, 2009, 9, 597-604.	2.4	30
99	The neural networks based modeling of a polybenzimidazole-based polymer electrolyte membrane fuel cell: Effect of temperature. Journal of Power Sources, 2009, 192, 190-194.	7.8	44
100	Study of different bimetallic anodic catalysts supported on carbon for a high temperature polybenzimidazole-based direct ethanol fuel cell. Applied Catalysis B: Environmental, 2009, 91, 269-274.	20.2	37
101	Study of the acclimation stage and of the effect of the biodegradability on the performance of a microbial fuel cell. Bioresource Technology, 2009, 100, 4704-4710.	9.6	70
102	Testing Different Catalysts for a Vapor-Fed PBI-Based Direct Ethanol Fuel Cell. , 2009, , .		1
103	Modelling of wastewater electrocoagulation processesPart II: Application to dye-polluted wastewaters and oil-in-water emulsions. Separation and Purification Technology, 2008, 60, 147-154.	7.9	32
104	Influence of the Teflon loading in the gas diffusion layer of PBI-based PEM fuel cells. Journal of Applied Electrochemistry, 2008, 38, 793-802.	2.9	121
105	Modelling of wastewater electrocoagulation processesPart I. General description and application to kaolin-polluted wastewaters. Separation and Purification Technology, 2008, 60, 155-161.	7.9	39
106	Performance of a Vapor-Fed Polybenzimidazole (PBI)-Based Direct Methanol Fuel Cell. Energy & Fuels, 2008, 22, 3335-3345.	5.1	76
107	Advanced oxidation processes for the treatment of olive-oil mills wastewater. Chemosphere, 2007, 67, 832-838.	8.2	167
108	Coagulation and Electrocoagulation of Wastes Polluted with Colloids. Separation Science and Technology, 2007, 42, 2157-2175.	2.5	31

#	ARTICLE	IF	CITATIONS
109	Effect of the Operating Conditions on the Oxidation Mechanisms in Conductive-Diamond Electrolyses. Journal of the Electrochemical Society, 2007, 154, E37.	2.9	83
110	Improved polybenzimidazole films for H3PO4-doped PBI-based high temperature PEMFC. Journal of Membrane Science, 2007, 306, 47-55.	8.2	211
111	Break-up of oil-in-water emulsions by electrochemical techniques. Journal of Hazardous Materials, 2007, 145, 233-240.	12.4	89
112	PBI-based polymer electrolyte membranes fuel cells. Electrochimica Acta, 2007, 52, 3910-3920.	5.2	143
113	Production of electricity from the treatment of urban waste water using a microbial fuel cell. Journal of Power Sources, 2007, 169, 198-204.	7.8	217
114	Measurement of Mass-Transfer Coefficients by an Electrochemical Technique. Journal of Chemical Education, 2006, 83, 1204.	2.3	114
115	Electrochemical Oxidation of Azoic Dyes with Conductive-Diamond Anodes. Industrial & Engineering Chemistry Research, 2006, 45, 3468-3473.	3.7	121
116	Comparison of the Aluminum Speciation in Chemical and Electrochemical Dosing Processes. Industrial & Engineering Chemistry Research, 2006, 45, 8749-8756.	3.7	79
117	Electrochemically Assisted Coagulation of Wastes Polluted with Eriochrome Black T. Industrial & Engineering Chemistry Research, 2006, 45, 3474-3480.	3.7	41
118	Coagulation and Electrocoagulation of Wastes Polluted with Dyes. Environmental Science & Technology, 2006, 40, 6418-6424.	10.0	198
119	Application of anammox for nitrogen removal from wastewater.  <small>xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:tbl_struct="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/"/></small>	3.8	16
120	Advanced oxidation processes for the treatment of wastes polluted with azoic dyes. Electrochimica Acta, 2006, 52, 325-331.	5.2	138
121	A comparison of hydrogen cloud explosion models and the study of the vulnerability of the damage caused by an explosion of H2/H2. International Journal of Hydrogen Energy, 2006, 31, 1780-1790.	7.1	36
122	Effect of the catalytic ink preparation method on the performance of high temperature polymer electrolyte membrane fuel cells. Journal of Power Sources, 2006, 157, 284-292.	7.8	85
123	Electrochemical treatment of the effluent of a fine chemical manufacturing plant. Journal of Hazardous Materials, 2006, 138, 173-181.	12.4	83
124	Synthesis and characterisation of poly[2,2-(m-phenylene)-5,5-benzimidazole] as polymer electrolyte membrane for high temperature PEMFCs. Journal of Membrane Science, 2006, 280, 351-362.	8.2	197
125	Detoxification of synthetic industrial wastewaters using electrochemical oxidation with boron-doped diamond anodes. Journal of Chemical Technology and Biotechnology, 2006, 81, 352-358.	3.2	38
126	Treatment of Fenton-refractory olive oil mill wastes by electrochemical oxidation with boron-doped diamond anodes. Journal of Chemical Technology and Biotechnology, 2006, 81, 1331-1337.	3.2	96

#	ARTICLE	IF	CITATIONS
127	Electrochemical treatment of diluted cyanide aqueous wastes. <i>Journal of Chemical Technology and Biotechnology</i> , 2005, 80, 565-573.	3.2	58
128	Electrodissolution of Aluminum Electrodes in Electrocoagulation Processes. <i>Industrial & Engineering Chemistry Research</i> , 2005, 44, 4178-4185.	3.7	205
129	Electrochemical oxidation of phenolic wastes with boron-doped diamond anodes. <i>Water Research</i> , 2005, 39, 2687-2703.	11.3	354
130	Electrochemical Synthesis of Peroxodiphosphate Using Boron-Doped Diamond Anodes. <i>Journal of the Electrochemical Society</i> , 2005, 152, D191.	2.9	114
131	Electrochemical Oxidation of Hydroquinone, Resorcinol, and Catechol on Boron-Doped Diamond Anodes. <i>Environmental Science & Technology</i> , 2005, 39, 7234-7239.	10.0	181
132	Continuous Electrocoagulation of Synthetic Colloid-Polluted Wastes. <i>Industrial & Engineering Chemistry Research</i> , 2005, 44, 8171-8177.	3.7	66
133	Reducción de cromo hexavalente en cementos usando sulfato ferroso mono y heptahidratado: eficacia y almacenabilidad. <i>Materiales De Construccion</i> , 2005, 55, 39-52.	0.7	3
134	Combined adsorption and electrochemical processes for the treatment of acidic aqueous phenol wastes. <i>Journal of Applied Electrochemistry</i> , 2004, 34, 111-117.	2.9	40
135	Influence of Dispersed Particulates on Mass Transport in Cross-Corrugated Structures. <i>Journal of Applied Electrochemistry</i> , 2004, 34, 631-636.	2.9	1
136	Electrochemical treatment of 2,4-dinitrophenol aqueous wastes using boron-doped diamond anodes. <i>Electrochimica Acta</i> , 2004, 49, 4641-4650.	5.2	122
137	Modeling of Wastewater Electro-oxidation Processes Part II. Application to Active Electrodes. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 1923-1931.	3.7	52
138	Electrochemical Oxidation of Polyhydroxybenzenes on Boron-Doped Diamond Anodes. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 6629-6637.	3.7	85
139	Electrochemical Treatment of 4-Nitrophenol-Containing Aqueous Wastes Using Boron-Doped Diamond Anodes. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 1944-1951.	3.7	208
140	Comparative Study of the Solubility of the Crystalline Layered Silicates β - $\text{Na}_2\text{Si}_2\text{O}_5$ and γ - $\text{Na}_2\text{Si}_2\text{O}_5$ and the Amorphous Silicate $\text{Na}_2\text{Si}_2\text{O}_5$. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 1472-1477.	3.7	12
141	Modeling of Wastewater Electro-oxidation Processes Part I. General Description and Application to Inactive Electrodes. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 1915-1922.	3.7	85
142	Electrochemical Oxidation of Aqueous Carboxylic Acid Wastes Using Diamond Thin-Film Electrodes. <i>Industrial & Engineering Chemistry Research</i> , 2003, 42, 956-962.	3.7	104
143	Retention Capacity of the Builder β - $\text{Na}_2\text{Si}_2\text{O}_5$. Modeling the $\text{Ca}^{2+}/\text{Mg}^{2+}/\text{Na}^+$ Equilibrium. <i>Industrial & Engineering Chemistry Research</i> , 2003, 42, 3257-3262.	3.7	6
144	Mass Transport in Cross-Corrugated Membranes and the Influence of TiO_2 for Separation Processes. <i>Industrial & Engineering Chemistry Research</i> , 2003, 42, 5697-5701.	3.7	21

#	ARTICLE	IF	CITATIONS
145	Calculation of Kinetic Parameters for Crystallization Processes. The Chemical Educator, 2002, 7, 19-22.	0.0	4
146	Determination of a Mass-Transfer Coefficient Using the Limiting-Current Technique. The Chemical Educator, 2002, 7, 214-219.	0.0	14
147	Mass transfer characteristics of cross-corrugated membranes. Desalination, 2002, 146, 255-258.	8.2	21
148	Synthesis of crystalline β -Na ₂ Si ₂ O ₅ from sodium silicate solution for use as a builder in detergents. Chemical Engineering Science, 2002, 57, 479-486.	3.8	27
149	Effect of the Particle Size of Starting Materials on the Synthesis of Crystalline Layered Sodium Silicate for Use in Detergents. Industrial & Engineering Chemistry Research, 2001, 40, 2580-2585.	3.7	9
150	Synthesis of Crystalline Layered Sodium Silicate from Amorphous Silicate for Use in Detergents. Industrial & Engineering Chemistry Research, 2000, 39, 1249-1255.	3.7	15
151	The Gas Diffusion Layer in High Temperature Polymer Electrolyte Membrane Fuel Cells. , 0, , .		0