## Richard F Loeser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8537280/publications.pdf

Version: 2024-02-01

97 papers 13,260 citations

52 h-index 94 g-index

101 all docs

101 docs citations

times ranked

101

11464 citing authors

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 1  | Changes in Body Weight and Knee Pain in Adults With Knee Osteoarthritis <scp>Threeâ€andâ€aâ€Half</scp><br>Years After Completing Diet and Exercise Interventions: Followâ€Up Study for a <scp>Singleâ€Blind</scp> ,<br><scp>Singleâ€Center</scp> , Randomized Controlled Trial. Arthritis Care and Research, 2022, 74, 607-616. | 3.4          | 6         |
| 2  | Association of Increased Serum Lipopolysaccharide, But Not Microbial Dysbiosis, With <scp>Obesityâ€Related &lt; /scp&gt; Osteoarthritis. Arthritis and Rheumatology, 2022, 74, 227-236.</scp>   | 5 <b>.</b> 6 | 21        |
| 3  | Fecal metabolomics reveals products of dysregulated proteolysis and altered microbial metabolism in obesity-related osteoarthritis. Osteoarthritis and Cartilage, 2022, 30, 81-91.  | 1.3          | 25        |
| 4  | Overexpression of Peroxiredoxin 3 in Cartilage Reduces the Severity of <scp>Ageâ€Related</scp> Osteoarthritis But Not Surgically Induced Osteoarthritis in Mice. ACR Open Rheumatology, 2022, 4, 41-446.  | 2.1          | 5         |
| 5  | Osteoarthritis Pathophysiology. Clinics in Geriatric Medicine, 2022, 38, 193-219.   | 2.6          | 17        |
| 6  | Targeting cellular senescence as a novel treatment for osteoarthritis. Current Opinion in Pharmacology, 2022, 64, 102213.   | 3 <b>.</b> 5 | 12        |
| 7  | Role of the Hypoxia-Inducible Factor Pathway in Normal and Osteoarthritic Meniscus and in Mice after Destabilization of the Medial Meniscus. Cartilage, 2021, 13, 1442S-1455S.  | 2.7          | 2         |
| 8  | Precision Medicine Approach to Develop and Internally Validate Optimal Exercise and Weight‣oss<br>Treatments for Overweight and Obese Adults With Knee Osteoarthritis: Data From a Singleâ€Center<br>Randomized Trial. Arthritis Care and Research, 2021, 73, 693-701.  | 3.4          | 18        |
| 9  | Mechanisms and therapeutic implications of cellular senescence in osteoarthritis. Nature Reviews<br>Rheumatology, 2021, 17, 47-57.  | 8.0          | 284       |
| 10 | Diagnosis and Treatment of Hip and Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2021, 325, 568.   | 7.4          | 779       |
| 11 | Effect of High-Intensity Strength Training on Knee Pain and Knee Joint Compressive Forces Among<br>Adults With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2021, 325, 646.   | 7.4          | 75        |
| 12 | CCL2 induces articular chondrocyte MMP expression through ERK and p38 signaling pathways. Osteoarthritis and Cartilage Open, 2021, 3, 100136.   | 2.0          | 4         |
| 13 | Sirtuin 6 (SIRT6) regulates redox homeostasis and signaling events in human articular chondrocytes.<br>Free Radical Biology and Medicine, 2021, 166, 90-103.  | 2.9          | 30        |
| 14 | Vitamin K and osteoarthritis: is there a link?. Annals of the Rheumatic Diseases, 2021, 80, 547-549.  | 0.9          | 4         |
| 15 | Review of Hip and Knee Osteoarthritisâ€"Reply. JAMA - Journal of the American Medical Association, 2021, 325, 2505.   | 7.4          | 1         |
| 16 | Vitamin K Status and Mobility Limitation and Disability in Older Adults: The Health, Aging, and Body Composition Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 792-797.   | 3.6          | 11        |
| 17 | Naturally occurring osteoarthritis in male mice with an extended lifespan. Connective Tissue Research, 2020, 61, 95-103.  | 2.3          | 11        |
| 18 | The effects of intensive dietary weight loss and exercise on gait in overweight and obese adults with knee osteoarthritis. The Intensive Diet and Exercise for Arthritis (IDEA) trial. Journal of Biomechanics, 2020, 98, 109477.   | 2.1          | 26        |

| #  | Article  | IF           | Citations |
|----|--|--------------|-----------|
| 19 | Reply. Arthritis and Rheumatology, 2020, 72, 2162-2163.  | 5 <b>.</b> 6 | O         |
| 20 | Deletion of JNK Enhances Senescence in Joint Tissues and Increases the Severity of Ageâ€Related Osteoarthritis in Mice. Arthritis and Rheumatology, 2020, 72, 1679-1688.                                 | 5 <b>.</b> 6 | 21        |
| 21 | The effect of vitamin K insufficiency on histological and structural properties of knee joints in aging mice. Osteoarthritis and Cartilage Open, 2020, 2, 100078.  | 2.0          | 4         |
| 22 | Arp2/3 inactivation causes intervertebral disc and cartilage degeneration with dysregulated TonEBP-mediated osmoadaptation. JCI Insight, 2020, 5, .  | 5 <b>.</b> 0 | 23        |
| 23 | Impaired Annulus Fibrosus Development and Vertebral Fusion Cause Severe Scoliosis in Mice with Deficiency of c-Jun NH2-Terminal Kinases 1 and 2. American Journal of Pathology, 2019, 189, 868-885.      | 3.8          | 9         |
| 24 | TGF- $\hat{l}^2$ type 2 receptor $\hat{a}$ mediated modulation of the IL-36 family can be the rapeutically targeted in osteoarthritis. Science Translational Medicine, 2019, 11, .                       | 12.4         | 49        |
| 25 | Reactive oxygen species, aging and articular cartilage homeostasis. Free Radical Biology and Medicine, 2019, 132, 73-82.   | 2.9          | 337       |
| 26 | Articular chondrocytes isolated from the knee and ankle joints of human tissue donors demonstrate similar redox-regulated MAP kinase and Akt signaling. Osteoarthritis and Cartilage, 2019, 27, 703-711. | 1.3          | 11        |
| 27 | Differential peroxiredoxin hyperoxidation regulates MAP kinase signaling in human articular chondrocytes. Free Radical Biology and Medicine, 2019, 134, 139-152.   | 2.9          | 18        |
| 28 | Effect of intensive diet and exercise on self-efficacy in overweight and obese adults with knee osteoarthritis: The IDEA randomized clinical trial. Translational Behavioral Medicine, 2019, 9, 227-235. | 2.4          | 30        |
| 29 | Phenotypes of osteoarthritis: current state and future implications. Clinical and Experimental Rheumatology, 2019, 37 Suppl 120, 64-72.  | 0.8          | 26        |
| 30 | Is osteoarthritis one disease or a collection of many?. Rheumatology, 2018, 57, iv34-iv42.   | 1.9          | 85        |
| 31 | Targeting aging for disease modification in osteoarthritis. Current Opinion in Rheumatology, 2018, 30, 101-107.  | 4.3          | 87        |
| 32 | Does Joint Injury Make Young Joints Old?. Journal of the American Academy of Orthopaedic Surgeons, The, 2018, 26, e455-e456.   | 2.5          | 5         |
| 33 | H2O2 oxidation of cysteine residues in c-Jun N-terminal kinase 2 (JNK2) contributes to redox regulation in human articular chondrocytes. Journal of Biological Chemistry, 2018, 293, 16376-16389.        | 3.4          | 24        |
| 34 | Intentional Weight Loss in Overweight and Obese Patients With Knee Osteoarthritis: Is More Better?. Arthritis Care and Research, 2018, 70, 1569-1575.  | 3.4          | 102       |
| 35 | Expression of p16 <scp><sup>INK</sup></scp> <sup>4a</sup> is a biomarker of chondrocyte aging but does not cause osteoarthritis. Aging Cell, 2018, 17, e12771.   | 6.7          | 111       |
| 36 | Reduced Osteoarthritis Severity in Aged Mice With Deletion of Macrophage Migration Inhibitory Factor. Arthritis and Rheumatology, 2017, 69, 352-361.   | 5 <b>.</b> 6 | 49        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The Role of Aging in the Development of Osteoarthritis. Transactions of the American Clinical and Climatological Association, 2017, 128, 44-54.  | 0.5 | 60        |
| 38 | Relationship of Objectively-Measured Habitual Physical Activity to Chronic Inflammation and Fatigue in Middle-Aged and Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1437-1443. | 3.6 | 33        |
| 39 | Ageing and the pathogenesis of osteoarthritis. Nature Reviews Rheumatology, 2016, 12, 412-420.   | 8.0 | 745       |
| 40 | Cysteineâ€Mediated Redox Regulation of Cell Signaling in Chondrocytes Stimulated With Fibronectin Fragments. Arthritis and Rheumatology, 2016, 68, 117-126.  | 5.6 | 36        |
| 41 | Oxidative Stress Promotes Peroxiredoxin Hyperoxidation and Attenuates Pro-survival Signaling in Aging Chondrocytes. Journal of Biological Chemistry, 2016, 291, 6641-6654.   | 3.4 | 105       |
| 42 | Vitamin K Status and Lower Extremity Function in Older Adults: The Health Aging and Body Composition Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1348-1355.                          | 3.6 | 32        |
| 43 | Osteoarthritis in the Elderly. , 2016, , 309-353.  |     | 2         |
| 44 | Editorial: Inflammatory Activity in Symptomatic Knee Osteoarthritis: Not All Inflammation Is Local. Arthritis and Rheumatology, 2015, 67, 2797-2800.   | 5.6 | 35        |
| 45 | Redox regulation of Rac1 by thiol oxidation. Free Radical Biology and Medicine, 2015, 79, 237-250.   | 2.9 | 34        |
| 46 | Integrins and chondrocyte–matrix interactions in articular cartilage. Matrix Biology, 2014, 39, 11-16.   | 3.6 | 196       |
| 47 | Aging and Oxidative Stress Reduce the Response of Human Articular Chondrocytes to Insulinâ€like Growth Factor 1 and Osteogenic Protein 1. Arthritis and Rheumatology, 2014, 66, 2201-2209.   | 5.6 | 78        |
| 48 | Integration of gene expression data with network-based analysis to identify signaling and metabolic pathways regulated during the development of osteoarthritis. Gene, 2014, 542, 38-45.   | 2.2 | 47        |
| 49 | Strength Training for Arthritis Trial (START): design and rationale. BMC Musculoskeletal Disorders, 2013, 14, 208.   | 1.9 | 45        |
| 50 | Effects of Intensive Diet and Exercise on Knee Joint Loads, Inflammation, and Clinical Outcomes Among Overweight and Obese Adults With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2013, 310, 1263.       | 7.4 | 607       |
| 51 | Rac1 Is Required for Matrix Metalloproteinase 13 Production by Chondrocytes in Response to Fibronectin Fragments. Arthritis and Rheumatism, 2013, 65, 1561-1568.   | 6.7 | 38        |
| 52 | Aging processes and the development of osteoarthritis. Current Opinion in Rheumatology, 2013, 25, 108-113.   | 4.3 | 148       |
| 53 | Disease Progression and Phasic Changes in Gene Expression in a Mouse Model of Osteoarthritis. PLoS ONE, 2013, 8, e54633.   | 2.5 | 103       |
| 54 | Effects of aging on articular cartilage homeostasis. Bone, 2012, 51, 241-248.  | 2.9 | 301       |

| #  | Article   | IF           | Citations |
|----|---|--------------|-----------|
| 55 | Osteoarthritis: A disease of the joint as an organ. Arthritis and Rheumatism, 2012, 64, 1697-1707.  | 6.7          | 2,055     |
| 56 | Microarray analysis reveals ageâ€related differences in gene expression during the development of osteoarthritis in mice. Arthritis and Rheumatism, 2012, 64, 705-717.  | 6.7          | 190       |
| 57 | The Effects of Aging on the Development of Osteoarthritis. HSS Journal, 2012, 8, 18-19.   | 1.7          | 18        |
| 58 | Regulation of chondrocyte gene expression by osteogenic protein-1. Arthritis Research and Therapy, 2011, 13, R55.   | 3 <b>.</b> 5 | 27        |
| 59 | Aging and osteoarthritis. Current Opinion in Rheumatology, 2011, 23, 492-496.   | 4.3          | 212       |
| 60 | A Comprehensive Histological Assessment of Osteoarthritis Lesions in Mice. Cartilage, 2011, 2, 354-363.   | 2.7          | 64        |
| 61 | Why is osteoarthritis an age-related disease?. Best Practice and Research in Clinical Rheumatology, 2010, 24, 15-26.  | 3.3          | 436       |
| 62 | Biology and pathology of Rho GTPase, Plâ€3 kinaseâ€Akt, and MAP kinase signaling pathways in chondrocytes. Journal of Cellular Biochemistry, 2010, 110, 573-580.  | 2.6          | 121       |
| 63 | Age-Related Changes in the Musculoskeletal System and the Development of Osteoarthritis. Clinics in Geriatric Medicine, 2010, 26, 371-386.  | 2.6          | 343       |
| 64 | Oxidative Stress Inhibits Insulin-like Growth Factor-I Induction of Chondrocyte Proteoglycan Synthesis through Differential Regulation of Phosphatidylinositol 3-Kinase-Akt and MEK-ERK MAPK Signaling Pathways. Journal of Biological Chemistry, 2009, 284, 31972-31981. | 3.4          | 153       |
| 65 | The Intensive Diet and Exercise for Arthritis (IDEA) trial: design and rationale. BMC Musculoskeletal Disorders, 2009, 10, 93.  | 1.9          | 70        |
| 66 | Human articular chondrocytes produce IL-7 and respond to IL-7 with increased production of matrix metalloproteinase-13. Arthritis Research and Therapy, 2008, 10, R23.  | <b>3.</b> 5  | 74        |
| 67 | Mitogen-activated protein kinases as therapeutic targets in osteoarthritis. Current Opinion in Rheumatology, 2008, 20, 581-586.   | 4.3          | 114       |
| 68 | Endogenous production of reactive oxygen species is required for stimulation of human articular chondrocyte matrix metalloproteinase production by fibronectin fragments. Free Radical Biology and Medicine, 2007, 42, 1350-1358.   | 2.9          | 69        |
| 69 | Chondrocyte cell death mediated by reactive oxygen species-dependent activation of PKC- $\hat{l}^2$ l. American Journal of Physiology - Cell Physiology, 2006, 290, C802-C811.  | 4.6          | 44        |
| 70 | IGF-I stimulation of proteoglycan synthesis by chondrocytes requires activation of the PI 3-kinase pathway but not ERK MAPK. Biochemical Journal, 2005, 389, 723-729.   | 3.7          | 155       |
| 71 | Articular chondrocytes express the receptor for advanced glycation end products: Potential role in osteoarthritis. Arthritis and Rheumatism, 2005, 52, 2376-2385.   | 6.7          | 206       |
| 72 | Basic fibroblast growth factor inhibits the anabolic activity of insulin-like growth factor 1 and osteogenic protein 1 in adult human articular chondrocytes. Arthritis and Rheumatism, 2005, 52, 3910-3917.  | 6.7          | 98        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Increased Matrix Metalloproteinase-13 Production With Aging by Human Articular Chondrocytes in Response to Catabolic Stimuli. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 1118-1124.  | 3.6 | 104       |
| 74 | NF-κB Mediates the Stimulation of Cytokine and Chemokine Expression by Human Articular Chondrocytes in Response to Fibronectin Fragments. Journal of Immunology, 2005, 174, 5781-5788.   | 0.8 | 193       |
| 75 | Exercise and dietary weight loss in overweight and obese older adults with knee osteoarthritis: The arthritis, diet, and activity promotion trial. Arthritis and Rheumatism, 2004, 50, 1501-1510.  | 6.7 | 932       |
| 76 | Aging Cartilage and OsteoarthritisWhat's the Link?. Science of Aging Knowledge Environment: SAGE KE, 2004, 2004, pe31-pe31.  | 0.8 | 25        |
| 77 | Integrinâ€mediated adhesion of human articular chondrocytes to cartilage. Arthritis and Rheumatism, 2003, 48, 110-118.   | 6.7 | 73        |
| 78 | The combination of insulin-like growth factor $1$ and osteogenic protein $1$ promotes increased survival of and matrix synthesis by normal and osteoarthritic human articular chondrocytes. Arthritis and Rheumatism, 2003, 48, 2188-2196.   | 6.7 | 170       |
| 79 | Increased oxidative stress with aging reduces chondrocyte survival: Correlation with intracellular glutathione levels. Arthritis and Rheumatism, 2003, 48, 3419-3430.  | 6.7 | 227       |
| 80 | Aging or osteoarthritis: which is the problem?. Rheumatic Disease Clinics of North America, 2003, 29, 653-673.   | 1.9 | 57        |
| 81 | Inhibitory Effects of Insulin-like Growth Factor-1 and Osteogenic Protein-1 on Fibronectin Fragmentand Interleukin- $1^2$ -stimulated Matrix Metalloproteinase-13 Expression in Human Chondrocytes. Journal of Biological Chemistry, 2003, 278, 25386-25394.   | 3.4 | 126       |
| 82 | Fibronectin Fragment Activation of Proline-rich Tyrosine Kinase PYK2 Mediates Integrin Signals Regulating Collagenase-3 Expression by Human Chondrocytes through a Protein Kinase C-dependent Pathway. Journal of Biological Chemistry, 2003, 278, 24577-24585.  | 3.4 | 126       |
| 83 | Nitric oxide-mediated chondrocyte cell death requires the generation of additional reactive oxygen species. Arthritis and Rheumatism, 2002, 46, 394-403.   | 6.7 | 223       |
| 84 | The ?5?1 integrin provides matrix survival signals for normal and osteoarthritic human articular chondrocytes in vitro. Arthritis and Rheumatism, 2002, 46, 1528-1535.   | 6.7 | 93        |
| 85 | Detection of nitrotyrosine in aging and osteoarthritic cartilage: Correlation of oxidative damage with the presence of interleukin-1? and with chondrocyte resistance to insulin-like growth factor 1. Arthritis and Rheumatism, 2002, 46, 2349-2357.  | 6.7 | 226       |
| 86 | Fibronectin fragments and blocking antibodies to $\hat{l}\pm2\hat{l}^21$ and $\hat{l}\pm5\hat{l}^21$ integrins stimulate mitogena $\in$ activated protein kinase signaling and increase collagenase 3 (matrix metalloproteinase 13) production by human articular chondrocytes. Arthritis and Rheumatism, 2002, 46, 2368-2376. | 6.7 | 189       |
| 87 | Mechanisms of chondrocyte adhesion to cartilage: role of $\hat{l}^21$ -integrins, CD44, and annexin V. Journal of Orthopaedic Research, 2001, 19, 1122-1130.   | 2.3 | 48        |
| 88 | Modifiers of change in physical functioning in older adults with knee pain: the Observational Arthritis Study in Seniors (OASIS). Arthritis and Rheumatism, 2001, 45, 331-339.   | 6.7 | 99        |
| 89 | Reduction in the chondrocyte response to insulinâ€like growth factor 1 in aging and osteoarthritis: Studies in a nonâ€human primate model of naturally occurring disease. Arthritis and Rheumatism, 2000, 43, 2110-2120.   | 6.7 | 179       |
| 90 | Estrogen replacement therapy modulation of the insulin-like growth factor system in monkey knee joints. Arthritis and Rheumatism, 1999, 42, 2103-2111.   | 6.7 | 35        |

| #  | Article  | IF  | CITATION |
|----|--|-----|----------|
| 91 | Growth factor regulation of chondrocyte integrins. Differential effects of insulin-like growth factor $\hat{l}^2$ on $\hat{l}\pm 1\hat{l}^21$ integrin expression and chondrocyte adhesion to type VI collagen. Arthritis and Rheumatism, 1997, 40, 270-276. | 6.7 | 127      |
| 92 | Human chondrocyte expression of growth-arrest-specific gene 6 and the tyrosine kinase receptor axl. Potential role in autocrine signaling in cartilage. Arthritis and Rheumatism, 1997, 40, 1455-1465.   | 6.7 | 69       |
| 93 | Expression of $\hat{l}^21$ Integrins by Cultured Articular Chondrocytes and in Osteoarthritic Cartilage. Experimental Cell Research, 1995, 217, 248-257.   | 2.6 | 166      |
| 94 | Osteoarthritis in cynomolgus macaques: A primate model of naturally occurring disease. Journal of Orthopaedic Research, 1994, 12, 331-339.   | 2.3 | 133      |
| 95 | Integrin-mediated attachment of articular chondrocytes to extracellular matrix proteins. Arthritis and Rheumatism, 1993, 36, 1103-1110.  | 6.7 | 179      |
| 96 | Immunolocalization of noncollagenous bone matrix proteins in lumbar vertebrae from intact and surgically menopausal cynomolgus monkeys. Journal of Bone and Mineral Research, 1993, 8, 71-81.  | 2.8 | 44       |
| 97 | Correspondence on †Mechanical overloading promotes chondrocyte senescence and osteoarthritis development through downregulating FBXW7' by Zhang <i>et al</i> . Annals of the Rheumatic Diseases, 0, , annrheumdis-2022-222597.                               | 0.9 | O        |