

Stefano Bellentani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8539330/publications.pdf>

Version: 2024-02-01

97
papers

14,108
citations

57681

46
h-index

48101

92
g-index

148
all docs

148
docs citations

148
times ranked

16152
citing authors

#	ARTICLE	IF	CITATIONS
1	The Fatty Liver Index: a simple and accurate predictor of hepatic steatosis in the general population. <i>BMC Gastroenterology</i> , 2006, 6, 33.	0.8	1,817
2	Modeling NAFLD disease burden in China, France, Germany, Italy, Japan, Spain, United Kingdom, and United States for the period 2016–2030. <i>Journal of Hepatology</i> , 2018, 69, 896-904.	1.8	1,157
3	Prevalence of and risk factors for nonalcoholic fatty liver disease: The Dionysos nutrition and liver study. <i>Hepatology</i> , 2005, 42, 44-52.	3.6	1,118
4	Prevalence of and Risk Factors for Hepatic Steatosis in Northern Italy. <i>Annals of Internal Medicine</i> , 2000, 132, 112.	2.0	1,051
5	Epidemiology of Non-Alcoholic Fatty Liver Disease. <i>Digestive Diseases</i> , 2010, 28, 155-161.	0.8	772
6	Prevalence of chronic liver disease in the general population of northern Italy: The dionysos study. <i>Hepatology</i> , 1994, 20, 1442-1449.	3.6	504
7	The epidemiology of non-alcoholic fatty liver disease. <i>Liver International</i> , 2017, 37, 81-84.	1.9	503
8	Clinical patterns of hepatocellular carcinoma in nonalcoholic fatty liver disease: A multicenter prospective study. <i>Hepatology</i> , 2016, 63, 827-838.	3.6	467
9	Epidemiological modifiers of non-alcoholic fatty liver disease: Focus on high-risk groups. <i>Digestive and Liver Disease</i> , 2015, 47, 997-1006.	0.4	368
10	From NAFLD in clinical practice to answers from guidelines. <i>Journal of Hepatology</i> , 2013, 59, 859-871.	1.8	304
11	Global epidemiology of non-alcoholic fatty liver disease/non-alcoholic steatohepatitis: What we need in the future. <i>Liver International</i> , 2018, 38, 47-51.	1.9	297
12	AISF position paper on nonalcoholic fatty liver disease (NAFLD): Updates and future directions. <i>Digestive and Liver Disease</i> , 2017, 49, 471-483.	0.4	254
13	Epidemiology and natural history of non-alcoholic fatty liver disease (NAFLD). <i>Annals of Hepatology</i> , 2009, 8, S4-S8.	0.6	244
14	Clinical course and risk factors of hepatitis C virus related liver disease in the general population: report from the Dionysos study. <i>Gut</i> , 1999, 44, 874-880.	6.1	219
15	The spectrum of liver disease in the general population: lesson from the Dionysos study. <i>Journal of Hepatology</i> , 2001, 35, 531-537.	1.8	213
16	Behavior therapy for nonalcoholic fatty liver disease: The need for a multidisciplinary approach. <i>Hepatology</i> , 2008, 47, 746-754.	3.6	204
17	Practice guidelines for the diagnosis and management of nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2010, 42, 272-282.	0.4	202
18	Incidence and natural course of fatty liver in the general population: The Dionysos study. <i>Hepatology</i> , 2007, 46, 1387-1391.	3.6	192

#	ARTICLE	IF	CITATIONS
19	A simple index of lipid overaccumulation is a good marker of liver steatosis. <i>BMC Gastroenterology</i> , 2010, 10, 98.	0.8	188
20	Predictors of non-alcoholic fatty liver disease in obese children. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 877-883.	1.3	165
21	Prevalence of non-organ-specific autoantibodies and chronic liver disease in the general population: a nested case-control study of the Dionysos cohort. <i>Gut</i> , 1999, 45, 435-441.	6.1	145
22	High prevalence of celiac disease in Italian general population. <i>Digestive Diseases and Sciences</i> , 2001, 46, 1500-1505.	1.1	138
23	Microbiota, NASH, HCC and the potential role of probiotics. <i>Carcinogenesis</i> , 2017, 38, 231-240.	1.3	125
24	Role of cytokines in ethanol-induced cytotoxicity in vitro in Hep G2 cells. <i>Gastroenterology</i> , 1998, 115, 157-166.	0.6	120
25	Moderate alcohol use and health: A consensus document. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 487-504.	1.1	120
26	The epidemiology of fatty liver. <i>European Journal of Gastroenterology and Hepatology</i> , 2004, 16, 1087-1093.	0.8	116
27	Nutraceutical Approach to Non-Alcoholic Fatty Liver Disease (NAFLD): The Available Clinical Evidence. <i>Nutrients</i> , 2018, 10, 1153.	1.7	115
28	Epidemiology and natural history of non-alcoholic fatty liver disease (NAFLD). <i>Annals of Hepatology</i> , 2009, 8 Suppl 1, S4-8.	0.6	110
29	DNA oxidative damage in leukocytes correlates with the severity of HCV-related liver disease: validation in an open population study. <i>Journal of Hepatology</i> , 2001, 34, 587-592.	1.8	96
30	Familial clustering of <i>Helicobacter pylori</i> infection: population based study & Commentary: <i>Helicobacter pylori</i> —the story so far. <i>BMJ: British Medical Journal</i> , 1999, 319, 537-541.	2.4	92
31	Alimentary regimen in non-alcoholic fatty liver disease: Mediterranean diet. <i>World Journal of Gastroenterology</i> , 2014, 20, 16831.	1.4	90
32	Effect of tauroursodeoxycholic and ursodeoxycholic acid on ethanol-induced cell injuries in the human Hep G2 cell line. <i>Gastroenterology</i> , 1995, 109, 555-563.	0.6	78
33	Cow's Milk Consumption and Health: A Health Professional's Guide. <i>Journal of the American College of Nutrition</i> , 2019, 38, 197-208.	1.1	77
34	Genetic Determinants of Ethanol-Induced Liver Damage. <i>Molecular Medicine</i> , 2001, 7, 255-262.	1.9	75
35	Natural Course of Chronic HCV and HBV Infection and Role of Alcohol in the General Population: The Dionysos Study. <i>American Journal of Gastroenterology</i> , 2008, 103, 2248-2253.	0.2	75
36	Stage of change and motivation to healthier lifestyle in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2013, 58, 771-777.	1.8	74

#	ARTICLE	IF	CITATIONS
37	ASH and NASH. <i>Digestive Diseases</i> , 2011, 29, 202-210.	0.8	72
38	Fatty liver: How frequent is it and why?. <i>Annals of Hepatology</i> , 2004, 3, 63-65.	0.6	70
39	Diagnostic performance of FibroTest, SteatoTest and ActiTest in patients with <scp>NAFLD</scp> using the <scp>SAF</scp> score as histological reference. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 877-889.	1.9	70
40	Non-alcoholic fatty liver disease (NAFLD) and cardiovascular disease: An open question. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 684-698.	1.1	63
41	A survey of pharmacological and nonpharmacological treatment of functional gastrointestinal disorders. <i>United European Gastroenterology Journal</i> , 2013, 1, 385-393.	1.6	62
42	Ursodiol in the long-term treatment of chronic hepatitis: a double-blind multicenter clinical trial. <i>Journal of Hepatology</i> , 1993, 19, 459-464.	1.8	57
43	A "systems medicine" approach to the study of non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2016, 48, 333-342.	0.4	56
44	Insulin resistance in nonalcoholic steatohepatitis: necessary but not sufficient "death of a dogma from analysis of therapeutic studies?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2011, 5, 279-289.	1.4	55
45	A Simple Score for the Identification of Patients at High Risk of Organic Diseases of the Colon in the Family Doctor Consulting Room. <i>Family Practice</i> , 1990, 7, 307-312.	0.8	51
46	Translational approaches: from fatty liver to non-alcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2014, 20, 9038-49.	1.4	43
47	Effect of ursodeoxycholic acid treatment on alanine aminotransferase and $\hat{1}^3$ -glutamyltranspeptidase serum levels in patients with hypertransaminasemia. <i>Journal of Hepatology</i> , 1989, 8, 7-12.	1.8	42
48	Interaction of alcohol intake and cofactors on the risk of cirrhosis. <i>Liver International</i> , 2010, 30, 867-870.	1.9	40
49	White Paper of Italian Gastroenterology: Delivery of services for digestive diseases in Italy: Weaknesses and strengths. <i>Digestive and Liver Disease</i> , 2014, 46, 579-589.	0.4	40
50	Immunomodulating and anti-apoptotic action of ursodeoxycholic acid: where are we and where should we go?. <i>European Journal of Gastroenterology and Hepatology</i> , 2005, 17, 137-140.	0.8	37
51	Short-term multidisciplinary non-pharmacological intervention is effective in reducing liver fat content assessed non-invasively in patients with nonalcoholic fatty liver disease (NAFLD). <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013, 37, 353-358.	0.7	35
52	Epidemiology of hepatitis C virus infection in Italy: the slowly unraveling mystery. <i>Microbes and Infection</i> , 2000, 2, 1757-1763.	1.0	34
53	Fatty liver: how frequent is it and why?. <i>Annals of Hepatology</i> , 2004, 3, 63-5.	0.6	34
54	Liver and heart: A new link?. <i>Journal of Hepatology</i> , 2008, 49, 300-302.	1.8	33

#	ARTICLE	IF	CITATIONS
55	Is it time to change NAFLD and NASH nomenclature?. <i>The Lancet Gastroenterology and Hepatology</i> , 2017, 2, 547-548.	3.7	32
56	Transport of sulfobromophthalein and taurocholate in the HepG2 cell line in relation to the expression of membrane carrier proteins. <i>Biochemical and Biophysical Research Communications</i> , 1992, 183, 1203-1208.	1.0	30
57	Ethanol-induced increase in cytosolic estrogen receptors in human male liver: A possible explanation for biochemical feminization in chronic liver disease due to alcohol. <i>Hepatology</i> , 1988, 8, 1610-1614.	3.6	28
58	Milk thistle to treat non-alcoholic fatty liver disease: dream or reality?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2013, 7, 677-679.	1.4	25
59	Prevalence of and risk factors for fatty liver in the general population of Northern Italy: the Bagnacavallo Study. <i>BMC Gastroenterology</i> , 2018, 18, 177.	0.8	23
60	Chronic Administration of Ursodeoxycholic and Tauroursodeoxycholic Acid Changes Microsomal Membrane Lipid Content and Fatty Acid Composition in Rats. <i>Biochemical and Biophysical Research Communications</i> , 1996, 220, 479-483.	1.0	19
61	Is there an association between commonly employed biomarkers of liver fibrosis and liver stiffness in the general population?. <i>Annals of Hepatology</i> , 2020, 19, 380-387.	0.6	19
62	Sex steroid modulation of the hepatic uptake of organic anions in rat. <i>Journal of Hepatology</i> , 1988, 6, 343-349.	1.8	18
63	Natural history of HBV infection: a 9 years follow up of the dionysos cohort. <i>Journal of Hepatology</i> , 2002, 36, 228.	1.8	15
64	External Validation of Surrogate Indices of Fatty Liver in the General Population: The Bagnacavallo Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 520.	1.0	15
65	Correlation between bromodeoxyuridine labelling and ornithine decarboxylase levels in normal rectal mucosa of patients with colorectal adenoma. <i>Cancer Letters</i> , 1991, 59, 221-224.	3.2	12
66	Risk factors for alcoholic liver disease. <i>Addiction Biology</i> , 2000, 5, 261-268.	1.4	12
67	Accuracy of body mass index in detecting an elevated alanine aminotransferase level in adolescents. <i>Annals of Human Biology</i> , 2004, 31, 570-577.	0.4	12
68	HCV, HBV and Alcohol – the Dionysos Study. <i>Digestive Diseases</i> , 2010, 28, 799-801.	0.8	12
69	Pegylated interferon α plus ribavirin for the treatment of chronic hepatitis C: A multicentre independent study supported by the Italian Drug Agency. <i>Digestive and Liver Disease</i> , 2014, 46, 826-832.	0.4	12
70	Nonalcoholic fatty liver disease burden – Switzerland 2018–2030. <i>Swiss Medical Weekly</i> , 2019, 149, w20152.	0.8	12
71	Mechanisms of liver adaptation to prolonged selective biliary obstruction (SBO) in the rat. <i>Journal of Hepatology</i> , 1985, 1, 525-535.	1.8	11
72	BT-Paba test in the diagnosis of pancreatic exocrine insufficiency in cystic fibrosis: urinary and serum determinations compared. <i>European Journal of Pediatrics</i> , 1984, 143, 145-148.	1.3	9

#	ARTICLE	IF	CITATIONS
73	The effect of etofibrate on cholesterol and bile acid metabolism in the hamster. <i>Pharmacological Research</i> , 1989, 21, 567-576.	3.1	9
74	Body mass index is a good predictor of an elevated alanine transaminase level in the general population: hints from the Dionysos study. <i>Digestive and Liver Disease</i> , 2003, 35, 648-652.	0.4	9
75	Study of the long-term effects of selective biliary obstruction (SBO). <i>Research in Experimental Medicine</i> , 1981, 178, 229-235.	0.7	8
76	The management of patients with new onset of upper gastro-intestinal symptoms in primary care. <i>Digestive and Liver Disease</i> , 2010, 42, 860-864.	0.4	8
77	PDX-1 mRNA expression in endoscopic ultrasound-guided fine needle cytoaspirate: Perspectives in the diagnosis of pancreatic cancer. <i>Digestive and Liver Disease</i> , 2015, 47, 138-143.	0.4	8
78	Fulminant Hepatitis in a Patient with Hepatocellular Carcinoma Related to Nonalcoholic Steatohepatitis Treated with Sorafenib. <i>Tumori</i> , 2015, 101, e46-e48.	0.6	7
79	Alcohol-induced liver disease: From molecular damage to treatment. <i>Revista Medica De Chile</i> , 2002, 130, 681-90.	0.1	7
80	Editorial: The North-to-South Gradient of Hepatitis C Virus Infection. <i>Scandinavian Journal of Gastroenterology</i> , 2003, 38, 805-806.	0.6	6
81	Bile-Acid Binding to Isolated Rat Liver Plasma Membranes. Failure to Find a Specific Binding Site. <i>Hoppe-Seyler's Zeitschrift F�r Physiologische Chemie</i> , 1984, 365, 357-364.	1.7	4
82	Role and nature of plasma membrane carrier proteins in the hepatic transport of organic anions. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1989, 4, 195-205.	1.4	4
83	Clinical update on non-alcoholic fatty liver disease and steatohepatitis. <i>Annals of Hepatology</i> , 2008, 7, 157-60.	0.6	4
84	Nonalcoholic Fatty Liver Disease: A Wide Spectrum Disease. , 2020, , 273-284.		3
85	The role of calcium precipitation in the sulfoglycolithocholate-induced cholestasis of the bile fistula hamster. <i>Journal of Hepatology</i> , 1990, 10, 356-363.	1.8	2
86	Natural history of nonalcoholic steatohepatitis-associated hepatocellular carcinoma. <i>Clinical Liver Disease</i> , 2016, 8, 105-107.	1.0	2
87	Missed treatment in an Italian HBV infected patients cohort: HBV RER. <i>Digestive and Liver Disease</i> , 2016, 48, 1346-1350.	0.4	2
88	Two drinks per day does not take your fatty liver away. <i>Hepatology</i> , 2018, 67, 2072-2073.	3.6	2
89	Is there an effective therapy available for non-alcoholic fatty liver disease?. <i>F1000 Medicine Reports</i> , 2009, 1, .	2.9	2
90	Serum PABA test in chronic pancreatitis.. <i>Gut</i> , 1985, 26, 537-538.	6.1	1

#	ARTICLE	IF	CITATIONS
91	Estrogens keep alive the hepatocyte memory. <i>Hepatology</i> , 1988, 8, 693-695.	3.6	1
92	Twenty years of modelling NPM-ALK-induced lymphomagenesis. <i>Frontiers in Bioscience - Scholar</i> , 2015, 7, 236-247.	0.8	1
93	Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. , 2013, , 497-506.		1
94	Serum ferritin and liver inflammation: which come first? Chicken or egg?. <i>Annals of Hepatology</i> , 2014, 13, 315-316.	0.6	0
95	Viewpoint: "Alcohol Consumption in Late Adolescence is Associated With an Increased Risk of Severe Liver Disease Later in Life". <i>Annals of Hepatology</i> , 2018, 17, 343-344.	0.6	0
96	Histological primary biliary cholangitis changes in patients with positive serology and normal alkaline phosphatase. <i>Journal of Hepatology</i> , 2020, 73, S461-S462.	1.8	0
97	Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. , 2003, , 73-85.		0