

Gina Lisignoli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8539868/publications.pdf>

Version: 2024-02-01

150
papers

5,091
citations

87888

38
h-index

98798

67
g-index

153
all docs

153
docs citations

153
times ranked

6782
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomaterials: Foreign Bodies or Tuners for the Immune Response?. International Journal of Molecular Sciences, 2019, 20, 636.	4.1	426
2	Adipose Mesenchymal Stromal Cell-Based Therapy for Severe Osteoarthritis of the Knee: A Phase I Dose-Escalation Trial. Stem Cells Translational Medicine, 2016, 5, 847-856.	3.3	389
3	Evidence for redifferentiation of human chondrocytes grown on a hyaluronan-based biomaterial (HYAFF [®] 11): molecular, immunohistochemical and ultrastructural analysis. Biomaterials, 2002, 23, 1187-1195.	11.4	268
4	Adipose-Derived Mesenchymal Stem Cells Exert Antiinflammatory Effects on Chondrocytes and Synoviocytes From Osteoarthritis Patients Through Prostaglandin E ₂ . Arthritis and Rheumatism, 2013, 65, 1271-1281.	6.7	205
5	Adipose mesenchymal stem cells protect chondrocytes from degeneration associated with osteoarthritis. Stem Cell Research, 2013, 11, 834-844.	0.7	143
6	Osteoarthritis Treated with Mesenchymal Stem Cells on Hyaluronan-Based Scaffold in Rabbit. Tissue Engineering - Part C: Methods, 2009, 15, 647-658.	2.1	127
7	CXCL12 chemokine up-regulates bone resorption and MMP-9 release by human osteoclasts: CXCL12 levels are increased in synovial and bone tissue of rheumatoid arthritis patients. Journal of Cellular Physiology, 2004, 199, 244-251.	4.1	119
8	Cellular and molecular events during chondrogenesis of human mesenchymal stromal cells grown in a three-dimensional hyaluronan based scaffold. Biomaterials, 2005, 26, 5677-5686.	11.4	117
9	Anti-Fas-induced apoptosis in chondrocytes reduced by hyaluronan: Evidence for CD44 and CD54 (intercellular adhesion molecule 1) involvement. Arthritis and Rheumatism, 2001, 44, 1800-1807.	6.7	111
10	Adipose stromal cells mediated switching of the pro-inflammatory profile of M1-like macrophages is facilitated by PGE ₂ : in vitro evaluation. Osteoarthritis and Cartilage, 2017, 25, 1161-1171.	1.3	111
11	Analysis of mesenchymal stem cells grown on a three-dimensional HYAFF 11 [®] -based prototype ligament scaffold. Journal of Biomedical Materials Research - Part A, 2005, 73A, 275-283.	4.0	99
12	Hydrogen Sulfide Is a Novel Regulator of Bone Formation Implicated in the Bone Loss Induced by Estrogen Deficiency. Journal of Bone and Mineral Research, 2016, 31, 949-963.	2.8	91
13	Hyaluronan-based polymer scaffold modulates the expression of inflammatory and degradative factors in mesenchymal stem cells: Involvement of Cd44 and Cd54. Journal of Cellular Physiology, 2006, 207, 364-373.	4.1	90
14	Osteogenesis of large segmental radius defects enhanced by basic fibroblast growth factor activated bone marrow stromal cells grown on non-woven hyaluronic acid-based polymer scaffold. Biomaterials, 2002, 23, 1043-1051.	11.4	83
15	From osteoarthritic synovium to synovial-derived cells characterization: synovial macrophages are key effector cells. Arthritis Research and Therapy, 2016, 18, 83.	3.5	82
16	CXCL12 (SDF-1) and CXCL13 (BCA-1) chemokines significantly induce proliferation and collagen type I expression in osteoblasts from osteoarthritis patients. Journal of Cellular Physiology, 2006, 206, 78-85.	4.1	79
17	Basic fibroblast growth factor enhances in vitro mineralization of rat bone marrow stromal cells grown on non-woven hyaluronic acid based polymer scaffold. Biomaterials, 2001, 22, 2095-2105.	11.4	78
18	Proinflammatory cytokines and chemokine production and expression by human osteoblasts isolated from patients with rheumatoid arthritis and osteoarthritis. Journal of Rheumatology, 1999, 26, 791-9.	2.0	78

#	ARTICLE	IF	CITATIONS
19	DIFFERENT CHEMOKINES ARE EXPRESSED IN HUMAN ARTHRITIC BONE BIOPSIES: IFN- γ AND IL-6 DIFFERENTLY MODULATE IL-8, MCP-1 AND RANTES PRODUCTION BY ARTHRITIC OSTEOBLASTS. <i>Cytokine</i> , 2002, 20, 231-238.	3.2	73
20	Human osteoclasts express different CXC chemokines depending on cell culture substrate: molecular and immunocytochemical evidence of high levels of CXCL10 and CXCL12. <i>Histochemistry and Cell Biology</i> , 2003, 120, 391-400.	1.7	72
21	New Insights into Osteogenic and Chondrogenic Differentiation of Human Bone Marrow Mesenchymal Stem Cells and Their Potential Clinical Applications for Bone Regeneration in Pediatric Orthopaedics. <i>Stem Cells International</i> , 2013, 2013, 1-11.	2.5	71
22	CC-Chemokine Ligand 20/Macrophage Inflammatory Protein-3 β and CC-Chemokine Receptor 6 Are Overexpressed in Myeloma Microenvironment Related to Osteolytic Bone Lesions. <i>Cancer Research</i> , 2008, 68, 6840-6850.	0.9	68
23	Sodium hydrosulfide inhibits the differentiation of osteoclast progenitor cells via NRF2-dependent mechanism. <i>Pharmacological Research</i> , 2014, 87, 99-112.	7.1	68
24	CCL20 chemokine induces both osteoblast proliferation and osteoclast differentiation: Increased levels of CCL20 are expressed in subchondral bone tissue of rheumatoid arthritis patients. <i>Journal of Cellular Physiology</i> , 2007, 210, 798-806.	4.1	63
25	3D gelatin-chitosan hybrid hydrogels combined with human platelet lysate highly support human mesenchymal stem cell proliferation and osteogenic differentiation. <i>Journal of Tissue Engineering</i> , 2019, 10, 204173141984585.	5.5	59
26	Distinct transcriptional profiles characterize bone microenvironment mesenchymal cells rather than osteoblasts in relationship with multiple myeloma bone disease. <i>Experimental Hematology</i> , 2010, 38, 141-153.	0.4	57
27	Human osteoblasts express functional CXC chemokine receptors 3 and 5: Activation by their ligands, CXCL10 and CXCL13, significantly induces alkaline phosphatase and β -N-acetylhexosaminidase release. <i>Journal of Cellular Physiology</i> , 2003, 194, 71-79.	4.1	54
28	Osteoblasts and stromal cells isolated from femora in rheumatoid arthritis (RA) and osteoarthritis (OA) patients express IL-11, leukaemia inhibitory factor and oncostatin M. <i>Clinical and Experimental Immunology</i> , 2000, 119, 346-353.	2.6	52
29	Chemokine expression by subchondral bone marrow stromal cells isolated from osteoarthritis (OA) and rheumatoid arthritis (RA) patients. <i>Clinical and Experimental Immunology</i> , 1999, 116, 371-378.	2.6	50
30	Mineralization behavior with mesenchymal stromal cells in a biomimetic hyaluronic acid-based scaffold. <i>Biomaterials</i> , 2010, 31, 3986-3996.	11.4	50
31	Myeloma cells inhibit non-canonical wnt co-receptor ror2 expression in human bone marrow osteoprogenitor cells: effect of wnt5a/ror2 pathway activation on the osteogenic differentiation impairment induced by myeloma cells. <i>Leukemia</i> , 2013, 27, 451-463.	7.2	48
32	Paradoxical effects of tissue inhibitor of metalloproteinases 1 gene transfer in collagen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1444-1454.	6.7	47
33	Comparison of alternative mesenchymal stem cell sources for cell banking and musculoskeletal advanced therapies. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 1418-1430.	2.6	46
34	Hydrogen sulfide-releasing silk fibroin scaffold for bone tissue engineering. <i>Materials Science and Engineering C</i> , 2019, 102, 471-482.	7.3	46
35	T cell suppression by osteoclasts in vitro. <i>Journal of Cellular Physiology</i> , 2011, 226, 982-990.	4.1	43
36	Epitope specificity of Th0/Th2 CD4+ T-lymphocyte clones induced by vaccination with rHBsAg vaccine. <i>Gastroenterology</i> , 1997, 112, 2017-2027.	1.3	41

#	ARTICLE	IF	CITATIONS
37	IL1 β and TNF α differently modulate CXCL13 chemokine in stromal cells and osteoblasts isolated from osteoarthritis patients: evidence of changes associated to cell maturation. <i>Experimental Gerontology</i> , 2004, 39, 659-665.	2.8	41
38	Graphene Oxide-Doped Gellan Gum-PEGDA Bilayered Hydrogel Mimicking the Mechanical and Lubrication Properties of Articular Cartilage. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001434.	7.6	41
39	Modeling and Fabrication of Silk Fibrin-Gelatin-Based Constructs Using Extrusion-Based Three-Dimensional Bioprinting. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 3306-3320.	5.2	41
40	HOXB7 expression by myeloma cells regulates their pro-angiogenic properties in multiple myeloma patients. <i>Leukemia</i> , 2011, 25, 527-537.	7.2	39
41	Slug gene expression supports human osteoblast maturation. <i>Cellular and Molecular Life Sciences</i> , 2009, 66, 3641-3653.	5.4	36
42	Investigating the Role of Sustained Calcium Release in Silk-Gelatin-Based Three-Dimensional Bioprinted Constructs for Enhancing the Osteogenic Differentiation of Human Bone Marrow Derived Mesenchymal Stromal Cells. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 1518-1533.	5.2	35
43	A Novel H ₂ S-releasing Amino-Bisphosphonate which combines bone anti-catabolic and anabolic functions. <i>Scientific Reports</i> , 2017, 7, 11940.	3.3	33
44	Comparison of cytologic composition with microfluorometric DNA analysis of the glioblastoma multiforme and anaplastic astrocytoma. <i>Cancer</i> , 1987, 60, 59-65.	4.1	32
45	Desmoplastic versus classic medulloblastoma: Comparison of DNA content, histopathology and differentiation. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1991, 418, 207-214.	1.4	32
46	In vitro cultured stromal cells from human tonsils display a distinct phenotype and induce B cell adhesion and proliferation. <i>European Journal of Immunology</i> , 1996, 26, 17-27.	2.9	32
47	Role of Slug transcription factor in human mesenchymal stem cells. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 740-751.	3.6	32
48	Thrombospondin-1 Partly Mediates the Cartilage Protective Effect of Adipose-Derived Mesenchymal Stem Cells in Osteoarthritis. <i>Frontiers in Immunology</i> , 2017, 8, 1638.	4.8	31
49	Gene array profile identifies collagen type XV as a novel human osteoblast-secreted matrix protein. <i>Journal of Cellular Physiology</i> , 2009, 220, 401-409.	4.1	30
50	Chondrogenic differentiation of murine and human mesenchymal stromal cells in a hyaluronic acid scaffold: Differences in gene expression and cell morphology. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 77A, 497-506.	4.0	29
51	Expression of CXC Chemokines and Their Receptors Is Modulated during Chondrogenic Differentiation of Human Mesenchymal Stem Cells Grown in Three-Dimensional Scaffold: Evidence in Native Cartilage. <i>Tissue Engineering - Part A</i> , 2008, 14, 97-105.	3.1	28
52	Extracellular calcium chronically induced human osteoblasts effects: Specific modulation of osteocalcin and collagen type XV. <i>Journal of Cellular Physiology</i> , 2012, 227, 3151-3161.	4.1	27
53	Osteogenic differentiation of human MSCs: Specific occupancy of the mitochondrial DNA by NFATc1 transcription factor. <i>International Journal of Biochemistry and Cell Biology</i> , 2015, 64, 212-219.	2.8	27
54	Hypoxia Preconditioning of Human MSCs: a Direct Evidence of HIF-1 α and Collagen Type XV Correlation. <i>Cellular Physiology and Biochemistry</i> , 2018, 51, 2237-2249.	1.6	27

#	ARTICLE	IF	CITATIONS
55	Lenalidomide increases human dendritic cell maturation in multiple myeloma patients targeting monocyte differentiation and modulating mesenchymal stromal cell inhibitory properties. <i>Oncotarget</i> , 2017, 8, 53053-53067.	1.8	27
56	T cell subsets differently regulate osteogenic differentiation of human mesenchymal stromal cells <i>in vitro</i> . <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016, 10, 305-314.	2.7	26
57	Collagen type XV and the "osteogenic status"™. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 2236-2244.	3.6	26
58	Recruitment and proliferation of T lymphocytes is supported by IFN γ - and TNF γ -activated human osteoblasts: Involvement of CD54 (ICAM-1) and CD106 (VCAM-1) adhesion molecules and CXCR3 chemokine receptor. <i>Journal of Cellular Physiology</i> , 2004, 198, 388-398.	4.1	25
59	A fluorescent in situ hybridization method in flow cytometry to detect HIV-1 specific RNA. <i>Journal of Immunological Methods</i> , 1996, 193, 167-176.	1.4	24
60	IL1 γ and TNF γ induce changes in the nuclear polyphosphoinositide signalling system in osteoblasts similar to that occurring in patients with rheumatoid arthritis: an immunochemical and immunocytochemical study. <i>Histochemistry and Cell Biology</i> , 2003, 120, 243-250.	1.7	23
61	CCL20/CCR6 chemokine/receptor expression in bone tissue from osteoarthritis and rheumatoid arthritis patients: Different response of osteoblasts in the two groups. <i>Journal of Cellular Physiology</i> , 2009, 221, 154-160.	4.1	23
62	Mechano-functional assessment of human mesenchymal stem cells grown in three-dimensional hyaluronan-based scaffolds for cartilage tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 93A, 37-45.	4.0	22
63	Engineered nasal cartilage for the repair of osteoarthritic knee cartilage defects. <i>Science Translational Medicine</i> , 2021, 13, eaaz4499.	12.4	22
64	Specific inductive potential of a novel nanocomposite biomimetic biomaterial for osteochondral tissue regeneration. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016, 10, 374-391.	2.7	20
65	Ploidy disturbances as an early indicator of intrinsic malignancy in endometrial carcinoma. <i>Cancer</i> , 1993, 72, 165-172.	4.1	19
66	Lack of anti-inflammatory and anti-catabolic effects on basal inflamed osteoarthritic chondrocytes or synoviocytes by adipose stem cell-conditioned medium. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 2045-2057.	1.3	19
67	Distinctive expression pattern of cystathionine β -synthase and cystathionine β -lyase identifies mesenchymal stromal cells transition to mineralizing osteoblasts. <i>Journal of Cellular Physiology</i> , 2017, 232, 3574-3585.	4.1	19
68	Development and validation of low-intensity pulsed ultrasound systems for highly controlled in vitro cell stimulation. <i>Ultrasonics</i> , 2021, 116, 106495.	3.9	19
69	Novel nano-composite biomimetic biomaterial allows chondrogenic and osteogenic differentiation of bone marrow concentrate derived cells. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 173.	3.6	18
70	Complement Expression and Activation in Osteoarthritis Joint Compartments. <i>Frontiers in Immunology</i> , 2020, 11, 535010.	4.8	18
71	The expression of cystathionine gamma-lyase is regulated by estrogen receptor alpha in human osteoblasts. <i>Oncotarget</i> , 2017, 8, 101686-101696.	1.8	18
72	Chitosan-based scaffold counteracts hypertrophic and fibrotic markers in chondrogenic differentiated mesenchymal stromal cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2019, 13, 1896-1911.	2.7	17

#	ARTICLE	IF	CITATIONS
73	In vitro immunotoxicity of 2-deoxy-3-thiacytidine, a new anti-HIV agent. <i>Clinical and Experimental Immunology</i> , 2008, 92, 455-459.	2.6	16
74	Co-Culture of Hematopoietic Stem/Progenitor Cells with Human Osteoblasts Favours Mono/Macrophage Differentiation at the Expense of the Erythroid Lineage. <i>PLoS ONE</i> , 2013, 8, e53496.	2.5	16
75	Effect of microfragmented adipose tissue on osteoarthritic synovial macrophage factors. <i>Journal of Cellular Physiology</i> , 2019, 234, 5044-5055.	4.1	16
76	Hyaluronan does not affect cytokine and chemokine expression in osteoarthritic chondrocytes and synoviocytes. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 161-168.	1.3	15
77	Evidence of specific characteristics and osteogenic potentiality in bone cells from tibia. <i>Journal of Cellular Physiology</i> , 2011, 226, 2675-2682.	4.1	15
78	A multifaced DNA ploidy analysis to determine ovarian carcinoma aggressiveness. <i>Cancer</i> , 1991, 67, 1878-1885.	4.1	14
79	An Elevated Number of Differentiated Osteoblast Colonies Can Be Obtained from Rat Bone Marrow Stromal Cells Using a Gradient Isolation Procedure. <i>Connective Tissue Research</i> , 2001, 42, 49-58.	2.3	14
80	Inhibition of CD95 apoptotic signaling by interferon- γ in human osteoarthritic chondrocytes is associated with increased expression of FLICE inhibitory protein. <i>Arthritis and Rheumatism</i> , 2004, 50, 498-506.	6.7	14
81	Surface-dependent modulation of proliferation, bone matrix molecules, and inflammatory factors in human osteoblasts. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 89A, 687-696.	4.0	14
82	Slug contributes to the regulation of CXCL12 expression in human osteoblasts. <i>Experimental Cell Research</i> , 2011, 317, 1159-1168.	2.6	14
83	Polysaccharides on gelatin-based hydrogels differently affect chondrogenic differentiation of human mesenchymal stromal cells. <i>Materials Science and Engineering C</i> , 2021, 126, 112175.	7.3	14
84	Chondrogenic Potential of Slug-Depleted Human Mesenchymal Stem Cells. <i>Tissue Engineering - Part A</i> , 2014, 20, 2795-2805.	3.1	13
85	Rational Design and Development of Anisotropic and Mechanically Strong Gelatin-Based Stress Relaxing Hydrogels for Osteogenic/Chondrogenic Differentiation. <i>Macromolecular Bioscience</i> , 2019, 19, 1900099.	4.1	13
86	Osteoarthritic Milieu Affects Adipose-Derived Mesenchymal Stromal Cells. <i>Journal of Orthopaedic Research</i> , 2020, 38, 336-347.	2.3	13
87	Age-associated changes in functional response to CXCR3 and CXCR5 chemokine receptors in human osteoblasts. <i>Biogerontology</i> , 2003, 4, 309-317.	3.9	12
88	Transcription factor decoy against NFATc1 in human primary osteoblasts. <i>International Journal of Molecular Medicine</i> , 2011, 28, 199-206.	4.0	11
89	Wear Behavior Characterization of Hydrogels Constructs for Cartilage Tissue Replacement. <i>Materials</i> , 2021, 14, 428.	2.9	11
90	The effect of silk-gelatin bioink and TGF- β 3 on mesenchymal stromal cells in 3D bioprinted chondrogenic constructs: A proteomic study. <i>Journal of Materials Research</i> , 2021, 36, 4051-4067.	2.6	10

#	ARTICLE	IF	CITATIONS
91	Bone Regeneration Improves with Mesenchymal Stem Cell Derived Extracellular Vesicles (EVs) Combined with Scaffolds: A Systematic Review. <i>Biology</i> , 2021, 10, 579.	2.8	10
92	Quantitative immunodetection of key elements of polyphosphoinositide signal transduction in osteoblasts from arthritic patients shows a direct correlation with cell proliferation. <i>Histochemistry and Cell Biology</i> , 2005, 124, 131-137.	1.7	8
93	PKC- η expression is lower in osteoblasts from arthritic patients: IL1- β and TNF- α induce a similar decrease in non-arthritic human osteoblasts. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 547-555.	2.6	8
94	Bone osteoblastic and mesenchymal stromal cells lack primarily tumoral features in multiple myeloma patients. <i>Leukemia</i> , 2010, 24, 1368-1370.	7.2	8
95	RGD-Functionalized Hydrogel Supports the Chondrogenic Commitment of Adipose Mesenchymal Stromal Cells. <i>Gels</i> , 2022, 8, 382.	4.5	8
96	Primers for the Adhesion of Gellan Gum-Based Hydrogels to the Cartilage: A Comparative Study. <i>Macromolecular Bioscience</i> , 2022, 22, .	4.1	8
97	Immunoelectron microscopic localization of Collagen type XV during human mesenchymal stem cells mineralization. <i>Connective Tissue Research</i> , 2018, 59, 42-45.	2.3	7
98	Specific concentration of hyaluronan amide derivative induces osteogenic mineralization of human mesenchymal stromal cells: Evidence of <i>RUNX2</i> and <i>COL1A1</i> genes modulation. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 2774-2783.	4.0	7
99	<i>In vitro</i> Toxicity of 2,3-Dideoxy-3-Thiacytidine (BCH189/3TC), a New Synthetic Anti-HIV-1 Nucleoside. <i>Antiviral Chemistry and Chemotherapy</i> , 1992, 3, 299-303.	0.6	6
100	Histological and immunohistochemical analysis of an allogenic bone graft engineered with autologous bone marrow mononuclear cells in the treatment of a large segmental defect of the ulna. A case report. <i>La Chirurgia Degli Organi Di Movimento</i> , 2008, 91, 171-175.	0.2	6
101	Cartilage and Bone Serum Biomarkers as Novel Tools for Monitoring Knee Osteochondritis Dissecans Treated with Osteochondral Scaffold. <i>BioMed Research International</i> , 2018, 2018, 1-10.	1.9	6
102	A Blood Bank Standardized Production of Human Platelet Lysate for Mesenchymal Stromal Cell Expansion: Proteomic Characterization and Biological Effects. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 650490.	3.7	6
103	Traumatic Extrusion of the Talus – Delayed Re-implantation with Autologous Bone Marrow Mononuclear Cell Addition: A Case Report. <i>Foot and Ankle International</i> , 2008, 29, 101-104.	2.3	5
104	Slug transcription factor and nuclear Lamin B1 are upregulated in osteoarthritic chondrocytes. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1226-1230.	1.3	5
105	Impact of Isolation Procedures on the Development of a Preclinical Synovial Fibroblasts/Macrophages in an In Vitro Model of Osteoarthritis. <i>Biology</i> , 2020, 9, 459.	2.8	5
106	Quantitative enzyme histochemistry of rat foetal brain and trigeminal ganglion. <i>The Histochemical Journal</i> , 1988, 20, 455-463.	0.6	4
107	Different pattern of cytokine production and mRNA expression by lymphoid and non-lymphoid cells isolated from human palatine tonsil. <i>International Journal of Clinical and Laboratory Research</i> , 1998, 28, 23-28.	1.0	4
108	Age-independent effects of hyaluronan amide derivative and growth hormone on human osteoarthritic chondrocytes. <i>Connective Tissue Research</i> , 2015, 56, 440-451.	2.3	4

#	ARTICLE	IF	CITATIONS
109	Complement factor expression in osteoarthritis joint compartments. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S383-S384.	1.3	4
110	Performance of nasal chondrocytes in an osteoarthritic environment. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S37-S38.	1.3	4
111	Expression of different chemokines by human osteosarcoma cells in response to tumor necrosis factor-alpha. <i>Anticancer Research</i> , 1999, 19, 3093-8.	1.1	4
112	Chemical-physical properties and in vitro cell culturing of a novel biphasic bio-mimetic scaffold for osteo-chondral tissue regeneration. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2011, 25, S3-13.	0.7	4
113	Preliminary study on immune cells in the synovium of end-stage osteoarthritis and rheumatoid arthritis patients: neutrophils and IgG4-secreting plasma cells as differential diagnosis candidates. <i>Acta Histochemica</i> , 2022, 124, 151909.	1.8	4
114	Transfer of HIV-1 to Human Tonsillar Stromal Cells Following Cocultivation with Infected Lymphocytes. <i>AIDS Research and Human Retroviruses</i> , 1994, 10, 675-682.	1.1	3
115	Chondrogenic potential of human mesenchymal stem cells and expression of Slug transcription factor. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, 740-744.	2.7	3
116	Focal Defects of the Knee Articular Surface: Evidence of a Regenerative Potential Pattern in Osteochondritis Dissecans and Degenerative Lesions. <i>BioMed Research International</i> , 2017, 2017, 1-9.	1.9	3
117	Different expression pattern of cytokine receptors by human osteosarcoma cell lines.. <i>International Journal of Oncology</i> , 1998, 12, 899-903.	3.3	2
118	Engineered nasal cartilage for the repair of osteoarthritic knee cartilage defects. <i>Cytotherapy</i> , 2020, 22, S14.	0.7	2
119	Adipose-derived mesenchymal stromal cells specifically modulated CXCL10/IP10 chemokine detected in osteoarthritic milieu. <i>Osteoarthritis and Cartilage</i> , 2020, 28, S507-S508.	1.3	2
120	Differential effects of microfractured adipose tissue compared to isolated mesenchymal stem cells co-cultured with osteoarthritic synoviocytes. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S150-S151.	1.3	1
121	High Circulating Levels of IL-4 and IL-10 in Progressive Pseudorheumatoid Dysplasia Patient. <i>Journal of Clinical Rheumatology</i> , 2020, 26, e164-e166.	0.9	1
122	PD-L1/PD-1 Pattern of Distribution within Bone Marrow Microenvironment Cells in Patients with Smoldering Myeloma and Active Multiple Myeloma. <i>Blood</i> , 2020, 136, 49-50.	1.4	1
123	Macrophage Inflammatory Protein (MIP)-3 β /CCL20 and Its Receptor CCR6 Are Overexpressed in the Bone Microenvironment and Involved in Osteoclast Formation in Multiple Myeloma Patients.. <i>Blood</i> , 2007, 110, 3510-3510.	1.4	1
124	Design, Development and Validation of a Knee Brace to Standardize the US Imaging Evaluation of Knee Osteoarthritis. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2022, 10, 1-8.	3.7	1
125	The use of microfluorometry to study DNA in nasopharyngeal carcinomas: a possible prognostic tool?. <i>Archives of Oto-rhino-laryngology</i> , 1989, 246, 365-367.	0.5	0
126	160 CHARACTERIZATION OF BONE CELLS FROM HEALTHY AND OSTEOARTHRITIS PATIENTS. <i>Osteoarthritis and Cartilage</i> , 2010, 18, S79.	1.3	0

#	ARTICLE	IF	CITATIONS
127	16 ADIPOSE STROMAL CELLS DOWN-MODULATE INFLAMMATORY FACTORS IN SYNOVIOCYTES AND CHONDROCYTES FROM OSTEOARTHRITIS PATIENTS. <i>Osteoarthritis and Cartilage</i> , 2011, 19, S14.	1.3	0
128	226 ANTI-FIBROTIC EFFECT OF ADIPOSE STROMAL CELLS IN COCULTURE WITH CHONDROCYTES FROM OSTEOARTHRITIC PATIENTS. <i>Osteoarthritis and Cartilage</i> , 2011, 19, S110-S111.	1.3	0
129	Antifibrotic effect of adipose stromal cells on chondrocytes from osteoarthritic patients. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A66.1-A66.	0.9	0
130	Effect of adipose derived Stem cells injection in an experimental osteoarthritis model. <i>Osteoarthritis and Cartilage</i> , 2012, 20, S278-S279.	1.3	0
131	THU0038 Histologic features of osteochondral junction in joint disorders. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 166.1-166.	0.9	0
132	Is fundamental the cross talk between adipose stromal cells and osteoarthritic chondrocytes or synoviocytes to modulate their behaviour?. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S304.	1.3	0
133	MSC based therapy for severe osteoarthritis of the knee. A phase 1 dose escalation trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, S442.	1.3	0
134	Adipose stromal cells effects on osteoarthritic synoviocytes are dependent by macrophages. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A383.	1.3	0
135	Effect of growth hormone and hyaluronan amide derivative on human osteoarthritic chondrocytes. <i>Osteoarthritis and Cartilage</i> , 2015, 23, A163.	1.3	0
136	Characterization of synovial-derived cells from osteoarthritic synovium: evidence that macrophages are key effector cells. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S534.	1.3	0
137	AB0064 Adipose stromal cells exert specific effects on osteoarthritic synovial macrophages. , 2017, , .		0
138	Adipose mesenchymal stromal cells determine the switching of the pro-inflammatory profile of synovial osteoarthritic macrophages. <i>Osteoarthritis and Cartilage</i> , 2018, 26, S46.	1.3	0
139	Clinical and Biological Signature of Osteochondritis Dissecans in a Cross-Sectional Study. <i>BioMed Research International</i> , 2018, 2018, 1-9.	1.9	0
140	Osteoarthritic milieu and hypoxia exert specific effects on adipose mesenchymal stromal cell migration and cytokine receptor expression. <i>Osteoarthritis and Cartilage</i> , 2019, 27, S434-S435.	1.3	0
141	OP0332 COMPLEMENT FACTOR EXPRESSION AND ACTIVATION IN OSTEOARTHRITIS JOINT COMPARTMENTS. , 2019, , .		0
142	Quantitative immunodetection of key elements of polyphosphoinositide signal transduction in osteoblasts from arthritic patients shows a direct correlation with cell proliferation. <i>Biotechnology Letters</i> , 0, , 1-7.	2.2	0
143	Mesenchymal and Osteoblastic Cells Isolated from Multiple Myeloma Patients Reveal a Different Behavior, Phenotype and Gene Expression Profiling in Relationship with the Presence of Osteolytic Bone Lesions.. <i>Blood</i> , 2006, 108, 3511-3511.	1.4	0
144	Gene Expression Profiling of Isolated Mesenchymal and Osteoblastic Cells Exhibits a Different Pattern of Expression in Multiple Myeloma Patients as Compared to Healthy Subjects: Potential Relationship with the Presence of Bone Lesions.. <i>Blood</i> , 2007, 110, 3513-3513.	1.4	0

#	ARTICLE	IF	CITATIONS
145	Expression of CXC Chemokines and Their Receptors Is Modulated during Chondrogenic Differentiation of Human Mesenchymal Stem Cells Grown in Three-Dimensional Scaffold: Evidence in Native Cartilage. <i>Tissue Engineering</i> , 2008, 14, 97-105.	4.6	0
146	HOXB7 Overexpression in Mesenchymal Cells Stimulates the Production of Pro-Angiogenic Molecules: Potential Role in Multiple Myeloma Associated Angiogenesis. <i>Blood</i> , 2008, 112, 2743-2743.	1.4	0
147	Bone Microenvironment Cells Show a Different Pattern of Gene Expression Profiling in Relationship with the Presence of Osteolytic Bone Lesions in Multiple Myeloma Patients. <i>Blood</i> , 2008, 112, 2740-2740.	1.4	0
148	Lenalidomide Increases Human Dendritic Cell Maturation in Multiple Myeloma Modulating Both Monocyte Differentiation and Mesenchymal Stromal Cell Inhibitory Properties through Ikaros and Casein Kinase 1 Degradation, Respectively. <i>Blood</i> , 2016, 128, 4464-4464.	1.4	0
149	Specific effects of osteoarthritic milieu and hypoxic conditions on adipose mesenchymal stromal cell migration and cytokine receptors expression. <i>Cytotherapy</i> , 2020, 22, S94.	0.7	0
150	Mesenchymal stromal cells from a progressive pseudorheumatoid dysplasia patient show altered osteogenic differentiation. <i>European Journal of Medical Research</i> , 2022, 27, 57.	2.2	0