Tellervo Korhonen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8540022/publications.pdf

Version: 2024-02-01

111 papers 4,094 citations

34 h-index 55 g-index

121 all docs

121 docs citations

times ranked

121

8452 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. Nature Genetics, 2018, 50, 26-41. | 9.4 | 286 |
| 2 | Investigating the possible causal association of smoking with depression and anxiety using Mendelian randomisation meta-analysis: the CARTA consortium. BMJ Open, 2014, 4, e006141. | 0.8 | 150 |
| 3 | Factors contributing to psychological distress in the working population, with a special reference to gender difference. BMC Public Health, 2021, 21, 611. | 1.2 | 123 |
| 4 | Epigenome-wide association study of serum cotinine in current smokers reveals novel genetically driven loci. Clinical Epigenetics, $2019, 11, 1$. | 1.8 | 116 |
| 5 | A Genome-Wide Association Study of a Biomarker of Nicotine Metabolism. PLoS Genetics, 2015, 11, e1005498. | 1.5 | 107 |
| 6 | Effect of Smoking on Blood Pressure and Resting Heart Rate. Circulation: Cardiovascular Genetics, 2015, 8, 832-841. | 5.1 | 105 |
| 7 | Telomere length in circulating leukocytes is associated with lung function and disease. European Respiratory Journal, 2014, 43, 983-992. | 3.1 | 103 |
| 8 | Smoking behaviour as a predictor of depression among Finnish men and women: a prospective cohort study of adult twins. Psychological Medicine, 2007, 37, 705. | 2.7 | 92 |
| 9 | Role of individual, peer and family factors in the use of cannabis and other illicit drugs: A longitudinal analysis among Finnish adolescent twins. Drug and Alcohol Dependence, 2008, 97, 33-43. | 1.6 | 89 |
| 10 | Longitudinal Study on Poor Sleep and Life Dissatisfaction in a Nationwide Cohort of Twins. American Journal of Epidemiology, 2008, 169, 206-213. | 1.6 | 88 |
| 11 | Timing of Stressful Life Events Affects Stability and Change of Neuroticism. European Journal of Personality, 2014, 28, 193-200. | 1.9 | 88 |
| 12 | EpiSmokEr: a robust classifier to determine smoking status from DNA methylation data. Epigenomics, 2019, 11, 1469-1486. | 1.0 | 85 |
| 13 | Poor sleep predicts symptoms of depression and disability retirement due to depression. Journal of Affective Disorders, 2015, 172, 381-389. | 2.0 | 82 |
| 14 | Longitudinal heritability of childhood aggression. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2016, 171, 697-707. | 1.1 | 82 |
| 15 | Drinking, smoking, and educational achievement: Cross-lagged associations from adolescence to adulthood. Drug and Alcohol Dependence, 2014, 137, 106-113. | 1.6 | 80 |
| 16 | Childhood aggression and the co-occurrence of behavioural and emotional problems: results across ages 3–16Åyears from multiple raters in six cohorts in the EU-ACTION project. European Child and Adolescent Psychiatry, 2018, 27, 1105-1121. | 2.8 | 72 |
| 17 | Increased Genetic Vulnerability to Smoking at CHRNA5 in Early-Onset Smokers. Archives of General Psychiatry, 2012, 69, 854. | 13.8 | 71 |
| 18 | Polygenic Scores Predict Alcohol Problems in an Independent Sample and Show Moderation by the Environment. Genes, 2014, 5, 330-346. | 1.0 | 71 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Older Finnish Twin Cohort â€" 45 Years of Follow-up. Twin Research and Human Genetics, 2019, 22, 240-254. | 0.3 | 68 |
| 20 | Exercise as an adjunct to nicotine gum in treating tobacco dependence among women. Nicotine and Tobacco Research, 2008, 10, 689-703. | 1.4 | 63 |
| 21 | Physical Activity in Adolescence as a Predictor of Alcohol and Illicit Drug Use in Early Adulthood: A Longitudinal Population-Based Twin Study. Twin Research and Human Genetics, 2009, 12, 261-268. | 0.3 | 62 |
| 22 | Analysis of Detailed Phenotype Profiles Reveals CHRNA5-CHRNA3-CHRNB4 Gene Cluster Association With Several Nicotine Dependence Traits. Nicotine and Tobacco Research, 2012, 14, 720-733. | 1.4 | 61 |
| 23 | Association of current and former smoking with body mass index: A study of smoking discordant twin pairs from 21 twin cohorts. PLoS ONE, 2018, 13, e0200140. | 1.1 | 57 |
| 24 | Smoking, nicotine dependence and nicotine intake by socio-economic status and marital status. Addictive Behaviors, 2014, 39, 1145-1151. | 1.7 | 56 |
| 25 | Tobacco, Cannabis, and Other Illicit Drug Use Among Finnish Adolescent Twins: Causal Relationship or Correlated Liabilities?. Journal of Studies on Alcohol and Drugs, 2010, 71, 5-14. | 0.6 | 55 |
| 26 | Heavier smoking may lead to a relative increase in waist circumference: evidence for a causal relationship from a Mendelian randomisation meta-analysis. The CARTA consortium: TableÂ1. BMJ Open, 2015, 5, e008808. | 0.8 | 53 |
| 27 | Depression and Smoking across 25 Years of the Normative Aging Study. International Journal of Psychiatry in Medicine, 2006, 36, 413-426. | 0.8 | 50 |
| 28 | Assessing implementation difficulties in tobacco use prevention and cessation counselling among dental providers. Implementation Science, 2011, 6, 50. | 2.5 | 50 |
| 29 | FinnTwin12 Cohort: An Updated Review. Twin Research and Human Genetics, 2019, 22, 302-311. | 0.3 | 48 |
| 30 | Genetics and Smoking. Current Addiction Reports, 2014, 1, 75-82. | 1.6 | 47 |
| 31 | Genome-wide association meta-analysis of nicotine metabolism and cigarette consumption measures in smokers of European descent. Molecular Psychiatry, 2021, 26, 2212-2223. | 4.1 | 45 |
| 32 | Genome-Wide Meta-Analysis of Cotinine Levels in Cigarette Smokers Identifies Locus at 4q13.2. Scientific Reports, 2016, 6, 20092. | 1.6 | 42 |
| 33 | Genetics of Smoking Behavior. , 2009, , 411-432. | | 42 |
| 34 | Smoking Cessation Program with Exercise Improves Cardiovascular Disease Biomarkers in Sedentary Women. Journal of Women's Health, 2011, 20, 1051-1064. | 1.5 | 38 |
| 35 | Externalizing Behavior Problems and Cigarette Smoking as Predictors of Cannabis Use: The TRAILS Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 61-69. | 0.3 | 37 |
| 36 | A 3p26-3p25 Genetic Linkage Finding for DSM-IV Major Depression in Heavy Smoking Families. American Journal of Psychiatry, 2011, 168, 848-852. | 4.0 | 37 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Smoking reduction predicts cessation: Longitudinal evidence from the Finnish adult twin cohort. Nicotine and Tobacco Research, 2008, 10, 423-427. | 1.4 | 36 |
| 38 | Smoking status and abdominal obesity among normal- and overweight/obese adults: Population-based FINRISK study. Preventive Medicine Reports, 2016, 4, 324-330. | 0.8 | 36 |
| 39 | Early adolescent aggression predicts antisocial personality disorder in young adults: a population-based study. European Child and Adolescent Psychiatry, 2019, 28, 341-350. | 2.8 | 35 |
| 40 | Depressive Symptoms and Alcohol Use are Genetically and Environmentally Correlated Across Adolescence. Behavior Genetics, 2011, 41, 476-487. | 1.4 | 34 |
| 41 | Evaluation of a National Quit and Win Contest: Determinants for Successful Quitting. Preventive Medicine, 1997, 26, 556-564. | 1.6 | 33 |
| 42 | Distinct Loci in the <i>CHRNA5</i> CHRNA3CHRNB4CHRNB4Sene Cluster Are Associated With Onset of Regular Smoking. Genetic Epidemiology, 2013, 37, 846-859. | 0.6 | 32 |
| 43 | Genetic Influences on Alcohol Use Behaviors Have Diverging Developmental Trajectories: A Prospective Study Among Male and Female Twins. Alcoholism: Clinical and Experimental Research, 2014, 38, 2869-2877. | 1.4 | 32 |
| 44 | Externalizing Behaviors and Cigarette Smoking as Predictors for Use of Illicit Drugs: A Longitudinal Study Among Finnish Adolescent Twins. Twin Research and Human Genetics, 2010, 13, 550-558. | 0.3 | 31 |
| 45 | Correlates and genetics of selfâ€reported sleep and awake bruxism in a nationwide twin cohort. Journal of Oral Rehabilitation, 2020, 47, 1110-1119. | 1.3 | 31 |
| 46 | Genetic association study of childhood aggression across raters, instruments, and age. Translational Psychiatry, 2021, 11, 413. | 2.4 | 31 |
| 47 | The role of temperament in the relationship between early onset of tobacco and cannabis use: The TRAILS study. Drug and Alcohol Dependence, 2009, 104, 113-118. | 1,6 | 30 |
| 48 | A therapist-guided smartphone app for major depression in young adults: A randomized clinical trial. Journal of Affective Disorders, 2021, 286, 228-238. | 2.0 | 30 |
| 49 | Enhancing implementation of tobacco use prevention and cessation counselling guideline among dental providers: a cluster randomised controlled trial. Implementation Science, 2011, 6, 13. | 2.5 | 28 |
| 50 | Genetic and Environmental Influences Underlying Externalizing Behaviors, Cigarette Smoking and Illicit Drug Use Across Adolescence. Behavior Genetics, 2012, 42, 614-625. | 1.4 | 28 |
| 51 | Lung cancer, genetic predisposition and smoking: the Nordic Twin Study of Cancer. Thorax, 2017, 72, 1021-1027. | 2.7 | 27 |
| 52 | Characteristics and health consequences of intermittent smoking: Long-term follow-up among Finnish adult twins. Nicotine and Tobacco Research, 2009, 11, 148-155. | 1.4 | 26 |
| 53 | Genome-wide Association Meta-analysis of Childhood and Adolescent Internalizing Symptoms. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, 61, 934-945. | 0.3 | 26 |
| 54 | Gene–Environment Interaction Effects of Peer Deviance, Parental Knowledge and Stressful Life Events on Adolescent Alcohol Use. Twin Research and Human Genetics, 2015, 18, 507-517. | 0.3 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Role of Nicotine GUM and Pretreatment Depressive Symptoms in Smoking Cessation: Twelve-Month Results of a Randomized Placebo Controlled Trial. International Journal of Psychiatry in Medicine, 2008, 38, 373-389. | 0.8 | 24 |
| 56 | Disparities in cervical screening participation: a comparison of Russian, Somali and Kurdish immigrants with the general Finnish population. International Journal for Equity in Health, 2018, 17, 56. | 1.5 | 24 |
| 57 | Genomeâ€wide association metaâ€analysis of age at first cannabis use. Addiction, 2018, 113, 2073-2086. | 1.7 | 24 |
| 58 | Testing the reciprocal association between smoking and depressive symptoms from adolescence to adulthood: A longitudinal twin study. Drug and Alcohol Dependence, 2019, 200, 64-70. | 1.6 | 24 |
| 59 | Characteristics and consistency of light smoking: Long-term follow-up among Finnish adults. Nicotine and Tobacco Research, 2009, 11, 797-805. | 1.4 | 23 |
| 60 | Early-onset tobacco use and suicide-related behavior $\hat{a}\in$ A prospective study from adolescence to young adulthood. Addictive Behaviors, 2018, 79, 32-38. | 1.7 | 23 |
| 61 | Impact of educational intervention on implementation of tobacco counselling among oral health professionals: a clusterâ€randomized community trial. Community Dentistry and Oral Epidemiology, 2013, 41, 120-129. | 0.9 | 22 |
| 62 | Cigarette Smoking and Dimensions of Depressive Symptoms: Longitudinal Analysis Among Finnish Male and Female Twins. Nicotine and Tobacco Research, 2011, 13, 261-272. | 1.4 | 21 |
| 63 | Factors associated with cervical cancer screening participation among immigrants of Russian, Somali and Kurdish origin: a population-based study in Finland. BMC Women's Health, 2017, 17, 19. | 0.8 | 21 |
| 64 | DNA methylation signatures of aggression and closely related constructs: A meta-analysis of epigenome-wide studies across the lifespan. Molecular Psychiatry, 2021, 26, 2148-2162. | 4.1 | 21 |
| 65 | The effects of social anxiety on alcohol and cigarette use across adolescence: Results from a longitudinal twin study in Finland Psychology of Addictive Behaviors, 2016, 30, 462-474. | 1.4 | 20 |
| 66 | Diurnal Evening Type is Associated with Current Smoking, Nicotine Dependence and Nicotine Intake in the Population Based National FINRISK 2007 Study. Journal of Addiction Research & Therapy, 2012, 01, . | 0.2 | 20 |
| 67 | Prevalence and correlates of alcohol and other substance use disorders in young adulthood: A population-based study. BMC Psychiatry, 2009, 9, 73. | 1.1 | 19 |
| 68 | International Quit and Win 1996: Standardized Evaluation in Selected Campaign Countries. Preventive Medicine, 2000, 31, 742-751. | 1.6 | 18 |
| 69 | Weight Concerns Among Finnish Ever-Smokers: A Population-Based Study. Nicotine and Tobacco Research, 2013, 15, 1696-1704. | 1.4 | 18 |
| 70 | Associations of Weight Concerns With Self-Efficacy and Motivation to Quit Smoking: A Population-Based Study Among Finnish Daily Smokers. Nicotine and Tobacco Research, 2015, 17, 1134-1141. | 1.4 | 18 |
| 71 | Social Relationships Moderate Genetic Influences on Heavy Drinking in Young Adulthood. Journal of Studies on Alcohol and Drugs, 2017, 78, 817-826. | 0.6 | 18 |
| 72 | Predictive Association of Smoking with Depressive Symptoms: a Longitudinal Study of Adolescent Twins. Prevention Science, 2019, 20, 1021-1030. | 1.5 | 18 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Scrutiny of the CHRNA5-CHRNA3-CHRNB4 smoking behavior locus reveals a novel association with alcohol use in a Finnish population based study. International Journal of Molecular Epidemiology and Genetics, 2013, 4, 109-19. | 0.4 | 18 |
| 74 | Cigarette smoking and alcohol use as predictors of disability retirement: A population-based cohort study. Drug and Alcohol Dependence, 2015, 155, 260-266. | 1.6 | 17 |
| 75 | Genomeâ€wide association study in Finnish twins highlights the connection between nicotine addiction and neurotrophin signaling pathway. Addiction Biology, 2019, 24, 549-561. | 1.4 | 17 |
| 76 | Genome-Wide Meta-Analyses of FTND and TTFC Phenotypes. Nicotine and Tobacco Research, 2020, 22, 900-909. | 1.4 | 17 |
| 77 | Persistent smoking as a predictor of disability pension due to musculoskeletal diagnoses: A 23year prospective study of Finnish twins. Preventive Medicine, 2013, 57, 889-893. | 1.6 | 16 |
| 78 | Role of overlapping genetic and environmental factors in the relationship between early adolescent conduct problems and substance use in young adulthood. Addiction, 2016, 111, 1036-1045. | 1.7 | 15 |
| 79 | Aggressive behaviour in childhood and adolescence: the role of smoking during pregnancy, evidence from four twin cohorts in the EU-ACTION consortium. Psychological Medicine, 2019, 49, 646-654. | 2.7 | 15 |
| 80 | Harmonizing behavioral outcomes across studies, raters, and countries: application to the genetic analysis of aggression in the ACTION Consortium. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 807-817. | 3.1 | 15 |
| 81 | Externalizing Behavior Problems and Cigarette Smoking as Predictors of Cannabis Use. Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 61-69. | 0.3 | 14 |
| 82 | Genomeâ€wide timeâ€ŧoâ€event analysis on smoking progression stages in a familyâ€based study. Brain and Behavior, 2016, 6, e00462. | 1.0 | 14 |
| 83 | Gene–Environment Interplay in Physical, Psychological, and Cognitive Domains in Mid to Late Adulthood: Is APOE a Variability Gene?. Behavior Genetics, 2016, 46, 4-19. | 1.4 | 14 |
| 84 | Depressive symptoms predict smoking cessation in a 20-year longitudinal study of adult twins. Addictive Behaviors, 2020, 108, 106427. | 1.7 | 14 |
| 85 | The associations of smoking dependence motives with depression among daily smokers. Addiction, 2021, 116, 2162-2174. | 1.7 | 13 |
| 86 | Long-Term Smoking Behavior Patterns Predicting Self-Reported Chronic Bronchitis. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2009, 6, 242-249. | 0.7 | 12 |
| 87 | Implementation of tobacco use cessation counseling among oral health professionals in <pre><scp>F</scp>inland. Journal of Public Health Dentistry, 2013, 73, 230-236.</pre> | 0.5 | 10 |
| 88 | Early maturation and substance use across adolescence and young adulthood: A longitudinal study of Finnish twins. Development and Psychopathology, 2018, 30, 79-92. | 1.4 | 10 |
| 89 | Social climate on tobacco control in an advanced tobacco control country. NAD Nordic Studies on Alcohol and Drugs, 2018, 35, 152-164. | 0.7 | 10 |
| 90 | Smoking cessation advice from health professionals. Patient Education and Counseling, 1999, 36, 13-21. | 1.0 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Role of Nicotine Dependence in the Association between the Dopamine Receptor Gene DRD3 and Major Depressive Disorder. PLoS ONE, 2014, 9, e98199. | 1.1 | 8 |
| 92 | Cardiovascular Risk Behavior among Sedentary Female Smokers and Smoking Cessation Outcomes. Tobacco Induced Diseases, 2005, 3, 7. | 0.3 | 7 |
| 93 | Depressive Symptoms and Career-Related Goal Appraisals: Genetic and Environmental Correlations and Interactions. Twin Research and Human Genetics, 2014, 17, 236-243. | 0.3 | 7 |
| 94 | Association between long-term smoking and leisure-time physical inactivity: a cohort study among Finnish twins with a 35-year follow-up. International Journal of Public Health, 2017, 62, 819-829. | 1.0 | 7 |
| 95 | Weight concerns as a predictor of smoking cessation according to nicotine dependence. NAD Nordic Studies on Alcohol and Drugs, 2018, 35, 344-356. | 0.7 | 7 |
| 96 | Teacher-rated aggression and co-occurring behaviors and emotional problems among schoolchildren in four population-based European cohorts. PLoS ONE, 2021, 16, e0238667. | 1.1 | 7 |
| 97 | Association of the DBH Polymorphism rs3025343 With Smoking Cessation in a Large Population-Based Sample. Nicotine and Tobacco Research, 2017, 19, 1112-1115. | 1.4 | 6 |
| 98 | Treating tobacco dependence in women with exercise: Review on effectiveness and mechanisms. International Journal of Sport and Exercise Psychology, 2010, 8, 48-60. | 1.1 | 5 |
| 99 | Smoking status as a predictor of antidepressant medication use. Journal of Affective Disorders, 2017, 207, 221-227. | 2.0 | 5 |
| 100 | Is Brain Derived Neurotrophic Factor (Bdnf) Associated With Smoking Initiation? Replication Using a Large Finnish Population Sample. Nicotine and Tobacco Research, 2020, 22, 293-296. | 1.4 | 5 |
| 101 | Impact of Nicotine Replacement Therapy on Post-Cessation Mood Profile by Pre-Cessation Depressive Symptoms. Tobacco Induced Diseases, 2006, 3, 17. | 0.3 | 4 |
| 102 | Association between smoking behavior patterns and chronic obstructive pulmonary disease: A long-term follow-up study among Finnish adults. Annals of Medicine, 2012, 44, 598-606. | 1.5 | 4 |
| 103 | Gene–Environment Interactions Between Depressive Symptoms and Smoking Quantity. Twin Research and Human Genetics, 2016, 19, 322-329. | 0.3 | 4 |
| 104 | Association of snus experimentation in late adolescence with daily cigarette smoking in early adulthood: A longitudinal study among Finnish men. Scandinavian Journal of Public Health, 2020, 48, 638-645. | 1.2 | 4 |
| 105 | Crossâ€sectional associations between the diversity of sport activities and the type of low back pain in adulthood. European Journal of Sport Science, 2020, 20, 1277-1287. | 1.4 | 3 |
| 106 | Is diversity of leisure-time sport activities associated with low back and neck–shoulder region pain? A Finnish twin cohort study. Preventive Medicine Reports, 2019, 15, 100933. | 0.8 | 2 |
| 107 | Cancer in twin pairs discordant for smoking: The Nordic Twin Study of Cancer. International Journal of Cancer, 2022, , . | 2.3 | 2 |
| 108 | Association of subclinical psychosis with suicidal ideation: A twin study. Schizophrenia Research, 2020, 223, 173-178. | 1.1 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The association between smoking behaviour patterns and chronic obstructive pulmonary disease: a longâ€term followâ€up study among Finnish adults. Clinical Respiratory Journal, 2011, 5, 6-7. | 0.6 | O |
| 110 | Genetic and Environmental Effects on the Individual Variation and Continuity of Participation in Diverse Physical Activities. Medicine and Science in Sports and Exercise, 2021, Publish Ahead of Print, 2495-2502. | 0.2 | 0 |
| 111 | Life course associations between smoking and depressive symptoms. A 30-year Finnish follow-up study. Nordic Journal of Psychiatry, 2022, , 1-1. | 0.7 | O |