

Pedro Maria Fernández-Salguero

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8540596/publications.pdf>

Version: 2024-02-01

101
papers

10,547
citations

41344

49
h-index

32842

100
g-index

105
all docs

105
docs citations

105
times ranked

9890
citing authors

#	ARTICLE	IF	CITATIONS
1	The T/ebp null mouse: thyroid-specific enhancer-binding protein is essential for the organogenesis of the thyroid, lung, ventral forebrain, and pituitary.. <i>Genes and Development</i> , 1996, 10, 60-69.	5.9	1,108
2	Immune system impairment and hepatic fibrosis in mice lacking the dioxin-binding Ah receptor. <i>Science</i> , 1995, 268, 722-726.	12.6	1,010
3	Aryl-hydrocarbon Receptor-Deficient Mice Are Resistant to 2,3,7,8-Tetrachlorodibenzo-p-dioxin-Induced Toxicity. <i>Toxicology and Applied Pharmacology</i> , 1996, 140, 173-179.	2.8	762
4	Role of CYP2E1 in the Hepatotoxicity of Acetaminophen. <i>Journal of Biological Chemistry</i> , 1996, 271, 12063-12067.	3.4	557
5	Genomic instability in Gadd45a-deficient mice. <i>Nature Genetics</i> , 1999, 23, 176-184.	21.4	468
6	The aryl hydrocarbon receptor, more than a xenobiotic-interacting protein. <i>FEBS Letters</i> , 2007, 581, 3608-3615.	2.8	347
7	Lesions of Aryl-hydrocarbon Receptor-deficient Mice. <i>Veterinary Pathology</i> , 1997, 34, 605-614.	1.7	313
8	Molecular basis of the human dihydropyrimidine dehydrogenase deficiency and 5-fluorouracil toxicity.. <i>Journal of Clinical Investigation</i> , 1996, 98, 610-615.	8.2	312
9	Targeted Genomic Disruption of H- ras and N- ras , Individually or in Combination, Reveals the Dispensability of Both Loci for Mouse Growth and Development. <i>Molecular and Cellular Biology</i> , 2001, 21, 1444-1452.	2.3	265
10	Amelioration of TCDD-induced teratogenesis in aryl hydrocarbon receptor (AhR)-null mice. <i>Toxicological Sciences</i> , 1999, 47, 86-92.	3.1	210
11	The antiproliferative activity of resveratrol results in apoptosis in MCF-7 but not in MDA-MB-231 human breast cancer cells: cell-specific alteration of the cell cycle. <i>Biochemical Pharmacology</i> , 2002, 64, 1375-1386.	4.4	210
12	Resveratrol-induced apoptosis in MCF-7 human breast cancer cells involves a caspase-independent mechanism with downregulation of Bcl-2 and NF- κ B. <i>International Journal of Cancer</i> , 2005, 115, 74-84.	5.1	208
13	New Trends in Aryl Hydrocarbon Receptor Biology. <i>Frontiers in Cell and Developmental Biology</i> , 2016, 4, 45.	3.7	194
14	Targeted Disruption of the Microsomal Epoxide Hydrolase Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 23963-23968.	3.4	173
15	Characterization of the Human Dihydropyrimidine Dehydrogenase Gene. <i>Genomics</i> , 1998, 51, 391-400.	2.9	158
16	Mechanisms Involved in Resveratrol-Induced Apoptosis and Cell Cycle Arrest in Prostate Cancer-Derived Cell Lines. <i>Journal of Andrology</i> , 2006, 28, 282-293.	2.0	152
17	The Involvement of Aryl Hydrocarbon Receptor in the Activation of Transforming Growth Factor- β 2 and Apoptosis. <i>Molecular Pharmacology</i> , 1998, 54, 313-321.	2.3	143
18	Expression of CYP2A genes in human liver and extrahepatic tissues. <i>Biochemical Pharmacology</i> , 1999, 57, 1407-1413.	4.4	142

#	ARTICLE	IF	CITATIONS
19	Resveratrol modulates the phosphoinositide 3-kinase pathway through an estrogen receptor independent mechanism: Relevance in cell proliferation. <i>International Journal of Cancer</i> , 2004, 109, 167-173.	5.1	130
20	Dihydropyrimidine dehydrogenase pharmacogenetics in Caucasian subjects. <i>British Journal of Clinical Pharmacology</i> , 1998, 46, 151-156.	2.4	113
21	A mesenchymal-like phenotype and expression of CD44 predict lack of apoptotic response to sorafenib in liver tumor cells. <i>International Journal of Cancer</i> , 2015, 136, E161-72.	5.1	108
22	Neonatal lethality associated with respiratory distress in mice lacking cytochrome P450 1A2.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 5134-5138.	7.1	104
23	L-Kynurenine/Aryl Hydrocarbon Receptor Pathway Mediates Brain Damage After Experimental Stroke. <i>Circulation</i> , 2014, 130, 2040-2051.	1.6	100
24	Nomenclature for human DPYD alleles. <i>Pharmacogenetics and Genomics</i> , 1998, 8, 455-460.	5.7	99
25	Aryl Hydrocarbon Receptor-Dependent Induction of Liver Fibrosis by Dioxin. <i>Toxicological Sciences</i> , 2014, 137, 114-124.	3.1	99
26	CD69 controls the uptake of L-tryptophan through LAT1-CD98 and AhR-dependent secretion of IL-22 in psoriasis. <i>Nature Immunology</i> , 2016, 17, 985-996.	14.5	98
27	The dioxin receptor is silenced by promoter hypermethylation in human acute lymphoblastic leukemia through inhibition of Sp1 binding. <i>Carcinogenesis</i> , 2006, 27, 1099-1104.	2.8	97
28	Bmi1 regulates murine intestinal stem cell proliferation and self-renewal downstream of Notch. <i>Development (Cambridge)</i> , 2015, 142, 41-50.	2.5	89
29	Immortalized Mouse Mammary Fibroblasts Lacking Dioxin Receptor Have Impaired Tumorigenicity in a Subcutaneous Mouse Xenograft Model. <i>Journal of Biological Chemistry</i> , 2005, 280, 28731-28741.	3.4	87
30	Dihydropyrimidine dehydrogenase pharmacogenetics in patients with colorectal cancer. <i>British Journal of Cancer</i> , 1998, 77, 497-500.	6.4	81
31	The CYP2 A gene subfamily: species differences, regulation, catalytic activities and role in chemical carcinogenesis. <i>Pharmacogenetics and Genomics</i> , 1995, 5, S123-S128.	5.7	78
32	Dioxin receptor and SLUG transcription factors regulate the insulator activity of B1 SINE retrotransposons via an RNA polymerase switch. <i>Genome Research</i> , 2011, 21, 422-432.	5.5	76
33	Diagnostic analysis, clinical importance and molecular basis of dihydropyrimidine dehydrogenase deficiency. <i>Trends in Pharmacological Sciences</i> , 1995, 16, 325-327.	8.7	75
34	The Dioxin Receptor Regulates the Constitutive Expression of the <i>Vav3</i> Proto-Oncogene and Modulates Cell Shape and Adhesion. <i>Molecular Biology of the Cell</i> , 2009, 20, 1715-1727.	2.1	72
35	The aryl hydrocarbon receptor in the crossroad of signalling networks with therapeutic value. , 2018, 185, 50-63.		72
36	Polycyclic aromatic hydrocarbon-inducible DNA adducts: Evidence by ³² P-postlabeling and use of knockout mice for Ah receptor-independent mechanisms of metabolic activation in vivo. <i>International Journal of Cancer</i> , 2003, 103, 5-11.	5.1	71

#	ARTICLE	IF	CITATIONS
37	Dioxin Receptor Deficiency Impairs Angiogenesis by a Mechanism Involving VEGF-A Depletion in the Endothelium and Transforming Growth Factor- β^2 Overexpression in the Stroma. <i>Journal of Biological Chemistry</i> , 2009, 284, 25135-25148.	3.4	71
38	Regulation of cell survival by resveratrol involves inhibition of NF κ B-regulated gene expression in prostate cancer cells. <i>Prostate</i> , 2009, 69, 1045-1054.	2.3	70
39	Proteasome Inhibition Induces Nuclear Translocation and Transcriptional Activation of the Dioxin Receptor in Mouse Embryo Primary Fibroblasts in the Absence of Xenobiotics. <i>Molecular and Cellular Biology</i> , 2001, 21, 1700-1709.	2.3	68
40	Fitting a xenobiotic receptor into cell homeostasis: How the dioxin receptor interacts with TGF β^2 signaling. <i>Biochemical Pharmacology</i> , 2009, 77, 700-712.	4.4	67
41	CYP1A2 is not the primary enzyme responsible for 4-aminobiphenyl-induced hepatocarcinogenesis in mice. <i>Carcinogenesis</i> , 1999, 20, 1825-1830.	2.8	66
42	Genome-wide B1 retrotransposon binds the transcription factors dioxin receptor and Slug and regulates gene expression <i>in vivo</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1632-1637.	7.1	64
43	The dioxin receptor has tumor suppressor activity in melanoma growth and metastasis. <i>Carcinogenesis</i> , 2013, 34, 2683-2693.	2.8	63
44	Organization and evolution of the cytochrome P450 CYP2A-2B-2F subfamily gene cluster on human chromosome 19. <i>Journal of Molecular Evolution</i> , 1995, 41, 894-900.	1.8	62
45	Loss of dioxin-receptor expression accelerates wound healing <i>in vivo</i> by a mechanism involving TGF β^2 . <i>Journal of Cell Science</i> , 2009, 122, 1823-1833.	2.0	58
46	Differential Regulation of Mouse Ah Receptor Gene Expression in Cell Lines of Different Tissue Origins. <i>Archives of Biochemistry and Biophysics</i> , 1996, 333, 170-178.	3.0	57
47	Transcriptional Factor Aryl Hydrocarbon Receptor (Ahr) Controls Cardiovascular and Respiratory Functions by Regulating the Expression of the Vav3 Proto-oncogene. <i>Journal of Biological Chemistry</i> , 2011, 286, 2896-2909.	3.4	57
48	Non-genomic action of resveratrol on androgen and oestrogen receptors in prostate cancer: modulation of the phosphoinositide 3-kinase pathway. <i>British Journal of Cancer</i> , 2007, 96, 1595-1604.	6.4	55
49	Overexpression of latent transforming growth factor- β^2 binding protein 1 (LTBP-1) in dioxin receptor-null mouse embryo fibroblasts. <i>Journal of Cell Science</i> , 2004, 117, 849-859.	2.0	51
50	Aryl hydrocarbon receptor-dependent induction of apoptosis by 2,3,7,8-tetrachlorodibenzo-p-dioxin in cerebellar granule cells from mouse. <i>Journal of Neurochemistry</i> , 2011, 118, 153-162.	3.9	51
51	Effect of Thioridazine Dosage on the Debrisoquine Hydroxylation Phenotype in Psychiatric Patients With Different CYP2D6 Genotypes. <i>Therapeutic Drug Monitoring</i> , 2001, 23, 616-620.	2.0	48
52	Aryl Hydrocarbon Receptor-Induced Adrenomedullin Mediates Cigarette Smoke Carcinogenicity in Humans and Mice. <i>Cancer Research</i> , 2012, 72, 5790-5800.	0.9	47
53	Dioxin Receptor Expression Inhibits Basal and Transforming Growth Factor β^2 -induced Epithelial-to-mesenchymal Transition. <i>Journal of Biological Chemistry</i> , 2013, 288, 7841-7856.	3.4	47
54	Thioridazine steady-state plasma concentrations are influenced by tobacco smoking and CYP2D6, but not by the CYP2C9 genotype. <i>European Journal of Clinical Pharmacology</i> , 2003, 59, 45-50.	1.9	46

#	ARTICLE	IF	CITATIONS
55	Assignment of the Human Dihydropyrimidine Dehydrogenase Gene (DPYD) to Chromosome Region 1p22 by Fluorescence in Situ Hybridization. <i>Genomics</i> , 1994, 24, 613-614.	2.9	45
56	Xenobiotic receptor knockout mice. <i>Toxicology Letters</i> , 1995, 82-83, 117-121.	0.8	45
57	<i>Alu</i> retrotransposons promote differentiation of human carcinoma cells through the aryl hydrocarbon receptor. <i>Nucleic Acids Research</i> , 2016, 44, 4665-4683.	14.5	45
58	Liver portal fibrosis in dioxin receptor-null mice that overexpress the latent transforming growth factor- β -binding protein-1. <i>International Journal of Experimental Pathology</i> , 2004, 85, 295-302.	1.3	43
59	Carcinogenesis of the food mutagen PhIP in mice is independent of CYP1A2. <i>Carcinogenesis</i> , 2003, 24, 583-587.	2.8	38
60	LTBP-1 blockade in dioxin receptor-null mouse embryo fibroblasts decreases TGF- β activity: Role of extracellular proteases plasmin and elastase. <i>Journal of Cellular Biochemistry</i> , 2006, 97, 380-392.	2.6	37
61	Aryl hydrocarbon receptor contributes to the MEK/ERK-dependent maintenance of the immature state of human dendritic cells. <i>Blood</i> , 2013, 121, e108-e117.	1.4	37
62	Oculomotor Deficits in Aryl Hydrocarbon Receptor Null Mouse. <i>PLoS ONE</i> , 2013, 8, e53520.	2.5	37
63	Recruitment of CREB1 and Histone Deacetylase 2 (HDAC2) to the Mouse <i>Ltbp-1</i> Promoter Regulates its Constitutive Expression in a Dioxin Receptor-dependent Manner. <i>Journal of Molecular Biology</i> , 2008, 380, 1-16.	4.2	36
64	Lack of the aryl hydrocarbon receptor accelerates aging in mice. <i>FASEB Journal</i> , 2019, 33, 12644-12654.	0.5	36
65	Comparison of substrate metabolism by wild type CYP2D6 protein and a variant containing methionine, not valine, at position 374. <i>Pharmacogenetics and Genomics</i> , 1995, 5, 234-243.	5.7	35
66	Potassium-Induced Apoptosis in Rat Cerebellar Granule Cells Involves Cell-Cycle Blockade at the G1/S Transition. <i>Journal of Molecular Neuroscience</i> , 2001, 15, 155-166.	2.3	35
67	2,3,7,8-Tetrachlorodibenzo-p-dioxin induces apoptosis in neural growth factor (NGF)-differentiated pheochromocytoma PC12 cells. <i>NeuroToxicology</i> , 2010, 31, 267-276.	3.0	35
68	Effect of Phenobarbital on Hepatic CYP1A1 and CYP1A2 in the <i>Ahr</i> -Null Mouse. <i>Biochemical Pharmacology</i> , 1998, 55, 235-238.	4.4	34
69	Lack of correlation between phenotype and genotype for the polymorphically expressed dihydropyrimidine dehydrogenase in a family of Pakistani origin. <i>Pharmacogenetics and Genomics</i> , 1997, 7, 161-163.	5.7	33
70	Hepatic fibrosis and cytochrome P450: experimental models of fibrosis compared to AHR knockout mice. <i>Hepatology Research</i> , 2000, 17, 112-125.	3.4	33
71	CYP2A6 gene polymorphism and risk of liver cancer and cirrhosis. <i>Pharmacogenetics and Genomics</i> , 1997, 7, 247-250.	5.7	31
72	Dioxin receptor regulates aldehyde dehydrogenase to block melanoma tumorigenesis and metastasis. <i>Molecular Cancer</i> , 2015, 14, 148.	19.2	31

#	ARTICLE	IF	CITATIONS
73	Correlation between catalytic activity and protein content for the polymorphically expressed dihydropyrimidine dehydrogenase in human lymphocytes. <i>Biochemical Pharmacology</i> , 1995, 50, 1015-1020.	4.4	27
74	Role of transforming growth factor β^2 in cancer microenvironment. <i>Clinical and Translational Oncology</i> , 2009, 11, 715-720.	2.4	27
75	The dioxin receptor controls β^2 integrin activation in fibroblasts through a Cbp β -Csk β -Src pathway. <i>Cellular Signalling</i> , 2013, 25, 848-859.	3.6	27
76	Selenocysteine tRNA ^{[Ser]Sec} Levels and Selenium-Dependent Glutathione Peroxidase Activity in Mouse Embryonic Stem Cells Heterozygous for a Targeted Mutation in the tRNA ^{[Ser]Sec} Gene. <i>Biochemistry</i> , 1997, 36, 8634-8639.	2.5	26
77	Aryl Hydrocarbon Receptor Promotes Liver Polyploidization and Inhibits PI3K, ERK, and Wnt/ β^2 -Catenin Signaling. <i>IScience</i> , 2018, 4, 44-63.	4.1	26
78	Proteasome Inhibition Induces Nuclear Translocation of the Dioxin Receptor Through an Sp1 and Protein Kinase C-Dependent Pathway. <i>Journal of Molecular Biology</i> , 2003, 333, 249-260.	4.2	25
79	A remarkable new target gene for the dioxin receptor. <i>Cell Adhesion and Migration</i> , 2010, 4, 172-175.	2.7	25
80	Dioxin Receptor Adjusts Liver Regeneration After Acute Toxic Injury and Protects Against Liver Carcinogenesis. <i>Scientific Reports</i> , 2017, 7, 10420.	3.3	25
81	Histone H4 acetylation regulates behavioral inter-individual variability in zebrafish. <i>Genome Biology</i> , 2018, 19, 55.	8.8	25
82	Lung regeneration after toxic injury is improved in absence of dioxin receptor. <i>Stem Cell Research</i> , 2017, 25, 61-71.	0.7	21
83	B1-SINE retrotransposons. <i>Mobile Genetic Elements</i> , 2011, 1, 66-70.	1.8	18
84	Skin response to a carcinogen involves the xenobiotic receptor pregnane X receptor. <i>Experimental Dermatology</i> , 2015, 24, 835-840.	2.9	18
85	piRNA-associated proteins and retrotransposons are differentially expressed in murine testis and ovary of aryl hydrocarbon receptor deficient mice. <i>Open Biology</i> , 2016, 6, 160186.	3.6	16
86	The Dioxin receptor modulates Caveolin-1 mobilization during directional migration: role of cholesterol. <i>Cell Communication and Signaling</i> , 2014, 12, 57.	6.5	15
87	Modulation of the sarcoplasmic reticulum (Ca ²⁺ + Mg ²⁺)-ATPase by pentobarbital. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1990, 1022, 33-40.	2.6	13
88	Down-regulation of CYP1A2 induction during the maturation of mouse cerebellar granule cells in culture: role of nitric oxide accumulation. <i>European Journal of Neuroscience</i> , 2003, 18, 2265-2272.	2.6	13
89	Alu retrotransposons modulate Nanog expression through dynamic changes in regional chromatin conformation via aryl hydrocarbon receptor. <i>Epigenetics and Chromatin</i> , 2020, 13, 15.	3.9	12
90	Aryl Hydrocarbon Receptor Controls Skin Homeostasis, Regeneration, and Hair Follicle Cycling by Adjusting Epidermal Stem Cell Function. <i>Stem Cells</i> , 2021, 39, 1733-1750.	3.2	12

#	ARTICLE	IF	CITATIONS
91	Effect of immobilization on the activity of rat hepatic microsomal cytochrome P450 enzymes. <i>Enzyme and Microbial Technology</i> , 1993, 15, 100-104.	3.2	11
92	Vav proteins maintain epithelial traits in breast cancer cells using miR-200c-dependent and independent mechanisms. <i>Oncogene</i> , 2019, 38, 209-227.	5.9	11
93	Neuroprotection Against Excitotoxicity by N-Alkylglycines in Rat Hippocampal Neurons. <i>NeuroMolecular Medicine</i> , 2002, 2, 271-280.	3.4	10
94	Aryl hydrocarbon receptor blocks aging-induced senescence in the liver and fibroblast cells. <i>Aging</i> , 2022, 14, 4281-4304.	3.1	10
95	The aryl hydrocarbon receptor promotes differentiation during mouse preimplantational embryo development. <i>Stem Cell Reports</i> , 2021, 16, 2351-2363.	4.8	9
96	Aryl Hydrocarbon Receptor: From Homeostasis to Tumor Progression. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 884004.	3.7	8
97	Loss of Aryl Hydrocarbon Receptor Favors K-RasG12D-Driven Non-Small Cell Lung Cancer. <i>Cancers</i> , 2021, 13, 4071.	3.7	7
98	Differential scanning calorimetry study of glycogen phosphorylase-detergent interactions. <i>Journal of Bioenergetics and Biomembranes</i> , 1992, 24, 625-634.	2.3	6
99	Improving Cancer Therapeutics by Molecular Profiling. <i>Current Drug Metabolism</i> , 2005, 6, 553-568.	1.2	4
100	[44] Targeted disruption of specific cytochromes P450 and xenobiotic receptor genes. <i>Methods in Enzymology</i> , 1996, 272, 412-430.	1.0	2
101	RNA-Seq Analysis to Measure the Expression of SINE Retroelements. <i>Methods in Molecular Biology</i> , 2016, 1400, 107-116.	0.9	1