

Moritz Innmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8543154/publications.pdf>

Version: 2024-02-01

32
papers

677
citations

706676

14
h-index

651938

25
g-index

33
all docs

33
docs citations

33
times ranked

521
citing authors

#	ARTICLE	IF	CITATIONS
1	Sacral Slope Change From Standing to Relaxed-Seated Grossly Overpredicts the Presence of a Stiff Spine. <i>Journal of Arthroplasty</i> , 2023, 38, 713-718.e1.	1.5	7
2	The accuracy in determining pelvic tilt from anteroposterior pelvic radiographs in patients awaiting hip arthroplasty. <i>Journal of Orthopaedic Research</i> , 2022, 40, 854-861.	1.2	5
3	Integrating the Combined Sagittal Index Reduces the Risk of Dislocation Following Total Hip Replacement. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 397-411.	1.4	12
4	Spinopelvic Characteristics Normalize 1 Year After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 675-683.	1.4	15
5	Which Safe Zone Is Safe in Total Hip Arthroplasty? The Effect of Bony Impingement. <i>Journal of Personalized Medicine</i> , 2022, 12, 812.	1.1	4
6	Cup placement in primary total hip arthroplasty: how to get it right without navigation or robotics. <i>EFORT Open Reviews</i> , 2022, 7, 365-374.	1.8	6
7	Defining "Normal" Static and Dynamic Spinopelvic Characteristics. <i>JBJS Open Access</i> , 2022, 7, .	0.8	4
8	Response to Letter to the Editor on "How Can Patients With Mobile Hips and Stiff Lumbar Spines Be Identified Prior to Total Hip Arthroplasty? A Prospective, Diagnostic Cohort Study". <i>Journal of Arthroplasty</i> , 2021, 36, e9-e10.	1.5	2
9	Does Pressurized Carbon Dioxide Lavage Improve Bone Cleaning in Cemented Arthroplasty?. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6103.	1.3	3
10	How Does Spinopelvic Mobility and Sagittal Functional Cup Orientation Affect Patient-Reported Outcome 1 Year after THA? A Prospective Diagnostic Cohort Study. <i>Journal of Arthroplasty</i> , 2021, 36, 2335-2342.	1.5	22
11	Differences in Spinopelvic Characteristics Between Hip Osteoarthritis Patients and Controls. <i>Journal of Arthroplasty</i> , 2021, 36, 2808-2816.	1.5	26
12	Does Additive Pressurized Carbon Dioxide Lavage Improve Cement Penetration and Bond Strength in Cemented Arthroplasty?. <i>Journal of Clinical Medicine</i> , 2021, 10, 5361.	1.0	0
13	Pathologic spinopelvic balance in patients with hip osteoarthritis. <i>Der Orthopade</i> , 2020, 49, 860-869.	0.7	9
14	Does Functional Cup Orientation Change at Minimum of 10 Years After Primary Total Hip Arthroplasty?. <i>Journal of Arthroplasty</i> , 2020, 35, 2507-2512.	1.5	6
15	What Is the Long-term (27- to 32-year) Survivorship of an Uncemented Tapered Titanium Femoral Component and Survival in Patients Younger Than 50 Years?. <i>Clinical Orthopaedics and Related Research</i> , 2020, 478, 1283-1291.	0.7	20
16	How Can Patients With Mobile Hips and Stiff Lumbar Spines Be Identified Prior to Total Hip Arthroplasty? A Prospective, Diagnostic Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, S255-S261.	1.5	46
17	Long-Term Results of a Second-Generation, Small-Diameter, Metal-On-Metal Bearing in Primary Total Hip Arthroplasty at 14-Year Follow-Up. <i>Materials</i> , 2020, 13, 557.	1.3	4
18	Fifty-six percent of proximal femoral cortical hypertrophies 6 to 10 years after Total hip arthroplasty with a short Cementless curved hip stem - a cause for concern?. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 261.	0.8	16

#	ARTICLE	IF	CITATIONS
19	High Variability of Acetabular Offset in Primary Hip Osteoarthritis Influences Acetabular Reamingâ€”A Computed Tomographyâ€”Based Anatomic Study. <i>Journal of Arthroplasty</i> , 2019, 34, 1808-1814.	1.5	29
20	Long-Term Survival of Retained Cementless Hip Stems at an Average of 13 Years After Isolated Cup Revision. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 265-269.	1.4	6
21	Cumulative Long-Term Incidence of Postoperative Periprosthetic Femoral Fractures Using an Uncemented Tapered Titanium Hip Stem: 26- to 32-Year Results. <i>Journal of Arthroplasty</i> , 2019, 34, 77-81.	1.5	13
22	Minimally invasive Oxford unicompartmental knee arthroplasty ensures excellent functional outcome and high survivorship in the long term. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1658-1664.	2.3	38
23	Comparable Cumulative Incidence of Late Periprosthetic Femoral Fracture and Aseptic Stem Loosening in Uncemented Total Hip Arthroplastyâ€”A Concise Follow-Up Report at a Minimum of 20 Years. <i>Journal of Arthroplasty</i> , 2018, 33, 1144-1148.	1.5	11
24	Comparative Analysis of the Reconstruction of Individual Hip Anatomy Using 3 Different Cementless Stem Designs in Patients With Primary Hip Osteoarthritis. <i>Journal of Arthroplasty</i> , 2018, 33, 1126-1132.	1.5	18
25	Additive Influence of Hip Offset and Leg Length Reconstruction on Postoperative Improvement in Clinical Outcome After Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 156-161.	1.5	55
26	Periprosthetic Bone Mineral Density Around Uncemented Titanium Stems in the Second and Third Decade After Total Hip Arthroplasty: A DXA Study After 12, 17 and 21 Years. <i>Calcified Tissue International</i> , 2018, 103, 372-379.	1.5	18
27	Early Migration Predicts Aseptic Loosening of Cementless Femoral Stems: A Long-term Study. <i>Clinical Orthopaedics and Related Research</i> , 2016, 474, 1697-1706.	0.7	58
28	Long-term durability of alumina ceramic heads in THA. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 249.	0.8	15
29	Cortical hypertrophy with a short, curved uncemented hip stem does not have any clinical impact during early follow-up. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 371.	0.8	37
30	Influence of surgical approach on component positioning in primary total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 180.	0.8	33
31	Minimum ten-year results of a 28-mm metal-on-metal bearing in cementless total hip arthroplasty in patients fifty years of age and younger. <i>International Orthopaedics</i> , 2014, 38, 929-934.	0.9	48
32	Long-term (20- to 25-year) Results of an Uncemented Tapered Titanium Femoral Component and Factors Affecting Survivorship. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 3262-3269.	0.7	91