Kjetil Sundet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8545883/publications.pdf Version: 2024-02-01



KIETH SUNDET

#	Article	IF	CITATIONS
1	Social cognitive heterogeneity in schizophrenia: A cluster analysis. Schizophrenia Research: Cognition, 2022, 30, 100264.	1.3	3
2	The factor structure of social cognition in schizophrenia: Weak evidence for separable domains. Schizophrenia Research: Cognition, 2021, 26, 100208.	1.3	1
3	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. Schizophrenia Bulletin, 2020, 46, 336-344.	4.3	60
4	Cognitive Heterogeneity across Schizophrenia and Bipolar Disorder: A Cluster Analysis of Intellectual Trajectories. Journal of the International Neuropsychological Society, 2020, 26, 860-872.	1.8	31
5	Cognitive Performance in Early-Onset Schizophrenia and Attention-Deficit/Hyperactivity Disorder: A 25-Year Follow-Up Study. Frontiers in Psychology, 2020, 11, 606365.	2.1	12
6	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. American Journal of Human Genetics, 2019, 105, 334-350.	6.2	86
7	A randomized controlled trial of training of affect recognition (TAR) in schizophrenia shows lasting effects for theory of mind. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 611-620.	3.2	11
8	Brain, mind and behavior: A tribute to Kenneth Hugdahl. Scandinavian Journal of Psychology, 2018, 59, 1-2.	1.5	0
9	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatmentâ€resistant bipolar depression: A 6â€month randomized controlled trial followâ€up study. Bipolar Disorders, 2018, 20, 531-538.	1.9	7
10	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. Nature Communications, 2018, 9, 2098.	12.8	484
11	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. Nature Genetics, 2018, 50, 912-919.	21.4	893
12	Multi-Trait Analysis of GWAS and Biological Insights Into Cognition: A Response to Hill (2018). Twin Research and Human Genetics, 2018, 21, 394-397.	0.6	3
13	Emotion perception, non-social cognition and symptoms as predictors of theory of mind in schizophrenia. Comprehensive Psychiatry, 2018, 85, 1-7.	3.1	32
14	GWAS meta-analysis reveals novel loci and genetic correlates for general cognitive function: a report from the COGENT consortium. Molecular Psychiatry, 2017, 22, 336-345.	7.9	194
15	Early clinical recovery in first-episode psychosis: Symptomatic remission and its correlates at 1-year follow-up. Psychiatry Research, 2017, 254, 118-125.	3.3	27
16	A genetic association study of CSMD1 and CSMD2 with cognitive function. Brain, Behavior, and Immunity, 2017, 61, 209-216.	4.1	49
17	Impairment in emotion perception from body movements in individuals with bipolar I and bipolar II disorder is associated with functional capacity. International Journal of Bipolar Disorders, 2017, 5, 13.	2.2	22
18	Modelling difficulties in abstract thinking in psychosis: the importance of socio-developmental background. Cognitive Neuropsychiatry, 2017, 22, 39-52.	1.3	6

#	Article	IF	CITATIONS
19	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. Cell Reports, 2017, 21, 2597-2613.	6.4	103
20	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. Schizophrenia Bulletin, 2016, 42, sbv083.	4.3	77
21	Genome-wide autozygosity is associated with lower general cognitive ability. Molecular Psychiatry, 2016, 21, 837-843.	7.9	62
22	Independent evidence for an association between general cognitive ability and a genetic locus for educational attainment. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 363-373.	1.7	25
23	Theory of mind in women with borderline personality disorder or schizophrenia: differences in overall ability and error patterns. Frontiers in Psychology, 2015, 6, 1239.	2.1	50
24	Brain structure characteristics in intellectually superior schizophrenia. Psychiatry Research - Neuroimaging, 2015, 232, 123-129.	1.8	9
25	Theory of mind in schizophrenia: Error types and associations with symptoms. Schizophrenia Research, 2015, 162, 42-46.	2.0	78
26	The Role of Baseline Cognitive Function in the Neurocognitive Effects of Electroconvulsive Therapy in Depressed Elderly Patients. Clinical Neuropsychologist, 2015, 29, 487-508.	2.3	21
27	A social path to functioning in schizophrenia: From social self-efficacy through negative symptoms to social functional capacity. Psychiatry Research, 2015, 228, 803-807.	3.3	34
28	To the editors. Psychiatry Research - Neuroimaging, 2015, 233, 497.	1.8	0
29	Stability of executive functions in first episode psychosis: One year follow up study. Psychiatry Research, 2015, 228, 475-481.	3.3	14
30	10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. Psychiatry Research, 2015, 225, 515-521.	3.3	19
31	Reading Emotions from Body Movement: A Generalized Impairment in Schizophrenia. Frontiers in Psychology, 2015, 6, 2058.	2.1	40
32	Cognitive Side-effects of Electroconvulsive Therapy in Elderly Depressed Patients. Clinical Neuropsychologist, 2014, 28, 1071-1090.	2.3	28
33	New perspectives in neuropsychology. Scandinavian Journal of Psychology, 2014, 55, 187-188.	1.5	0
34	Neurocognitive Decrements are Present in Intellectually Superior Schizophrenia. Frontiers in Psychiatry, 2014, 5, 45.	2.6	21
35	The relationship between IQ and performance on the MATRICS consensus cognitive battery. Schizophrenia Research: Cognition, 2014, 1, 96-100.	1.3	26
36	Relationships Between Computer-Based Testing and Behavioral Ratings in the Assessment of Attention and Activity in a Pediatric ADHD Stimulant Crossover Trial. Clinical Neuropsychologist, 2014, 28, 1146-1161.	2.3	9

#	Article	IF	CITATIONS
37	Correspondence between children's and adults' ratings of stimulant-induced changes in ADHD behaviours in a crossover trial with medication-naive children. European Journal of Developmental Psychology, 2014, 11, 687-700.	1.8	2
38	BDNF VAL66MET POLYMORPHISM MODULATES ASSOCIATIONS BETWEEN CHILDHOOD ABUSE–NEGLECT AND FUNCTIONAL AND STRUCTURAL ABNORMALITIES IN PSYCHOSES. Schizophrenia Research, 2014, 153, S44-S45.	2.0	0
39	Molecular genetic evidence for overlap between general cognitive ability and risk for schizophrenia: a report from the Cognitive Genomics consorTium (COGENT). Molecular Psychiatry, 2014, 19, 168-174.	7.9	178
40	Minimizing Adverse Events While Maintaining Clinical Improvement in a Pediatric Attention-Deficit/Hyperactivity Disorder Crossover Trial with Dextroamphetamine and Methylphenidate. Journal of Child and Adolescent Psychopharmacology, 2014, 24, 130-139.	1.3	15
41	Working memory networks and activation patterns in schizophrenia and bipolar disorder: comparison with healthy controls. British Journal of Psychiatry, 2014, 204, 290-298.	2.8	65
42	The Effect of Electroconvulsive Therapy on Neurocognitive Function in Treatment-Resistant Bipolar Disorder Depression. Journal of Clinical Psychiatry, 2014, 75, e1306-e1313.	2.2	49
43	Occupational functioning, symptoms and neurocognition in patients with psychotic disorders: investigating subgroups based on social security status. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 863-874.	3.1	22
44	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. BMC Psychiatry, 2013, 13, 105.	2.6	34
45	Neurocognitive development in first episode psychosis 5years follow-up: Associations between illness severity and cognitive course. Schizophrenia Research, 2013, 149, 63-69.	2.0	41
46	BDNF val66met modulates the association between childhood trauma, cognitive and brain abnormalities in psychoses. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 46, 181-188.	4.8	87
47	Cannabis use and premorbid functioning as predictors of poorer neurocognition in schizophrenia spectrum disorder. Schizophrenia Research, 2013, 143, 84-89.	2.0	19
48	Social functioning in first contact mania: Clinical and neurocognitive correlates. Comprehensive Psychiatry, 2013, 54, 432-438.	3.1	9
49	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data metaâ€analysis. Acta Psychiatrica Scandinavica, 2013, 128, 149-162.	4.5	481
50	Occupational outcome in bipolar disorder is not predicted by premorbid functioning and intelligence. Bipolar Disorders, 2013, 15, 294-305.	1.9	16
51	Social Cognition and Clinical Insight in Schizophrenia and Bipolar Disorder. Journal of Nervous and Mental Disease, 2013, 201, 445-451.	1.0	11
52	Neuropsychological functioning in late-life depression. Frontiers in Psychology, 2013, 4, 381.	2.1	45
53	Ten year neurocognitive trajectories in first-episode psychosis. Frontiers in Human Neuroscience, 2013, 7, 643.	2.0	55
54	The TIPS study and bias: Replies to Dr Amos. Australian and New Zealand Journal of Psychiatry, 2012, 46, 905-907.	2.3	2

#	Article	IF	CITATIONS
55	Long-Term Follow-Up of the TIPS Early Detection in Psychosis Study: Effects on 10-Year Outcome. American Journal of Psychiatry, 2012, 169, 374-380.	7.2	262
56	Serotonin Transporter Gene Polymorphism, Childhood Trauma, and Cognition in Patients With Psychotic Disorders. Schizophrenia Bulletin, 2012, 38, 15-22.	4.3	58
57	Neurocognitive functioning in patients recently diagnosed with bipolar disorder. International Clinical Psychopharmacology, 2012, 28, e43.	1.7	1
58	Factors associated with occupational and academic status in patients with first-episode psychosis with a particular focus on neurocognition. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1763-1773.	3.1	18
59	An association between affective lability and executive functioning in bipolar disorder. Psychiatry Research, 2012, 198, 58-61.	3.3	34
60	Is cognitive impairment following early life stress in severe mental disorders based on specific or general cognitive functioning?. Psychiatry Research, 2012, 198, 495-500.	3.3	86
61	The Norwegian standardization of the MATRICS (Measurement and Treatment Research to Improve) Tj ETQq1 1 Neuropsychology, 2012, 34, 667-677.	0.784314 1.3	rgBT /Over 41
62	TCF4 sequence variants and mRNA levels are associated with neurodevelopmental characteristics in psychotic disorders. Translational Psychiatry, 2012, 2, e112-e112.	4.8	67
63	Apathy in first episode psychosis patients: A ten year longitudinal follow-up study. Schizophrenia Research, 2012, 136, 19-24.	2.0	67
64	Executive function in early- and adult onset schizophrenia. Schizophrenia Research, 2012, 142, 177-182.	2.0	31
65	Cognitive function in unipolar major depression: A comparison of currently depressed, previously depressed, and never depressed individuals. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 782-790.	1.3	50
66	Genome-wide study identifies PTPRO and WDR72 and FOXQ1-SUMO1P1 interaction associated with neurocognitive function. Journal of Psychiatric Research, 2012, 46, 271-278.	3.1	36
67	Executive function tests in earlyâ€onset psychosis: which one to choose?. Scandinavian Journal of Psychology, 2012, 53, 200-205.	1.5	18
68	Neurocognitive functioning in patients recently diagnosed with bipolar disorder. Bipolar Disorders, 2012, 14, 227-238.	1.9	76
69	Obstructive sleep apnea, verbal memory, and executive function in a community-based high-risk population identified by the Berlin Questionnaire Akershus Sleep Apnea Project. Sleep and Breathing, 2012, 16, 223-231.	1.7	31
70	Sex differences in neuropsychological performance and social functioning in schizophrenia and bipolar disorder Neuropsychology, 2011, 25, 499-510.	1.3	86
71	Neurocognitive functioning and suicidality in schizophrenia spectrum disorders. Comprehensive Psychiatry, 2011, 52, 156-163.	3.1	49
72	Verbal learning contributes to cognitive insight in schizophrenia independently of affective and psychotic symptoms. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1059-1063.	4.8	20

#	Article	IF	CITATIONS
73	Subcortical brain volumes relate to neurocognition in schizophrenia and bipolar disorder and healthy controls. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1122-1130.	4.8	70
74	Verbal learning and memory in depression: A 9-year follow-up study. Psychiatry Research, 2011, 188, 350-354.	3.3	25
75	Neurocognition and occupational functioning in patients with first-episode psychosis: A 2-year follow-up study. Psychiatry Research, 2011, 188, 334-342.	3.3	41
76	Opposite relationships between cannabis use and neurocognitive functioning in bipolar disorder and schizophrenia. International Clinical Psychopharmacology, 2011, 26, e71-e72.	1.7	0
77	Catechol O-methyltransferase variants and relationship to cognitive performance in psychiatric patients and controls. International Clinical Psychopharmacology, 2011, 26, e109.	1.7	0
78	Cognitive and Clinical Factors Are Associated With Service Engagement in Early-Phase Schizophrenia Spectrum Disorders. Journal of Nervous and Mental Disease, 2011, 199, 176-182.	1.0	32
79	Brain Cortical Thickness and Surface Area Correlates of Neurocognitive Performance in Patients with Schizophrenia, Bipolar Disorder, and Healthy Adults. Journal of the International Neuropsychological Society, 2011, 17, 1080-1093.	1.8	80
80	Neurocognition and functional outcome in early-onset schizophrenia and attention-deficit/hyperactivity disorder: A 13-year follow-up Neuropsychology, 2011, 25, 25-35.	1.3	51
81	Excessive cannabis use is associated with earlier age at onset in bipolar disorder. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 397-405.	3.2	66
82	The psychological well-being of Norwegian adolescents exposed in utero to radiation from the Chernobyl accident. Child and Adolescent Psychiatry and Mental Health, 2011, 5, 12.	2.5	6
83	Association of Genetic Variants on 15q12 With Cortical Thickness and Cognition in Schizophrenia. Archives of General Psychiatry, 2011, 68, 781.	12.3	22
84	Contrasting Monosymptomatic Patients with Hallucinations and Delusions in First-Episode Psychosis Patients: A Five-Year Longitudinal Follow-Up Study. Psychopathology, 2011, 44, 90-97.	1.5	14
85	Neurocognitive Dysfunction in Bipolar and Schizophrenia Spectrum Disorders Depends on History of Psychosis Rather Than Diagnostic Group. Schizophrenia Bulletin, 2011, 37, 73-83.	4.3	253
86	Excessive substance use in bipolar disorder is associated with impaired functioning rather than clinical characteristics, a descriptive study. BMC Psychiatry, 2010, 10, 9.	2.6	60
87	Validation of the Norwegian version of the Social Functioning Scale (SFS) for schizophrenia and bipolar disorder. Scandinavian Journal of Psychology, 2010, 51, 525-533.	1.5	43
88	Sex-dependent association of common variants of microcephaly genes with brain structure. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 384-388.	7.1	118
89	Neurocognitive Decline in Early-Onset Schizophrenia Compared With ADHD and Normal Controls: Evidence From a 13-Year Follow-up Study. Schizophrenia Bulletin, 2010, 36, 557-565.	4.3	61
90	Psychosocial function in schizophrenia and bipolar disorder: Relationship to neurocognition and clinical symptoms. Journal of the International Neuropsychological Society, 2010, 16, 771-783.	1.8	60

#	Article	IF	CITATIONS
91	Suicidality before and in the early phases of first episode psychosis. Schizophrenia Research, 2010, 119, 11-17.	2.0	91
92	The validity of <i>d</i> prime as a working memory index: Results from the "Bergen <i>n</i> -back task― Journal of Clinical and Experimental Neuropsychology, 2010, 32, 871-880.	1.3	220
93	Social problem-solving in high-functioning schizophrenia: Specific deficits in sending skills. Psychiatry Research, 2009, 165, 215-223.	3.3	12
94	Neurocognitive profiles in bipolar I and bipolar II disorder: differences in pattern and magnitude of dysfunction. Bipolar Disorders, 2008, 10, 245-255.	1.9	146
95	Measurement of Insight in Patients With Bipolar Disorder. Journal of Nervous and Mental Disease, 2008, 196, 333-335.	1.0	17
96	The Level of Cardiovascular Risk Factors in Bipolar Disorder Equals That of Schizophrenia. Journal of Clinical Psychiatry, 2007, 68, 917-923.	2.2	164
97	Brain Activation Measured With fMRI During a Mental Arithmetic Task in Schizophrenia and Major Depression. American Journal of Psychiatry, 2004, 161, 286-293.	7.2	144
98	Sensitivity and Specificity of Memory Dysfunction in Schizophrenia: A Comparison With Major Depression. Journal of Clinical and Experimental Neuropsychology, 2003, 25, 79-93.	1.3	96
99	Comprehensive Driving Assessment: Neuropsychological Testing and Onâ€road Evaluation of Brain Injured Patients. Scandinavian Journal of Psychology, 2000, 41, 113-121.	1.5	125
100	ERP indicators of disturbed attention in mild closed head injury: A frontal lobe syndrome?. Psychophysiology, 1999, 36, 802-817.	2.4	52
101	ERP indicators of disturbed attention in mild closed head injury: A frontal lobe syndrome?. Psychophysiology, 1999, 36, 802-817.	2.4	6
102	Sex differences in cognitive impairment following unilateral brain damage. Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology, 1986, 8, 51-61.	1.1	27