## Doralyn S Dalisay

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8546086/publications.pdf

Version: 2024-02-01

47 papers

2,598 citations

279798 23 h-index 214800 47 g-index

55 all docs 55 docs citations

55 times ranked 4001 citing authors

#	Article	IF	CITATIONS
1	Comparison of Genetic and Non-genetic Algorithm Partial Least Squares for Sugar Quantification in Philippine Honeys. Analytical Letters, 2022, 55, 1901-1918.	1.8	1
2	Antibiotic Isoflavonoids, Anthraquinones, and Pterocarpanoids from Pigeon Pea (Cajanus cajan L.) Seeds against Multidrug-Resistant Staphylococcus aureus. Metabolites, 2022, 12, 279.	2.9	4
3	Groundwater quality analyses in offâ€grid tropical island. Water and Environment Journal, 2022, 36, 644-655.	2.2	O
4	Natural Products Produced in Culture by Biosynthetically Talented Salinispora arenicola Strains Isolated from Northeastern and South Pacific Marine Sediments. Molecules, 2022, 27, 3569.	3.8	1
5	Oceanapiside, a Marine Natural Product, Targets the Sphingolipid Pathway of Fluconazole-Resistant Candida glabrata. Marine Drugs, 2021, 19, 126.	4.6	3
6	The Isorhamnetin-Containing Fraction of Philippine Honey Produced by the Stingless Bee Tetragonula biroi Is an Antibiotic against Multidrug-Resistant Staphylococcus aureus. Molecules, 2021, 26, 1688.	3.8	8
7	Insights into the Variation in Bioactivities of Closely Related Streptomyces Strains from Marine Sediments of the Visayan Sea against ESKAPE and Ovarian Cancer. Marine Drugs, 2021, 19, 441.	4.6	10
8	Multiple strain analysis of Streptomyces speciesÂfrom Philippine marine sediments reveals intraspecies heterogeneity in antibiotic activities. Scientific Reports, 2021, 11, 17544.	3.3	12
9	Oceanalin B, a Hybrid α,ï‰-Bifunctionalized Sphingoid Tetrahydroisoquinoline β-Glycoside from the Marine Sponge Oceanapia sp Marine Drugs, 2021, 19, 635.	4.6	7
10	Marine Sediment-Derived Streptomyces Strain Produces Angucycline Antibiotics against Multidrug-Resistant Staphylococcus aureus Harboring SCCmec Type 1 Gene. Journal of Marine Science and Engineering, 2020, 8, 734.	2.6	11
11	Multimeric TAT peptides are effective in vitro inhibitors of <i>Staphylococcus saprophyticus</i> Chemical Biology and Drug Design, 2020, 96, 1348-1354.	3.2	2
12	Anthracycline Shunt Metabolites From Philippine Marine Sediment-Derived Streptomyces Destroy Cell Membrane Integrity of Multidrug-Resistant Staphylococcus aureus. Frontiers in Microbiology, 2020, 11, 743.	3.5	17
13	Aminorifamycins and Sporalactams Produced in Culture by a Micromonospora sp. Isolated from a Northeastern-Pacific Marine Sediment Are Potent Antibiotics. Organic Letters, 2017, 19, 766-769.	4.6	34
14	Structures of Nahuoic Acids B–E Produced in Culture by a Streptomyces sp. Isolated from a Marine Sediment and Evidence for the Inhibition of the Histone Methyl Transferase SETD8 in Human Cancer Cells by Nahuoic Acid A. Journal of Organic Chemistry, 2016, 81, 1324-1332.	3.2	24
15	Peroxide Natural Products from <i>Plakortis zyggompha</i> and the Sponge Association <i>Plakortis halichondrioides</i> – <i>Xestospongia deweerdtae</i> antifungal Activity against <i>Cryptococcus gattii</i> Journal of Natural Products, 2016, 79, 555-563.	3.0	16
16	Dirigent Protein-Mediated Lignan and Cyanogenic Glucoside Formation in Flax Seed: Integrated Omics and MALDI Mass Spectrometry Imaging. Journal of Natural Products, 2015, 78, 1231-1242.	3.0	110
17	Branched dimerization of Tat peptide improves permeability to HeLa and hippocampal neuronal cells. Chemical Communications, 2015, 51, 5463-5466.	4.1	23
18	Non-host disease resistance response in pea (Pisum sativum) pods: Biochemical function of DRR206 and phytoalexin pathway localization. Phytochemistry, 2015, 113, 140-148.	2.9	58

#	Article	IF	CITATIONS
19	Helvolic acid, an antibacterial nortriterpenoid from a fungal endophyte, <i>Xylaria </i> sp. of orchid <i>Anoectochilus setaceus </i> endemic to Sri Lanka. Mycology, 2014, 5, 23-28.	4.4	63
20	A multi-omics strategy resolves the elusive nature of alkaloids in Podophyllum species. Molecular BioSystems, 2014, 10, 2838-2849.	2.9	43
21	Nahuoic Acid A Produced by a <i>Streptomyces</i> sp. Isolated From a Marine Sediment Is a Selective SAM-Competitive Inhibitor of the Histone Methyltransferase SETD8. Organic Letters, 2013, 15, 414-417.	4.6	65
22	N-Carbamoylation of 2,4-Diaminobutyrate Reroutes the Outcome in Padanamide Biosynthesis. Chemistry and Biology, 2013, 20, 1002-1011.	6.0	24
23	Transgenic Hybrid Poplar for Sustainable and Scalable Production of the Commodity/Specialty Chemical, 2-Phenylethanol. PLoS ONE, 2013, 8, e83169.	2.5	25
24	Marine Sediment-Derived Streptomyces Bacteria from British Columbia, Canada Are a Promising Microbiota Resource for the Discovery of Antimicrobial Natural Products. PLoS ONE, 2013, 8, e77078.	2.5	67
25	Tyrocidine a from a haliclona sponge derived Vibrio sp. Planta Medica, 2012, 78, .	1.3	0
26	Padanamides A and B, Highly Modified Linear Tetrapeptides Produced in Culture by a <i>Streptomyces</i> sp. Isolated from a Marine Sediment. Organic Letters, 2011, 13, 3936-3939.	4.6	46
27	Ptilomycalin A inhibits laccase and melanization in Cryptococcus neoformans. Bioorganic and Medicinal Chemistry, 2011, 19, 6654-6657.	3.0	18
28	Synthesis and chain-dependent antifungal activity of long-chain 2H-azirine-carboxylate esters related to dysidazirine. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 2029-2032.	2.2	33
29	Zwittermicin A: Synthesis of analogs and structure–activity studies. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 2183-2185.	2.2	8
30	Structure Elucidation at the Nanomole Scale. 3. Phorbasides Gâ^'I fromPhorbassp Journal of Natural Products, 2010, 73, 679-682.	3.0	36
31	Use of Experimental Design for the Optimization of the Production of New Secondary Metabolites by TwoPenicilliumSpecies. Journal of Natural Products, 2010, 73, 1821-1832.	3.0	56
32	Liposomal Circular Dichroism. Assignment of Remote Stereocenters in Plakinic Acids K and L from a Plakortisâ^'Xestospongia Sponge Association. Organic Letters, 2010, 12, 1524-1527.	4.6	25
33	A Tetrachloro Polyketide Hexahydro-1 <i>H</i> -isoindolone, Muironolide A, from the Marine Sponge <i>Phorbas</i> sp. Natural Products at the Nanomole Scale. Journal of the American Chemical Society, 2009, 131, 7552-7553.	13.7	70
34	Amplification of the Cotton Effect of a Single Chromophore through Liposomal Orderingae"Stereochemical Assignment of Plakinic Acids I and J. Angewandte Chemie - International Edition, 2009, 48, 4367-4371.	13.8	22
35	Isorhizochalin: a Minor Unprecedented Bipolar Sphingolipid of Stereodivergent Biogenesis from the <i>Rhizochalina incrustata</i> Lipids, 2009, 44, 1155-62.	1.7	12
36	Drug development from marine natural products. Nature Reviews Drug Discovery, 2009, 8, 69-85.	46.4	967

#	Article	IF	CITATIONS
37	Synthesis and structure–activity relationships of bengazole A analogs. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 2928-2930.	2.2	15
38	Absolute Configuration of the α,ω-Bifunctionalized Sphingolipid Leucettamol A from <i>Leucetta microrhaphis</i> by Deconvoluted Exciton Coupled CD. Journal of Natural Products, 2009, 72, 353-359.	3.0	25
39	Hemi-Phorboxazole A: Structure Confirmation, Analogue Design and Biological Evaluation. Organic Letters, 2009, 11, 3766-3769.	4.6	27
40	Structure Elucidation at the Nanomole Scale. 2. Hemi-phorboxazole A from Phorbas sp Organic Letters, 2009, 11, 1967-1970.	4.6	54
41	Structure Elucidation at the Nanomole Scale. 1. Trisoxazole Macrolides and Thiazole-Containing Cyclic Peptides from the Nudibranch <i>Hexabranchus sanguineus</i> ). Journal of Natural Products, 2009, 72, 732-738.	3.0	131
42	NMR Quantitation of Natural Products at the Nanomole Scale. Journal of Natural Products, 2009, 72, 739-744.	3.0	81
43	(+)â€Zwittermicinâ€A: Assignment of its Complete Configuration by Total Synthesis of the Enantiomer and Implication of <scp>D</scp> â€6erine in its Biosynthesis. Angewandte Chemie - International Edition, 2008, 47, 8086-8089.	13.8	17
44	Synthesis and Antifungal Activity of (â^')-( <i>Z</i> )-Dysidazirine. Organic Letters, 2008, 10, 5269-5271.	4.6	45
45	Analysis of the Pseudoalteromonas tunicata Genome Reveals Properties of a Surface-Associated Life Style in the Marine Environment. PLoS ONE, 2008, 3, e3252.	2.5	126
46	A mannose-sensitive haemagglutinin (MSHA)-like pilus promotes attachment of Pseudoalteromonas tunicata cells to the surface of the green alga Ulva australis. Microbiology (United Kingdom), 2006, 152, 2875-2883.	1.8	31
47	Biofilm Development and Cell Death in the Marine Bacterium Pseudoalteromonas tunicata. Applied and Environmental Microbiology, 2004, 70, 3232-3238.	3.1	120