

Raffaele Bolla

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8551089/publications.pdf>

Version: 2024-02-01

101
papers

1,829
citations

759233

12
h-index

345221

36
g-index

104
all docs

104
docs citations

104
times ranked

1296
citing authors

#	ARTICLE	IF	CITATIONS
1	Corrections to: "Green Networking With Packet Processing Engines: Modeling and Optimization". IEEE/ACM Transactions on Networking, 2024, , 1-1.	3.8	5
2	Modeling Performance and Energy Efficiency of Virtualized Flexible Networks. Advances in Intelligent Systems and Computing, 2019, , 257-273.	0.6	0
3	Improving Efficiency of Edge Computing Infrastructures through Orchestration Models â€. Computers, 2018, 7, 36.	3.3	4
4	Energy-Efficient Management and Control in Video Distribution Networks: â€Legacyâ€™ Hardware-Based Solutions and Perspectives of Virtualized Networking Environments. Computer Communications and Networks, 2018, , 25-57.	0.8	1
5	Network Connectivity Proxy: Architecture, Implementation, and Performance Analysis. IEEE Systems Journal, 2017, 11, 588-599.	4.6	6
6	Guest Editorial Special Issue on Green Communications, Computing, and Systems. IEEE Systems Journal, 2017, 11, 546-550.	4.6	1
7	Large-scale validation and benchmarking of a network of power-conservative systems using ETSI's Green Abstraction Layer. Transactions on Emerging Telecommunications Technologies, 2016, 27, 451-468.	3.9	7
8	The expected impact of smart devices visualization. , 2016, , .		0
9	Assessing the Potential for Saving Energy by Impersonating Idle Networked Devices. IEEE Journal on Selected Areas in Communications, 2016, 34, 1676-1689.	14.0	11
10	Saving energy by delegating network activity to home gateways. IEEE Transactions on Consumer Electronics, 2015, 61, 445-453.	3.6	8
11	Fine-Grained Energy-Efficient Consolidation in SDN Networks and Devices. IEEE Transactions on Network and Service Management, 2015, 12, 132-145.	4.9	32
12	An Experimental Evaluation of the TCP Energy Consumption. IEEE Journal on Selected Areas in Communications, 2015, 33, 2761-2773.	14.0	4
13	Seamless and transparent migration for TCP sessions. , 2014, , .		3
14	Trading off power consumption and delay in packet forwarding engines with adjustable service rate. , 2014, , .		1
15	Green extension of OpenFlow. , 2014, , .		7
16	A northbound interface for power management in next generation network devices. , 2014, 52, 149-157.		13
17	OpenFlow in the Small: A Flexible and Efficient Network Acceleration Framework for Multi-Core Systems. IEEE Transactions on Network and Service Management, 2014, 11, 390-404.	4.9	7
18	Improving Smartphones Battery Life by Reducing Energy Waste of Background Applications. , 2014, , .		9

#	ARTICLE	IF	CITATIONS
19	User-centric mobility management for multimedia content access. Multimedia Tools and Applications, 2014, 70, 267-295.	3.9	1
20	A Closed-Form Model for the IEEE 802.3az Network and Power Performance. IEEE Journal on Selected Areas in Communications, 2014, 32, 16-27.	14.0	21
21	Green Networking With Packet Processing Engines: Modeling and Optimization. IEEE/ACM Transactions on Networking, 2014, 22, 110-123.	3.8	43
22	A Comprehensive Tutorial for Mobility Management in Data Networks. IEEE Communications Surveys and Tutorials, 2014, 16, 812-833.	39.4	17
23	DROIPv2: energy efficiency through network function virtualization. IEEE Network, 2014, 28, 26-32.	6.9	35
24	Burst2Save: Reducing network-induced energy consumption in the home environment. Computer Communications, 2014, 52, 37-46.	5.1	1
25	Energy adaptation in multi-core software routers. Computer Networks, 2014, 65, 111-128.	5.1	3
26	A client-side architecture to support energy efficiency for upcoming networks. , 2014, , .		0
27	The Green Abstraction Layer: A Standard Power-Management Interface for Next-Generation Network Devices. IEEE Internet Computing, 2013, 17, 82-86.	3.3	46
28	Enabling the TCP segmentation offload to save energy. , 2013, , .		3
29	Exposing energy-aware capabilities in next generation network devices. , 2013, , .		0
30	Design of Home Energy Gateway boosting the development of Smart Grid applications at Home. , 2013, , .		6
31	The TREND experimental activities on “green” communication networks. , 2013, , .		1
32	Network Connectivity Proxy: An optimal strategy for reducing energy waste in network edge devices. , 2013, , .		10
33	Smart proxying: An optimal strategy for improving battery life of mobile devices. , 2013, , .		8
34	An open-source platform for distributed Linux Software Routers. Computer Communications, 2013, 36, 396-410.	5.1	6
35	Optimizing the power-delay product in energy-aware packet forwarding engines. , 2013, , .		1
36	Setting the Course for a Green Internet. Science, 2013, 342, 1316-1316.	12.6	5

#	ARTICLE	IF	CITATIONS
37	The energy consumption of TCP. , 2013, , .		9
38	OpenFlow in the small. , 2013, , .		2
39	The hidden cost of network low power idle. , 2013, , .		12
40	Message from the co-chairs. , 2013, , .		0
41	Design and Implementation of Cooperative Network Connectivity Proxy Using Universal Plug and Play. Lecture Notes in Computer Science, 2013, , 323-335.	1.3	11
42	Applying traffic merging to datacenter networks. , 2012, , .		10
43	Designing optimal energy profiles for network hardware. , 2012, , .		3
44	Dynamic voltage and frequency scaling in parallel network processors. , 2012, , .		5
45	A steady-state model for energy-efficient packet processing engines under mixed traffic. , 2012, , .		2
46	Exporting data-plane energy-aware capabilities from network devices toward the control plane: The Green Abstraction Layer. , 2012, , .		11
47	Cutting the energy bills of Internet Service Providers and telecoms through power management: An impact analysis. Computer Networks, 2012, 56, 2320-2342.	5.1	125
48	Energy efficiency in optical networks. , 2012, , .		2
49	Standard Methodologies for Energy Efficiency Assessment. , 2012, , 83-102.		3
50	User-Centric Mobility for Multimedia Communication: Experience and Evaluation from a Live Demo. Journal of Networks, 2012, 7, .	0.4	3
51	Environmental benefits of a Universal Mobile Charger and energy-aware survey on current products. , 2011, , .		4
52	Evaluating the energy-awareness of future Internet devices. , 2011, , .		10
53	Energy-aware load balancing for parallel packet processing engines. , 2011, , .		6
54	Enabling backbone networks to sleep. IEEE Network, 2011, 25, 26-31.	6.9	70

#	ARTICLE	IF	CITATIONS
55	Green network technologies and the art of trading-off. , 2011, , .		25
56	Energy Efficiency in the Future Internet: A Survey of Existing Approaches and Trends in Energy-Aware Fixed Network Infrastructures. IEEE Communications Surveys and Tutorials, 2011, 13, 223-244.	39.4	542
57	The potential impact of green technologies in next-generation wireline networks: Is there room for energy saving optimization?. , 2011, 49, 80-86.		143
58	Exploiting DHT functionalities for pervasive network mobility. , 2010, , .		0
59	An analytical model for designing and controlling new-generation green devices. , 2010, , .		5
60	Power scaling in network devices. , 2010, , .		0
61	Introducing standby capabilities into next-generation network devices. , 2010, , .		5
62	Theoretical and technological limitations of power scaling in network devices. , 2010, , .		10
63	On the effectiveness of IEEE 802.11e implementations in real hardware. , 2009, , .		1
64	Beyond single-box SW router architectures. , 2009, , .		1
65	Per flow packet sampling for high-speed network monitoring. , 2009, , .		19
66	Energy-Aware Resource Adaptation for Next-Generation Network Equipment. , 2009, , .		6
67	DROP: An Open-Source Project towards Distributed SW Router Architectures. , 2009, , .		8
68	Performance and power consumption modeling for green COTS Software Router. , 2009, , .		14
69	Efficient application identification and the temporal and spatial stability of classification schema. Computer Networks, 2009, 53, 790-809.	5.1	135
70	Modeling and Identification of Nonlinear Dynamics for Freeway Traffic by Using Information From a Mobile Cellular Network. IEEE Transactions on Control Systems Technology, 2009, 17, 952-959.	5.2	11
71	A scalable approach for steady state traffic modeling in high-speed backbone networks. , 2009, , .		0
72	Energy-aware equipment for next-generation networks. , 2009, , .		5

#	ARTICLE	IF	CITATIONS
73	Handling mobility over the network. , 2009, , .		3
74	Energy-aware performance optimization for next-generation green network equipment. , 2009, , .		38
75	GTVS: Boosting the Collection of Application Traffic Ground Truth. Lecture Notes in Computer Science, 2009, , 54-63.	1.3	27
76	Hybrid optimization for QoS control in IP Virtual Private Networks. Computer Networks, 2008, 52, 563-580.	5.1	3
77	Network Layer Performance in Peer-to-Peer File Sharing Systems. , 2008, , .		2
78	Characterizing the network behavior of P2P traffic. , 2008, , .		8
79	On the Double-Faced Nature of P2P Traffic. , 2008, , .		4
80	An effective forwarding architecture for SMP Linux routers. , 2008, , .		11
81	Pc-based software routers. , 2008, , .		51
82	A context-aware architecture for QoS and transcoding management of multimedia streams in smart homes. , 2008, , .		5
83	The IP Lookup Mechanism in a Linux Software Router: Performance Evaluation and Optimizations. , 2007, , .		10
84	Analyzing the impact of edonkey traffic on internet access links. , 2007, , .		1
85	Linux Software Router: Data Plane Optimization and Performance Evaluation. Journal of Networks, 2007, 2, .	0.4	43
86	Capacity planning in IP Virtual Private Networks under mixed traffic. Computer Networks, 2006, 50, 1069-1085.	5.1	4
87	WLC25-1: Dynamic Bandwidth Allocation for Wireless Networks in High-Mobility Environments. IEEE Global Telecommunications Conference (GLOBECOM), 2006, , .	0.0	0
88	A new model for network traffic forecast based on user's mobility in cellular networks with highway stretches. International Journal of Communication Systems, 2004, 17, 911-934.	2.5	4
89	A proposal of new price-based Call Admission Control rules for Guaranteed Performance services multiplexed with Best Effort traffic. Computer Communications, 2003, 26, 1470-1483.	5.1	11
90	Integration of pricing models between best-effort and guaranteed performance services in telecommunication networks. Control Engineering Practice, 2003, 11, 1209-1226.	5.5	5

#	ARTICLE	IF	CITATIONS
91	Bandwidth allocation in a multiservice satellite network based on long-term weather forecast scenarios. <i>Computer Communications</i> , 2002, 25, 1037-1046.	5.1	7
92	Evaluation and comparison of cell loss and delay models for ATM multiplexers. <i>Telecommunication Systems</i> , 2001, 16, 41-54.	2.5	1
93	An Integrated Multiple Access and Hierarchical Coding Scheme for Video Communication on Wireless Networks. <i>European Transactions on Telecommunications</i> , 2000, 11, 373-382.	1.2	0
94	Resource Allocation Strategies for Multimedia Traffic in an ATM-based PON. , 1999, , 305-319.		2
95	Two Simulation Tools for Testing ATM Resource Allocation Strategies. <i>Simulation</i> , 1997, 68, 9-22.	1.8	1
96	Simple schemes for traffic integration at call set-up level in ATM networks. <i>Computer Communications</i> , 1996, 19, 645-652.	5.1	4
97	The tracking and prediction of high intensity rainstorms. <i>International Journal of Remote Sensing</i> , 1996, 14, 151-183.	1.0	5
98	Call admission control and bandwidth allocation in a multiservice DQDB network. <i>Computer Communications</i> , 1995, 18, 537-544.	5.1	6
99	Hierarchical dynamic control of multiple traffic classes in ATM networks. <i>European Transactions on Telecommunications</i> , 1994, 5, 747-755.	1.2	12
100	A parametric optimization approach to admission control and bandwidth assignment in hybrid TDM networks. <i>International Journal of Communication Systems</i> , 1993, 6, 15-27.	0.2	10
101	SDN-Enabled Energy-Efficient Network Management. , 0, , 323-338.		3