

# Gary L Johnson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8553909/publications.pdf>

Version: 2024-02-01

220  
papers

25,216  
citations

10956

71  
h-index

6979

154  
g-index

224  
all docs

224  
docs citations

224  
times ranked

27113  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adaptive chromatin remodeling and transcriptional changes of the functional kinome in tumor cells in response to targeted kinase inhibition. <i>Journal of Biological Chemistry</i> , 2022, 298, 101525.	1.6	9
2	Abstract P3-15-01: Patients and Researchers Together (PART); a patient-centered tumor tissue collection PARTnership between patients and researchers to increase tissue donations for breast cancer research. <i>Cancer Research</i> , 2022, 82, P3-15-01-P3-15-01.	0.4	0
3	Identification of 4-anilinoquinoline as a cell active Protein Kinase Novel 3 (PKN3) inhibitor chemotype. <i>ChemMedChem</i> , 2022, , .	1.6	2
4	Cabozantinib for neurofibromatosis type 1-related plexiform neurofibromas: a phase 2 trial. <i>Nature Medicine</i> , 2021, 27, 165-173.	15.2	46
5	SOX4 and SMARCA4 cooperatively regulate PI3k signaling through transcriptional activation of TGFBR2. <i>Npj Breast Cancer</i> , 2021, 7, 40.	2.3	9
6	Limited inhibition of multiple nodes in a driver network blocks metastasis. <i>ELife</i> , 2021, 10, .	2.8	20
7	FOXA1 and adaptive response determinants to HER2 targeted therapy in TBCRC 036. <i>Npj Breast Cancer</i> , 2021, 7, 51.	2.3	11
8	Brigatinib causes tumor shrinkage in both NF2-deficient meningioma and schwannoma through inhibition of multiple tyrosine kinases but not ALK. <i>PLoS ONE</i> , 2021, 16, e0252048.	1.1	19
9	High-content image-based analysis and proteomic profiling identifies Tau phosphorylation inhibitors in a human iPSC-derived glutamatergic neuronal model of tauopathy. <i>Scientific Reports</i> , 2021, 11, 17029.	1.6	8
10	Synthesis and Evaluation of Novel 1,2,6-Thiadiazinone Kinase Inhibitors as Potent Inhibitors of Solid Tumors. <i>Molecules</i> , 2021, 26, 5911.	1.7	4
11	New strategies for targeting kinase networks in cancer. <i>Journal of Biological Chemistry</i> , 2021, 297, 101128.	1.6	18
12	PRM-LIVE with Trapped Ion Mobility Spectrometry and Its Application in Selectivity Profiling of Kinase Inhibitors. <i>Analytical Chemistry</i> , 2021, 93, 13791-13799.	3.2	20
13	<i>Nf1</i> -Mutant Tumors Undergo Transcriptome and Kinome Remodeling after Inhibition of either mTOR or MEK. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 2382-2395.	1.9	3
14	Discrete Adaptive Responses to MEK Inhibitor in Subpopulations of Triple-Negative Breast Cancer. <i>Molecular Cancer Research</i> , 2020, 18, 1685-1698.	1.5	3
15	Irreversible JNK1-JUN inhibition by JNK-IN-8 sensitizes pancreatic cancer to 5-FU/FOLFOX chemotherapy. <i>JCI Insight</i> , 2020, 5, .	2.3	25
16	FGFR4 regulates tumor subtype differentiation in luminal breast cancer and metastatic disease. <i>Journal of Clinical Investigation</i> , 2020, 130, 4871-4887.	3.9	49
17	Inhibition of Aurora A Kinase in Combination with Chemotherapy Induces Synthetic Lethality and Overcomes Chemoresistance in Myc-Overexpressing Lymphoma. <i>Targeted Oncology</i> , 2019, 14, 563-575.	1.7	11
18	Kinome profiling of non-Hodgkin lymphoma identifies Tyro3 as a therapeutic target in primary effusion lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16541-16550.	3.3	16

#	ARTICLE	IF	CITATIONS
19	Collect Earth: An online tool for systematic reference data collection in land cover and use applications. <i>Environmental Modelling and Software</i> , 2019, 118, 166-171.	1.9	99
20	GSK2801, a BAZ2/BRD9 Bromodomain Inhibitor, Synergizes with BET Inhibitors to Induce Apoptosis in Triple-Negative Breast Cancer. <i>Molecular Cancer Research</i> , 2019, 17, 1503-1518.	1.5	39
21	Design of a Cyclin G Associated Kinase (GAK)/Epidermal Growth Factor Receptor (EGFR) Inhibitor Set to Interrogate the Relationship of EGFR and GAK in Chordoma. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 4772-4778.	2.9	34
22	A proteasome-resistant fragment of NIK mediates oncogenic NF- $\kappa$ B signaling in schwannomas. <i>Human Molecular Genetics</i> , 2019, 28, 572-583.	1.4	5
23	Unexplored therapeutic opportunities in the human genome. <i>Nature Reviews Drug Discovery</i> , 2018, 17, 317-332.	21.5	263
24	Mass Spectrometry-Based Proteomics Reveals Potential Roles of NEK9 and MAP2K4 in Resistance to PI3K Inhibition in Triple-Negative Breast Cancers. <i>Cancer Research</i> , 2018, 78, 2732-2746.	0.4	52
25	Discovery and characterization of an iminocoumarin scaffold as an inhibitor of MEKK2 (MAP3K2). <i>Biochemical and Biophysical Research Communications</i> , 2018, 496, 205-211.	1.0	6
26	Identification and Optimization of 4-Anilinoquinolines as Inhibitors of Cyclin-G Associated Kinase. <i>ChemMedChem</i> , 2018, 13, 48-66.	1.6	51
27	Epigenetic Mechanisms Regulating Adaptive Responses to Targeted Kinase Inhibitors in Cancer. <i>Annual Review of Pharmacology and Toxicology</i> , 2018, 58, 209-229.	4.2	20
28	New Mechanisms of Resistance to MEK Inhibitors in Melanoma Revealed by Intravital Imaging. <i>Cancer Research</i> , 2018, 78, 542-557.	0.4	57
29	Competitive Kinase Enrichment Proteomics Reveals that Abemaciclib Inhibits GSK3 $\beta$ and Activates WNT Signaling. <i>Molecular Cancer Research</i> , 2018, 16, 333-344.	1.5	33
30	Proteomic analysis defines kinase taxonomies specific for subtypes of breast cancer. <i>Oncotarget</i> , 2018, 9, 15480-15497.	0.8	24
31	DRES-08. DYNAMIC KINOME PROFILING OF GENETICALLY-DEFINED, EGFRvIII-DRIVEN MURINE ASTROCYTE MODELS OF GLIOBLASTOMA REVEALS TARGETS FOR DUAL KINASE INHIBITOR THERAPY. <i>Neuro-Oncology</i> , 2018, 20, vi77-vi77.	0.6	0
32	CSIG-42. HIGH THROUGHPUT KINOME AND TRANSCRIPTOME ANALYSES REVEAL NOVEL THERAPEUTIC TARGETS IN NF2-DEFICIENT MENINGIOMA. <i>Neuro-Oncology</i> , 2018, 20, vi52-vi52.	0.6	0
33	DRES-07. DEFINING THE MECHANISMS OF ACQUIRED RESISTANCE TO TYROSINE KINASE INHIBITORS IN EGFR-DRIVEN GLIOBLASTOMAS USING INTEGRATED KINOME AND TRANSCRIPTOME PROFILING. <i>Neuro-Oncology</i> , 2018, 20, vi77-vi77.	0.6	0
34	Far away from the lamppost. <i>PLoS Biology</i> , 2018, 16, e3000067.	2.6	10
35	An Operational Before-After-Control-Impact (BACI) Designed Platform for Vegetation Monitoring at Planetary Scale. <i>Remote Sensing</i> , 2018, 10, 760.	1.8	40
36	Application of Integrated Drug Screening/Kinome Analysis to Identify Inhibitors of Gemcitabine-Resistant Pancreatic Cancer Cell Growth. <i>SLAS Discovery</i> , 2018, 23, 850-861.	1.4	11

#	ARTICLE	IF	CITATIONS
37	Traditional and systems biology based drug discovery for the rare tumor syndrome neurofibromatosis type 2. PLoS ONE, 2018, 13, e0197350.	1.1	17
38	EPH receptor signaling as a novel therapeutic target in NF2-deficient meningioma. Neuro-Oncology, 2018, 20, 1185-1196.	0.6	22
39	Targeting the Breast Cancer Kinome. Journal of Cellular Physiology, 2017, 232, 53-60.	2.0	23
40	Enhancer Remodeling during Adaptive Bypass to MEK Inhibition Is Attenuated by Pharmacologic Targeting of the P-TEFb Complex. Cancer Discovery, 2017, 7, 302-321.	7.7	128
41	MAP3K4 Controls the Chromatin Modifier HDAC6 during Trophoblast Stem Cell Epithelial-to-Mesenchymal Transition. Cell Reports, 2017, 18, 2387-2400.	2.9	49
42	Kinome Profiling Identifies Druggable Targets for Novel Human Cytomegalovirus (HCMV) Antivirals. Molecular and Cellular Proteomics, 2017, 16, S263-S276.	2.5	28
43	Combined kinase inhibitors of MEK1/2 and either PI3K or PDGFR are efficacious in intracranial triple-negative breast cancer. Neuro-Oncology, 2017, 19, 1481-1493.	0.6	32
44	Measuring Kinase Activity—A Global Challenge. Journal of Cellular Biochemistry, 2017, 118, 3595-3606.	1.2	10
45	Combination therapy with potent PI3K and MAPK inhibitors overcomes adaptive kinome resistance to single agents in preclinical models of glioblastoma. Neuro-Oncology, 2017, 19, 1469-1480.	0.6	42
46	Landscaping a chromatin response to MEK inhibition. Cell Cycle, 2017, 16, 731-732.	1.3	0
47	Effects of the kinase inhibitor sorafenib on heart, muscle, liver and plasma metabolism <i>in vivo</i> using non-targeted metabolomics analysis. British Journal of Pharmacology, 2017, 174, 4797-4811.	2.7	24
48	Kinome and Transcriptome Profiling Reveal Broad and Distinct Activities of Erlotinib, Sunitinib, and Sorafenib in the Mouse Heart and Suggest Cardiotoxicity From Combined Signal Transducer and Activator of Transcription and Epidermal Growth Factor Receptor Inhibition. Journal of the American Heart Association, 2017, 6, .	1.6	32
49	Enhancer remodeling regulates epigenetic adaptation and resistance to MEK1/2 inhibition in triple-negative breast cancer. Molecular and Cellular Oncology, 2017, 4, e1300622.	0.3	2
50	Non-Targeted Metabolomics Analysis of the Effects of Tyrosine Kinase Inhibitors Sunitinib and Erlotinib on Heart, Muscle, Liver and Serum Metabolism In Vivo. Metabolites, 2017, 7, 31.	1.3	16
51	Pharmacologic targeting of drug-induced enhancers. Oncoscience, 2017, 4, 43-44.	0.9	0
52	Epigenetic inhibition of adaptive bypass responses to lapatinib by targeting BET Bromodomains. Molecular and Cellular Oncology, 2016, 3, e1052182.	0.3	5
53	Weight loss reduces basal-like breast cancer through kinome reprogramming. Cancer Cell International, 2016, 16, 26.	1.8	16
54	Phase II trial of the MEK1/2 inhibitor selumetinib (AZD6244) in adults with neurofibromatosis type 1 (NF1) and inoperable plexiform neurofibromas (PNs).. Journal of Clinical Oncology, 2016, 34, TPS2596-TPS2596.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Crizotinib inhibits NF2-associated schwannoma through inhibition of focal adhesion kinase 1. <i>Oncotarget</i> , 2016, 7, 54515-54525.	0.8	27
56	Identification of ponatinib and other known kinase inhibitors with potent MEKK2 inhibitory activity. <i>Biochemical and Biophysical Research Communications</i> , 2015, 463, 888-893.	1.0	12
57	Inhibition of Lapatinib-Induced Kinome Reprogramming in ERBB2-Positive Breast Cancer by Targeting BET Family Bromodomains. <i>Cell Reports</i> , 2015, 11, 390-404.	2.9	254
58	An Unbiased Proteomic Screen Reveals Caspase Cleavage Is Positively and Negatively Regulated by Substrate Phosphorylation. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 1184-1197.	2.5	39
59	Implications of Mesenchymal Cells in Cancer Stem Cell Populations: Relevance to EMT. <i>Current Pathobiology Reports</i> , 2014, 2, 21-26.	1.6	37
60	Molecular Pathways: Adaptive Kinome Reprogramming in Response to Targeted Inhibition of the BRAF-MEK-ERK Pathway in Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 2516-2522.	3.2	108
61	MEK inhibition in non-small cell lung cancer. <i>Lung Cancer</i> , 2014, 86, 121-125.	0.9	62
62	Adaptive Reprogramming of the Breast Cancer Kinome. <i>Clinical Pharmacology and Therapeutics</i> , 2014, 95, 413-415.	2.3	25
63	Assessing adaptation of the cancer kinome in response to targeted therapies. <i>Biochemical Society Transactions</i> , 2014, 42, 765-769.	1.6	11
64	Bosutinib reduces the efficacy of Dasatinib in triple-negative breast cancer cell lines. <i>Anticancer Research</i> , 2014, 34, 1629-35.	0.5	7
65	MAP3K1: Genomic Alterations in Cancer and Function in Promoting Cell Survival or Apoptosis. <i>Genes and Cancer</i> , 2013, 4, 419-426.	0.6	99
66	Tousled-like Kinases Modulate Reactivation of Gammaherpesviruses from Latency. <i>Cell Host and Microbe</i> , 2013, 13, 204-214.	5.1	41
67	Development and Validation of a High-Throughput Intrinsic ATPase Activity Assay for the Discovery of MEKK2 Inhibitors. <i>Journal of Biomolecular Screening</i> , 2013, 18, 388-399.	2.6	15
68	MicroRNA 9-3p Targets $\beta$ 1 Integrin To Sensitize Claudin-Low Breast Cancer Cells to MEK Inhibition. <i>Molecular and Cellular Biology</i> , 2013, 33, 2260-2274.	1.1	44
69	SWI/SNF Chromatin-Remodeling Factor Smarcd3/Baf60c Controls Epithelial-Mesenchymal Transition by Inducing Wnt5a Signaling. <i>Molecular and Cellular Biology</i> , 2013, 33, 3011-3025.	1.1	54
70	Cerebral cavernous malformation is a vascular disease associated with activated RhoA signaling. <i>Biological Chemistry</i> , 2013, 394, 35-42.	1.2	43
71	Colâ€¢, a fluorescent probe for ex vivo confocal imaging of collagen and elastin in animal tissues. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013, 83A, 533-539.	1.1	25
72	Loss of Arp2/3 induces an NF- $\kappa$ B-dependent, nonautonomous effect on chemotactic signaling. <i>Journal of Cell Biology</i> , 2013, 203, 907-916.	2.3	37

#	ARTICLE	IF	CITATIONS
73	UNC569, a Novel Small-Molecule Mer Inhibitor with Efficacy against Acute Lymphoblastic Leukemia <i>In Vitro</i> and <i>In Vivo</i> . <i>Molecular Cancer Therapeutics</i> , 2013, 12, 2367-2377.	1.9	53
74	Application of Multiplexed Kinase Inhibitor Beads to Study Kinome Adaptations in Drug-Resistant Leukemia. <i>PLoS ONE</i> , 2013, 8, e66755.	1.1	60
75	Combined PI3K/mTOR and MEK Inhibition Provides Broad Antitumor Activity in Faithful Murine Cancer Models. <i>Clinical Cancer Research</i> , 2012, 18, 5290-5303.	3.2	118
76	Dynamic Reprogramming of the Kinome in Response to Targeted MEK Inhibition in Triple-Negative Breast Cancer. <i>Cell</i> , 2012, 149, 307-321.	13.5	637
77	Discovery of Small Molecule Mer Kinase Inhibitors for the Treatment of Pediatric Acute Lymphoblastic Leukemia. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 129-134.	1.3	67
78	Defining the expressed breast cancer kinome. <i>Cell Research</i> , 2012, 22, 620-623.	5.7	23
79	Evaluation of UNC569, a Novel Small Molecule Mer Inhibitor for the Treatment of ALL <i>In Vitro</i> and <i>In Vivo</i> . <i>Blood</i> , 2012, 120, 2607-2607.	0.6	0
80	Defining MAPK Interactomes. <i>ACS Chemical Biology</i> , 2011, 6, 18-20.	1.6	31
81	MAP3K4/CBP-Regulated H2B Acetylation Controls Epithelial-Mesenchymal Transition in Trophoblast Stem Cells. <i>Cell Stem Cell</i> , 2011, 8, 525-537.	5.2	102
82	Tracking the intermediate stages of epithelial-mesenchymal transition in epithelial stem cells and cancer. <i>Cell Cycle</i> , 2011, 10, 2865-2873.	1.3	199
83	Efficiently identifying genome-wide changes with next-generation sequencing data. <i>Nucleic Acids Research</i> , 2011, 39, e130-e130.	6.5	29
84	UNC569 As Novel Small Molecule Mer Receptor Tyrosine Kinase Inhibitor for Treatment of ALL. <i>Blood</i> , 2011, 118, 2589-2589.	0.6	17
85	Defining the Functional Domain of Programmed Cell Death 10 through Its Interactions with Phosphatidylinositol-3,4,5-Trisphosphate. <i>PLoS ONE</i> , 2010, 5, e11740.	1.1	31
86	PB1 Domain Interaction of p62/Sequestosome 1 and MEKK3 Regulates NF- $\kappa$ B Activation. <i>Journal of Biological Chemistry</i> , 2010, 285, 2077-2089.	1.6	107
87	Rho Kinase Inhibition Rescues the Endothelial Cell Cerebral Cavemous Malformation Phenotype. <i>Journal of Biological Chemistry</i> , 2010, 285, 11760-11764.	1.6	126
88	Cerebral Cavemous Malformation 2 Protein Promotes Smad Ubiquitin Regulatory Factor 1-mediated RhoA Degradation in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 13301-13305.	1.6	82
89	Trophoblast Stem Cell Maintenance by Fibroblast Growth Factor 4 Requires MEKK4 Activation of Jun N-Terminal Kinase. <i>Molecular and Cellular Biology</i> , 2009, 29, 2748-2761.	1.1	65
90	Coordination of Rho GTPase activities during cell protrusion. <i>Nature</i> , 2009, 461, 99-103.	13.7	898

#	ARTICLE	IF	CITATIONS
91	Inhibitors paradoxically prime kinases. <i>Nature Chemical Biology</i> , 2009, 5, 448-449.	3.9	12
92	In Vivo Profiling Endogenous Interactions with Knock-Out in Mammalian Cells. <i>Analytical Chemistry</i> , 2009, 81, 1411-1417.	3.2	7
93	Sequence patches on MAPK surfaces define protein-protein interactions. <i>Genome Biology</i> , 2009, 10, 222.	13.9	1
94	Homogeneous Time-Resolved Fluorescence Resonance Energy Transfer Assay for Measurement of Phox/Bem1p (PB1) Domain Heterodimerization. <i>Journal of Biomolecular Screening</i> , 2008, 13, 396-405.	2.6	7
95	MEKK4 Stimulation of p38 and JNK Activity Is Negatively Regulated by GSK3 $\beta$ . <i>Journal of Biological Chemistry</i> , 2007, 282, 30476-30484.	1.6	49
96	Noncanonical Function of MEKK2 and MEK5 PB1 Domains for Coordinated Extracellular Signal-Regulated Kinase 5 and c-Jun N-Terminal Kinase Signaling. <i>Molecular and Cellular Biology</i> , 2007, 27, 4566-4577.	1.1	25
97	MEKK1 Mediates the Ubiquitination and Degradation of c-Jun in Response to Osmotic Stress. <i>Molecular and Cellular Biology</i> , 2007, 27, 510-517.	1.1	71
98	Use of a Fluorescently Labeled Poly-Caspase Inhibitor for <i>In Vivo</i> Detection of Apoptosis Related to Vascular-Targeting Agent Arsenic Trioxide for Cancer Therapy. <i>Technology in Cancer Research and Treatment</i> , 2007, 6, 651-654.	0.8	26
99	Hyperosmotic Induction of Mitogen-Activated Protein Kinase Scaffolding. <i>Methods in Enzymology</i> , 2007, 428, 297-312.	0.4	13
100	Proteomic Identification of the Cerebral Cavernous Malformation Signaling Complex. <i>Journal of Proteome Research</i> , 2007, 6, 4343-4355.	1.8	132
101	Integrated activation of MAP3Ks balances cell fate in response to stress. <i>Journal of Cellular Biochemistry</i> , 2007, 102, 848-858.	1.2	53
102	The c-jun kinase/stress-activated pathway: Regulation, function and role in human disease. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007, 1773, 1341-1348.	1.9	401
103	The use of rabbit polyclonal antibodies to assess neoantigenicity following viral reduction of an alpha-1-proteinase inhibitor preparation. <i>Biologicals</i> , 2006, 34, 199-207.	0.5	1
104	PB1 Domain-Dependent Signaling Complex Is Required for Extracellular Signal-Regulated Kinase 5 Activation. <i>Molecular and Cellular Biology</i> , 2006, 26, 2065-2079.	1.1	43
105	MAPK kinase kinases (MKKKs) as a target class for small-molecule inhibition to modulate signaling networks and gene expression. <i>Current Opinion in Chemical Biology</i> , 2005, 9, 325-331.	2.8	108
106	MEKK1 regulates the AP-1 dimer repertoire via control of JunB transcription and Fra-2 protein stability. <i>Oncogene</i> , 2005, 24, 801-809.	2.6	34
107	Ablation of MEK Kinase 1 Suppresses Intimal Hyperplasia by Impairing Smooth Muscle Cell Migration and Urokinase Plasminogen Activator Expression in a Mouse Blood-Flow Cessation Model. <i>Circulation</i> , 2005, 111, 1672-1678.	1.6	14
108	MEKK4 Is an Effector of the Embryonic TRAF4 for JNK Activation. <i>Journal of Biological Chemistry</i> , 2005, 280, 35793-35796.	1.6	39

#	ARTICLE	IF	CITATIONS
109	Ablation of MEKK4 Kinase Activity Causes Neurulation and Skeletal Patterning Defects in the Mouse Embryo. <i>Molecular and Cellular Biology</i> , 2005, 25, 8948-8959.	1.1	63
110	CCM1 and CCM2 protein interactions in cell signaling: implications for cerebral cavernous malformations pathogenesis. <i>Human Molecular Genetics</i> , 2005, 14, 2521-2531.	1.4	238
111	Novel Assay Utilizing Fluorochrome-Tagged Physostigmine (Ph-F) to In Situ Detect Active Acetylcholinesterase (AChE) Induced during Apoptosis. <i>Cell Cycle</i> , 2005, 4, 140-147.	1.3	22
112	Structural and Evolutionary Division of Phosphotyrosine Binding (PTB) Domains. <i>Journal of Molecular Biology</i> , 2005, 345, 1-20.	2.0	225
113	Analysis of Orthologous Gene Expression between Human Pulmonary Adenocarcinoma and a Carcinogen-Induced Murine Model. <i>American Journal of Pathology</i> , 2005, 167, 1763-1775.	1.9	269
114	JNK Regulates the Release of Proapoptotic Mitochondrial Factors in Reovirus-Infected Cells. <i>Journal of Virology</i> , 2004, 78, 13132-13138.	1.5	60
115	Rac2D57N, a dominant inhibitory Rac2 mutant that inhibits p38 kinase signaling and prevents surface ruffling in bone-marrow-derived macrophages. <i>Journal of Cell Science</i> , 2004, 117, 243-255.	1.2	15
116	MEKK2 regulates the coordinate activation of ERK5 and JNK in response to FGF-2 in fibroblasts. <i>Journal of Cellular Physiology</i> , 2004, 199, 140-148.	2.0	75
117	CP-64131, an aminobenzazepine with cytokine-like properties, stimulates human neutrophil functions through the p38-MAPK pathway. <i>Journal of Leukocyte Biology</i> , 2004, 76, 477-483.	1.5	1
118	Wiring diagrams of MAPK regulation by MEKK1, 2, and 3. <i>Biochemistry and Cell Biology</i> , 2004, 82, 658-663.	0.9	86
119	The in vitro production and characterization of neutrophils from embryonic stem cells. <i>Blood</i> , 2004, 103, 852-859.	0.6	81
120	MEKK1 regulates calpain-dependent proteolysis of focal adhesion proteins for rear-end detachment of migrating fibroblasts. <i>EMBO Journal</i> , 2003, 22, 3346-3355.	3.5	114
121	MEF2C regulates c-Jun but not TNF- $\alpha$ gene expression in stimulated mast cells. <i>European Journal of Immunology</i> , 2003, 33, 2903-2909.	1.6	22
122	Rac $\alpha$ MEKK3 $\alpha$ MKK3 scaffolding for p38 MAPK activation during hyperosmotic shock. <i>Nature Cell Biology</i> , 2003, 5, 1104-1110.	4.6	346
123	MEK Kinase 2 and the Adaptor Protein Lad Regulate Extracellular Signal-Regulated Kinase 5 Activation by Epidermal Growth Factor via Src. <i>Molecular and Cellular Biology</i> , 2003, 23, 2298-2308.	1.1	90
124	MEKK1 Is Required for Inducible Urokinase-type Plasminogen Activator Expression. <i>Journal of Biological Chemistry</i> , 2003, 278, 5941-5946.	1.6	26
125	Ubiquitylation of MEKK1 Inhibits Its Phosphorylation of MKK1 and MKK4 and Activation of the ERK1/2 and JNK Pathways. <i>Journal of Biological Chemistry</i> , 2003, 278, 1403-1406.	1.6	84
126	Reovirus-Induced Alteration in Expression of Apoptosis and DNA Repair Genes with Potential Roles in Viral Pathogenesis. <i>Journal of Virology</i> , 2003, 77, 8934-8947.	1.5	42



#	ARTICLE	IF	CITATIONS
127	PB1 Domains of MEKK2 and MEKK3 Interact with the MEK5 PB1 Domain for Activation of the ERK5 Pathway. <i>Journal of Biological Chemistry</i> , 2003, 278, 36989-36992.	1.6	84
128	DEVDase detection in intact apoptotic cells using the cell permeant fluorogenic substrate, (z-DEVD) <sub>2</sub> -cresyl violet. <i>BioTechniques</i> , 2003, 35, 1080-1085.	0.8	27
129	Bradykinin antagonist dimer, CU201, inhibits the growth of human lung cancer cell lines by a "biased agonist" mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 4608-4613.	3.3	51
130	MEKK1 is essential for cardiac hypertrophy and dysfunction induced by Gq. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3866-3871.	3.3	97
131	Sequential Activation of Caspases and Serine Proteases (Serpases) During Apoptosis. <i>Cell Cycle</i> , 2002, 1, 115-122.	1.3	21
132	SIGNAL TRANSDUCTION: Scaffolding Proteins--More Than Meets the Eye. <i>Science</i> , 2002, 295, 1249-1250.	6.0	14
133	Inhibition of Src Family Kinases Blocks Epidermal Growth Factor (EGF)-induced Activation of Akt, Phosphorylation of c-Cbl, and Ubiquitination of the EGF Receptor. <i>Journal of Biological Chemistry</i> , 2002, 277, 24967-24975.	1.6	97
134	Apoptosis Stimulated by the 91-kDa Caspase Cleavage MEKK1 Fragment Requires Translocation to Soluble Cellular Compartments. <i>Journal of Biological Chemistry</i> , 2002, 277, 10283-10291.	1.6	39
135	Reovirus-Induced Alterations in Gene Expression Related to Cell Cycle Regulation. <i>Journal of Virology</i> , 2002, 76, 2585-2594.	1.5	30
136	ZD1839, a selective epidermal growth factor receptor tyrosine kinase inhibitor, alone and in combination with radiation and chemotherapy as a new therapeutic strategy in nonâ€“small cell lung cancer. <i>Seminars in Oncology</i> , 2002, 29, 37-46.	0.8	134
137	Role of the amino-terminal domains of MEKKs in the activation of NF $\kappa$ B and MAPK pathways and in the regulation of cell proliferation and apoptosis. <i>Cellular Signalling</i> , 2002, 14, 123-131.	1.7	59
138	TRAIL and inhibitors of apoptosis are opposing determinants for NF $\kappa$ B-dependent, genotoxin-induced apoptosis of cancer cells. <i>Oncogene</i> , 2002, 21, 260-271.	2.6	37
139	MEKK1-induced apoptosis requires TRAIL death receptor activation and is inhibited by AKT/PKB through inhibition of MEKK1 cleavage. <i>Oncogene</i> , 2002, 21, 6649-6656.	2.6	18
140	Mixed-lineage kinase control of JNK and p38 MAPK pathways. <i>Nature Reviews Molecular Cell Biology</i> , 2002, 3, 663-672.	16.1	519
141	Mitogen-Activated Protein Kinase Pathways Mediated by ERK, JNK, and p38 Protein Kinases. <i>Science</i> , 2002, 298, 1911-1912.	6.0	3,738
142	The MEKK1-JNK pathway plays a protective role in pressure overload but does not mediate cardiac hypertrophy. <i>Journal of Clinical Investigation</i> , 2002, 110, 271-279.	3.9	91
143	Combined use of oligonucleotide and tissue microarrays identifies cancer/testis antigens as biomarkers in lung carcinoma. <i>Cancer Research</i> , 2002, 62, 3971-9.	0.4	100
144	Caspase 8-dependent sensitization of cancer cells to TRAIL-induced apoptosis following reovirus-infection. <i>Oncogene</i> , 2001, 20, 6910-6919.	2.6	64

#	ARTICLE	IF	CITATIONS
145	MEKK2 Associates with the Adapter Protein Lad/RIBP and Regulates the MEK5-BMK1/ERK5 Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 5093-5100.	1.6	138
146	Reovirus Infection Activates JNK and the JNK-Dependent Transcription Factor c-Jun. <i>Journal of Virology</i> , 2001, 75, 11275-11283.	1.5	65
147	Tumor Necrosis Factor- $\alpha$ Activation of the c-Jun N-terminal Kinase Pathway in Human Neutrophils. <i>Journal of Biological Chemistry</i> , 2001, 276, 2189-2199.	1.6	102
148	New Therapeutic Strategies for Lung Cancer. <i>Chest</i> , 2000, 117, 163S-168S.	0.4	36
149	Induction of a non-encephalitogenic type 2 T helper-cell autoimmune response in multiple sclerosis after administration of an altered peptide ligand in a placebo-controlled, randomized phase II trial. <i>Nature Medicine</i> , 2000, 6, 1176-1182.	15.2	506
150	Differential Regulation of CD40-Mediated Human B Cell Responses by Antibodies Directed against Different CD40 Epitopes. <i>Cellular Immunology</i> , 2000, 201, 109-123.	1.4	11
151	Increased Expression of Death Receptors 4 and 5 Synergizes the Apoptosis Response to Combined Treatment with Etoposide and TRAIL. <i>Molecular and Cellular Biology</i> , 2000, 20, 205-212.	1.1	249
152	Activation of MEK Kinase 1 by the c-Abl Protein Tyrosine Kinase in Response to DNA Damage. <i>Molecular and Cellular Biology</i> , 2000, 20, 4979-4989.	1.1	90
153	Reovirus-Induced Apoptosis Is Mediated by TRAIL. <i>Journal of Virology</i> , 2000, 74, 8135-8139.	1.5	186
154	MEK Kinase 2 Binds and Activates Protein Kinase C-related Kinase 2. <i>Journal of Biological Chemistry</i> , 2000, 275, 24421-24428.	1.6	28
155	CD40 and adenosine A2 receptor agonist-induced apoptosis through independent pathways and converge to prevent caspase activation. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 105, 522-531.	1.5	49
156	Mitogen-Activated Protein Kinase: Conservation of a Three-Kinase Module From Yeast to Human. <i>Physiological Reviews</i> , 1999, 79, 143-180.	13.1	2,492
157	MEK Kinase 1 (MEKK1) Transduces c-Jun NH2-terminal Kinase Activation in Response to Changes in the Microtubule Cytoskeleton. <i>Journal of Biological Chemistry</i> , 1999, 274, 12605-12610.	1.6	115
158	Epidermal Growth Factor Protects Epithelial Cells against Fas-induced Apoptosis. <i>Journal of Biological Chemistry</i> , 1999, 274, 17612-17618.	1.6	225
159	Differential Involvement of MEK Kinase 1 (MEKK1) in the Induction of Apoptosis in Response to Microtubule-targeted Drugs versus DNA Damaging Agents. <i>Journal of Biological Chemistry</i> , 1999, 274, 10916-10922.	1.6	62
160	Organization and regulation of mitogen-activated protein kinase signaling pathways. <i>Current Opinion in Cell Biology</i> , 1999, 11, 211-218.	2.6	1,195
161	Differential activation and regulation of mitogen-activated protein kinases through the antigen receptor and CD40 in human B cells. <i>European Journal of Immunology</i> , 1999, 29, 2999-3008.	1.6	28
162	Live Cell Fluorescence Imaging of T Cell MEKK2. <i>Immunity</i> , 1999, 11, 411-421.	6.6	50

#	ARTICLE	IF	CITATIONS
163	An Intracellular Signaling Pathway Linking Lipopolysaccharide Stimulation to Cellular Responses of the Human Neutrophil. <i>Chest</i> , 1999, 116, 54S-55S.	0.4	19
164	Selective activation and functional significance of p38 $\beta$ mitogen-activated protein kinase in lipopolysaccharide-stimulated neutrophils. <i>Journal of Clinical Investigation</i> , 1999, 103, 851-858.	3.9	274
165	Anti-apoptotic versus pro-apoptotic signal transduction: Checkpoints and stop signs along the road to death. <i>Oncogene</i> , 1998, 17, 1475-1482.	2.6	153
166	Caspase-dependent Cleavage of Signaling Proteins during Apoptosis. <i>Journal of Biological Chemistry</i> , 1998, 273, 7141-7147.	1.6	374
167	[d-Arg1,d-Phe5,d-Trp7,9,Leu11]Substance P Acts as a Biased Agonist toward Neuropeptide and Chemokine Receptors. <i>Journal of Biological Chemistry</i> , 1998, 273, 3097-3104.	1.6	85
168	14-3-3 Proteins Interact with Specific MEK Kinases. <i>Journal of Biological Chemistry</i> , 1998, 273, 3476-3483.	1.6	137
169	MEK Kinase 1, a Substrate for DEVD-Directed Caspases, Is Involved in Genotoxin-Induced Apoptosis. <i>Molecular and Cellular Biology</i> , 1998, 18, 2416-2429.	1.1	227
170	Intracellular Signaling by the Chemokine Receptor US28 during Human Cytomegalovirus Infection. <i>Journal of Virology</i> , 1998, 72, 5535-5544.	1.5	135
171	Cloning of a Novel Mitogen-activated Protein Kinase Kinase Kinase, MEKK4, That Selectively Regulates the c-Jun Amino Terminal Kinase Pathway. <i>Journal of Biological Chemistry</i> , 1997, 272, 8288-8295.	1.6	226
172	Rapamycin Potentiates Dexamethasone-Induced Apoptosis and Inhibits JNK Activity in Lymphoblastoid Cells. <i>Biochemical and Biophysical Research Communications</i> , 1997, 230, 386-391.	1.0	45
173	MEKKs, GCKs, MLKs, PAKs, TAKs, and Tpls: upstream regulators of the c-Jun amino-terminal kinases?. <i>Current Opinion in Genetics and Development</i> , 1997, 7, 67-74.	1.5	303
174	The Regulation of Anoikis: MEKK-1 Activation Requires Cleavage by Caspases. <i>Cell</i> , 1997, 90, 315-323.	13.5	495
175	Potential of apoptosis by low dose stress stimuli in cells expressing activated MEK kinase 1. <i>Oncogene</i> , 1997, 15, 2439-2447.	2.6	70
176	Mild systolic dysfunction in heart failure (left ventricular ejection fraction >35%): Baseline characteristics, prognosis and response to therapy in the vasodilator in heart failure trials (V-HeFT). <i>Journal of the American College of Cardiology</i> , 1996, 27, 642-649.	1.2	85
177	Bombesin-like peptide receptors in human bronchial epithelial cells. <i>Peptides</i> , 1996, 17, 111-118.	1.2	16
178	Activation of MEKK by Formyl-methionyl-leucyl-phenylalanine in Human Neutrophils. <i>Journal of Biological Chemistry</i> , 1996, 271, 33598-33606.	1.6	81
179	Signal Transduction Pathways Regulated by Mitogen-activated/Extracellular Response Kinase Kinase Kinase Induce Cell Death. <i>Journal of Biological Chemistry</i> , 1996, 271, 3229-3237.	1.6	330
180	Discordant Signal Transduction and Growth Inhibition of Small Cell Lung Carcinomas Induced by Expression of GTPase-deficient G $\alpha$ 16. <i>Journal of Biological Chemistry</i> , 1996, 271, 349-354.	1.6	35

#	ARTICLE	IF	CITATIONS
181	Fibroblast Growth Factor-2 Suppression of Tumor Necrosis Factor $\alpha$ -Mediated Apoptosis Requires Ras and the Activation of Mitogen-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 14560-14566.	1.6	202
182	Repression of Adipogenesis by Adenylyl Cyclase Stimulatory G-protein $\beta$ Subunit Is Expressed within Region 146-220. <i>Journal of Biological Chemistry</i> , 1996, 271, 22022-22029.	1.6	12
183	Molecular Cloning of Mitogen-activated Protein/ERK Kinase Kinases (MEKK) 2 and 3. <i>Journal of Biological Chemistry</i> , 1996, 271, 5361-5368.	1.6	210
184	Interleukin-8 Regulation of the Ras/Raf/Mitogen-activated Protein Kinase Pathway in Human Neutrophils. <i>Journal of Biological Chemistry</i> , 1996, 271, 2832-2838.	1.6	226
185	Aggregation of the Fc $\gamma$ RI on Mast Cells Stimulates c-Jun Amino-terminal Kinase Activity. <i>Journal of Biological Chemistry</i> , 1996, 271, 12762-12766.	1.6	72
186	[30] Assay of MEK kinases. <i>Methods in Enzymology</i> , 1995, 255, 290-301.	0.4	16
187	Activation of Jun Kinase/Stress-activated Protein Kinase by GTPase-deficient Mutants of G $\beta$ 12 and G $\beta$ 13. <i>Journal of Biological Chemistry</i> , 1995, 270, 18655-18659.	1.6	168
188	Direct Interaction between Ras and the Kinase Domain of Mitogen-activated Protein Kinase Kinase Kinase (MEKK1). <i>Journal of Biological Chemistry</i> , 1995, 270, 11757-11760.	1.6	161
189	Selective Activation of c-Jun Kinase Mitogen-activated Protein Kinase by CD40 on Human B Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 30823-30828.	1.6	159
190	Differential Modulation of Bombesin-stimulated Phospholipase C $\beta$ 2 and Mitogen-activated Protein Kinase Activity by [D-Arg1, D-Phe5, D-Trp7,9,Leu11 $\rightarrow$ ] Substance P. <i>Journal of Biological Chemistry</i> , 1995, 270, 8623-8628.	1.6	37
191	Mitogen-activated Protein Kinase Activation Requires Two Signal Inputs from the Human Anaphylatoxin C5a Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 19828-19832.	1.6	58
192	G $\beta$ 12 and G $\beta$ 13 Stimulate Rho-dependent Stress Fiber Formation and Focal Adhesion Assembly. <i>Journal of Biological Chemistry</i> , 1995, 270, 24631-24634.	1.6	423
193	IL-8 Signal Transduction in Human Neutrophils. <i>Annals of the New York Academy of Sciences</i> , 1995, 766, 288-291.	1.8	5
194	Acetylcholine muscarinic receptor regulation of the Ras/Raf/Map kinase pathway. <i>Life Sciences</i> , 1995, 56, 945-949.	2.0	11
195	Role of ras in muscarinic M1 and M2 acetylcholine receptor regulation of the mitogen-activated protein kinase stimulatory pathway. <i>Life Sciences</i> , 1995, 56, 1030.	2.0	0
196	[25] Construction of mutant and chimeric G-protein $\beta$ subunits. <i>Methods in Enzymology</i> , 1994, 237, 321-326.	0.4	1
197	How does the G protein, Gi2, transduce mitogenic signals?. <i>Journal of Cellular Biochemistry</i> , 1994, 54, 415-422.	1.2	60
198	Diversity in function and regulation of MAP kinase pathways. <i>Trends in Biochemical Sciences</i> , 1994, 19, 236-240.	3.7	473

#	ARTICLE	IF	CITATIONS
199	Sequential protein kinase reactions controlling cell growth and differentiation. <i>Current Opinion in Cell Biology</i> , 1994, 6, 230-238.	2.6	338
200	Raman spectroscopy of the zeta phase zinc-iron intermetallic compound. <i>Scripta Metallurgica Et Materialia</i> , 1994, 31, 1445-1447.	1.0	2
201	[22] Measuring activation of kinases in mitogen-activated protein kinase regulatory network. <i>Methods in Enzymology</i> , 1994, 238, 258-270.	0.4	66
202	Selective coupling of the human anaphylatoxin C5a receptor and $\beta$ 16in human kidney 293 cells. <i>FEBS Letters</i> , 1993, 323, 132-134.	1.3	54
203	Genetic and structural analysis of G protein $\beta$ subunit regulatory domains. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 136-146.	1.2	21
204	The NH2-terminal $\beta$ subunit attenuator domain confers regulation of G protein activation by $\beta$ 13 complexes. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 352-358.	1.2	9
205	Activating mutations in the NH2- and COOH-terminal moieties of the G $\beta$ subunit have dominant phenotypes and distinguishable kinetics of adenylyl cyclase stimulation. <i>Journal of Cellular Biochemistry</i> , 1991, 47, 359-368.	1.2	5
206	G Proteins. ADP-ribosylating toxins and G proteins: Insights into signal transduction. <i>Cell</i> , 1990, 62, 627-628.	13.5	1
207	G $\beta$ - $\beta$ s chimeras define the function of $\beta$ chain domains in control of G protein activation and $\beta$ 13 subunit complex interactions. <i>Cell</i> , 1990, 63, 697-706.	13.5	99
208	Evidence for oligomeric forms of transducins alpha subunit: Formation of intermolecular alpha-alpha disulfide linkages. <i>Biochemical and Biophysical Research Communications</i> , 1989, 159, 651-657.	1.0	15
209	Amino-terminal sequence analysis of rat heart and muscle glycogen synthase: Homology to the rabbit enzyme and the implications for hormonal control. <i>Archives of Biochemistry and Biophysics</i> , 1989, 268, 630-636.	1.4	5
210	Receptor activation of G proteins. <i>FASEB Journal</i> , 1988, 2, 2841-2848.	0.2	88
211	Sequence Homologies between Type 1 and Type 2A Protein Phosphatases. <i>Molecular Endocrinology</i> , 1987, 1, 745-748.	3.7	14
212	Enzymatic model for receptor activation of GTP-binding regulatory proteins. <i>Trends in Biochemical Sciences</i> , 1987, 12, 473-477.	3.7	20
213	Isolation of partial cDNAs for rat liver and muscle glycogen phosphorylase isozymes. <i>FEBS Letters</i> , 1986, 202, 282-288.	1.3	17
214	Characterization of three intermediates in the biosynthesis of teichuronic acid of <i>Micrococcus luteus</i> . <i>Archives of Biochemistry and Biophysics</i> , 1984, 235, 679-691.	1.4	16
215	A comparison of binding properties and structure of NGF receptor on PC12 pheochromocytoma and A875 melanoma cells. <i>Journal of Cellular Biochemistry</i> , 1983, 22, 219-233.	1.2	49
216	Structure of the bacteriophage lambda cohesive end site: location of the sites of terminase binding (cosB) and nicking (cosN). <i>Gene</i> , 1983, 24, 207-218.	1.0	82

#	ARTICLE	IF	CITATIONS
217	Complementation analysis of hormone-sensitive adenylate cyclase. <i>Nature</i> , 1978, 272, 720-722.	13.7	34
218	Studies of cyclic AMP action using mutant tissue culture cells. <i>In Vitro</i> , 1978, 14, 140-145.	1.2	31
219	Influence of cholera toxin on the regulation of adenylate cyclase by GTP. <i>Biochemical and Biophysical Research Communications</i> , 1977, 78, 792-798.	1.0	71
220	Racê“MEKK3ê“MKK3 scaffolding for p38 MAPK activation during hyperosmotic shock. , 0, .		1