Laura N Gitlin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8555063/publications.pdf

Version: 2024-02-01

249 papers 19,188 citations

43 h-index 129 g-index

252 all docs 252 docs citations

times ranked

252

16596 citing authors

#	Article	IF	CITATIONS
1	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. Lancet, The, 2020, 396, 413-446.	13.7	4,658
2	Dementia prevention, intervention, and care. Lancet, The, 2017, 390, 2673-2734.	13.7	4,228
3	Assessment and management of behavioral and psychological symptoms of dementia. BMJ, The, 2015, 350, h369-h369.	6.0	801
4	Enhancing the Quality of Life of Dementia Caregivers from Different Ethnic or Racial Groups. Annals of Internal Medicine, 2006, 145, 727.	3.9	614
5	Management of Neuropsychiatric Symptoms of Dementia in Clinical Settings: Recommendations from a Multidisciplinary Expert Panel. Journal of the American Geriatrics Society, 2014, 62, 762-769.	2.6	423
6	Nonpharmacologic Management of Behavioral Symptoms in Dementia. JAMA - Journal of the American Medical Association, 2012, 308, 2020.	7.4	382
7	A Randomized, Controlled Trial of a Home Environmental Intervention. Gerontologist, The, 2001, 41, 4-14.	3.9	376
8	A Randomized Trial of a Multicomponent Home Intervention to Reduce Functional Difficulties in Older Adults. Journal of the American Geriatrics Society, 2006, 54, 809-816.	2.6	329
9	Effect of multicomponent interventions on caregiver burden and depression: The REACH multisite initiative at 6-month follow-up Psychology and Aging, 2003, 18, 361-374.	1.6	327
10	A Biobehavioral Home-Based Intervention and the Well-being of Patients With Dementia and Their Caregivers. JAMA - Journal of the American Medical Association, 2010, 304, 983.	7.4	283
11	Tailored Activities to Manage Neuropsychiatric Behaviors in Persons With Dementia and Reduce Caregiver Burden: A Randomized Pilot Study. American Journal of Geriatric Psychiatry, 2008, 16, 229-239.	1.2	265
12	The Home Environment and Disability-Related Outcomes in Aging Individuals: What Is the Empirical Evidence?. Gerontologist, The, 2009, 49, 355-367.	3.9	246
13	Translating Evidence-Based Dementia Caregiving Interventions into Practice: State-of-the-Science and Next Steps. Gerontologist, The, 2015, 55, 210-226.	3.9	246
14	Effects of the Home Environmental Skill-Building Program on the Caregiver–Care Recipient Dyad: 6-Month Outcomes From the Philadelphia REACH Initiative. Gerontologist, The, 2003, 43, 532-546.	3.9	231
15	Resources for Enhancing Alzheimer's Caregiver Health (REACH): Overview, Site-Specific Outcomes, and Future Directions. Gerontologist, The, 2003, 43, 514-520.	3.9	218
16	Targeting and Managing Behavioral Symptoms in Individuals with Dementia: A Randomized Trial of a Nonpharmacological Intervention. Journal of the American Geriatrics Society, 2010, 58, 1465-1474.	2.6	188
17	Home-Based Care Program Reduces Disability And Promotes Aging In Place. Health Affairs, 2016, 35, 1558-1563.	5.2	155
18	The Tailored Activity Program to Reduce Behavioral Symptoms in Individuals With Dementia: Feasibility, Acceptability, and Replication Potential. Gerontologist, The, 2009, 49, 428-439.	3.9	142

#	Article	IF	CITATIONS
19	Tailored Activities to Manage Neuropsychiatric Behaviors in Persons With Dementia and Reduce Caregiver Burden: A Randomized Pilot Study. American Journal of Geriatric Psychiatry, 2008, 16, 229-239.	1.2	134
20	Patient Suffering and Caregiver Compassion: New Opportunities for Research, Practice, and Policy. Gerontologist, The, 2007, 47, 4-13.	3.9	130
21	Correlates of objective and subjective measures of caregiver burden among dementia caregivers: influence of unmet patient and caregiver dementia-related care needs. International Psychogeriatrics, 2014, 26, 1875-1883.	1.0	123
22	A Multidimensional Home-Based Care Coordination Intervention for Elders with Memory Disorders: The Maximizing Independence at Home (MIND) Pilot Randomized Trial. American Journal of Geriatric Psychiatry, 2014, 22, 398-414.	1.2	120
23	Determinants of behavioral and psychological symptoms of dementia: A scoping review of the evidence. Nursing Outlook, 2017, 65, 515-529.	2.6	110
24	Enhancing Quality of Life of Families Who Use Adult Day Services: Short- and Long-Term Effects of the Adult Day Services Plus Program. Gerontologist, The, 2006, 46, 630-639.	3.9	104
25	Positive Aspects of Family Caregiving for Dementia: Differential Item Functioning by Race. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2015, 70, 813-819.	3.9	103
26	Development of the Risk Appraisal Measure: A Brief Screen to Identify Risk Areas and Guide Interventions for Dementia Caregivers. Journal of the American Geriatrics Society, 2009, 57, 1064-1072.	2.6	96
27	The Cost-Effectiveness of a Nonpharmacologic Intervention for Individuals With Dementia and Family Caregivers: The Tailored Activity Program. American Journal of Geriatric Psychiatry, 2010, 18, 510-519.	1.2	96
28	Undiagnosed Illness and Neuropsychiatric Behaviors in Community Residing Older Adults With Dementia. Alzheimer Disease and Associated Disorders, 2011, 25, 109-115.	1.3	75
29	Effect of a Biobehavioral Environmental Approach on Disability Among Low-Income Older Adults. JAMA Internal Medicine, 2019, 179, 204.	5.1	73
30	Older adults' favorite activities are resoundingly active: Findings from the NHATS study. Geriatric Nursing, 2015, 36, 131-135.	1.9	72
31	Targeting Behavioral Symptoms and Functional Decline in Dementia: A Randomized Clinical Trial. Journal of the American Geriatrics Society, 2018, 66, 339-345.	2.6	71
32	Home is where the future is: The BrightFocus Foundation consensus panel on dementia care. Alzheimer's and Dementia, 2018, 14, 104-114.	0.8	67
33	Occupational therapy for people with dementia and their family carers provided at home: a systematic review and meta-analysis. BMJ Open, 2019, 9, e026308.	1.9	67
34	Caregiver Appraisals of Functional Dependence in Individuals With Dementia and Associated Caregiver Upset. Journal of Aging and Health, 2005, 17, 148-171.	1.7	64
35	2014 Report on the Milestones for the US National Plan to Address Alzheimer's Disease. , 2014, 10, S430-S452.		64
36	Introducing a New Intervention: An Overview of Research Phases and Common Challenges. American Journal of Occupational Therapy, 2013, 67, 177-184.	0.3	64

#	Article	IF	CITATIONS
37	The Caregiver Vigilance Scale: Application and validation in the Resources for Enhancing Alzheimer's Caregiver Health (REACH) project. American Journal of Alzheimer's Disease and Other Dementias, 2003, 18, 39-48.	1.9	63
38	A Systematic Review of Strategies to Foster Activity Engagement in Persons With Dementia. Health Education and Behavior, 2014, 41, 70S-83S.	2.5	62
39	Translation of a Dementia Caregiver Intervention for Delivery in Homecare as a Reimbursable Medicare Service: Outcomes and Lessons Learned. Gerontologist, The, 2010, 50, 847-854.	3.9	59
40	Assessing neuropsychiatric symptoms in people with dementia: a systematic review of measures. International Psychogeriatrics, 2014, 26, 1805-1848.	1.0	59
41	Reducing neuropsychiatric symptoms in persons with dementia and associated burden in family caregivers using tailored activities: Design and methods of a randomized clinical trial. Contemporary Clinical Trials, 2016, 49, 92-102.	1.8	56
42	Caregivers as Therapeutic Agents in Dementia Care. , 2015, , 305-353.		53
43	Quality improvement in neurology. Neurology, 2013, 81, 1545-1549.	1.1	52
44	A Randomized Controlled Trial of a Community-Based Dementia Care Coordination Intervention: Effects of MIND at Home on Caregiver Outcomes. American Journal of Geriatric Psychiatry, 2015, 23, 391-402.	1,2	49
45	When Less is More, but Still Not Enough: Why Focusing on Limiting Antipsychotics in People With Dementia Is the Wrong Policy Imperative. Journal of the American Medical Directors Association, 2019, 20, 1074-1079.	2.5	49
46	Getting what they need when they need it. Applied Clinical Informatics, 2017, 26, 191-205.	1.7	48
47	Examining the context and helpfulness of family companion contributions to older adults' primary care visits. Patient Education and Counseling, 2017, 100, 487-494.	2.2	45
48	Effect of the WeCareAdvisorâ,, on family caregiver outcomes in dementia: a pilot randomized controlled trial. BMC Geriatrics, 2018, 18, 113.	2.7	45
49	An intervention to reduce neuropsychiatric symptoms and caregiver burden in dementia: <scp>P</scp> reliminary results from a randomized trial of the tailored activity program–outpatient version. International Journal of Geriatric Psychiatry, 2019, 34, 1301-1307.	2.7	45
50	A Home-Based Intervention to Reduce Depressive Symptoms and Improve Quality of Life in Older African Americans. Annals of Internal Medicine, 2013, 159, 243.	3.9	44
51	The Baltimore HEARS Pilot Study: An Affordable, Accessible, Community-Delivered Hearing Care Intervention. Gerontologist, The, 2017, 57, gnw153.	3.9	44
52	A Tool to Strengthen the Older Patient–Companion Partnership in Primary Care: Results from a Pilot Study. Journal of the American Geriatrics Society, 2014, 62, 312-319.	2.6	43
53	Relationship between the number of behavioral symptoms in dementia and caregiver distress: what is the tipping point?. International Psychogeriatrics, 2018, 30, 1099-1107.	1.0	43
54	Translation of the Care of Persons with Dementia in their Environments (COPE) intervention in a publicly-funded home care context: Rationale and research design. Contemporary Clinical Trials, 2016, 49, 155-165.	1.8	42

#	Article	IF	Citations
55	Knowing Versus Doing: Education and Training Needs of Staff in a Chronic Care Hospital Unit for Individuals With Dementia. Journal of Gerontological Nursing, 2014, 40, 26-34.	0.6	41
56	Efficacy and acceptability of a home-based, family-inclusive intervention for veterans with TBI: A randomized controlled trial. Brain Injury, 2016, 30, 373-387.	1.2	41
57	Gait Implications of Visual Field Damage from Glaucoma. Translational Vision Science and Technology, 2017, 6, 23.	2.2	41
58	Health Services Utilization in Older Adults with Dementia Receiving CareÂCoordination: The MIND at Home Trial. Health Services Research, 2018, 53, 556-579.	2.0	41
59	Predictors of Adherence to a Skill-Building Intervention in Dementia Caregivers. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 673-678.	3.6	40
60	Correlates of Quality of Life for Individuals with Dementia Living at Home: The Role ofÂHome Environment, Caregiver, and Patient-related Characteristics. American Journal of Geriatric Psychiatry, 2014, 22, 587-597.	1.2	40
61	Factors associated with caregiver readiness to use nonpharmacologic strategies to manage dementiaâ€related behavioral symptoms. International Journal of Geriatric Psychiatry, 2014, 29, 93-102.	2.7	39
62	Recruiting Community-Based Dementia Patients and Caregivers in a Nonpharmacologic Randomized Trial. Journal of Applied Gerontology, 2016, 35, 788-800.	2.0	39
63	Medicaid Cost Savings of a Preventive Home Visit Program for Disabled Older Adults. Journal of the American Geriatrics Society, 2018, 66, 614-620.	2.6	39
64	Dissemination and Implementation of Evidenceâ€Based Dementia Care Using Embedded Pragmatic Trials. Journal of the American Geriatrics Society, 2020, 68, S28-S36.	2.6	37
65	A non-pharmacological intervention to manage behavioral and psychological symptoms of dementia and reduce caregiver distress: Design and methods of project ACT3. Clinical Interventions in Aging, 2008, Volume 2, 695-703.	2.9	36
66	It's a Matter of Trust. Journal of Applied Gerontology, 2016, 35, 1058-1076.	2.0	36
67	Assessing Perceived Change in the Well-being of Family Caregivers: Psychometric Properties of the Perceived Change Index and Response Patterns. American Journal of Alzheimer's Disease and Other Dementias, 2006, 21, 304-311.	1.9	35
68	A community-integrated home based depression intervention for older African Americans: descripton of the Beat the Blues randomized trial and intervention costs. BMC Geriatrics, 2012, 12, 4.	2.7	35
69	"Let him speak:―a descriptive qualitative study of the roles and behaviors of family companions in primary care visits among older adults with cognitive impairment. International Journal of Geriatric Psychiatry, 2018, 33, e103-e112.	2.7	35
70	The tailored activity program (TAP) to address behavioral disturbances in frontotemporal dementia: a feasibility and pilot study. Disability and Rehabilitation, 2019, 41, 299-310.	1.8	35
71	The Republic of Chile: An Upper Middle-Income Country at the Crossroads of Economic Development and Aging. Gerontologist, The, 2012, 52, 297-305.	3.9	34
72	Caregiver's Perceptions of the Relationship of Pain to Behavioral and Psychiatric Symptoms in Older Community-residing Adults With Dementia. Clinical Journal of Pain, 2014, 30, 421-427.	1.9	34

#	Article	IF	CITATIONS
73	A Randomized Controlled Trial to Evaluate the Veterans' Inâ€home Program for Military Veterans With Traumatic Brain Injury and Their Families: Report on Impact for Family Members. PM and R, 2016, 8, 495-509.	1.6	33
74	Strategies Used by Families to Simplify Tasks for Individuals With Alzheimer's Disease and Related Disorders. Gerontologist, The, 2002, 42, 61-69.	3.9	32
75	Depressive Symptoms in Older African-American and White Adults with Functional Difficulties: The Role of Control Strategies. Journal of the American Geriatrics Society, 2007, 55, 1023-1030.	2.6	31
76	Characteristics of Activities for Persons With Dementia at the Mild, Moderate, and Severe Stages. Gerontologist, The, 2017, 57, gnw133.	3.9	31
77	Patient–Family Agenda Setting for Primary Care Patients with Cognitive Impairment: the SAME Page Trial. Journal of General Internal Medicine, 2018, 33, 1478-1486.	2.6	31
78	Assistive devices caregivers use and find helpful to manage problem behaviors of dementia. Gerontechnology, 2010, 9, 408-414.	0.1	31
79	Quality Improvement in Neurology: Dementia Management Quality Measures. Journal of the American Geriatrics Society, 2014, 62, 558-561.	2.6	30
80	Locations, Circumstances, and Outcomes of Falls in Patients With Glaucoma. American Journal of Ophthalmology, 2018, 192, 131-141.	3.3	30
81	Effects of the Tailored Activity Program in Brazil (TAP-BR) for Persons With Dementia. Alzheimer Disease and Associated Disorders, 2018, 32, 339-345.	1.3	30
82	Interventions to support family caregivers of people living with dementia in high, middle and low-income countries in Asia: a scoping review. BMJ Global Health, 2019, 4, e001830.	4.7	29
83	Predicting Participation and Adherence to a Home Environmental Intervention among Family Caregivers of Persons with Dementia. Family Relations, 1999, 48, 363.	1.9	28
84	WeCareAdvisorâ,,¢. Alzheimer Disease and Associated Disorders, 2017, 31, 263-270.	1.3	28
85	What Is a Falls Risk Factor? Factors Associated with Falls per Time or per Step in Individuals with Glaucoma. Journal of the American Geriatrics Society, 2019, 67, 87-92.	2.6	28
86	Enhancing Resourcefulness to Improve Outcomes in Family Caregivers and Persons with Alzheimer's Disease: A Pilot Randomized Trial. International Journal of Alzheimer's Disease, 2014, 2014, 1-10.	2.0	27
87	Occupational Therapy Predischarge Home Visits in Acute Hospital Care: A Randomized Trial. Journal of the American Geriatrics Society, 2016, 64, 2019-2026.	2.6	27
88	Predictors of Falls per Step and Falls per Year At and Away From Home in Glaucoma. American Journal of Ophthalmology, 2019, 200, 169-178.	3.3	27
89	Quantifying Fall-Related Hazards in the Homes of Persons with Glaucoma. Ophthalmology, 2017, 124, 562-571.	5.2	26
90	<scp>CAPABLE</scp> program improves disability in multiple randomized trials. Journal of the American Geriatrics Society, 2021, 69, 3631-3640.	2.6	26

#	Article	IF	CITATIONS
91	How Do We Change Practice When We Have the Evidence?. American Journal of Occupational Therapy, 2012, 66, e85-e88.	0.3	26
92	Racial and Ethnic Differences in the Delivery of the Resources for Enhancing Alzheimer's Caregiver Health <scp>II</scp> Intervention. Journal of the American Geriatrics Society, 2016, 64, 1662-1667.	2.6	25
93	Embedding caregiver support in community-based services for older adults: A multi-site randomized trial to test the Adult Day Service Plus Program (ADS Plus). Contemporary Clinical Trials, 2019, 83, 97-108.	1.8	24
94	Feasibility of the Tailored Activity Program for Hospitalized (TAP-H) Patients With Behavioral Symptoms. Gerontologist, The, 2017, 57, gnw052.	3.9	23
95	Co-Occurrence and Predictors of Three Commonly Occurring Behavioral Symptoms in Dementia: Agitation, Aggression, and Rejection of Care. American Journal of Geriatric Psychiatry, 2017, 25, 459-468.	1.2	23
96	Socioeconomic disparities in six-year incident dementia in a nationally representative cohort of U.S. older adults: an examination of financial resources. BMC Geriatrics, 2020, 20, 156.	2.7	23
97	Readiness to use compensatory strategies among older adults with functional difficulties. International Psychogeriatrics, 2010, 22, 1225-1239.	1.0	21
98	The Role of the Occupational Therapist in the Management of Neuropsychiatric Symptoms of Dementia in Clinical Settings. Occupational Therapy in Health Care, 2014, 28, 4-20.	0.3	21
99	Patterns of Daily Physical Activity across the Spectrum of Visual Field Damage in Glaucoma Patients. Ophthalmology, 2021, 128, 70-77.	5.2	21
100	Enhancing caregivers' understanding of dementia and tailoring activities in frontotemporal dementia: two case studies. Disability and Rehabilitation, 2016, 38, 704-714.	1.8	20
101	Quality Improvement in Neurology: Dementia Management Quality Measures (Executive Summary). American Journal of Occupational Therapy, 2013, 67, 704-710.	0.3	20
102	Impact of caregiver readiness on outcomes of a nonpharmacological intervention to address behavioral symptoms in persons with dementia. International Journal of Geriatric Psychiatry, 2016, 31, 1056-1063.	2.7	19
103	Dissemination of the CAPABLE Model of Care in a Medicaid Waiver Program to Improve Physical Function. Journal of the American Geriatrics Society, 2019, 67, 363-370.	2.6	19
104	A pragmatic randomised controlled trial (RCT) and realist evaluation of the interdisciplinary home-bAsed Reablement program (I-HARP) for improving functional independence of community dwelling older people with dementia: an effectiveness-implementation hybrid design. BMC Geriatrics, 2019, 19, 199.	2.7	19
105	Household Accessibility and Residential Relocation in Older Adults. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2019, 74, e72-e83.	3.9	19
106	Association of physical functioning of persons with dementia with caregiver burden and depression in dementia caregivers: an integrative data analysis. Aging and Mental Health, 2019, 23, 587-594.	2.8	19
107	Contributions of Persons Living With Dementia to Scientific Research Meetings. Results From the National Research Summit on Care, Services, and Supports for Persons With Dementia and Their Caregivers. American Journal of Geriatric Psychiatry, 2020, 28, 421-430.	1.2	19
108	COVID-19 and the Need for Adult Day Services. Journal of the American Medical Directors Association, 2021, 22, 1333-1337.	2.5	19

#	Article	IF	CITATIONS
109	Effectiveness of the Care of Persons With Dementia in Their Environments Intervention When Embedded in a Publicly Funded Home- and Community-Based Service Program. Innovation in Aging, 2020, 4, igaa053.	0.1	19
110	Identification of and Beliefs About Depressive Symptoms and Preferred Treatment Approaches Among Community-Living Older African Americans. American Journal of Geriatric Psychiatry, 2012, 20, 973-984.	1.2	18
111	Valued Activities among Individuals with and without Cognitive Impairments: Findings from the National Health and Aging Trends Study. Gerontologist, The, 2017, 57, gnv144.	3.9	18
112	Who Should Assess the Needs of and Care for a Dementia Patient's Caregiver?. AMA Journal of Ethics, 2016, 18, 1171-1181.	0.7	18
113	Disclosing genetic risk of Alzheimer's disease to cognitively impaired patients and visit companions: Findings from the REVEAL Study. Patient Education and Counseling, 2017, 100, 927-935.	2.2	18
114	Comprehensive home-based care coordination for vulnerable elders with dementia: Maximizing Independence at Home-Plusâ€"Study protocol. International Journal of Care Coordination, 2017, 20, 123-134.	0.4	18
115	Implementation of an evidence-based intervention to improve the wellbeing of people with dementia and their carers: study protocol for â€~Care of People with dementia in their Environments (COPE)' in the Australian context. BMC Geriatrics, 2018, 18, 108.	2.7	18
116	Disability Prevention Program Improves Lifeâ€Space and Falls Efficacy: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2021, 69, 85-90.	2.6	18
117	The influence of sleep disruption and pain perception on indicators of quality of life in individuals living with dementia at home. Geriatric Nursing, 2014, 35, 394-398.	1.9	17
118	Implementing a Reablement Intervention, "Care of People With Dementia in Their Environments (COPE)― A Hybrid Implementation-Effectiveness Study. Gerontologist, The, 2021, 61, 965-976.	3.9	17
119	MIND at Home-Streamlined: Study protocol for a randomized trial of home-based care coordination for persons with dementia and their caregivers. Contemporary Clinical Trials, 2018, 71, 103-112.	1.8	16
120	"l've learned to just go with the flow†Family caregivers' strategies for managing behavioral and psychological symptoms of dementia. Dementia, 2020, 19, 590-605.	2.0	16
121	Effects of the tailored activity program (TAP) on dementia-related symptoms, health events and caregiver wellbeing: a randomized controlled trial. BMC Geriatrics, 2021, 21, 581.	2.7	16
122	A non-pharmacologic approach to address challenging behaviors of Veterans with dementia: description of the tailored activity program-VA randomized trial. BMC Geriatrics, 2013, 13, 96.	2.7	15
123	Factors Mediating the Effects of a Depression Intervention on Functional Disability in Older African Americans. Journal of the American Geriatrics Society, 2014, 62, 2280-2287.	2.6	15
124	Evaluation of the Home Environment Assessment for the Visually Impaired (HEAVI): an instrument designed to quantify fall-related hazards in the visually impaired. BMC Geriatrics, 2016, 16, 214.	2.7	15
125	A randomized trial of a web-based platform to help families manage dementia-related behavioral symptoms: The WeCareAdvisorâ,,¢. Contemporary Clinical Trials, 2017, 62, 27-36.	1.8	15
126	"The Filter is Kind of Broken― Family Caregivers' Attributions About Behavioral and Psychological Symptoms of Dementia. American Journal of Geriatric Psychiatry, 2018, 26, 548-556.	1.2	15

#	Article	IF	CITATIONS
127	Dementia Family Caregivers' Willingness to Pay for an In-home Program to Reduce Behavioral Symptoms and Caregiver Stress. Pharmacoeconomics, 2019, 37, 563-572.	3.3	15
128	Neuropsychiatric symptom profiles of <scp>communityâ€dwelling</scp> persons living with dementia: Factor structures revisited. International Journal of Geriatric Psychiatry, 2020, 35, 1009-1020.	2.7	15
129	Evaluating Willingness-to-Pay Thresholds for Dementia Caregiving Interventions: Application to the Tailored Activity Program. Value in Health, 2010, 13, 720-725.	0.3	14
130	Beat the Blues Decreases Depression in Financially Strained Older African-American Adults. American Journal of Geriatric Psychiatry, 2014, 22, 692-697.	1.2	14
131	Dementiaâ€related restlessness: relationship to characteristics of persons with dementia and family caregivers. International Journal of Geriatric Psychiatry, 2018, 33, 185-192.	2.7	14
132	Adult Day Service Use Decreases Likelihood of a Missed Physician's Appointment Among Dementia Caregivers. Journal of the American Geriatrics Society, 2019, 67, 1467-1471.	2.6	14
133	Pilot Intervention Addressing Social Support and Functioning of Low Socioeconomic Status Older Adults With ESRD: The Seniors Optimizing Community Integration to Advance Better Living with ESRD (SOCIABLE) Study. Kidney Medicine, 2019, 1, 13-20.	2.0	14
134	Preventing falls among older fallers: study protocol for a two-phase pilot study of the multicomponent LIVE LiFE program. Trials, 2019, 20, 2.	1.6	14
135	Supporting at-risk older adults transitioning from hospital to home: who benefits from an evidence-based patient-centered discharge planning intervention? Post-hoc analysis from a randomized trial. BMC Geriatrics, 2020, 20, 84.	2.7	14
136	Costâ€Effectiveness of a Communityâ€Integrated Homeâ€Based Depression Intervention in Older African Americans. Journal of the American Geriatrics Society, 2014, 62, 2288-2295.	2.6	13
137	Meeting the Health Care Financing Imperative Through Focusing on Function: The CAPABLE Studies. The Public Policy and Aging Report, 2016, 26, 106-110.	1.1	13
138	Impact of three dementiaâ€related behaviors on caregiver depression: The role of rejection of care, aggression, and agitation. International Journal of Geriatric Psychiatry, 2019, 34, 966-973.	2.7	13
139	Aligning Dementia Care Science With the Urgent Need for Dissemination and Implementation. Journal of the American Medical Directors Association, 2021, 22, 2036-2038.	2.5	13
140	Attachment to Life: Psychometric Analyses of the Valuation of Life Scale and Differences Among Older Adults. Gerontologist, The, 2016, 56, e21-e31.	3.9	12
141	Functional Goals and Predictors of Their Attainment in Low-Income Community-Dwelling Older Adults. Archives of Physical Medicine and Rehabilitation, 2017, 98, 896-903.	0.9	12
142	Feasibility and potential effects of interdisciplinary home-based reablement program (I-HARP) for people with cognitive and functional decline: a pilot trial. Aging and Mental Health, 2020, 24, 1916-1925.	2.8	12
143	The Experiences of Persons Living with Dementia Planning for a Dementia Research Meeting. Lessons Learned From the National Research Summit on Care, Services, and Supports for Persons With Dementia and Their Caregivers. American Journal of Geriatric Psychiatry, 2020, 28, 434-442.	1.2	12
144	Characterizing the Impact of Fear of Falling on Activity and Falls in Older Adults with Glaucoma. Journal of the American Geriatrics Society, 2020, 68, 1847-1851.	2.6	12

#	Article	IF	CITATIONS
145	Implementing and sustaining family care programs in real-world settings: Barriers and facilitators. , 2021, , 179-219.		12
146	Engagement in Favorite Activity and Implications for Cognition, Mental Health, and Function in Persons Living With and Without Dementia. Journal of Applied Gerontology, 2022, 41, 441-449.	2.0	12
147	Tailored Activities to Reduce Neuropsychiatric Behaviors in Persons With Dementia: Case Report. American Journal of Occupational Therapy, 2019, 73, 7302205160p1-7302205160p9.	0.3	11
148	Ageing in the right place – a prototype of a web-based housing counselling intervention for later life. Scandinavian Journal of Occupational Therapy, 2020, 27, 289-297.	1.7	11
149	Where does the neighborhood go? Trust, social engagement, and health among older adults in Baltimore City. Health and Place, 2016, 41, 58-66.	3.3	10
150	Towards defining restlessness in individuals with dementia. Aging and Mental Health, 2017, 21, 543-552.	2.8	10
151	The impact of genetic counselors' use of facilitative strategies on cognitive and emotional processing of genetic risk disclosure for Alzheimer's disease. Patient Education and Counseling, 2018, 101, 817-823.	2.2	10
152	A trial based economic evaluation of occupational therapy discharge planning for older adults: the HOME randomized trial. Clinical Rehabilitation, 2018, 32, 919-929.	2.2	10
153	The Impact of Weather and Seasons on Falls and Physical Activity among Older Adults with Glaucoma: A Longitudinal Prospective Cohort Study. Sensors, 2021, 21, 3415.	3.8	10
154	Association Between Visual Field Damage and Gait Dysfunction in Patients With Glaucoma. JAMA Ophthalmology, 2021, 139, 1053.	2.5	10
155	Home-Based Interventions Targeting Persons with Dementia: What Is the Evidence and Where Do We Go from Here?. , 2016, , 167-188.		10
156	Provider Assessment of Interactions with Dementia Caregivers. Clinical Gerontologist, 2005, 28, 43-59.	2.2	9
157	Tailored music listening intervention to reduce sleep disturbances in older adults with dementia: Research protocol. Research in Nursing and Health, 2020, 43, 557-567.	1.6	9
158	Mediators of the impact of a home-based intervention (beat the blues) on depressive symptoms among older African Americans Psychology and Aging, 2014, 29, 601-611.	1.6	8
159	Implications of Geographic Information Systems (GIS) for targeted recruitment of older adults with dementia and their caregivers in the community: A retrospective analysis. Contemporary Clinical Trials Communications, 2019, 14, 100338.	1.1	8
160	Context and culture: African-American elders' experiences of depression. Mental Health, Religion and Culture, 2011, 14, 643-657.	0.9	7
161	Communication Predictors of Patient and Companion Satisfaction with Alzheimer's Genetic Risk Disclosure. Journal of Health Communication, 2018, 23, 807-814.	2.4	7
162	"So I am stuck, but itÂ's OK― residential reasoning and housing decision-making of low-income older adults with disabilities in Baltimore, Maryland. Housing and Society, 2021, 48, 43-59.	0.9	7

#	Article	IF	CITATIONS
163	A longitudinal evaluation of family caregivers' willingness to pay for an in-home nonpharmacologic intervention for people living with dementia: results from a randomized trial. International Psychogeriatrics, 2021, 33, 419-428.	1.0	7
164	WeCareAdvisor, an Online Platform to Help Family Caregivers Manage Dementia-Related Behavioral Symptoms: an Efficacy Trial in the Time of COVID-19. Journal of Technology in Behavioral Science, 2022, 7, 33-44.	2.3	7
165	Importance and Severity Dependence of Physical Activity by GPS-Tracked Location in Glaucoma Patients. American Journal of Ophthalmology, 2021, 230, 276-284.	3.3	7
166	The association between caregiver well-being and care provided to persons with Alzheimer's disease and related disorders. BMC Research Notes, 2016, 9, 344.	1.4	6
167	Psychometric Properties of the Functional Capacity Card Sort for Caregivers of People With Dementia. OTJR Occupation, Participation and Health, 2016, 36, 126-133.	0.8	6
168	Background characteristics and treatment-related factors associated with treatment success or failure in a non-pharmacological intervention for dementia caregivers. International Psychogeriatrics, 2017, 29, 1005-1014.	1.0	6
169	Supporting Family Caregivers of Persons With Dementia in the Community: Description of the †Memory Care Home Solutions†Program and Its Impacts. Innovation in Aging, 2017, 1, .	0.1	6
170	Pain in persons with dementia and the direct and indirect impacts on caregiver burden. Geriatric Nursing, 2021, 42, 366-371.	1.9	6
171	Implications of the COVID-19 Pandemic on Adult Day Services and the Families They Serve. American Journal of Alzheimer's Disease and Other Dementias, 2021, 36, 153331752110501.	1.9	6
172	Cost–Benefit Analysis of the COPE Program for Persons Living With Dementia: Toward a Payment Model. Innovation in Aging, 2022, 6, igab042.	0.1	6
173	P3â€362: The Brazilian Version of Tailored Activity Program (Tapâ€BR) to Manage Neuropsychiatric Behaviors in Persons with Dementia and Reduce Caregiver Burden in Brazil: a Randomized Pilot Study. Alzheimer's and Dementia, 2016, 12, P988.	0.8	5
174	Delivery Characteristics, Acceptability, and Depression Outcomes of a Home-based Depression Intervention for Older African Americans: The Get Busy Get Better Program. Gerontologist, The, 2016, 56, 956-965.	3.9	5
175	Measuring change in perceived wellâ€being of family caregivers: validation of the Spanish version of the Perceived Change Index (PClâ€6) in Chilean dementia caregivers. International Journal of Geriatric Psychiatry, 2018, 33, e120-e130.	2.7	5
176	Linking the Socio-Physical Environment to Successful Aging., 2019,, 570-593.		5
177	Characterizing dementia caregiver style in managing care challenges: Cognitive and behavioral components. Dementia, 2021, 20, 2188-2204.	2.0	5
178	Characterizing Longitudinal Changes in Physical Activity and Fear of Falling after Falls in Glaucoma. Journal of the American Geriatrics Society, 2021, 69, 1249-1256.	2.6	5
179	Adjunctive Therapy to Manage Neuropsychiatric Symptoms in Moderate and Severe Dementia: Randomized Clinical Trial Using an Outpatient Version of Tailored Activity Program. Journal of Alzheimer's Disease, 2021, 83, 475-486.	2.6	5
180	Does Adult Day Service Use Improve Well-Being of Black Caregivers of People Living With Dementia?. Innovation in Aging, 2021, 5, igab037.	0.1	5

#	Article	IF	Citations
181	Environmental Adaptations for Individuals with Functional Difficulties and Their Families in the Home and Community., 2015,, 165-175.		5
182	Use of Critical Race Theory to Inform the Recruitment of Black/African American Alzheimer's Disease Caregivers into Community-Based Research. Gerontologist, The, 2022, 62, 742-750.	3.9	5
183	Depressed Affect and Dimensions of Religiosity in Family Caregivers of Individuals with Dementia. Journal of Religion and Health, 2015, 54, 1490-1502.	1.7	4
184	Valuation of Life as outcome and mediator of a depression intervention for older African Americans: the Get Busy Get Better Trial. International Journal of Geriatric Psychiatry, 2018, 33, e31-e39.	2.7	4
185	The Association of Socioeconomic Conditions and Readiness to Learn New Ways of Performing Daily Activities in Older Adults With Functional Difficulties. Journal of Applied Gerontology, 2019, 38, 849-865.	2.0	4
186	Whose Responsibility Is It? Balancing Individual, Family, and Societal Needs for Supporting Seriously Ill Older Adults. Journal of the American Geriatrics Society, 2019, 67, S457-S460.	2.6	4
187	Finding fault: Criticism as a care management strategy and its impact on outcomes for dementia caregivers. International Journal of Geriatric Psychiatry, 2019, 34, 571-577.	2.7	4
188	Application of randomization techniques for balancing site covariates in the adult day service plus pragmatic cluster-randomized trial. Contemporary Clinical Trials Communications, 2020, 19, 100628.	1.1	4
189	Environmental Features Contributing to Falls in Persons With Vision Impairment: The Role of Home Lighting and Home Hazards. American Journal of Ophthalmology, 2021, 230, 207-215.	3.3	4
190	Using Geographic Information Systems (GIS) for Targeted National Recruitment of Community-Dwelling Caregivers Managing Dementia-Related Behavioral and Psychological Symptoms: A Recruitment Approach for a Randomized Clinical Trial. Journal of Geographic Information System, 2021, 13, 302-317.	0.5	4
191	The Role of Community- and Home-Based Interventions in Late-Life Depression. , 2014, , .		4
192	Non-pharmacologic Interventions for Family Caregivers of People Living with Dementia in Latin-America: A Scoping Review American Journal of Geriatric Psychiatry, 2021, , .	1.2	4
193	Exploring Challenges and Strategies in Partnering With Community-Based Organizations to Advance Intervention Development and Implementation With Older Adults. Gerontologist, The, 2022, 62, 1104-1111.	3.9	4
194	E pluribus unum: Harmonization of physical functioning across intervention studies of middle-aged and older adults. PLoS ONE, 2017, 12, e0181746.	2.5	3
195	Harsh communication: characteristics of caregivers and persons with dementia. Aging and Mental Health, 2020, 24, 1709-1716.	2.8	3
196	A review of measures of three common dementia-related behaviors: Rejection of care, aggression, and agitation. Geriatric Nursing, 2020, 41, 692-708.	1.9	3
197	The use of community advisory boards in pragmatic clinical trials: The case of the adult day services plus project. Home Health Care Services Quarterly, 2021, 40, 16-26.	0.7	3
198	Drivers and restrainers to adoption and spread of evidence-based health service delivery interventions: The case of CAPABLE. Geriatric Nursing, 2022, 44, 192-198.	1.9	3

#	Article	IF	CITATIONS
199	Implementing the Care of Persons With Dementia in Their Environments (COPE) Intervention in Community-Based Programs: Acceptability and Perceived Benefit From Care Managers' and Interventionists' Perspectives. Gerontologist, The, 2023, 63, 28-39.	3.9	3
200	Simultaneously Developing Interventions for Low-/Middle-Income and High-Income Settings: Considerations and Opportunities. Gerontologist, The, 2023, 63, 568-576.	3.9	3
201	Comparison of three societally derived health-state classification values among older African Americans with depressive symptoms. Quality of Life Research, 2013, 22, 1491-1498.	3.1	2
202	Kim et al. Respond. American Journal of Public Health, 2016, 106, e10-e11.	2.7	2
203	Psychosocial and Environmental Treatment Approaches for Behavioral and Psychological Symptoms in Neurocognitive Disorders: an Update and Future Directions. Current Treatment Options in Psychiatry, 2017, 4, 80-101.	1.9	2
204	Valued Activities Among Individuals With and Without Functional Impairments: Findings from the National Health and Aging Trends study (NHATS). Activities, Adaptation and Aging, 2019, 43, 259-275.	2.4	2
205	African-American caregivers' perspectives on aggressive behaviors in dementia. Dementia, 2019, 18, 3036-3058.	2.0	2
206	The Kintun program for families with dementia: From novel experiment to national policy (innovative) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf
207	Acceptability and willingness to participate in the Tailored Activity Program: perceptions of people living with dementia, their care partners and health professionals. Brain Impairment, 2020, 21, 259-273.	0.7	2
208	Longitudinal changes in daily patterns of objectively measured physical activity after falls in older adults with varying degrees of glaucoma. EClinicalMedicine, 2021, 40, 101097.	7.1	2
209	Occupational Therapy in Nursing Home. , 2020, , 101-124.		2
210	Self-stigma in people living with dementia in Chile: A qualitative exploratory study. Aging and Mental Health, 2022, 26, 2481-2488.	2.8	2
211	Are Interventions for Formal Caregivers Effective for Improving Dementia Care? A Systematic Review of Systematic Reviews. Innovation in Aging, 2022, 6, igac005.	0.1	2
212	F2-02-03: "Wecare Advisor― a Clinical Trial of a Caregiver Focused, IPAD Administered Algorithm to Manage Behavioral Symptoms. , 2016, 12, P217-P217.		1
213	[P2–012]: THE TAILORED ACTIVITY PROGRAM FOR OUTPATIENTS (TAPâ€O) TO REDUCE NEUROPSYCHIATRIC SYMPTOMS AND CAREGIVER BURDEN IN A BRAZILIAN SAMPLE OF INDIVIDUALS WITH DEMENTIA: PRELIMINARY RESULTS OF A RANDOMIZED TRIAL. Alzheimer's and Dementia, 2017, 13, P608.	0.8	1
214	Innovations for aging in place. , 2021, , 337-354.		1
215	Supporting everyday functioning of people living with dementia: The role of care partners. , 2021, , 189-211.		1
216	Mentalizing imagery therapy to augment skills training for dementia caregivers: Protocol for a randomized, controlled trial of a mobile application and digital phenotyping. Contemporary Clinical Trials, 2022, 116, 106737.	1.8	1

#	Article	IF	CITATIONS
217	Resources for Enhancing Alzheimer's Caregiver Health in Vietnam (REACH VN): study protocol for a cluster randomized controlled trial to test the efficacy of a family dementia caregiver intervention in Vietnam. Trials, 2022, 23, 377.	1.6	1
218	PL-02-01: Behavioral interventions for psychosocial care., 2015, 11, P171-P171.		0
219	O2-01-02: Translating the Care of Persons With Dementia in Their Environments (COPE) Intervention for Use in Publicly Funded Home Care Programs in the United States., 2016, 12, P221-P221.		O
220	P2â€407: Use of Novel Observational Methodology for Measuring Affect and Behaviors in a Behavioral Intervention for Persons with Dementia Hospitalized for Behavioral Symptoms. Alzheimer's and Dementia, 2016, 12, P801.	0.8	O
221	FTS3â€03â€03: Research on Care and Support Interventions: Where are We and Where do We Need to go?. Alzheimer's and Dementia, 2016, 12, P278.	0.8	0
222	F2â€02â€01: Status of the Field: Clinical Trials Evaluating Home Based Dementia Care. Alzheimer's and Dementia, 2016, 12, P216.	0.8	0
223	O3â€06â€05: Testing a Webâ€Based Application to Help Informal Caregivers Manage Behaviors in Persons with Dementia: Wecareadvisor TM . Alzheimer's and Dementia, 2016, 12, P300.	0.8	0
224	Experimental-Type Designs. , 2016, , 134-157.		0
225	[P3–473]: OPTIMISING INDEPENDENCE OF OLDER PERSONS WITH COGNITIVE AND FUNCTIONAL DECLINE: INTERDISCIPLINARY HOMEâ€BASED REABLEMENT PROGRAM (Iâ€HARP). Alzheimer's and Dementia, 2017, 13, P1	1878.	0
226	Making Life Better for Individuals Living With Dementia. , 2018, , 65-93.		0
227	Lived Experiences of Individuals With Dementia. , 2018, , 23-52.		0
228	How We Can Support Families. , 2018, , 113-153.		0
229	The Physical Home Environment. , 2018, , 171-195.		0
230	Global Efforts and National Plans. , 2018, , 227-245.		0
231	Transforming Dementia Care., 2018,, 247-264.		0
232	Scientific Advising and Reviewing: On strengthening the bond between the Alzheimer's Association and the scientific community. Alzheimer's and Dementia, 2020, 16, 1095-1098.	0.8	0
233	Problem Solving: A Teaching and Therapeutic Tool for Older Adults and Their Families. , 2015, , 415-431.		0
234	Response to the Commentary: Measurement Challenges in Research With Individuals With Cognitive Impairment: What Should We Measure and Why?. Research in Gerontological Nursing, 2019, 12, 16-18.	0.6	0

#	Article	IF	CITATIONS
235	Evidence-based Non-pharmacologic Interventions for Managing Neuropsychiatric Symptoms and Mental Health Issues in Residents in Assisted Living. Seniors Housing & Care Journal, 2017, 25, 71-83.	0.5	0
236	Tracking Adaptation and Fidelity When Embedding COPE, Evidence-Based Dementia Care, in PACE Sites. Innovation in Aging, 2021, 5, 176-176.	0.1	0
237	CAPABLE Program Improves Disability in Research and Implementation Settings. Innovation in Aging, 2021, 5, 118-118.	0.1	0
238	Evaluation of away-from-home excursion patterns after falling among individuals with glaucoma: a longitudinal study. BMC Geriatrics, 2022, 22, 101.	2.7	0
239	Tailored Music Listening to Improve Sleep in Older Adults With Dementia: A Randomized Clinical Trial. Innovation in Aging, 2021, 5, 233-233.	0.1	0
240	Caring for a Family Member Living With Dementia When Adult Day Services Close. Innovation in Aging, 2021, 5, 110-110.	0.1	0
241	Adult Day Services as an Essential Service and Support. Innovation in Aging, 2021, 5, 111-111.	0.1	0
242	The Use of Critical Race Theory to Inform Culturally Adapted Recruitment Strategies for Community-Based Research. Innovation in Aging, 2021, 5, 483-483.	0.1	0
243	Cognitive-Behavioral Dementia Caregiving Styles: Associations With Care Stress and Well-Being. Innovation in Aging, 2021, 5, 810-810.	0.1	0
244	Cognitive-Behavioral Styles of Dementia Care Management: Targeting and Tailoring to Style. Innovation in Aging, 2021, 5, 54-54.	0.1	0
245	Stuck in Stage 3: The Case of an Effective Depression Intervention for African American Older Adults. Innovation in Aging, 2021, 5, 316-316.	0.1	0
246	The Impact of COVID-19 on Adult Day Services' Closures and Programming. Innovation in Aging, 2021, 5, 110-111.	0.1	0
247	Favorite Activity and Implications for Cognition, Mental Health, and Function in Persons With and Without Dementia. Innovation in Aging, 2021, 5, 194-195.	0.1	0
248	Challenges in Implementing Evidence-Based Dementia Care Programs in Community-Based Settings: ADS Plus. Innovation in Aging, 2021, 5, 174-174.	0.1	0
249	Adapting the ADS Plus Program and Study for a Spanish Speaking Population. Innovation in Aging, 2021, 5, 484-484.	0.1	0