

Peter G Falkai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8557176/publications.pdf>

Version: 2024-02-01

528
papers

24,927
citations

6592

79
h-index

12910

131
g-index

585
all docs

585
docs citations

585
times ranked

24772
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Exercise addiction measured at a naturalistic marathon-event " associations of the EAI with the general level of functioning, affect and performance parameters. <i>International Journal of Sport and Exercise Psychology</i> , 2023, 21, 1041-1053. | 1.1 | 1 |
| 2 | Brief Report: Specificity of Interpersonal Synchrony Deficits to Autism Spectrum Disorder and Its Potential for Digitally Assisted Diagnostics. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 3718-3726. | 1.7 | 19 |
| 3 | In-depth profiling of COVID-19 risk factors and preventive measures in healthcare workers. <i>Infection</i> , 2022, 50, 381-394. | 2.3 | 17 |
| 4 | Cerebrospinal Fluid Pathologies in Schizophrenia-Spectrum Disorder" A Retrospective Chart Review. <i>Schizophrenia Bulletin</i> , 2022, 48, 47-55. | 2.3 | 12 |
| 5 | Genetic risk for psychiatric illness is associated with the number of hospitalizations of bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2022, 296, 532-540. | 2.0 | 6 |
| 6 | The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 403-413. | 1.8 | 10 |
| 7 | Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2022, 54, 21-40. | 0.3 | 84 |
| 8 | Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>Journal of Affective Disorders</i> , 2022, 299, 73-84. | 2.0 | 6 |
| 9 | Expression of Lineage Transcription Factors Identifies Differences in Transition States of Induced Human Oligodendrocyte Differentiation. <i>Cells</i> , 2022, 11, 241. | 1.8 | 5 |
| 10 | Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1. | 1.8 | 2 |
| 11 | Lower Emotion Regulation Competencies Mediate the Association between Impulsivity and Craving during Alcohol Withdrawal Treatment. <i>Substance Use and Misuse</i> , 2022, 57, 649-655. | 0.7 | 3 |
| 12 | Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228. | 1.7 | 11 |
| 13 | The role of migration in mental healthcare: treatment satisfaction and utilization. <i>BMC Psychiatry</i> , 2022, 22, 116. | 1.1 | 3 |
| 14 | Using combined environmental"clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression. <i>British Journal of Psychiatry</i> , 2022, 220, 229-245. | 1.7 | 1 |
| 15 | Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis. <i>NPJ Schizophrenia</i> , 2022, 8, 19. | 2.0 | 1 |
| 16 | Concept of the Munich/Augsburg Consortium Precision in Mental Health for the German Center of Mental Health. <i>Frontiers in Psychiatry</i> , 2022, 13, 815718. | 1.3 | 2 |
| 17 | Stability over time of scores on psychiatric rating scales, questionnaires and cognitive tests in healthy controls. <i>BJPsych Open</i> , 2022, 8, e55. | 0.3 | 2 |
| 18 | Psychiatry: Peter Falkai. <i>Journal of Neural Transmission</i> , 2022, , 1. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | A Primeval Mechanism of Tolerance to Desiccation Based on Glycolic Acid Saves Neurons in Mammals from Ischemia by Reducing Intracellular Calcium-Mediated Excitotoxicity. <i>Advanced Science</i> , 2022, 9, e2103265. | 5.6 | 7 |
| 20 | Cognitive and functional deficits are associated with white matter abnormalities in two independent cohorts of patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 957-969. | 1.8 | 10 |
| 21 | Aerobic exercise in severe mental illness: requirements from the perspective of sports medicine. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 643-677. | 1.8 | 15 |
| 22 | Failed regeneration and inflammation in schizophrenia: two sides of the same coin?. <i>Journal of Neural Transmission</i> , 2022, , 1. | 1.4 | 1 |
| 23 | Association between aerobic fitness and the functional connectome in patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1253-1272. | 1.8 | 4 |
| 24 | Changes and Challenges in Inpatient Mental Health Care During the First Two High Incidence Phases of the COVID-19 Pandemic in Germany – Results From the COVID – Psychiatry Survey. <i>Frontiers in Psychiatry</i> , 2022, 13, 855040. | 1.3 | 5 |
| 25 | A novel longitudinal clustering approach to psychopathology across diagnostic entities in the hospital-based PsyCourse study. <i>Schizophrenia Research</i> , 2022, 244, 29-38. | 1.1 | 2 |
| 26 | Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677. | 6.0 | 6 |
| 27 | Anodal transcranial direct current stimulation sustainably increases <sc>EEG</sc> alpha activity in patients with schizophrenia. <i>Neuropsychopharmacology Reports</i> , 2022, 42, 323-332. | 1.1 | 3 |
| 28 | The effect of different degrees of lockdown and self-identified gender on anxiety, depression and suicidality during the COVID-19 pandemic: Data from the international COMET-G study.. <i>Psychiatry Research</i> , 2022, 315, 114702. | 1.7 | 17 |
| 29 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470. | 4.1 | 44 |
| 30 | An overview of the human brain myelin proteome and differences associated with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 271-287. | 1.3 | 8 |
| 31 | Repetitive transcranial magnetic stimulation (rTMS) for schizophrenia patients treated with clozapine. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 14-26. | 1.3 | 11 |
| 32 | The BDNFVal66Met SNP modulates the association between beta-amyloid and hippocampal disconnection in Alzheimer’s disease. <i>Molecular Psychiatry</i> , 2021, 26, 614-628. | 4.1 | 61 |
| 33 | Was King Ludwig II of Bavaria misdiagnosed by Gudden and his colleagues?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 799-807. | 1.8 | 3 |
| 34 | Aerobic endurance training to improve cognition and enhance recovery in schizophrenia: design and methodology of a multicenter randomized controlled trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 315-324. | 1.8 | 11 |
| 35 | The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. <i>Human Psychopharmacology</i> , 2021, 36, 1-11. | 0.7 | 5 |
| 36 | Brain Network Simulations Indicate Effects of Neuregulin-1 Genotype on Excitation-Inhibition Balance in Cortical Dynamics. <i>Cerebral Cortex</i> , 2021, 31, 2013-2025. | 1.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Association Between Physical Activity and Schizophrenia. <i>JAMA Psychiatry</i> , 2021, 78, 441. | 6.0 | 14 |
| 38 | The revised DGPPN and APA schizophrenia guidelines: Guideline quality and recommendations for long-term antipsychotic treatment. <i>Schizophrenia Research</i> , 2021, 229, 137-139. | 1.1 | 3 |
| 39 | Reconceptualising treatment-resistant depression as difficult-to-treat depression. <i>Lancet Psychiatry</i> , 2021, 8, 14-15. | 3.7 | 19 |
| 40 | Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021, 11, 91. | 2.4 | 23 |
| 41 | Multifactorial barriers in the implementation of schizophrenia and psychosocial therapies guidelines: A quantitative study across different professions. <i>Schizophrenia Research</i> , 2021, 228, 425-434. | 1.1 | 10 |
| 42 | Characteristics and definitions of ultra-treatment-resistant schizophrenia – A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 228, 218-226. | 1.1 | 28 |
| 43 | Role of psychiatric hospitals during a pandemic: introducing the Munich Psychiatric COVID-19 Pandemic Contingency Plan. <i>BJPsych Open</i> , 2021, 7, e41. | 0.3 | 7 |
| 44 | Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195. | 6.0 | 125 |
| 45 | Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 1484-1493. | 2.8 | 14 |
| 46 | Linking proteomic alterations in schizophrenia hippocampus to NMDAr hypofunction in human neurons and oligodendrocytes. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1579-1586. | 1.8 | 5 |
| 47 | The Interplay Between Postsynaptic Striatal D2/3 Receptor Availability, Adversity Exposure and Odd Beliefs: A [11C]-Raclopride PET Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1495-1508. | 2.3 | 3 |
| 48 | Effects of Marathon Running on Cognition and Retinal Vascularization: A Longitudinal Observational Study. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 2207-2214. | 0.2 | 5 |
| 49 | The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. <i>NPJ Schizophrenia</i> , 2021, 7, 32. | 2.0 | 10 |
| 50 | A genome-wide association study of the longitudinal course of executive functions. <i>Translational Psychiatry</i> , 2021, 11, 386. | 2.4 | 7 |
| 51 | Association of Age, Antipsychotic Medication, and Symptom Severity in Schizophrenia With Proton Magnetic Resonance Spectroscopy Brain Glutamate Level. <i>JAMA Psychiatry</i> , 2021, 78, 667. | 6.0 | 72 |
| 52 | Differential gene regulation in the anterior cingulate cortex and superior temporal cortex in schizophrenia: A molecular network approach. <i>Schizophrenia Research</i> , 2021, 232, 1-10. | 1.1 | 4 |
| 53 | Improvement in daily functioning after aerobic exercise training in schizophrenia is sustained after exercise cessation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1201-1203. | 1.8 | 10 |
| 54 | Decreased Serum Brain-Derived Neurotrophic Factor Concentrations 72 Hours Following Marathon Running. <i>Frontiers in Physiology</i> , 2021, 12, 668454. | 1.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021, 90, 632-642. | 0.7 | 32 |
| 56 | Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669. | 1.7 | 20 |
| 57 | Effects of high-frequency prefrontal rTMS on heart frequency rates and blood pressure in schizophrenia. <i>Journal of Psychiatric Research</i> , 2021, 140, 243-249. | 1.5 | 2 |
| 58 | Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021, , . | 1.6 | 2 |
| 59 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823. | 1.6 | 10 |
| 60 | Efficacy and safety of clozapine in psychotic disorders—a systematic quantitative meta-review. <i>Translational Psychiatry</i> , 2021, 11, 487. | 2.4 | 61 |
| 61 | Exercise as a model to identify microRNAs linked to human cognition: a role for microRNA-409 and microRNA-501. <i>Translational Psychiatry</i> , 2021, 11, 514. | 2.4 | 10 |
| 62 | A microRNA signature that correlates with cognition and is a target against cognitive decline. <i>EMBO Molecular Medicine</i> , 2021, 13, e13659. | 3.3 | 29 |
| 63 | Obituary — Prof. Dr. Hanns Hippus (1925 — 2021). <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 856-857. | 1.0 | 1 |
| 64 | Interplay between the genetics of personality traits, severe psychiatric disorders and COVID-19 host genetics in the susceptibility to SARS-CoV-2 infection. <i>BJPsych Open</i> , 2021, 7, e188. | 0.3 | 1 |
| 65 | Acquisition and Use of —Priors™ in Autism: Typical in Deciding Where to Look, Atypical in Deciding What Is There. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 3744-3758. | 1.7 | 7 |
| 66 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606. | 2.4 | 25 |
| 67 | Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021, 11, 600. | 2.4 | 11 |
| 68 | Medication Adherence in a Cross-Diagnostic Sample of Patients From the Affective-to-Psychotic Spectrum: Results From the PsyCourse Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 713060. | 1.3 | 8 |
| 69 | The efficacy and safety of cariprazine in the early and late stage of schizophrenia: a post hoc analysis of three randomized, placebo-controlled trials. <i>CNS Spectrums</i> , 2021, , 1-8. | 0.7 | 0 |
| 70 | Cerebrospinal fluid abnormalities in first- and multi-episode schizophrenia-spectrum disorders: impact of clinical and demographical variables. <i>Translational Psychiatry</i> , 2021, 11, 621. | 2.4 | 5 |
| 71 | Self-esteem fully mediates positive life events and depressive symptoms in a sample of 173 patients with affective disorders. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 21-35. | 1.3 | 7 |
| 72 | Polygenic analysis suggests the involvement of calcium signaling in executive function in schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 425-431. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Predicting instructed simulation and dissimulation when screening for depressive symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 153-168. | 1.8 | 4 |
| 74 | Autoimmune encephalitis with psychosis: Warning signs, step-by-step diagnostics and treatment. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 241-254. | 1.3 | 48 |
| 75 | Mental health in refugees and asylum seekers (MEHIRA): study design and methodology of a prospective multicentre randomized controlled trial investigating the effects of a stepped and collaborative care model. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 95-106. | 1.8 | 45 |
| 76 | Effects of Three Months of Aerobic Endurance Training on Motor Cortical Excitability in Schizophrenia Patients and Healthy Subjects. <i>Neuropsychobiology</i> , 2020, 79, 100-107. | 0.9 | 3 |
| 77 | Association between altered hippocampal oligodendrocyte number and neuronal circuit structures in schizophrenia: a postmortem analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 413-424. | 1.8 | 9 |
| 78 | Multivariate classification of schizophrenia and its familial risk based on load-dependent attentional control brain functional connectivity. <i>Neuropsychopharmacology</i> , 2020, 45, 613-621. | 2.8 | 26 |
| 79 | Sex Matters: A Multivariate Pattern Analysis of Sex- and Gender-Related Neuroanatomical Differences in Cis- and Transgender Individuals Using Structural Magnetic Resonance Imaging. <i>Cerebral Cortex</i> , 2020, 30, 1345-1356. | 1.6 | 23 |
| 80 | Promoting stigma coping and empowerment in patients with schizophrenia and depression: results of a cluster-RCT. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 501-511. | 1.8 | 8 |
| 81 | The impact of endurance training and table soccer on brain metabolites in schizophrenia. <i>Brain Imaging and Behavior</i> , 2020, 14, 515-526. | 1.1 | 6 |
| 82 | Accuracy of diagnostic classification and clinical utility assessment of ICD-11 compared to ICD-10 in 10 mental disorders: findings from a web-based field study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 281-289. | 1.8 | 32 |
| 83 | A Pattern of Cognitive Deficits Stratified for Genetic and Environmental Risk Reliably Classifies Patients With Schizophrenia From Healthy Control Subjects. <i>Biological Psychiatry</i> , 2020, 87, 697-707. | 0.7 | 33 |
| 84 | Effect of aerobic exercise combined with cognitive remediation on cortical thickness and prediction of social adaptation in patients with schizophrenia. <i>Schizophrenia Research</i> , 2020, 216, 397-407. | 1.1 | 21 |
| 85 | Modeling Obstetric Complications in Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1070-1071. | 1.1 | 0 |
| 86 | Changes in antidepressant therapy should be considered early in patients with inadequate response to a first-line agent. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 55, 000486742096891. | 1.3 | 2 |
| 87 | Effects of Smoking Status on Remission and Metabolic and Cognitive Outcomes in Schizophrenia Patients Treated with Clozapine. <i>Pharmacopsychiatry</i> , 2020, 53, 273-283. | 1.7 | 2 |
| 88 | Impact of the metabolic syndrome on severe mental disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 499-500. | 1.8 | 2 |
| 89 | The Generalized Adaptation Account of Autism. <i>Frontiers in Neuroscience</i> , 2020, 14, 534218. | 1.4 | 5 |
| 90 | Compulsory admissions of patients with mental disorders: State of the art on ethical and legislative aspects in 40 European countries. <i>European Psychiatry</i> , 2020, 63, e82. | 0.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Clozapine Combination and Augmentation Strategies in Patients With Schizophrenia – Recommendations From an International Expert Survey Among the Treatment Response and Resistance in Psychosis (TRRIP) Working Group. <i>Schizophrenia Bulletin</i> , 2020, 46, 1459-1470. | 2.3 | 58 |
| 92 | Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020, 88, 829-842. | 0.7 | 35 |
| 93 | A machine learning approach to risk assessment for alcohol withdrawal syndrome. <i>European Neuropsychopharmacology</i> , 2020, 35, 61-70. | 0.3 | 5 |
| 94 | Effects of 1ÂmA and 2ÂmA transcranial direct current stimulation on working memory performance in healthy participants. <i>Consciousness and Cognition</i> , 2020, 83, 102959. | 0.8 | 14 |
| 95 | Personality Traits in Marathon Runners and Sedentary Controls With MMPI-2-RF. <i>Frontiers in Psychology</i> , 2020, 11, 886. | 1.1 | 1 |
| 96 | Affected neural networks as basis of disturbed motor function in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 279-280. | 1.8 | 0 |
| 97 | Autoimmune encephalitis as a differential diagnosis of schizophreniform psychosis: clinical symptomatology, pathophysiology, diagnostic approach, and therapeutic considerations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 803-818. | 1.8 | 59 |
| 98 | Effect of aerobic exercise on cortical thickness in patients with schizophrenia – A dataset. <i>Data in Brief</i> , 2020, 30, 105517. | 0.5 | 2 |
| 99 | rTMS and tDCS for the treatment of catatonia: A systematic review. <i>Schizophrenia Research</i> , 2020, 222, 73-78. | 1.1 | 21 |
| 100 | Add-on spironolactone as antagonist of the NRG1-ERBB4 signaling pathway for the treatment of schizophrenia: Study design and methodology of a multicenter randomized, placebo-controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 17, 100537. | 0.5 | 17 |
| 101 | An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings. <i>JAMA Psychiatry</i> , 2020, 77, 523. | 6.0 | 39 |
| 102 | Clinical patterns differentially predict response to transcranial direct current stimulation (tDCS) and escitalopram in major depression: A machine learning analysis of the ELECT-TDCS study. <i>Journal of Affective Disorders</i> , 2020, 265, 460-467. | 2.0 | 21 |
| 103 | The role of environmental stress and DNA methylation in the longitudinal course of bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 9. | 0.8 | 13 |
| 104 | Schizophrenia. <i>Deutsches A&#x0308;rztblatt International</i> , 2020, 117, 412-419. | 0.6 | 23 |
| 105 | Neuro-psychopharmacotherapy and the Differential Diagnostic Approaches in Europe. , 2020, , 1-30. | | 0 |
| 106 | Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 552175. | 1.3 | 5 |
| 107 | A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 89-102. | 1.1 | 47 |
| 108 | Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75. | 1.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Trends in Schizophrenia Diagnosis and Treatment. , 2019, , 603-619. | | 4 |
| 110 | The need to develop personalized interventions to improve cognition in schizophrenia. World Psychiatry, 2019, 18, 170-170. | 4.8 | 21 |
| 111 | Aerobic exercise in mental disorders: from basic mechanisms to treatment recommendations. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 483-484. | 1.8 | 7 |
| 112 | Premature mortality, causes of death, and mental disorders. Lancet, The, 2019, 394, 1784-1786. | 6.3 | 7 |
| 113 | Polygenic burden associated to oligodendrocyte precursor cells and radial glia influences the hippocampal volume changes induced by aerobic exercise in schizophrenia patients. Translational Psychiatry, 2019, 9, 284. | 2.4 | 14 |
| 114 | Psychotherapeutische und psychosoziale Interventionen (Modul 4b). , 2019, , 139-180. | | 0 |
| 115 | The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. Translational Psychiatry, 2019, 9, 210. | 2.4 | 24 |
| 116 | Quantitative Subcellular Proteomics of the Orbitofrontal Cortex of Schizophrenia Patients. Journal of Proteome Research, 2019, 18, 4240-4253. | 1.8 | 21 |
| 117 | Clozapine augmentation strategies – a systematic meta-review of available evidence. Treatment options for clozapine resistance. Journal of Psychopharmacology, 2019, 33, 423-435. | 2.0 | 52 |
| 118 | Prospective acceptance of distinct mobile mental health features in psychiatric patients and mental health professionals. Journal of Psychiatric Research, 2019, 109, 126-132. | 1.5 | 26 |
| 119 | Efficacy of high-frequency repetitive transcranial magnetic stimulation in schizophrenia patients with treatment-resistant negative symptoms treated with clozapine. Schizophrenia Research, 2019, 208, 370-376. | 1.1 | 19 |
| 120 | Neurocognitive and neuroanatomical maturation in the clinical high-risk states for psychosis: A pattern recognition study. NeuroImage: Clinical, 2019, 21, 101624. | 1.4 | 11 |
| 121 | Dysregulation of a specific immune-related network of genes biologically defines a subset of schizophrenia. Translational Psychiatry, 2019, 9, 156. | 2.4 | 24 |
| 122 | Neurobiological effects of aerobic exercise, with a focus on patients with schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 499-515. | 1.8 | 35 |
| 123 | A new role for oligodendrocytes and myelination in schizophrenia and affective disorders?. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 371-372. | 1.8 | 29 |
| 124 | Childhood Trauma in Schizophrenia: Current Findings and Research Perspectives. Frontiers in Neuroscience, 2019, 13, 274. | 1.4 | 99 |
| 125 | Cover Image, Volume 180B, Number 2, March 2019. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2019, 180, i. | 1.1 | 0 |
| 126 | Effects of stimulant drug use on the dopaminergic system: A systematic review and meta-analysis of in vivo neuroimaging studies. European Psychiatry, 2019, 59, 15-24. | 0.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | The Influence of Continuous Exercising on Chronotropic Incompetence in Multi-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 90. | 1.3 | 7 |
| 128 | Depression in Somatic Disorders: Is There a Beneficial Effect of Exercise?. <i>Frontiers in Psychiatry</i> , 2019, 10, 141. | 1.3 | 18 |
| 129 | The reliability and clinical utility of ICD-11 schizoaffective disorder: A field trial. <i>Schizophrenia Research</i> , 2019, 208, 235-241. | 1.1 | 22 |
| 130 | Oligodendrocytes as A New Therapeutic Target in Schizophrenia: From Histopathological Findings to Neuron-Oligodendrocyte Interaction. <i>Cells</i> , 2019, 8, 1496. | 1.8 | 49 |
| 131 | Effects of sedative drug use on the dopamine system: a systematic review and meta-analysis of in vivo neuroimaging studies. <i>Neuropsychopharmacology</i> , 2019, 44, 660-667. | 2.8 | 26 |
| 132 | WFSBP guidelines on how to grade treatment evidence for clinical guideline development. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 2-16. | 1.3 | 26 |
| 133 | The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019, 210, 255-261. | 1.1 | 9 |
| 134 | Serum Insulin and Cognitive Performance in Older Adults: A Longitudinal Study. <i>American Journal of Medicine</i> , 2019, 132, 367-373. | 0.6 | 14 |
| 135 | Efficient region-based test strategy uncovers genetic risk factors for functional outcome in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 156-170. | 0.3 | 7 |
| 136 | Left prefrontal high-frequency rTMS may improve movement disorder in schizophrenia patients with predominant negative symptoms – A secondary analysis of a sham-controlled, randomized multicenter trial. <i>Schizophrenia Research</i> , 2019, 204, 445-447. | 1.1 | 10 |
| 137 | Effects of exercise-based interventions in severe mental illness: a feasibility study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 621-622. | 1.8 | 2 |
| 138 | The Role of Self-Esteem in Depression: A Longitudinal Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 244-250. | 0.9 | 24 |
| 139 | Nonpharmacological treatment of dyscognition in schizophrenia: effects of aerobic exercise. <i>Dialogues in Clinical Neuroscience</i> , 2019, 21, 261-269. | 1.8 | 8 |
| 140 | Versorgungskoordination (Modul 5). , 2019, , 271-299. | | 0 |
| 141 | Allgemeine Grundlagen (Modul 1). , 2019, , 1-12. | | 0 |
| 142 | Behandlung unter besonderen Bedingungen (Modul 4c). , 2019, , 181-254. | | 0 |
| 143 | Pharmakotherapie und andere somatische Behandlungsverfahren (Modul 4a). , 2019, , 51-137. | | 0 |
| 144 | Klassifikation, Diagnostik und Differenzialdiagnostik (Modul 2). , 2019, , 13-36. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74. | 6.0 | 102 |
| 146 | Left frontal hub connectivity delays cognitive impairment in autosomal-dominant and sporadic Alzheimer's disease. <i>Brain</i> , 2018, 141, 1186-1200. | 3.7 | 83 |
| 147 | Efficacy of high-frequency repetitive transcranial magnetic stimulation on PANSS factors in schizophrenia with predominant negative symptoms – Results from an exploratory re-analysis. <i>Psychiatry Research</i> , 2018, 263, 22-29. | 1.7 | 17 |
| 148 | Effects of haloperidol and clozapine on synapse-related gene expression in specific brain regions of male rats. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 555-563. | 1.8 | 9 |
| 149 | Brain Subtyping Enhances The Neuroanatomical Discrimination of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1060-1069. | 2.3 | 78 |
| 150 | Frontotemporal dysregulation of the SNARE protein interactome is associated with faster cognitive decline in old age. <i>Neurobiology of Disease</i> , 2018, 114, 31-44. | 2.1 | 27 |
| 151 | Machine Learning Approaches for Clinical Psychology and Psychiatry. <i>Annual Review of Clinical Psychology</i> , 2018, 14, 91-118. | 6.3 | 520 |
| 152 | Absence of cerebrospinal fluid antineuronal antibodies in schizophrenia spectrum disorders. <i>British Journal of Psychiatry</i> , 2018, 212, 318-320. | 1.7 | 37 |
| 153 | Reply to: Sample Size, Model Robustness, and Classification Accuracy in Diagnostic Multivariate Neuroimaging Analyses. <i>Biological Psychiatry</i> , 2018, 84, e83-e84. | 0.7 | 1 |
| 154 | Letter to the Editor: Influence of rTMS on smoking in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 481-484. | 1.1 | 10 |
| 155 | A systematic review of trials investigating strength training in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2018, 192, 64-68. | 1.1 | 21 |
| 156 | Predicting Response to Repetitive Transcranial Magnetic Stimulation in Patients With Schizophrenia Using Structural Magnetic Resonance Imaging: A Multisite Machine Learning Analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1021-1034. | 2.3 | 57 |
| 157 | Effectiveness and cost-effectiveness of an integrated care program for schizophrenia: an analysis of routine data. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 611-619. | 1.8 | 1 |
| 158 | 11.3 CLINICAL AND NEUROBIOLOGICAL EFFECTS OF A CONTINUOUS AEROBIC ENDURANCE TRAINING IN MULTI-EPIISODE SCHIZOPHRENIA PATIENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S17-S18. | 2.3 | 0 |
| 159 | S177. FRONTAL CORTICAL PLASTICITY IN SCHIZOPHRENIA PATIENTS EXAMINED BY LTP-INDUCING ANODAL TDCS AND REPETITIVE EEG. <i>Schizophrenia Bulletin</i> , 2018, 44, S393-S394. | 2.3 | 0 |
| 160 | S47. ADD-ON SPIRONOLACTONE FOR THE TREATMENT OF SCHIZOPHRENIA (SPIRO TREAT). <i>Schizophrenia Bulletin</i> , 2018, 44, S342-S342. | 2.3 | 0 |
| 161 | F107. CSF ABNORMALITIES IN SCHIZOPHRENIA AND DEPRESSION: PRELIMINARY RESULTS FROM A LARGE SCALE COHORT. <i>Schizophrenia Bulletin</i> , 2018, 44, S261-S261. | 2.3 | 0 |
| 162 | Studying and modulating schizophrenia-associated dysfunctions of oligodendrocytes with patient-specific cell systems. <i>NPJ Schizophrenia</i> , 2018, 4, 23. | 2.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Effects of Aerobic Exercise on Metabolic Syndrome, Cardiorespiratory Fitness, and Symptoms in Schizophrenia Include Decreased Mortality. <i>Frontiers in Psychiatry</i> , 2018, 9, 690. | 1.3 | 57 |
| 164 | Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2018, 75, 1156. | 6.0 | 251 |
| 165 | EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> , 2018, 54, 124-144. | 0.1 | 377 |
| 166 | Impaired recovery in affective disorders and schizophrenia: sharing a common pathophysiology?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 739-740. | 1.8 | 1 |
| 167 | S79. ENHANCING WORKING MEMORY IN SCHIZOPHRENIA USING 1MA AND 2MA TRANSCRANIAL DIRECT STIMULATION TO THE LEFT DORSOLATERAL PREFRONTAL CORTEX. <i>Schizophrenia Bulletin</i> , 2018, 44, S355-S355. | 2.3 | 0 |
| 168 | F182. SYMPTOM-RELATED STRUCTURAL BRAIN PATTERN IN PATIENTS WITH SCHIZOPHRENIA-A PARTIAL LEAST SQUARE ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S292-S292. | 2.3 | 1 |
| 169 | Suicidal Ideation and Suicidal Behavior as Rare Adverse Events of Antidepressant Medication: Current Report from the AMSP Multicenter Drug Safety Surveillance Project. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 814-821. | 1.0 | 34 |
| 170 | Improving working memory in schizophrenia: Effects of 1â€mA and 2â€mA transcranial direct current stimulation to the left DLPFC. <i>Schizophrenia Research</i> , 2018, 202, 203-209. | 1.1 | 31 |
| 171 | S49. EFFICACY OF HIGH-FREQUENCY REPETITIVE TRANSCRANIAL MAGNETIC STIMULATION ON PANSS FACTORS IN SCHIZOPHRENIA WITH PREDOMINANT NEGATIVE SYMPTOMS â€“ RESULTS FROM AN EXPLORATORY RE-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S343-S343. | 2.3 | 0 |
| 172 | F185. BRAIN STRUCTURAL PATTERNS DIFFERENTIATE EARLY- AND LATE-ONSET CANNABIS USE IN PSYCHOTIC PATIENTS: PRELIMINARY RESULTS FROM THE PRONIA STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S293-S293. | 2.3 | 0 |
| 173 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207. | 1.3 | 28 |
| 174 | T102. AN INVESTIGATION OF SCHIZOPHRENIA-BIPOLAR SUBGROUPS WITH GENETIC AND PROGNOSTIC VALIDATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S155-S155. | 2.3 | 0 |
| 175 | Psychiatry and psychiatrists: Fourteen core statements. <i>European Psychiatry</i> , 2018, 52, 136-138. | 0.1 | 1 |
| 176 | Unmet Needs in Schizophrenia. <i>CNS and Neurological Disorders - Drug Targets</i> , 2018, 16, 870-884. | 0.8 | 16 |
| 177 | Forty years of structural brain imaging in mental disorders: is it clinically useful or not?. <i>Dialogues in Clinical Neuroscience</i> , 2018, 20, 179-186. | 1.8 | 31 |
| 178 | World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia â€“ a short version for primary care. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 82-90. | 1.2 | 61 |
| 179 | Prefrontal transcranial direct current stimulation (tDCS) as treatment for major depression: study design and methodology of a multicenter triple blind randomized placebo controlled trial (DepressionDC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 751-766. | 1.8 | 44 |
| 180 | Aerobic exercise in major psychiatric disorders: promises and challenges. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 93-94. | 1.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Aerobic exercise and its effects on cognition in schizophrenia. <i>Current Opinion in Psychiatry</i> , 2017, 30, 171-175. | 3.1 | 41 |
| 182 | The Long-Term Effects of Antipsychotic Medication on Clinical Course in Schizophrenia. <i>American Journal of Psychiatry</i> , 2017, 174, 840-849. | 4.0 | 155 |
| 183 | HDAC1 links early life stress to schizophrenia-like phenotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4686-E4694. | 3.3 | 75 |
| 184 | Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017, 174, 216-229. | 4.0 | 685 |
| 185 | Synaptosomal Proteome of the Orbitofrontal Cortex from Schizophrenia Patients Using Quantitative Label-Free and iTRAQ-Based Shotgun Proteomics. <i>Journal of Proteome Research</i> , 2017, 16, 4481-4494. | 1.8 | 44 |
| 186 | Tau plasma levels in subjective cognitive decline: Results from the DELCODE study. <i>Scientific Reports</i> , 2017, 7, 9529. | 1.6 | 27 |
| 187 | Spironolactone is an antagonist of $\text{NRG} \rightarrow \text{ERBB}4$ signaling and schizophrenia-relevant endophenotypes in mice. <i>EMBO Molecular Medicine</i> , 2017, 9, 1448-1462. | 3.3 | 34 |
| 188 | Formin 2 links neuropsychiatric phenotypes at young age to an increased risk for dementia. <i>EMBO Journal</i> , 2017, 36, 2815-2828. | 3.5 | 45 |
| 189 | The Nuclear Proteome of White and Gray Matter from Schizophrenia Postmortem Brains. <i>Molecular Neuropsychiatry</i> , 2017, 3, 37-52. | 3.0 | 32 |
| 190 | On the search of new treatment strategies in patients with affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 709-710. | 1.8 | 0 |
| 191 | Decreased cortical FADD protein is associated with clinical dementia and cognitive decline in an elderly community sample. <i>Molecular Neurodegeneration</i> , 2017, 12, 26. | 4.4 | 17 |
| 192 | 174.4 Using Machine Learning to Predict Outcomes in Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, S88-S88. | 2.3 | 0 |
| 193 | Detecting Neuroimaging Biomarkers for Depression: A Meta-analysis of Multivariate Pattern Recognition Studies. <i>Biological Psychiatry</i> , 2017, 82, 330-338. | 0.7 | 116 |
| 194 | Vagus nerve stimulation in psychiatry: a systematic review of the available evidence. <i>Journal of Neural Transmission</i> , 2017, 124, 145-158. | 1.4 | 94 |
| 195 | Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia, part III: Molecular mechanisms. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 330-356. | 1.3 | 33 |
| 196 | Schizophrene Psychosen. , 2017, , 1583-1674. | | 2 |
| 197 | Commentary on "Systems Neuroscience of Psychosis (SyNoPsis): Mapping Schizophrenia Symptoms onto Brain Systems": <i>Neuropsychobiology</i> , 2017, 75, 122-123. | 0.9 | 1 |
| 198 | 170. Targeting Dysplasticity in Schizophrenia via Aerobic Exercise: Understanding the Mechanisms. <i>Schizophrenia Bulletin</i> , 2017, 43, S86-S86. | 2.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Ä„tiopathogenetische BeitrÄge der Bildgebungsforschung in der Psychiatrie. , 2017, , 215-243. | | 1 |
| 200 | Ä„tiopathogenetische BeitrÄge der Bildgebungsforschung in der Psychiatrie. , 2017, , 1-29. | | 0 |
| 201 | Aerobic exercise for people with schizophrenic psychosis. , 2016, , 66-78. | | 0 |
| 202 | Bidirectional variability in motor cortex excitability modulation following 1ÂmA transcranial direct current stimulation in healthy participants. <i>Physiological Reports</i> , 2016, 4, e12884. | 0.7 | 66 |
| 203 | Oligodendrocyte and Interneuron Density in Hippocampal Subfields in Schizophrenia and Association of Oligodendrocyte Number with Cognitive Deficits. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 78. | 1.8 | 37 |
| 204 | Lower Oxytocin Plasma Levels in Borderline Patients with Unresolved Attachment Representations. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 125. | 1.0 | 51 |
| 205 | News from the graveyard: Neuropathological research on schizophrenia is alive and productive. <i>Schizophrenia Research</i> , 2016, 177, 1-2. | 1.1 | 2 |
| 206 | Neurobiological background of borderline personality disorder, PTSD and ADHD. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 289-290. | 1.8 | 0 |
| 207 | Endurance training in patients with schizophrenia and healthy controls: differences and similarities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 461-473. | 1.8 | 22 |
| 208 | Differential response to anodal tDCS and PAS is indicative of impaired focal LTP-like plasticity in schizophrenia. <i>Behavioural Brain Research</i> , 2016, 311, 46-53. | 1.2 | 16 |
| 209 | Reduced oxytocin receptor gene expression and binding sites in different brain regions in schizophrenia: A post-mortem study. <i>Schizophrenia Research</i> , 2016, 177, 59-66. | 1.1 | 58 |
| 210 | Perspectives of neurobiological research in schizophrenia. <i>Neurology Psychiatry and Brain Research</i> , 2016, 22, 63-68. | 2.0 | 2 |
| 211 | Differential proteome and phosphoproteome may impact cell signaling in the corpus callosum of schizophrenia patients. <i>Schizophrenia Research</i> , 2016, 177, 70-77. | 1.1 | 22 |
| 212 | Prefrontal Transcranial Direct Current Stimulation for Treatment of Schizophrenia With Predominant Negative Symptoms: A Double-Blind, Sham-Controlled Proof-of-Concept Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 1253-1261. | 2.3 | 110 |
| 213 | Multisite prediction of 4-week and 52-week treatment outcomes in patients with first-episode psychosis: a machine learning approach. <i>Lancet Psychiatry</i> , 2016, 3, 935-946. | 3.7 | 144 |
| 214 | Neuroscience-based nomenclature (jNbn) to replace traditional terminology of psychotropic medications. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 385-386. | 1.8 | 7 |
| 215 | Decreased Oligodendrocyte and Neuron Number in Anterior Hippocampal Areas and the Entire Hippocampus in Schizophrenia: A Stereological Postmortem Study. <i>Schizophrenia Bulletin</i> , 2016, 42, S4-S12. | 2.3 | 68 |
| 216 | Psychoeducational and Cognitive Behavioral Treatment Programs: Implementation and Evaluation From 1995 to 2015 in Kraepelinâ€™s Former Hospital. <i>Schizophrenia Bulletin</i> , 2016, 42, S81-S89. | 2.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | A Randomized Controlled Trial of Group Coping-Oriented Therapy vs Supportive Therapy in Schizophrenia: Results of a 2-Year Follow-up. <i>Schizophrenia Bulletin</i> , 2016, 42, S71-S80. | 2.3 | 19 |
| 218 | Classifying Schizophrenia Using Multimodal Multivariate Pattern Recognition Analysis: Evaluating the Impact of Individual Clinical Profiles on the Neurodiagnostic Performance. <i>Schizophrenia Bulletin</i> , 2016, 42, S110-S117. | 2.3 | 78 |
| 219 | Aberrant Functional Whole-Brain Network Architecture in Patients With Schizophrenia: A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2016, 42, S13-S21. | 2.3 | 80 |
| 220 | Special Supplement Introduction: The Fourth Kraepelin Symposiumâ€”Cognitive Dysfunction in Schizophrenia: Origins and Innovative Treatment. <i>Schizophrenia Bulletin</i> , 2016, 42, S1-S3. | 2.3 | 2 |
| 221 | Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> , 2016, 16, 153. | 1.1 | 7 |
| 222 | Stepping up: the just released new impact factor 2015. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 475-476. | 1.8 | 1 |
| 223 | Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part II: Cognition, neuroimaging and genetics. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 406-428. | 1.3 | 30 |
| 224 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394. | 1.4 | 182 |
| 225 | Nicotineâ€™dopamine-transporter interactions during reward-based decision making. <i>European Neuropsychopharmacology</i> , 2016, 26, 938-947. | 0.3 | 4 |
| 226 | Morphological and functional alterations in patients with schizophrenia spectrum disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 1-2. | 1.8 | 2 |
| 227 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093. | 6.3 | 306 |
| 228 | The Longitudinal Course of Schizophrenia Across the Lifespan. <i>Harvard Review of Psychiatry</i> , 2016, 24, 118-128. | 0.9 | 112 |
| 229 | Effects of endurance training on brain structures in chronic schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2016, 173, 182-191. | 1.1 | 64 |
| 230 | Predictors for symptom re-exacerbation after targeted stepwise drug discontinuation in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2016, 170, 168-176. | 1.1 | 34 |
| 231 | Quantitative mass spectrometry reveals changes in SNAP-25 isoforms in schizophrenia. <i>Schizophrenia Research</i> , 2016, 177, 44-51. | 1.1 | 17 |
| 232 | Molecular Signatures of Psychosocial Stress and Cognition Are Modulated by Chronic Lithium Treatment. <i>Schizophrenia Bulletin</i> , 2016, 42, S22-S33. | 2.3 | 12 |
| 233 | Pioneering ambient mass spectrometry imaging in psychiatry: Potential for new insights into schizophrenia. <i>Schizophrenia Research</i> , 2016, 177, 67-69. | 1.1 | 11 |
| 234 | Cognitive Effects of High-Frequency rTMS in Schizophrenia Patients With Predominant Negative Symptoms: Results From a Multicenter Randomized Sham-Controlled Trial. <i>Schizophrenia Bulletin</i> , 2016, 42, 608-618. | 2.3 | 71 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | Prediction of outcome in the psychosis prodrome using neuroanatomical pattern classification. Schizophrenia Research, 2016, 173, 159-165. | 1.1 | 50 |
| 236 | Schizophrene Psychosen. , 2016, , 1-92. | | 1 |
| 237 | Somatische Therapieverfahren. , 2016, , 77-105. | | 2 |
| 238 | Ä„tiopathogenetische BeitrÄge der Bildgebungsforschung in der Psychiatrie. , 2016, , 1-28. | | 0 |
| 239 | Sonstige Therapien. , 2016, , 177-194. | | 0 |
| 240 | Disturbed macro-connectivity in schizophrenia linked to oligodendrocyte dysfunction: from structural findings to molecules. NPJ Schizophrenia, 2015, 1, 15034. | 2.0 | 64 |
| 241 | A common risk variant in CACNA1C supports a sex-dependent effect on longitudinal functioning and functional recovery from episodes of schizophrenia-spectrum but not bipolar disorder. European Neuropsychopharmacology, 2015, 25, 2262-2270. | 0.3 | 13 |
| 242 | Unravelling basic mechanisms in addiction and neuropsychiatric disorders. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 633-635. | 1.8 | 0 |
| 243 | BDNF-Val66Met-Polymorphism Impact on Cortical Plasticity in Schizophrenia Patients: A Proof-of-Concept Study. International Journal of Neuropsychopharmacology, 2015, 18, . | 1.0 | 25 |
| 244 | Stereological investigation of the posterior hippocampus in affective disorders. Journal of Neural Transmission, 2015, 122, 1019-1033. | 1.4 | 25 |
| 245 | Loss of Munc18-1 long splice variant in GABAergic terminals is associated with cognitive decline and increased risk of dementia in a community sample. Molecular Neurodegeneration, 2015, 10, 65. | 4.4 | 34 |
| 246 | Erythropoietin as an Innovative Add-on Therapy for Depression. Biological Psychiatry, 2015, 78, 222-223. | 0.7 | 2 |
| 247 | Investigations of motor-cortex cortical plasticity following facilitatory and inhibitory transcranial theta-burst stimulation in schizophrenia: A proof-of-concept study. Journal of Psychiatric Research, 2015, 61, 196-204. | 1.5 | 15 |
| 248 | Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Touretteâ€™s Syndrome and OCD. American Journal of Psychiatry, 2015, 172, 82-93. | 4.0 | 117 |
| 249 | Psychiatristsâ€™ self-stigma, the DGPPN guideline for psychosocial interventions, and contemporary treatment strategies. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 171-172. | 1.8 | 9 |
| 250 | Detecting Neuroimaging Biomarkers for Schizophrenia: A Meta-Analysis of Multivariate Pattern Recognition Studies. Neuropsychopharmacology, 2015, 40, 1742-1751. | 2.8 | 182 |
| 251 | Schizophrenia spectrum and related neuropathology. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 85-86. | 1.8 | 2 |
| 252 | Left Prefrontal High-Frequency Repetitive Transcranial Magnetic Stimulation for the Treatment of Schizophrenia with Predominant Negative Symptoms: A Sham-Controlled, Randomized Multicenter Trial. Biological Psychiatry, 2015, 77, 979-988. | 0.7 | 122 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 253 | Consensus paper of the WFSBP Task Force on Biological Markers: Criteria for biomarkers and endophenotypes of schizophrenia part I: Neurophysiology. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 280-290. | 1.3 | 37 |
| 254 | Transcutaneous noninvasive vagus nerve stimulation (tVNS) in the treatment of schizophrenia: a bicentric randomized controlled pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 589-600. | 1.8 | 59 |
| 255 | Family load impacts orbitofrontal volume in first-episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 130-133. | 0.9 | 1 |
| 256 | Classification and neurobiological concepts of mania, bipolar disorder and major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 271-272. | 1.8 | 2 |
| 257 | Pathways to personalized treatment strategies for depressive disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 1-3. | 1.8 | 1 |
| 258 | First results of a refeeding program in a psychiatric intensive care unit for patients with extreme anorexia nervosa. <i>BMC Psychiatry</i> , 2015, 15, 57. | 1.1 | 25 |
| 259 | Individualized differential diagnosis of schizophrenia and mood disorders using neuroanatomical biomarkers. <i>Brain</i> , 2015, 138, 2059-2073. | 3.7 | 132 |
| 260 | World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia Part 3: Update 2015 Management of special circumstances: Depression, Suicidality, substance use disorders and pregnancy and lactation. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 142-170. | 1.3 | 106 |
| 261 | Effects of Endurance Training Combined With Cognitive Remediation on Everyday Functioning, Symptoms, and Cognition in Multipisode Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2015, 41, 847-858. | 2.3 | 83 |
| 262 | Functional outcome in major psychiatric disorders and associated clinical and psychosocial variables: A potential cross-diagnostic phenotype for further genetic investigations?. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 237-248. | 1.3 | 17 |
| 263 | Negative symptoms and therapy strategies in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 541-542. | 1.8 | 3 |
| 264 | Genetic and environmental risk factors in neurodevelopmental disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 445-447. | 1.8 | 1 |
| 265 | DGPPN guideline on anxiety disorders and cognitive dysfunction in the elderly or patients with multiple sclerosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 361-362. | 1.8 | 0 |
| 266 | Proteomics of the corpus callosum unravel pivotal players in the dysfunction of cell signaling, structure, and myelination in schizophrenia brains. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 601-612. | 1.8 | 70 |
| 267 | Disturbed cortico-amygdalar functional connectivity as pathophysiological correlate of working memory deficits in bipolar affective disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 303-311. | 1.8 | 37 |
| 268 | Effects of social exclusion on emotions and oxytocin and cortisol levels in patients with chronic depression. <i>Journal of Psychiatric Research</i> , 2015, 60, 170-177. | 1.5 | 73 |
| 269 | Detecting the Psychosis Prodrome Across High-Risk Populations Using Neuroanatomical Biomarkers. <i>Schizophrenia Bulletin</i> , 2015, 41, 471-482. | 2.3 | 136 |
| 270 | Smoking Restores Impaired LTD-Like Plasticity in Schizophrenia: a Transcranial Direct Current Stimulation Study. <i>Neuropsychopharmacology</i> , 2015, 40, 822-830. | 2.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 271 | Common mechanisms in neurodegeneration and neuroinflammation: a BrainNet Europe gene expression microarray study. <i>Journal of Neural Transmission</i> , 2015, 122, 1055-1068. | 1.4 | 126 |
| 272 | Do Manual and Voxel-Based Morphometry Measure the Same? A Proof of Concept Study. <i>Frontiers in Psychiatry</i> , 2014, 5, 39. | 1.3 | 19 |
| 273 | The impact of environmental factors in severe psychiatric disorders. <i>Frontiers in Neuroscience</i> , 2014, 8, 19. | 1.4 | 242 |
| 274 | Selected issues of the DGPPN Congress in 2013. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 1-2. | 1.8 | 0 |
| 275 | Joint crisis plans and psychiatric advance directives in German psychiatric practice: Table 1. <i>Journal of Medical Ethics</i> , 2014, 40, 343-345. | 1.0 | 25 |
| 276 | Hippocampal integrity and neurocognition in first-episode schizophrenia: A multidimensional study. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 188-199. | 1.3 | 36 |
| 277 | Social Exclusion Leads to Divergent Changes of Oxytocin Levels in Borderline Patients and Healthy Subjects. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 252-254. | 4.0 | 43 |
| 278 | New aspects of cognition domains and psychopathological measures in psychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 647-649. | 1.8 | 0 |
| 279 | Motor Cortical Excitability Assessed by Transcranial Magnetic Stimulation in Psychiatric Disorders: A Systematic Review. <i>Brain Stimulation</i> , 2014, 7, 158-169. | 0.7 | 105 |
| 280 | CACNA1C genotype explains interindividual differences in amygdala volume among patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 93-102. | 1.8 | 50 |
| 281 | Impairments in motor-cortical inhibitory networks across recent-onset and chronic schizophrenia: A cross-sectional TMS Study. <i>Behavioural Brain Research</i> , 2014, 264, 17-25. | 1.2 | 20 |
| 282 | The new risk variant CACNA1C and brain circuits in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 91-92. | 1.8 | 2 |
| 283 | S100B is downregulated in the nuclear proteome of schizophrenia corpus callosum. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 311-316. | 1.8 | 18 |
| 284 | Comorbidity, stigma and emotional perception in psychiatric disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 1-2. | 1.8 | 2 |
| 285 | Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 567-575. | 1.8 | 38 |
| 286 | Common and disease-specific dysfunctions of brain systems underlying attentional and executive control in schizophrenia and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 517-532. | 1.8 | 14 |
| 287 | Rates and predictors of remission in first-episode schizophrenia within 1 year of antipsychotic maintenance treatment. Results of a randomized controlled trial within the German Research Network on Schizophrenia. <i>Schizophrenia Research</i> , 2014, 152, 478-486. | 1.1 | 33 |
| 288 | 5-HT ₃ receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT ₃ receptor antagonists as novel treatment option. <i>European Neuropsychopharmacology</i> , 2014, 24, 86-94. | 0.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 289 | Accelerated Brain Aging in Schizophrenia and Beyond: A Neuroanatomical Marker of Psychiatric Disorders. <i>Schizophrenia Bulletin</i> , 2014, 40, 1140-1153. | 2.3 | 369 |
| 290 | Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 910-919. | 0.3 | 111 |
| 291 | Connectivity and cognition in neuropsychiatric disorders with special emphasis on Alzheimer's disease and Chorea Huntington. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 465-466. | 1.8 | 0 |
| 292 | Disturbed Anterior Prefrontal Control of the Mesolimbic Reward System and Increased Impulsivity in Bipolar Disorder. <i>Neuropsychopharmacology</i> , 2014, 39, 1914-1923. | 2.8 | 56 |
| 293 | Reward, memory and prediction of treatment response in affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 185-186. | 1.8 | 0 |
| 294 | The neuropathology of schizophrenia: new insights from postmortem studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 269-270. | 1.8 | 3 |
| 295 | Historical aspects of Mozart's mental health and diagnostic insights of ADHD and personality disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 363-365. | 1.8 | 2 |
| 296 | Suicide ideation, stability of symptoms and effects of aerobic exercise in major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 555-556. | 1.8 | 2 |
| 297 | Massive, Previously Undetected Cancer Metastasis Revealed by Application of a Depot Antipsychotic. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e705-e706. | 1.1 | 1 |
| 298 | The effects of physical exercise in schizophrenia and affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 451-467. | 1.8 | 90 |
| 299 | Impact of lifestyle in severe psychiatric disorders and brain morphology. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 449-450. | 1.8 | 1 |
| 300 | Pattern and volume of the anterior cingulate cortex in chronic posttraumatic stress disorder (PTSD). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 585-592. | 1.8 | 7 |
| 301 | The "DGPPN-Cohort", a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 695-701. | 1.8 | 17 |
| 302 | The glutamate system as a therapeutic target and impact of genes on suicidality. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 365-366. | 1.8 | 0 |
| 303 | Innovative potential treatment strategies for schizophrenia and biomarkers for Alzheimer's disease. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 271-272. | 1.8 | 0 |
| 304 | Risk genes, metabolic syndrome and eye tracking deficits in psychiatric diseases. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 177-179. | 1.8 | 1 |
| 305 | Differential diagnosis of major depression and bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 83-84. | 1.8 | 2 |
| 306 | The effect of aerobic exercise on cortical architecture in patients with chronic schizophrenia: a randomized controlled MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 469-473. | 1.8 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 307 | Impaired Motor Cortex Responses in Non-Psychotic First-Degree Relatives of Schizophrenia Patients: A Cathodal tDCS Pilot Study. <i>Brain Stimulation</i> , 2013, 6, 821-829. | 0.7 | 23 |
| 308 | Proteomic Similarities Between Heterozygous Reeler Mice and Schizophrenia. <i>Biological Psychiatry</i> , 2013, 74, e5-e10. | 0.7 | 11 |
| 309 | Selected topics of the DGPPN Congress 2012. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 121-122. | 1.8 | 0 |
| 310 | Effects of cannabis and familial loading on subcortical brain volumes in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 155-168. | 1.8 | 24 |
| 311 | Brain imaging to be on track for improving diagnosis and pathophysiological insights in neuropsychiatric diseases. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 537-538. | 1.8 | 0 |
| 312 | Therapeutic targets in major psychiatric disorders revisited. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 619-620. | 1.8 | 3 |
| 313 | Transcranial random noise stimulation for the treatment of negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2013, 146, 372-373. | 1.1 | 30 |
| 314 | Gene expression of glutamate transporters SLC1A1, SLC1A3 and SLC1A6 in the cerebellar subregions of elderly schizophrenia patients and effects of antipsychotic treatment. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 490-499. | 1.3 | 15 |
| 315 | A Similar but Distinctive Pattern of Impaired Cortical Excitability in First-Episode Schizophrenia and ADHD. <i>Neuropsychobiology</i> , 2013, 67, 74-83. | 0.9 | 13 |
| 316 | Cannabis abuse and brain morphology in schizophrenia: a review of the available evidence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 3-13. | 1.8 | 40 |
| 317 | Schizophrenia: brain morphology and treatment aspects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 1-2. | 1.8 | 1 |
| 318 | Increased cell proliferation in the rat anterior cingulate cortex following neonatal hypoxia: relevance to schizophrenia. <i>Journal of Neural Transmission</i> , 2013, 120, 187-195. | 1.4 | 19 |
| 319 | Glutamate modulators as potential therapeutic drugs in schizophrenia and affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013, 263, 367-377. | 1.8 | 177 |
| 320 | World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia, Part 2: Update 2012 on the long-term treatment of schizophrenia and management of antipsychotic-induced side effects. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 2-44. | 1.3 | 343 |
| 321 | The functional coding variant Asn107Ile of the neuropeptide S receptor gene (NPSR1) influences age at onset of obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1951-1958. | 1.0 | 7 |
| 322 | The effect of long-term high frequency repetitive transcranial magnetic stimulation on working memory in schizophrenia and healthy controls – A randomized placebo-controlled, double-blind fMRI study. <i>Behavioural Brain Research</i> , 2013, 237, 300-307. | 1.2 | 64 |
| 323 | The human oligodendrocyte proteome. <i>Proteomics</i> , 2013, 13, 3548-3553. | 1.3 | 24 |
| 324 | Differential working memory performance as support for the Kraepelinian dichotomy between schizophrenia and bipolar disorder? An experimental neuropsychological study using circuit-specific working memory tasks. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 258-267. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 325 | Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. <i>PLoS Genetics</i> , 2013, 9, e1003864. | 1.5 | 241 |
| 326 | Muscle and Timing-specific Functional Connectivity between the Dorsolateral Prefrontal Cortex and the Primary Motor Cortex. <i>Journal of Cognitive Neuroscience</i> , 2013, 25, 558-570. | 1.1 | 69 |
| 327 | Predictors of symptomatic remission in first-episode psychosis outpatients treated with quetiapine: A naturalistic study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 148-153. | 1.2 | 4 |
| 328 | The Diagnosis and Treatment of Bipolar Disorder. <i>Deutsches A&#x0308;rzteblatt International</i> , 2013, 110, 92-100. | 0.6 | 37 |
| 329 | Characterization of SLITRK1 Variation in Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2013, 8, e70376. | 1.1 | 47 |
| 330 | Impairments of Motor-Cortex Responses to Unilateral and Bilateral Direct Current Stimulation in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2013, 4, 121. | 1.3 | 15 |
| 331 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636. | 1.1 | 156 |
| 332 | Estudos transcriptÃ³micos no contexto da conectividade perturbada em esquizofrenia. <i>Revista De Psiquiatria Clinica</i> , 2013, 40, 10-15. | 0.6 | 3 |
| 333 | Antisaccade performance in patients with obsessiveâ€“compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 625-634. | 1.8 | 45 |
| 334 | Selection of novel reference genes for use in the human central nervous system: a BrainNet Europe Study. <i>Acta Neuropathologica</i> , 2012, 124, 893-903. | 3.9 | 110 |
| 335 | Posttraumatic stress disorder (PTSD) in the German Armed Forces: a retrospective study in inpatients of a German army hospital. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 459-467. | 1.8 | 23 |
| 336 | Abnormal bihemispheric responses in schizophrenia patients following cathodal transcranial direct stimulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 415-423. | 1.8 | 30 |
| 337 | Structural synaptic elements are differentially regulated in superior temporal cortex of schizophrenia patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 565-577. | 1.8 | 31 |
| 338 | Genetic polymorphisms of 5-HTT and DAT but not COMT differentially affect verbal and visuospatial working memory functioning. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 667-676. | 1.8 | 43 |
| 339 | Biomarkers and neurobiology of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 363-364. | 1.8 | 3 |
| 340 | The new impact factor in 2011 of EAPCN. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 457-458. | 1.8 | 0 |
| 341 | Schizophrenia: from risk genes to outcome and comorbidity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 547-548. | 1.8 | 1 |
| 342 | On our own behalf: a new editorial board and focus of EAPCN. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 545-546. | 1.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 343 | Post-mortem findings in mood disorders, nightmares and therapeutic approaches of psychiatric diseases. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 635-636. | 1.8 | 0 |
| 344 | Common and distinct neural correlates of emotional processing in Bipolar Disorder and Major Depressive Disorder: A voxel-based meta-analysis of functional magnetic resonance imaging studies. <i>European Neuropsychopharmacology</i> , 2012, 22, 100-113. | 0.3 | 206 |
| 345 | Deficient Inhibitory Cortical Networks in Antipsychotic-Naïve Subjects at Risk of Developing First-Episode Psychosis and First-Episode Schizophrenia Patients: A Cross-Sectional Study. <i>Biological Psychiatry</i> , 2012, 72, 744-751. | 0.7 | 50 |
| 346 | A functional neuroimaging study assessing gender differences in the neural mechanisms underlying the ability to resist impulsive desires. <i>Brain Research</i> , 2012, 1473, 63-77. | 1.1 | 47 |
| 347 | Impaired long-term depression in schizophrenia: Anodal tDCS pilot study. <i>Brain Stimulation</i> , 2012, 5, 475-483. | 0.7 | 99 |
| 348 | Selected issues of the DGPPN Congress in 2011. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 49-50. | 1.8 | 0 |
| 349 | World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia, Part 1: Update 2012 on the acute treatment of schizophrenia and the management of treatment resistance. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 318-378. | 1.3 | 498 |
| 350 | Decreased Reelin Expression in the Left Prefrontal Cortex (BA9) in Chronic Schizophrenia Patients. <i>Neuropsychobiology</i> , 2012, 66, 57-62. | 0.9 | 36 |
| 351 | Impulsive personality and the ability to resist immediate reward: An fMRI study examining interindividual differences in the neural mechanisms underlying self-control. <i>Human Brain Mapping</i> , 2012, 33, 2768-2784. | 1.9 | 53 |
| 352 | Psychopathology: genetics and the stress-vulnerability hypothesis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 181-182. | 1.8 | 5 |
| 353 | From pathophysiological aspects towards unravelling the neurobiological background of cognitive deficits. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 275-276. | 1.8 | 0 |
| 354 | The role of the human ventral striatum and the medial orbitofrontal cortex in the representation of reward magnitude – An activation likelihood estimation meta-analysis of neuroimaging studies of passive reward expectancy and outcome processing. <i>Neuropsychologia</i> , 2012, 50, 1252-1266. | 0.7 | 281 |
| 355 | Association of the brain-derived neurotrophic factor val66met polymorphism with magnetic resonance spectroscopic markers in the human hippocampus: in vivo evidence for effects on the glutamate system. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 23-31. | 1.8 | 41 |
| 356 | Differential expression of HINT1 in schizophrenia brain tissue. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 167-172. | 1.8 | 24 |
| 357 | Reduction of gyrification index in the cerebellar vermis in schizophrenia: A post-mortem study. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 99-103. | 1.3 | 15 |
| 358 | Regulation of immune-modulatory genes in left superior temporal cortex of schizophrenia patients: a genome-wide microarray study. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 201-215. | 1.3 | 60 |
| 359 | The Hypoxic Rat Model for Obstetric Complications in Schizophrenia. <i>Neuromethods</i> , 2011, , 93-111. | 0.2 | 0 |
| 360 | Ventajas y desventajas del tratamiento de combinación con antipsicóticos. Reunión ECNP Consensus, marzo de 2008, Niza. <i>Psiquiatría Biológica</i> , 2011, 18, 55-67. | 0.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 361 | Fear is only as deep as the mind allows. <i>NeuroImage</i> , 2011, 58, 275-285. | 2.1 | 367 |
| 362 | The power of imagination – How anticipatory mental imagery alters perceptual processing of fearful facial expressions. <i>NeuroImage</i> , 2011, 54, 1703-1714. | 2.1 | 33 |
| 363 | The effects of combined acamprosate and integrative behaviour therapy in the outpatient treatment of alcohol dependence: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011, 118, 417-422. | 1.6 | 23 |
| 364 | Acute treatment with cannabinoid receptor agonist WIN55212.2 improves prepulse inhibition in psychosocially stressed mice. <i>Behavioural Brain Research</i> , 2011, 218, 280-287. | 1.2 | 30 |
| 365 | Dysfunctional long-term potentiation-like plasticity in schizophrenia revealed by transcranial direct current stimulation. <i>Behavioural Brain Research</i> , 2011, 224, 15-22. | 1.2 | 140 |
| 366 | The role of the cerebellum in schizophrenia: from cognition to molecular pathways. <i>Clinics</i> , 2011, 66, 71-77. | 0.6 | 91 |
| 367 | The orbitofrontal cortex and its role in the assignment of behavioural significance. <i>Neuropsychologia</i> , 2011, 49, 984-991. | 0.7 | 27 |
| 368 | Planum temporale asymmetry to the right hemisphere in first-episode schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 56-59. | 0.9 | 19 |
| 369 | New lexicon and criteria for the diagnosis of Alzheimer's disease. <i>Lancet Neurology</i> , The, 2011, 10, 298-299. | 4.9 | 26 |
| 370 | Treatment of first-episode schizophrenia: pharmacological and neurobiological aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011, 8, 31-35. | 0.5 | 0 |
| 371 | Methyl- and acetyltransferases are stable epigenetic markers postmortem. <i>Cell and Tissue Banking</i> , 2011, 12, 289-297. | 0.5 | 12 |
| 372 | S100B and homocysteine in the acute alcohol withdrawal syndrome. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 133-138. | 1.8 | 13 |
| 373 | A systematic experimental neuropsychological investigation of the functional integrity of working memory circuits in major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 179-184. | 1.8 | 21 |
| 374 | Prefrontal cortex gyrification index in twins: an MRI study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 459-465. | 1.8 | 18 |
| 375 | Schizophrenia as a disorder of disconnectivity. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 150-154. | 1.8 | 197 |
| 376 | A CAG repeat polymorphism of <i>KCNN3</i> predicts SK3 channel function and cognitive performance in schizophrenia. <i>EMBO Molecular Medicine</i> , 2011, 3, 309-319. | 3.3 | 63 |
| 377 | A desperate search for biomarkers in schizophrenia. What is going wrong?. <i>World Psychiatry</i> , 2011, 10, 38-39. | 4.8 | 7 |
| 378 | microRNA-34c is a novel target to treat dementias. <i>EMBO Journal</i> , 2011, 30, 4299-4308. | 3.5 | 302 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 379 | Pathological amygdala activation during working memory performance: Evidence for a pathophysiological trait marker in bipolar affective disorder. <i>Human Brain Mapping</i> , 2010, 31, 115-125. | 1.9 | 57 |
| 380 | Borderline personality disorder: A dysregulation of the endogenous opioid system?. <i>Psychological Review</i> , 2010, 117, 623-636. | 2.7 | 108 |
| 381 | Increased cortical inhibition deficits in first-episode schizophrenia with comorbid cannabis abuse. <i>Psychopharmacology</i> , 2010, 208, 353-363. | 1.5 | 36 |
| 382 | Gene expression of NMDA receptor subunits in the cerebellum of elderly patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 101-111. | 1.8 | 41 |
| 383 | DAOA/G72 predicts the progression of prodromal syndromes to first episode psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 209-215. | 1.8 | 33 |
| 384 | Reduced prefrontal gyrification in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 455-464. | 1.8 | 37 |
| 385 | Patients with schizophrenia show deficits of working memory maintenance components in circuit-specific tasks. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 519-525. | 1.8 | 26 |
| 386 | Understanding mental disorders from neuronal networks to glial cells and proteomics. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 441-442. | 1.8 | 4 |
| 387 | Sleep, hypothalamus, and stigma. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 563-564. | 1.8 | 0 |
| 388 | Cognitive effects of high-frequency repetitive transcranial magnetic stimulation: a systematic review. <i>Journal of Neural Transmission</i> , 2010, 117, 105-122. | 1.4 | 289 |
| 389 | Disturbed functional connectivity within brain networks subserving domain-specific subcomponents of working memory in schizophrenia: Relation to performance and clinical symptoms. <i>Journal of Psychiatric Research</i> , 2010, 44, 364-372. | 1.5 | 109 |
| 390 | Sex-specific proteome differences in the anterior cingulate cortex of schizophrenia. <i>Journal of Psychiatric Research</i> , 2010, 44, 989-991. | 1.5 | 72 |
| 391 | Serotonergic function, substance craving, and psychopathology in detoxified alcohol-addicted males undergoing tryptophan depletion. <i>Journal of Psychiatric Research</i> , 2010, 44, 1163-1169. | 1.5 | 11 |
| 392 | Proteome analysis of the thalamus and cerebrospinal fluid reveals glycolysis dysfunction and potential biomarkers candidates for schizophrenia. <i>Journal of Psychiatric Research</i> , 2010, 44, 1176-1189. | 1.5 | 158 |
| 393 | Correlation between amygdala volume and age in bipolar disorder – A systematic review and meta-analysis of structural MRI studies. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 1-8. | 0.9 | 76 |
| 394 | Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010, 11, 100. | 2.1 | 14 |
| 395 | The cross-sectional GRAS sample: A comprehensive phenotypical data collection of schizophrenic patients. <i>BMC Psychiatry</i> , 2010, 10, 91. | 1.1 | 53 |
| 396 | Hippocampal Plasticity in Response to Exercise in Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 133. | 13.8 | 503 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 397 | Modification of Cognitive Performance in Schizophrenia by Complexin 2 Gene Polymorphisms. Archives of General Psychiatry, 2010, 67, 879. | 13.8 | 86 |
| 398 | Oral δ^9 -Tetrahydrocannabinol Improved Refractory Gilles de la Tourette Syndrome in an Adolescent by Increasing Intracortical Inhibition. Journal of Clinical Psychopharmacology, 2010, 30, 190-192. | 0.7 | 51 |
| 399 | Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. World Journal of Biological Psychiatry, 2010, 11, 243-250. | 1.3 | 40 |
| 400 | Different apolipoprotein E, apolipoprotein A1 and prostaglandin-H2 D-isomerase levels in cerebrospinal fluid of schizophrenia patients and healthy controls. World Journal of Biological Psychiatry, 2010, 11, 719-728. | 1.3 | 47 |
| 401 | Evidence for specific cognitive deficits in visual information processing in patients with OCD compared to patients with unipolar depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 984-991. | 2.5 | 31 |
| 402 | A Novel Mechanism and Treatment Target for Presynaptic Abnormalities in Specific Striatal Regions in Schizophrenia. Neuropsychopharmacology, 2010, 35, 1226-1238. | 2.8 | 54 |
| 403 | Insertion/deletion polymorphism in the gene for angiotensin converting enzyme (ACE) in panic disorder: A gender-specific effect?. World Journal of Biological Psychiatry, 2010, 11, 66-70. | 1.3 | 21 |
| 404 | Proteome analysis of schizophrenia brain tissue. World Journal of Biological Psychiatry, 2010, 11, 110-120. | 1.3 | 82 |
| 405 | The Neuropathology of Schizophrenia: Central Role for the Hippocampus?. , 2010, , 149-165. | | 3 |
| 406 | Cognition in hepatitis C patients treated with pegylated interferon. World Journal of Biological Psychiatry, 2009, 10, 819-826. | 1.3 | 12 |
| 407 | Cognitive impairment of executive function as a core symptom of schizophrenia. World Journal of Biological Psychiatry, 2009, 10, 442-451. | 1.3 | 62 |
| 408 | Cortical neurochemistry in euthymic patients with bipolar I disorder. World Journal of Biological Psychiatry, 2009, 10, 285-294. | 1.3 | 22 |
| 409 | Association between myelin basic protein expression and left entorhinal cortex pre-alpha cell layer disorganization in schizophrenia. Brain Research, 2009, 1301, 126-134. | 1.1 | 30 |
| 410 | Functional interactions guiding adaptive processing of behavioral significance. Human Brain Mapping, 2009, 30, 3325-3331. | 1.9 | 14 |
| 411 | Early onset of obsessive-compulsive disorder and associated comorbidity. Depression and Anxiety, 2009, 26, 1012-1017. | 2.0 | 41 |
| 412 | Shotgun mass spectrometry analysis of the human thalamus proteome. Journal of Separation Science, 2009, 32, 1231-1236. | 1.3 | 21 |
| 413 | Increased d-amino acid oxidase expression in the bilateral hippocampal CA4 of schizophrenic patients: a post-mortem study. Journal of Neural Transmission, 2009, 116, 1657-1665. | 1.4 | 31 |
| 414 | Stereologic investigation of the posterior part of the hippocampus in schizophrenia. Acta Neuropathologica, 2009, 117, 395-407. | 3.9 | 146 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 415 | Comorbid substance abuse and brain morphology in recent-onset psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 28-36. | 1.8 | 36 |
| 416 | Effects of abstinence on brain morphology in alcoholism. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 143-150. | 1.8 | 43 |
| 417 | 5-HTTLPR genotype influences amygdala volume. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 212-217. | 1.8 | 28 |
| 418 | Internal capsule size associated with outcome in first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 278-283. | 1.8 | 34 |
| 419 | Diagnosis-specific effect of familial loading on verbal working memory in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 309-315. | 1.8 | 17 |
| 420 | Tryptophan is a marker of human postmortem brain tissue quality. <i>Journal of Neurochemistry</i> , 2009, 110, 1400-1408. | 2.1 | 13 |
| 421 | Brain mechanisms associated with background monitoring of the environment for potentially significant sensory events. <i>Brain and Cognition</i> , 2009, 69, 559-564. | 0.8 | 26 |
| 422 | Dopamine transporter genotype influences N-acetyl-aspartate in the left putamen. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 524-530. | 1.3 | 13 |
| 423 | Schizophrenia: From the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 127-155. | 1.3 | 64 |
| 424 | Advantages and disadvantages of combination treatment with antipsychotics. <i>European Neuropsychopharmacology</i> , 2009, 19, 520-532. | 0.3 | 125 |
| 425 | A Novel Mutation of the Arylsulfatase A Gene in Late-Onset Metachromatic Leukodystrophy. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1724-1725. | 1.1 | 4 |
| 426 | Intake of copper has no effect on cognition in patients with mild Alzheimer's disease: a pilot phase 2 clinical trial. <i>Journal of Neural Transmission</i> , 2008, 115, 1181-1187. | 1.4 | 92 |
| 427 | SNAP-25 genotype influences NAA/Cho in left hippocampus. <i>Journal of Neural Transmission</i> , 2008, 115, 1513-1518. | 1.4 | 11 |
| 428 | Effect of copper intake on CSF parameters in patients with mild Alzheimer's disease: a pilot phase 2 clinical trial. <i>Journal of Neural Transmission</i> , 2008, 115, 1651-1659. | 1.4 | 52 |
| 429 | Management of a twenty-first century brain bank: experience in the BrainNet Europe consortium. <i>Acta Neuropathologica</i> , 2008, 115, 497-507. | 3.9 | 101 |
| 430 | No change to grey and white matter volumes in bipolar I disorder patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 345-349. | 1.8 | 54 |
| 431 | Impact of neuregulin-1 on the pathophysiology of schizophrenia in human post-mortem studies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 35-39. | 1.8 | 20 |
| 432 | Objective Quantification of the Tinnitus Decompensation by Synchronization Measures of Auditory Evoked Single Sweeps. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2008, 16, 74-81. | 2.7 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 433 | Functional brain abnormalities in psychiatric disorders: Neural mechanisms to detect and resolve cognitive conflict and interference. <i>Brain Research Reviews</i> , 2008, 59, 96-124. | 9.1 | 79 |
| 434 | Functional neuroimaging of reward processing and decision-making: A review of aberrant motivational and affective processing in addiction and mood disorders. <i>Brain Research Reviews</i> , 2008, 59, 164-184. | 9.1 | 146 |
| 435 | Harm avoidance in subjects with obsessive-compulsive disorder and their families. <i>Journal of Affective Disorders</i> , 2008, 107, 265-269. | 2.0 | 58 |
| 436 | Neuregulin-1 haplotype HAPICE is associated with lower hippocampal volumes in schizophrenic patients and in non-affected family members. <i>Journal of Psychiatric Research</i> , 2008, 43, 1-6. | 1.5 | 44 |
| 437 | Automated gray level index measurements reveal only minor cytoarchitectonic changes of Brodmann area 9 in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2008, 163, 183-192. | 0.9 | 5 |
| 438 | The hippocampus in families with schizophrenia in relation to obstetric complications. <i>Schizophrenia Research</i> , 2008, 104, 71-78. | 1.1 | 34 |
| 439 | Reduction of the Internal Capsule in Families Affected with Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 65-71. | 0.7 | 40 |
| 440 | The LARK/RBM4a protein is highly expressed in cerebellum as compared to cerebrum. <i>Neuroscience Letters</i> , 2008, 444, 11-15. | 1.0 | 5 |
| 441 | Limitations of current therapies: Why do patients switch therapies?. <i>European Neuropsychopharmacology</i> , 2008, 18, S135-S139. | 0.3 | 10 |
| 442 | A roadmap to disentangle the molecular etiology of schizophrenia. <i>European Psychiatry</i> , 2008, 23, 224-232. | 0.1 | 7 |
| 443 | Cerebrospinal Fluid Neurochemical Phenotypes in Vascular Dementias: Original Data and Mini-Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008, 25, 256-265. | 0.7 | 22 |
| 444 | Obsessive-Compulsive Disorder and Posttraumatic Stress Disorder. <i>Psychopathology</i> , 2008, 41, 129-134. | 1.1 | 34 |
| 445 | Is Brain Banking of Psychiatric Cases Valuable for Neurobiological Research?. <i>Clinics</i> , 2008, 63, 255-266. | 0.6 | 20 |
| 446 | Episode-Specific Differential Gene Expression of Peripheral Blood Mononuclear Cells in Rapid Cycling Supports Novel Treatment Approaches. <i>Molecular Medicine</i> , 2008, 14, 546-552. | 1.9 | 25 |
| 447 | Compensatory hyperactivations as markers of latent working memory dysfunctions in patients with obsessive-compulsive disorder: an fMRI study. <i>Journal of Psychiatry and Neuroscience</i> , 2008, 33, 209-15. | 1.4 | 43 |
| 448 | Health-Related Quality of Life in Hereditary Hemorrhagic Telangiectasia. <i>Otolaryngology - Head and Neck Surgery</i> , 2007, 136, 726-733. | 1.1 | 74 |
| 449 | Altered cholesterol metabolism in APP695-transfected neuroblastoma cells. <i>Brain Research</i> , 2007, 1152, 209-214. | 1.1 | 6 |
| 450 | Neural substrates of olfactory processing in schizophrenia patients and their healthy relatives. <i>Psychiatry Research - Neuroimaging</i> , 2007, 155, 103-112. | 0.9 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 451 | Disturbed frontal gyrification within families affected with schizophrenia. <i>Journal of Psychiatric Research</i> , 2007, 41, 805-813. | 1.5 | 59 |
| 452 | Immunohistochemical Evidence for Impaired Neuregulin-1 Signaling in the Prefrontal Cortex in Schizophrenia and in Unipolar Depression. <i>Annals of the New York Academy of Sciences</i> , 2007, 1096, 147-156. | 1.8 | 99 |
| 453 | Dynamic interactions between neural systems underlying different components of verbal working memory. <i>Journal of Neural Transmission</i> , 2007, 114, 1047-1050. | 1.4 | 18 |
| 454 | Comorbid substance abuse and neurocognitive function in recent-onset schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 203-210. | 1.8 | 39 |
| 455 | Maintenance Treatment With Risperidone or Low-Dose Haloperidol in First-Episode Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1763-1774. | 1.1 | 76 |
| 456 | Alexithymia in Obsessive-Compulsive Disorder – Results from a Family Study. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 312-318. | 4.0 | 48 |
| 457 | Proton magnetic resonance spectroscopy in subjects at risk for schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 81-88. | 1.1 | 74 |
| 458 | Articulatory rehearsal in verbal working memory: A possible neurocognitive endophenotype that differentiates between schizophrenia and schizoaffective disorder. <i>Neuroscience Letters</i> , 2006, 405, 24-28. | 1.0 | 53 |
| 459 | Large-Scale Inverse and Forward Modeling of Adaptive Resonance in the Tinnitus Decompensation. , 2006, 2006, 2585-8. | | 3 |
| 460 | Effects of antipsychotics on brain structure. <i>Current Opinion in Psychiatry</i> , 2006, 19, 145-150. | 3.1 | 185 |
| 461 | Familiality of Obsessive-Compulsive Disorder in Nonclinical and Clinical Subjects. <i>American Journal of Psychiatry</i> , 2006, 163, 1986-1992. | 4.0 | 83 |
| 462 | Decreased plasma cholesterol levels during aging in transgenic mouse models of Alzheimer's disease. <i>Experimental Gerontology</i> , 2006, 41, 220-224. | 1.2 | 18 |
| 463 | Relation between cerebrospinal fluid, gray matter and white matter changes in families with schizophrenia. <i>Journal of Psychiatric Research</i> , 2006, 40, 646-655. | 1.5 | 15 |
| 464 | World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia, Part 2: Long-term treatment of schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2006, 7, 5-40. | 1.3 | 194 |
| 465 | Clozapine Alone versus Clozapine and Risperidone with Refractory Schizophrenia. <i>New England Journal of Medicine</i> , 2006, 354, 472-482. | 13.9 | 249 |
| 466 | Large-Scale Inverse and Forward Modeling of Adaptive Resonance in the Tinnitus Decompensation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006, , . | 0.5 | 0 |
| 467 | Hippocampal Complexin Proteins and Cognitive Dysfunction in Schizophrenia. <i>Archives of General Psychiatry</i> , 2005, 62, 263. | 13.8 | 107 |
| 468 | Cognitive decline correlates with low plasma concentrations of copper in patients with mild to moderate Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005, 8, 23-27. | 1.2 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 469 | Reductions in cholesterol and synaptic markers in association cortex in mood disorders. <i>Bipolar Disorders</i> , 2005, 7, 449-455. | 1.1 | 105 |
| 470 | Intact hippocampal gray matter in schizophrenia as revealed by automatized image analysis postmortem. <i>Anatomy and Embryology</i> , 2005, 210, 513-517. | 1.5 | 13 |
| 471 | Decreased prefrontal 5-HT _{2A} receptor binding in subjects at enhanced risk for schizophrenia. <i>Anatomy and Embryology</i> , 2005, 210, 519-523. | 1.5 | 39 |
| 472 | Distinctive neurocognitive effects of repetitive transcranial magnetic stimulation and electroconvulsive therapy in major depression. <i>British Journal of Psychiatry</i> , 2005, 186, 410-416. | 1.7 | 97 |
| 473 | World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Schizophrenia, Part 1: Acute treatment of schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2005, 6, 132-191. | 1.3 | 242 |
| 474 | Increased serum S100B in elderly, chronic schizophrenic patients: Negative correlation with deficit symptoms. <i>Schizophrenia Research</i> , 2005, 80, 305-313. | 1.1 | 68 |
| 475 | Increased serum interleukin-1 β and interleukin-6 in elderly, chronic schizophrenic patients on stable antipsychotic medication. <i>Neuropsychiatric Disease and Treatment</i> , 2005, 1, 171-177. | 1.0 | 59 |
| 476 | MRI of the brainstem in patients with major depression, bipolar affective disorder and normal controls. <i>Psychiatry Research - Neuroimaging</i> , 2004, 131, 269-276. | 0.9 | 27 |
| 477 | Shape changes in prefrontal, but not parieto-occipital regions: brains of schizophrenic patients come closer to a circle in coronal and sagittal view. <i>Psychiatry Research - Neuroimaging</i> , 2004, 132, 261-271. | 0.9 | 14 |
| 478 | Genetic Load on Amygdala Hypofunction During Sadness in Nonaffected Brothers of Schizophrenia Patients. <i>American Journal of Psychiatry</i> , 2004, 161, 1806-1813. | 4.0 | 95 |
| 479 | Brain morphological abnormalities in first-degree relatives of schizophrenic patients. , 2004, , 254-266. | | 0 |
| 480 | Influence of genetic loading, obstetric complications and premorbid adjustment on brain morphology in schizophrenia: European Archives of Psychiatry and Clinical Neuroscience, 2003, 253, 92-99. | 1.8 | 31 |
| 481 | Developmental abnormalities of the hippocampus in First-Episode schizophrenia. <i>Biological Psychiatry</i> , 2003, 53, 555-561. | 0.7 | 45 |
| 482 | Volumes of association thalamic nuclei in schizophrenia: a postmortem study. <i>Schizophrenia Research</i> , 2003, 60, 141-155. | 1.1 | 118 |
| 483 | Automated image analysis of disturbed cytoarchitecture in Brodmann area 10 in schizophrenia. <i>Schizophrenia Research</i> , 2003, 62, 133-140. | 1.1 | 37 |
| 484 | Antidepressive treatment in patients with temporal lobe epilepsy and major depression: a prospective study with three different antidepressants. <i>Epilepsy and Behavior</i> , 2003, 4, 674-679. | 0.9 | 111 |
| 485 | Hippocampal deformities in the unaffected siblings of schizophrenia subjects. <i>Biological Psychiatry</i> , 2003, 54, 1234-1240. | 0.7 | 62 |
| 486 | Trait Characteristic of Impaired Visuomotor Integration during Trail-Making Test B Performance in Schizophrenia. <i>Neuropsychobiology</i> , 2003, 48, 59-67. | 0.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 487 | A Review and New Report of Medial Temporal Lobe Dysfunction as a Vulnerability Indicator for Schizophrenia: A Magnetic Resonance Imaging Morphometric Family Study of the Parahippocampal Gyrus. Schizophrenia Bulletin, 2003, 29, 803-830. | 2.3 | 128 |
| 488 | Schizophrenia Spectrum Disorders: A Review. , 2003, , 317-411. | | 1 |
| 489 | Kausale Therapie der Schizophrenie möglich?. , 2003, , 15-16. | | 0 |
| 490 | Abnormalities of SNARE Mechanism Proteins in Anterior Frontal Cortex in Severe Mental Illness. Cerebral Cortex, 2002, 12, 349-356. | 1.6 | 127 |
| 491 | The dichotomy of schizophrenia and affective disorders in extended pedigrees. Schizophrenia Research, 2002, 57, 259-266. | 1.1 | 70 |
| 492 | The temporal lobe in schizophrenia from uni- and multiply affected families. Neuroscience Letters, 2002, 325, 25-28. | 1.0 | 21 |
| 493 | The ventral lateral posterior nucleus of the thalamus in schizophrenia: a post-mortem study. Psychiatry Research - Neuroimaging, 2002, 114, 1-9. | 0.9 | 50 |
| 494 | The cytoarchitecture of the superior temporal gyrus in bipolar disorder using GLI-methodology. Bipolar Disorders, 2002, 4, 49-49. | 1.1 | 0 |
| 495 | Abnormalities of prefrontal cortex SNARE complex proteins in bipolar disorder. Bipolar Disorders, 2002, 4, 50-50. | 1.1 | 8 |
| 496 | Macroanatomical Findings in Postmortem Brain Tissue from Schizophrenic Patients. Neurobiological Foundation of Aberrant Behaviors, 2002, , 139-150. | 0.2 | 1 |
| 497 | Amplitude reduction of the mismatch negativity in first-degree relatives of patients with schizophrenia. Neuroscience Letters, 2001, 309, 185-188. | 1.0 | 94 |
| 498 | Right Frontal Hypergyria Differentiation in Affected and Unaffected Siblings From Families Multiply Affected With Schizophrenia: A Morphometric MRI Study. American Journal of Psychiatry, 2001, 158, 494-496. | 4.0 | 104 |
| 499 | Schizophrenia Spectrum Disorders: A Review. , 2001, , 311-405. | | 9 |
| 500 | Disturbed Gyrification of the Prefrontal Region in Male Schizophrenic Patients: A Morphometric Postmortem Study. American Journal of Psychiatry, 2000, 157, 34-39. | 4.0 | 135 |
| 501 | Vagus nerve stimulation is associated with mood improvements in epilepsy patients. Epilepsy Research, 2000, 42, 203-210. | 0.8 | 310 |
| 502 | Entorhinal cortex pre-alpha cell clusters in schizophrenia: quantitative evidence of a developmental abnormality. Biological Psychiatry, 2000, 47, 937-943. | 0.7 | 117 |
| 503 | Antidepressant drug exposure is associated with mRNA levels of tyrosine receptor kinase B in major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2000, 24, 881-888. | 2.5 | 36 |
| 504 | Automated image analysis of disturbed cytoarchitecture in Brodmann area 10 in schizophrenia: A post-mortem study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2000, 24, 1093-1104. | 2.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 505 | Decreased frontal lobe ratio of N-acetyl aspartate to choline in familial schizophrenia: a proton magnetic resonance spectroscopy study. <i>Neuroscience Letters</i> , 2000, 289, 147-151. | 1.0 | 63 |
| 506 | Borna Disease Virus in Human Brains with a Rare Form of Hippocampal Degeneration but Not in Brains of Patients with Common Neuropsychiatric Disorders. <i>Journal of Infectious Diseases</i> , 1999, 180, 1695-1699. | 1.9 | 41 |
| 507 | Genetic and non-genetic vulnerability factors in schizophrenia: the basis of the "Two hit hypothesis". <i>Journal of Psychiatric Research</i> , 1999, 33, 543-548. | 1.5 | 283 |
| 508 | Essential Functions of the Human Self Model Are Implemented in the Prefrontal Cortex. <i>Consciousness and Cognition</i> , 1999, 8, 343-363. | 0.8 | 92 |
| 509 | Cortical sulcal enlargement in catatonic schizophrenia: a planimetric CT study. <i>Psychiatry Research - Neuroimaging</i> , 1999, 91, 45-54. | 0.9 | 37 |
| 510 | Î±-Synuclein accumulates in Lewy bodies in Parkinson's disease and dementia with Lewy bodies but not in Alzheimer's disease Î²-amyloid plaque cores. <i>Neuroscience Letters</i> , 1999, 266, 213-216. | 1.0 | 88 |
| 511 | Evidence for activation of microglia in patients with psychiatric illnesses. <i>Neuroscience Letters</i> , 1999, 271, 126-128. | 1.0 | 296 |
| 512 | Differential memory span " abnormal lateralization pattern in schizophrenic patients and their siblings?. <i>International Journal of Psychophysiology</i> , 1999, 34, 303-311. | 0.5 | 15 |
| 513 | Neural expression profile of Î±-synuclein in developing human cortex. <i>NeuroReport</i> , 1999, 10, 2799-2803. | 0.6 | 60 |
| 514 | Reduced tyrosine kinase receptor C mRNA levels in the frontal cortex of patients with schizophrenia. <i>Neuroscience Letters</i> , 1998, 257, 65-68. | 1.0 | 35 |
| 515 | Schizophrenia and anteroventral thalamic nucleus: selective decrease of parvalbumin-immunoreactive thalamocortical projection neurons. <i>Psychiatry Research - Neuroimaging</i> , 1998, 82, 1-10. | 0.9 | 137 |
| 516 | Projecting the sulcal pattern of human brains onto a 2D plane " a new approach using potential theory and MRI. <i>Psychiatry Research - Neuroimaging</i> , 1998, 83, 75-84. | 0.9 | 4 |
| 517 | Compartmental volumetry of the superior temporal gyrus reveals sex differences in schizophrenia" a post-mortem study. <i>Schizophrenia Research</i> , 1998, 31, 83-87. | 1.1 | 25 |
| 518 | Gene expression and neuronal activity in schizophrenia: a study of polyadenylated mRNA in the hippocampal formation and cerebral cortex. <i>Schizophrenia Research</i> , 1997, 26, 93-102. | 1.1 | 22 |
| 519 | The temporal lobes, reversed asymmetry and the genetics of schizophrenia. <i>NeuroReport</i> , 1995, 7, 221-224. | 0.6 | 22 |
| 520 | Brain morphology assessed by computed tomography in patients with geriatric depression, patients with degenerative dementia, and normal control subjects. <i>Psychiatry Research - Neuroimaging</i> , 1995, 61, 103-111. | 0.9 | 35 |
| 521 | In vivo morphometry of planum temporale asymmetry in first-episode schizophrenia. <i>Schizophrenia Research</i> , 1994, 12, 9-18. | 1.1 | 73 |
| 522 | Loss of sylvian fissure asymmetry in schizophrenia. <i>Schizophrenia Research</i> , 1992, 7, 23-32. | 1.1 | 148 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 523 | Increased prevalence of the cavum septum pellucidum in magnetic resonance scans and post-mortem brains of schizophrenic patients. <i>Psychiatry Research - Neuroimaging</i> , 1992, 45, 1-13. | 0.9 | 99 |
| 524 | Clinical and Neurodevelopmental Aspects of Brain Pathology in Schizophrenia. , 1991, , 93-120. | | 9 |
| 525 | Post-mortem volume measurements of limbic system and basal ganglia structures in chronic schizophrenics. <i>Schizophrenia Research</i> , 1990, 3, 295-301. | 1.1 | 223 |
| 526 | Quantitative study of gliosis in schizophrenia and huntington's chorea. <i>Biological Psychiatry</i> , 1988, 24, 697-700. | 0.7 | 64 |
| 527 | Cell loss in the hippocampus of schizophrenics. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1986, 236, 154-161. | 0.9 | 465 |
| 528 | Gene expression of neuregulin-1 isoforms in different brain regions of elderly schizophrenia patients. <i>World Journal of Biological Psychiatry</i> , 0, , 1-8. | 1.3 | 5 |