## Hong-Ying Hu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8560301/publications.pdf

Version: 2024-02-01

334 papers 14,508 citations

18482 62 h-index 99 g-index

344 all docs

344 docs citations

344 times ranked

11174 citing authors

#	Article	IF	CITATIONS
1	Effects of different nitrogen and phosphorus concentrations on the growth, nutrient uptake, and lipid accumulation of a freshwater microalga Scenedesmus sp Bioresource Technology, 2010, 101, 5494-5500.	9.6	853
2	Synergistic effect between UV and chlorine (UV/chlorine) on the degradation of carbamazepine: Influence factors and radical species. Water Research, 2016, 98, 190-198.	11.3	331
3	Growth and lipid accumulation properties of a freshwater microalga Scenedesmus sp. under different cultivation temperature. Bioresource Technology, 2011, 102, 3098-3102.	9.6	318
4	Characteristics of water quality of municipal wastewater treatment plants in China: implications for resources utilization and management. Journal of Cleaner Production, 2016, 131, 1-9.	9.3	289
5	Toxic Impact of Bromide and Iodide on Drinking Water Disinfected with Chlorine or Chloramines. Environmental Science & Environmental Science & Environ	10.0	215
6	Inactivation and reactivation of antibiotic-resistant bacteria by chlorination in secondary effluents of a municipal wastewater treatment plant. Water Research, 2011, 45, 2775-2781.	11.3	199
7	Comparison of UV-LED and low pressure UV for water disinfection: Photoreactivation and dark repair of Escherichia coli. Water Research, 2017, 126, 134-143.	11.3	199
8	Isolation and Characterization of a Novel Antialgal Allelochemical from Phragmites communis. Applied and Environmental Microbiology, 2005, 71, 6545-6553.	3.1	177
9	Gramine-induced growth inhibition, oxidative damage and antioxidant responses in freshwater cyanobacterium Microcystis aeruginosa. Aquatic Toxicology, 2009, 91, 262-269.	4.0	177
10	Formation and control of disinfection byproducts and toxicity during reclaimed water chlorination: A review. Journal of Environmental Sciences, 2017, 58, 51-63.	6.1	176
11	Substrate Interactions in BTEX and MTBE Mixtures by an MTBE-Degrading Isolate. Environmental Science &	10.0	152
12	Dichloroacetonitrile and Dichloroacetamide Can Form Independently during Chlorination and Chloramination of Drinking Waters, Model Organic Matters, and Wastewater Effluents. Environmental Science & Environmental Science (amp; Technology, 2012, 46, 10624-10631.	10.0	150
13	Effect of carbon source on the denitrification in constructed wetlands. Journal of Environmental Sciences, 2009, 21, 1036-1043.	6.1	144
14	Improvement in municipal wastewater treatment alters lake nitrogen to phosphorus ratios in populated regions. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 11566-11572.	7.1	141
15	Monitoring and evaluation of antibiotic-resistant bacteria at a municipal wastewater treatment plant in China. Environment International, 2012, 42, 31-36.	10.0	137
16	Degradation of natural organic matter by UV/chlorine oxidation: Molecular decomposition, formation of oxidation byproducts and cytotoxicity. Water Research, 2017, 124, 251-258.	11.3	137
17	Microalgae-based advanced municipal wastewater treatment for reuse in water bodies. Applied Microbiology and Biotechnology, 2017, 101, 2659-2675.	3.6	134
18	Microalgal species for sustainable biomass/lipid production using wastewater as resource: A review. Renewable and Sustainable Energy Reviews, 2014, 33, 675-688.	16.4	133

#	Article	lF	Citations
19	Potential risks from UV/H2O2 oxidation and UV photocatalysis: A review of toxic, assimilable, and sensory-unpleasant transformation products. Water Research, 2018, 141, 109-125.	11.3	132
20	Effect of Ammonia Nitrogen and Dissolved Organic Matter Fractions on the Genotoxicity of Wastewater Effluent during Chlorine Disinfection. Environmental Science & Effluent during Chlorine Disinfection. Environmental Science & Effluent during Chlorine Disinfection. Environmental Science & Effluent during Chlorine Disinfection.	10.0	127
21	The characteristics and influencing factors of the attached microalgae cultivation: A review. Renewable and Sustainable Energy Reviews, 2018, 94, 1110-1119.	16.4	125
22	Underestimated risk from ozonation of wastewater containing bromide: Both organic byproducts and bromate contributed to the toxicity increase. Water Research, 2019, 162, 43-52.	11.3	121
23	Fouling characteristics of reverse osmosis membranes at different positions of a full-scale plant for municipal wastewater reclamation. Water Research, 2016, 90, 329-336.	11.3	114
24	Analytical precision and repeatability of respiratory quinones for quantitative study of microbial community structure in environmental samples. Journal of Microbiological Methods, 2001, 47, 17-24.	1.6	112
25	UV/chlorine as an advanced oxidation process for the degradation of benzalkonium chloride: Synergistic effect, transformation products and toxicity evaluation. Water Research, 2017, 114, 246-253.	11.3	112
26	Responses of enzymatic antioxidants and non-enzymatic antioxidants in the cyanobacterium Microcystis aeruginosa to the allelochemical ethyl 2-methyl acetoacetate (EMA) isolated from reed (Phragmites communis). Journal of Plant Physiology, 2008, 165, 1264-1273.	<b>3.</b> 5	111
27	Degradation of polyvinyl alcohol (PVA) by UV/chlorine oxidation: Radical roles, influencing factors, and degradation pathway. Water Research, 2017, 124, 381-387.	11.3	107
28	UV inactivation and characteristics after photoreactivation of Escherichia coli with plasmid: Health safety concern about UV disinfection. Water Research, 2012, 46, 4031-4036.	11.3	104
29	Evaluating method and potential risks of chlorine-resistant bacteria (CRB): A review. Water Research, 2021, 188, 116474.	11.3	104
30	A review on control of harmful algal blooms by plant-derived allelochemicals. Journal of Hazardous Materials, 2021, 401, 123403.	12.4	103
31	Growth and lipid accumulation properties of a freshwater microalga, Chlorella ellipsoidea YJ1, in domestic secondary effluents. Applied Energy, 2011, 88, 3295-3299.	10.1	102
32	Differences in dissolved organic matter between reclaimed water source and drinking water source. Science of the Total Environment, 2016, 551-552, 133-142.	8.0	102
33	Nutrient Recovery from Digestate of Anaerobic Digestion of Livestock Manure: a Review. Current Pollution Reports, 2018, 4, 74-83.	6.6	102
34	Microalgal attachment and attached systems for biomass production and wastewater treatment. Renewable and Sustainable Energy Reviews, 2018, 92, 331-342.	16.4	102
35	Effect of bromide on the formation of disinfection by-products during wastewater chlorination. Water Research, 2009, 43, 2391-2398.	11.3	101
36	Tiered aquatic ecological risk assessment of organochlorine pesticides and their mixture in Jiangsu reach of Huaihe River, China. Environmental Monitoring and Assessment, 2009, 157, 29-42.	2.7	98

#	Article	IF	Citations
37	Effect of chlorination and ultraviolet disinfection on tetA-mediated tetracycline resistance of Escherichia coli. Chemosphere, 2013, 90, 2247-2253.	8.2	98
38	Nanowire-Modified Three-Dimensional Electrode Enabling Low-Voltage Electroporation for Water Disinfection. Environmental Science & Environmental Scien	10.0	95
39	Chlorine disinfection significantly aggravated the biofouling of reverse osmosis membrane used for municipal wastewater reclamation. Water Research, 2019, 154, 246-257.	11.3	95
40	Nutrient recovery from pig manure digestate using electrodialysis reversal: Membrane fouling and feasibility of long-term operation. Journal of Membrane Science, 2019, 573, 560-569.	8.2	92
41	Effect of ph on the reduction of nitrite in water by metallic iron. Water Research, 2001, 35, 2789-2793.	11.3	91
42	Optimization of amino acids production from waste fish entrails by hydrolysis in sub and supercritical water. Canadian Journal of Chemical Engineering, 2001, 79, 65-70.	1.7	87
43	Comparison of low- and medium-pressure ultraviolet lamps: Photoreactivation of Escherichia coli and total coliforms in secondary effluents of municipal wastewater treatment plants. Water Research, 2009, 43, 815-821.	11.3	87
44	Effects of chemical cleaning on RO membrane inorganic, organic and microbial foulant removal in a full-scale plant for municipal wastewater reclamation. Water Research, 2017, 113, 1-10.	11.3	87
45	Light-emitting diodes as an emerging UV source for UV/chlorine oxidation: Carbamazepine degradation and toxicity changes. Chemical Engineering Journal, 2017, 310, 148-156.	12.7	87
46	Enhanced growth and fatty acid accumulation of microalgae Scenedesmus sp. LX1 by two types of auxin. Bioresource Technology, 2018, 247, 561-567.	9.6	86
47	Promising solutions to solve the bottlenecks in the large-scale cultivation of microalgae for biomass/bioenergy production. Renewable and Sustainable Energy Reviews, 2016, 60, 1602-1614.	16.4	84
48	Simultaneous nitrogen, phosphorous, and hardness removal from reverse osmosis concentrate by microalgae cultivation. Water Research, 2016, 94, 215-224.	11.3	82
49	Synergistic effect of combined UV-LED and chlorine treatment on Bacillus subtilis spore inactivation. Science of the Total Environment, 2018, 639, 1233-1240.	8.0	81
50	Algal-bloom control by allelopathy of aquatic macrophytes â€" A review. Frontiers of Environmental Science and Engineering in China, 2008, 2, 421-438.	0.8	77
51	Physiological and biochemical effects of allelochemical ethyl 2-methyl acetoacetate (EMA) on cyanobacterium Microcystis aeruginosa. Ecotoxicology and Environmental Safety, 2008, 71, 527-534.	6.0	76
52	Centralized water reuse system with multiple applications in urban areas: Lessons from China's experience. Resources, Conservation and Recycling, 2017, 117, 125-136.	10.8	74
53	Effect of Chlorination on the Estrogenic/Antiestrogenic Activities of Biologically Treated Wastewater. Environmental Science &	10.0	73
54	Fouling of reverse osmosis membrane for municipal wastewater reclamation: Autopsy results from a full-scale plant. Desalination, 2014, 349, 73-79.	8.2	73

#	Article	IF	Citations
55	Meteorological factors and water quality changes of Plateau Lake Dianchi in China (1990–2015) and their joint influences on cyanobacterial blooms. Science of the Total Environment, 2019, 665, 406-418.	8.0	72
56	Increase of cytotoxicity during wastewater chlorination: Impact factors and surrogates. Journal of Hazardous Materials, 2017, 324, 681-690.	12.4	69
57	Effect of oxygen supply strategy on nitrogen removal of biochar-based vertical subsurface flow constructed wetland: Intermittent aeration and tidal flow. Chemosphere, 2019, 223, 366-374.	8.2	69
58	Development of a novel solid phase extraction method for the analysis of bacterial quinones in activated sludge with a higher reliability. Journal of Bioscience and Bioengineering, 1999, 87, 378-382.	2.2	68
59	Isolation and heterotrophic cultivation of mixotrophic microalgae strains for domestic wastewater treatment and lipid production under dark condition. Bioresource Technology, 2013, 149, 586-589.	9.6	68
60	Characteristics of biofilms and iron corrosion scales with ground and surface waters in drinking water distribution systems. Corrosion Science, 2015, 90, 331-339.	6.6	67
61	Biomass production of a Scenedesmus sp. under phosphorous-starvation cultivation condition. Bioresource Technology, 2012, 112, 193-198.	9.6	65
62	Enhanced microalgae growth through stimulated secretion of indole acetic acid by symbiotic bacteria. Algal Research, 2018, 33, 345-351.	4.6	65
63	Soluble Algal Products (SAPs) in large scale cultivation of microalgae for biomass/bioenergy production: A review. Renewable and Sustainable Energy Reviews, 2016, 59, 141-148.	16.4	63
64	Emerging Trends and Prospects for Municipal Wastewater Management in China. ACS ES&T Engineering, 2022, 2, 323-336.	7.6	63
65	Effects of operating conditions on THMs and HAAs formation during wastewater chlorination. Journal of Hazardous Materials, 2009, 168, 1290-1295.	12.4	61
66	Analysis of respiratory quinones in soil for characterization of microbiota. Soil Science and Plant Nutrition, 1998, 44, 393-404.	1.9	59
67	A Cu <sub>3</sub> P nanowire enabling high-efficiency, reliable, and energy-efficient low-voltage electroporation-inactivation of pathogens in water. Journal of Materials Chemistry A, 2018, 6, 18813-18820.	10.3	59
68	Start up of partial nitritation-anammox process using intermittently aerated sequencing batch reactor: Performance and microbial community dynamics. Science of the Total Environment, 2019, 647, 1188-1198.	8.0	58
69	Advantages of combined UV photodegradation and biofiltration processes to treat gaseous chlorobenzene. Journal of Hazardous Materials, 2009, 171, 1120-1125.	12.4	57
70	Characterization of corrosion scale formed on stainless steel delivery pipe for reclaimed water treatment. Water Research, 2016, 88, 816-825.	11.3	57
71	Effect of ultraviolet irradiation and chlorination on ampicillin-resistant Escherichia coli and its ampicillin resistance gene. Frontiers of Environmental Science and Engineering, 2016, 10, 522-530.	6.0	57
72	Carbon-nanotube sponges enabling highly efficient and reliable cell inactivation by low-voltage electroporation. Environmental Science: Nano, 2017, 4, 2010-2017.	4.3	56

#	Article	IF	CITATIONS
73	Towards the new era of wastewater treatment of China: Development history, current status, and future directions. Water Cycle, 2020, 1, 80-87.	4.0	56
74	Evaluation and prospects of nanomaterial-enabled innovative processes and devices for water disinfection: A state-of-the-art review. Water Research, 2020, 173, 115581.	11.3	56
75	A novel suspended-solid phase photobioreactor to improve biomass production and separation of microalgae. Bioresource Technology, 2014, 153, 399-402.	9.6	55
76	Carbon Fiber-Based Flow-Through Electrode System (FES) for Water Disinfection via Direct Oxidation Mechanism with a Sequential Reduction–Oxidation Process. Environmental Science & Emp; Technology, 2019, 53, 3238-3249.	10.0	54
77	Biological Degradation and Chemical Oxidation Characteristics of Coke-Oven Wastewater. Water, Air, and Soil Pollution, 2003, 146, 23-33.	2.4	53
78	Screening and estimating of toxicity formation with photobacterium bioassay during chlorine disinfection of wastewater. Journal of Hazardous Materials, 2007, 141, 289-294.	12.4	53
79	Effect of inlet ozone concentration on the performance of a micro-bubble ozonation system for inactivation of Bacillus subtilis spores. Separation and Purification Technology, 2013, 114, 126-133.	7.9	53
80	Advanced treatment of bio-treated dyeing and finishing wastewater using ozone-biological activated carbon: A study on the synergistic effects. Chemical Engineering Journal, 2019, 359, 168-175.	12.7	53
81	Efficient synergistic disinfection by ozone, ultraviolet irradiation and chlorine in secondary effluents. Science of the Total Environment, 2021, 758, 143641.	8.0	53
82	Quantitative analyses of the change in microbial diversity in a bioreactor for wastewater treatment based on respiratory quinones. Water Research, 1999, 33, 3263-3270.	11.3	52
83	Growth and physiological responses of freshwater green alga Selenastrum capricornutum to allelochemical ethyl 2-methyl acetoacetate (EMA) under different initial algal densities. Pesticide Biochemistry and Physiology, 2008, 90, 203-212.	3.6	52
84	Stimulative Effects of Ozone on a Biofilter Treating Gaseous Chlorobenzene. Environmental Science & En	10.0	52
85	Development of species sensitivity distributions and estimation of HC5 of organochlorine pesticides with five statistical approaches. Ecotoxicology, 2008, 17, 716-724.	2.4	51
86	Effects of chlorination on the properties of dissolved organic matter and its genotoxicity in secondary sewage effluent under two different ammonium concentrations. Chemosphere, 2010, 80, 941-946.	8.2	51
87	Ozonation as an efficient pretreatment method to alleviate reverse osmosis membrane fouling caused by complexes of humic acid and calcium ion. Frontiers of Environmental Science and Engineering, 2019, 13, 1.	6.0	51
88	Occurrence of estrogenic endocrine disrupting chemicals concern in sewage plant effluent. Frontiers of Environmental Science and Engineering, 2014, 8, 18-26.	6.0	49
89	Screening heterotrophic microalgal strains by using the Biolog method for biofuel production from organic wastewater. Algal Research, 2014, 6, 175-179.	4.6	46
90	Health risk assessment of phthalate esters (PAEs) in drinking water sources of China. Environmental Science and Pollution Research, 2015, 22, 3620-3630.	<b>5.</b> 3	46

#	Article	IF	Citations
91	Long-term changes in microbial community structure in soils subjected to different fertilizing practices revealed by quinone profile analysis. Soil Science and Plant Nutrition, 1998, 44, 559-569.	1.9	45
92	Effects of chemical agent injections on genotoxicity of wastewater in a microfiltration-reverse osmosis membrane process for wastewater reuse. Journal of Hazardous Materials, 2013, 260, 231-237.	12.4	45
93	Effects of nitrogen and phosphorus concentrations on the growth of microalgae Scenedesmus. LX1 in suspended-solid phase photobioreactors (ssPBR). Biomass and Bioenergy, 2018, 109, 47-53.	5.7	45
94	Electron donating capacity reduction of dissolved organic matter by solar irradiation reduces the cytotoxicity formation potential during wastewater chlorination. Water Research, 2018, 145, 94-102.	11.3	45
95	Inhibitory effects of soluble algae products (SAP) released by Scenedesmus sp. LX1 on its growth and lipid production. Bioresource Technology, 2013, 146, 643-648.	9.6	44
96	Lipid-rich microalgal biomass production and nutrient removal by Haematococcus pluvialis in domestic secondary effluent. Ecological Engineering, 2013, 60, 155-159.	3.6	44
97	Characterization and biotoxicity assessment of dissolved organic matter in RO concentrate from a municipal wastewater reclamation reverse osmosis system. Chemosphere, 2014, 117, 545-551.	8.2	44
98	Study on the removal of benzisothiazolinone biocide and its toxicity: The effectiveness of ozonation. Chemical Engineering Journal, 2016, 300, 376-383.	12.7	44
99	Effect of operating conditions on long-term performance of a biofilter treating gaseous toluene: Biomass accumulation and stable-run time estimation. Biochemical Engineering Journal, 2006, 31, 165-172.	3.6	43
100	The removal of estrogenic activity with UV/chlorine technology and identification of novel estrogenic disinfection by-products. Journal of Hazardous Materials, 2016, 307, 119-126.	12.4	43
101	Solar light irradiation significantly reduced cytotoxicity and disinfection byproducts in chlorinated reclaimed water. Water Research, 2017, 125, 162-169.	11.3	43
102	Elimination of chlorine-refractory carbamazepine by breakpoint chlorination: Reactive species and oxidation byproducts. Water Research, 2018, 129, 115-122.	11.3	43
103	2-Phosphonobutane-1,2,4-tricarboxylic acid (PBTCA) degradation by ozonation: Kinetics, phosphorus transformation, anti-precipitation property changes and phosphorus removal. Water Research, 2019, 148, 334-343.	11.3	43
104	Wastewater treatment and reuse situations and influential factors in major Asian countries. Journal of Environmental Management, 2021, 282, 111976.	7.8	43
105	Transformation of anti-estrogenic-activity related dissolved organic matter in secondary effluents during ozonation. Water Research, 2014, 48, 605-612.	11.3	42
106	Isolation of a <i>Poterioochromonas</i> capable of feeding on <i>Microcystis aeruginosa</i> and degrading microcystin-LR. FEMS Microbiology Letters, 2008, 288, 241-246.	1.8	41
107	Reduced Effect of Bromide on the Genotoxicity in Secondary Effluent of a Municipal Wastewater Treatment Plant during Chlorination. Environmental Science & Environmental Science & 2010, 44, 4924-4929.	10.0	41
108	Potential biomass yield per phosphorus and lipid accumulation property of seven microalgal species. Bioresource Technology, 2013, 130, 599-602.	9.6	41

#	Article	IF	CITATIONS
109	Fouling characteristics and fouling control of reverse osmosis membranes for desalination of dyeing wastewater with high chemical oxygen demand. Desalination, 2017, 419, 1-7.	8.2	41
110	Attached microalgae cultivation and nutrients removal in a novel capillary-driven photo-biofilm reactor. Algal Research, 2017, 27, 198-205.	4.6	41
111	Potential interactions between syntrophic bacteria and methanogens via type IV pili and quorum-sensing systems. Environment International, 2020, 138, 105650.	10.0	41
112	The molecular structures of polysaccharides affect their reverse osmosis membrane fouling behaviors. Journal of Membrane Science, 2021, 625, 118984.	8.2	41
113	Effect of ultraviolet disinfection on the fouling of reverse osmosis membranes for municipal wastewater reclamation. Water Research, 2021, 195, 116995.	11.3	41
114	Comparison of carbonized and graphitized carbon fiber electrodes under flow-through electrode system (FES) for high-efficiency bacterial inactivation. Water Research, 2020, 168, 115150.	11.3	40
115	Bacterial removal performance and community changes during advanced treatment process: A case study at a full-scale water reclamation plant. Science of the Total Environment, 2020, 705, 135811.	8.0	40
116	Fate of trace tetracycline with resistant bacteria and resistance genes in an improved AAO wastewater treatment plant. Chemical Engineering Research and Design, 2015, 93, 68-74.	5.6	39
117	Degradation of dodecyl dimethyl benzyl ammonium chloride (DDBAC) as a non-oxidizing biocide in reverse osmosis system using UV/persulfate: Kinetics, degradation pathways, and toxicity evaluation. Chemical Engineering Journal, 2018, 352, 283-292.	12.7	39
118	An integrated microalgal growth model and its application to optimize the biomass production of Scenedesmus sp. LX1 in open pond under the nutrient level of domestic secondary effluent. Bioresource Technology, 2013, 144, 445-451.	9.6	38
119	Evidence of ATP assay as an appropriate alternative of MTT assay for cytotoxicity of secondary effluents from WWTPs. Ecotoxicology and Environmental Safety, 2015, 122, 490-496.	6.0	38
120	Enhanced attached growth of microalgae Scenedesmus. LX1 through ambient bacterial pre-coating of cotton fiber carriers. Bioresource Technology, 2016, 218, 643-649.	9.6	38
121	Elevating the stability of nanowire electrodes by thin polydopamine coating for low-voltage electroporation-disinfection of pathogens in water. Chemical Engineering Journal, 2019, 369, 1005-1013.	12.7	38
122	Characterizing the molecular weight distribution of dissolved organic matter by measuring the contents of electron-donating moieties, UV absorbance, and fluorescence intensity. Environment International, 2020, 137, 105570.	10.0	38
123	Assimilable organic carbon (AOC) variation in reclaimed water: Insight on biological stability evaluation and control for sustainable water reuse. Bioresource Technology, 2018, 254, 290-299.	9.6	37
124	Different bacterial species and their extracellular polymeric substances (EPSs) significantly affected reverse osmosis (RO) membrane fouling potentials in wastewater reclamation. Science of the Total Environment, 2018, 644, 486-493.	8.0	37
125	Shifts of live bacterial community in secondary effluent by chlorine disinfection revealed by Miseq high-throughput sequencing combined with propidium monoazide treatment. Applied Microbiology and Biotechnology, 2016, 100, 6435-6446.	3.6	36
126	Water Eco-Nexus Cycle System (WaterEcoNet) as a key solution for water shortage and water environment problems in urban areas. Water Cycle, 2020, 1, 71-77.	4.0	36

#	Article	IF	Citations
127	UV-C irradiation for harmful algal blooms control: A literature review on effectiveness, mechanisms, influencing factors and facilities. Science of the Total Environment, 2020, 723, 137986.	8.0	36
128	Feeding characteristics of a golden alga (Poterioochromonas sp.) grazing on toxic cyanobacterium Microcystis aeruginosa. Water Research, 2009, 43, 2953-2960.	11.3	35
129	Removal of Endocrine-Disrupting Compounds, Estrogenic Activity, and <i>Escherichia coliform</i> from Secondary Effluents in a TiO <sub>2</sub> -Coated Photocatalytic Reactor. Environmental Engineering Science, 2012, 29, 195-201.	1.6	35
130	Formation of haloacetonitriles and haloacetamides during chlorination of pure culture bacteria. Chemosphere, 2013, 92, 375-381.	8.2	35
131	Formation of haloacetonitriles and haloacetamides and their precursors during chlorination of secondary effluents. Chemosphere, 2016, 144, 297-303.	8.2	35
132	A study of synergistic oxidation between ozone and chlorine on benzalkonium chloride degradation: Reactive species and degradation pathway. Chemical Engineering Journal, 2020, 382, 122856.	12.7	35
133	Simulating and predicting the flux change of reverse osmosis membranes over time during wastewater reclamation caused by organic fouling. Environment International, 2020, 140, 105744.	10.0	35
134	Non-volatile disinfection byproducts are far more toxic to mammalian cells than volatile byproducts. Water Research, 2020, 183, 116080.	11.3	35
135	Chemical identification and acute biotoxicity assessment of gaseous chlorobenzene photodegradation products. Chemosphere, 2008, 73, 1167-1171.	8.2	34
136	UV/chlorine oxidation of the phosphonate antiscalant 1-Hydroxyethane-1, 1-diphosphonic acid (HEDP) used for reverse osmosis processes: Organic phosphorus removal and scale inhibition properties changes. Journal of Environmental Management, 2019, 237, 180-186.	7.8	34
137	Growth and repair potential of three species of bacteria in reclaimed wastewater after UV disinfection. Biomedical and Environmental Sciences, 2011, 24, 400-7.	0.2	34
138	Accumulation characteristics of soluble algal products (SAP) by a freshwater microalga Scenedesmus sp. LX1 during batch cultivation for biofuel production. Bioresource Technology, 2012, 110, 184-189.	9.6	33
139	Domestic wastewater treatment and biofuel production by using microalga Scenedesmus sp. ZTY1. Water Science and Technology, 2014, 69, 2492-2496.	2.5	33
140	Low-voltage alternating current powered polydopamine-protected copper phosphide nanowire for electroporation-disinfection in water. Journal of Materials Chemistry A, 2019, 7, 7347-7354.	10.3	33
141	Degradation of methylisothiazolinone biocide using a carbon fiber felt-based flow-through electrode system (FES) via anodic oxidation. Chemical Engineering Journal, 2020, 384, 123239.	12.7	33
142	Risks, characteristics, and control strategies of disinfection-residual-bacteria (DRB) from the perspective of microbial community structure. Water Research, 2021, 204, 117606.	11.3	33
143	Screening and characterization of mixotrophic sulfide oxidizing bacteria for odorous surface water bioremediation. Bioresource Technology, 2019, 290, 121721.	9.6	32
144	Effects of chlorine disinfection on the membrane fouling potential of bacterial strains isolated from fouled reverse osmosis membranes. Science of the Total Environment, 2019, 693, 133579.	8.0	32

#	Article	IF	Citations
145	Enhancement effect among a UV, persulfate, and copper (UV/PS/Cu2+) system on the degradation of nonoxidizing biocide: The kinetics, radical species, and degradation pathway. Chemical Engineering Journal, 2020, 382, 122312.	12.7	32
146	Fouling properties of reverse osmosis membranes along the feed channel in an industrial-scale system for wastewater reclamation. Science of the Total Environment, 2020, 713, 136673.	8.0	32
147	Application of disk tube reverse osmosis in wastewater treatment: A review. Science of the Total Environment, 2021, 792, 148291.	8.0	32
148	Effects of UV pretreatment on microbial community structure and metabolic characteristics in a subsequent biofilter treating gaseous chlorobenzene. Bioresource Technology, 2009, 100, 5581-5587.	9.6	31
149	Removal potential of anti-estrogenic activity in secondary effluents by coagulation. Chemosphere, 2013, 93, 2562-2567.	8.2	31
150	Effective degradation of methylisothiazolone biocide using ozone: Kinetics, mechanisms, and decreases in toxicity. Journal of Environmental Management, 2016, 183, 1064-1071.	7.8	31
151	Remediation of simulated malodorous surface water by columnar air-cathode microbial fuel cells. Science of the Total Environment, 2019, 687, 287-296.	8.0	31
152	Effect of different molecular weight organic components on the increase of microbial growth potential of secondary effluent by ozonation. Journal of Environmental Sciences, 2014, 26, 2190-2197.	6.1	30
153	Combination of catalytic ozonation by regenerated granular activated carbon (rGAC) and biological activated carbon in the advanced treatment of textile wastewater for reclamation. Chemosphere, 2019, 231, 369-377.	8.2	30
154	Heterotrophic cultivation of microalgae in straw lignocellulose hydrolysate for production of high-value biomass rich in polyunsaturated fatty acids (PUFA). Chemical Engineering Journal, 2019, 367, 37-44.	12.7	30
155	Long-term performance and economic evaluation of full-scale MF and RO process – A case study of the changi NEWater Project Phase 2 in Singapore. Water Cycle, 2020, 1, 128-135.	4.0	30
156	Cell Transport Prompts the Performance of Low-Voltage Electroporation for Cell Inactivation. Scientific Reports, 2018, 8, 15832.	3.3	29
157	Biodegradation of Gaseous Chlorobenzene by White-rot Fungus Phanerochaete chrysosporium. Biomedical and Environmental Sciences, 2008, 21, 474-478.	0.2	28
158	The bioavailability of the soluble algal products of different microalgal strains and its influence on microalgal growth in unsterilized domestic secondary effluent. Bioresource Technology, 2015, 180, 352-355.	9.6	28
159	Photolysis and photooxidation of typical gaseous VOCs by UV Irradiation: Removal performance and mechanisms. Frontiers of Environmental Science and Engineering, 2018, 12, 1.	6.0	28
160	The application of UV/PS oxidation for removal of a quaternary ammonium compound of dodecyl trimethyl ammonium chloride (DTAC): The kinetics and mechanism. Science of the Total Environment, 2019, 655, 1261-1269.	8.0	28
161	Microalgal growth with intracellular phosphorus for achieving high biomass growth rate and high lipid/triacylglycerol content simultaneously. Bioresource Technology, 2015, 192, 374-381.	9.6	27
162	Exposure to solar light reduces cytotoxicity of sewage effluents to mammalian cells: Roles of reactive oxygen and nitrogen species. Water Research, 2018, 143, 570-578.	11.3	27

#	Article	IF	CITATIONS
163	Metagenomics analysis of the key functional genes related to biofouling aggravation of reverse osmosis membranes after chlorine disinfection. Journal of Hazardous Materials, 2021, 410, 124602.	12.4	27
164	Characterization and identification of antiestrogenic products of phenylalanine chlorination. Water Research, 2010, 44, 3625-3634.	11.3	26
165	Photocatalytic degradation of the antiviral drug Tamiflu by UV-A/TiO2: Kinetics and mechanisms. Chemosphere, 2015, 131, 41-47.	8.2	26
166	Characterization of trihalomethane, haloacetic acid, and haloacetonitrile precursors in a seawater reverse osmosis system. Science of the Total Environment, 2017, 576, 391-397.	8.0	26
167	Ammonia-Mediated Bromate Inhibition during Ozonation Promotes the Toxicity Due to Organic Byproduct Transformation. Environmental Science & Expression (2020), 54, 8926-8937.	10.0	26
168	Identifying major contributors to algal blooms in Lake Dianchi by analyzing river-lake water quality correlations in the watershed. Journal of Cleaner Production, 2021, 315, 128144.	9.3	26
169	The noteworthy chloride ions in reclaimed water: Harmful effects, concentration levels and control strategies. Water Research, 2022, 215, 118271.	11.3	26
170	Synergistic Nanowire-Enhanced Electroporation and Electrochlorination for Highly Efficient Water Disinfection. Environmental Science & Environmental S	10.0	26
171	Effects of the novel allelochemical ethyl 2-methylacetoacetate from the reed (Phragmitis australis) Tj ETQq1 1 0.7 521-527.	'84314 rg 2.8	BT /Overlock 25
172	Sustainability evaluation and implication of a large scale membrane bioreactor plant. Bioresource Technology, 2018, 269, 246-254.	9.6	25
173	Comparison of UV/H2O2 and UV/PS processes for the treatment of reverse osmosis concentrate from municipal wastewater reclamation. Chemical Engineering Journal, 2020, 388, 124260.	12.7	25
174	Removal of fluorescence and ultraviolet absorbance of dissolved organic matter in reclaimed water by solar light. Journal of Environmental Sciences, 2016, 43, 118-127.	6.1	24
175	Removal of C.I. Reactive Red 2 by low pressure UV/chlorine advanced oxidation. Journal of Environmental Sciences, 2016, 41, 227-234.	6.1	24
176	Disinfection performance and mechanism of the carbon fiber-based flow-through electrode system (FES) towards Gram-negative and Gram-positive bacteria. Electrochimica Acta, 2020, 341, 135993.	5.2	24
177	Effects of microbial inactivation approaches on quantity and properties of extracellular polymeric substances in the process of wastewater treatment and reclamation: A review. Journal of Hazardous Materials, 2021, 413, 125283.	12.4	24
178	Preliminary investigation on safety of post-UV disinfection of wastewater: bio-stability in laboratory-scale simulated reuse water pipelines. Desalination, 2009, 239, 22-28.	8.2	23
179	Life history responses of Daphnia magna feeding on toxic Microcystis aeruginosa alone and mixed with a mixotrophic Poterioochromonas species. Water Research, 2009, 43, 5053-5062.	11.3	23
180	Adsorption removal of antiviral drug oseltamivir and its metabolite oseltamivir carboxylate by carbon nanotubes: Effects of carbon nanotube properties and media. Journal of Environmental Management, 2015, 162, 326-333.	7.8	23

#	Article	IF	Citations
181	Ozone/graphene oxide catalytic oxidation: a novel method to degrade emerging organic contaminant N, N-diethyl-m-toluamide (DEET). Scientific Reports, 2016, 6, 31405.	3.3	23
182	UV light tolerance and reactivation potential of tetracycline-resistant bacteria from secondary effluents of a wastewater treatment plant. Journal of Environmental Sciences, 2016, 41, 146-153.	6.1	23
183	Chlorinated effluent organic matter causes higher toxicity than chlorinated natural organic matter by inducing more intracellular reactive oxygen species. Science of the Total Environment, 2020, 701, 134881.	8.0	23
184	Graphene oxide enhanced ozonation of 5-chloro-2-methyl-4-isothiazolin-3-one: Kinetics, degradation pathway, and toxicity. Journal of Hazardous Materials, 2020, 394, 122563.	12.4	23
185	Increase of microbial growth potential in municipal secondary effluent by coagulation. Chemosphere, 2014, 109, 14-19.	8.2	22
186	Quantifying chlorine-reactive substances to establish a chlorine decay model of reclaimed water using chemical chlorine demands. Chemical Engineering Journal, 2019, 356, 791-798.	12.7	22
187	Degradation of atrazine (ATZ) by ammonia/chlorine synergistic oxidation process. Chemical Engineering Journal, 2021, 415, 128841.	12.7	22
188	Linear relation between the amount of respiratory quinones and the microbial biomass in soil. Soil Science and Plant Nutrition, 1999, 45, 775-778.	1.9	21
189	Effect of chlorination on endotoxin activities in secondary sewage effluent and typical Gram-negative bacteria. Water Research, 2011, 45, 4751-4757.	11.3	21
190	Removal of genotoxicity in chlorinated secondary effluent of a domestic wastewater treatment plant during dechlorination. Environmental Science and Pollution Research, 2012, 19, 1-7.	5.3	21
191	Antiestrogenic activity and related disinfection by-product formation induced by bromide during chlorine disinfection of sewage secondary effluent. Journal of Hazardous Materials, 2014, 273, 280-286.	12.4	21
192	The implementation of high fermentative 2,3-butanediol production from xylose by simultaneous additions of yeast extract, Na2EDTA, and acetic acid. New Biotechnology, 2016, 33, 16-22.	4.4	21
193	Enhanced Scenedesmus sp. growth in response to gibberellin secretion by symbiotic bacteria. Science of the Total Environment, 2020, 740, 140099.	8.0	21
194	Performance of different pretreatment methods on alleviating reverse osmosis membrane fouling caused by soluble microbial products. Journal of Membrane Science, 2022, 641, 119850.	8.2	21
195	Effect of seawater on treatment performance and microbial population in a biofilter treating coke-oven wastewater. Process Biochemistry, 2002, 37, 943-948.	3.7	20
196	Improvement of the assimilable organic carbon (AOC) analytical method for reclaimed water. Frontiers of Environmental Science and Engineering, 2013, 7, 483-491.	6.0	20
197	Ferroferric Oxide Significantly Affected Production of Soluble Microbial Products and Extracellular Polymeric Substances in Anaerobic Methanogenesis Reactors. Frontiers in Microbiology, 2018, 9, 2376.	3.5	20
198	Tolerance and resistance characteristics of microalgae Scenedesmus sp. LX1 to methylisothiazolinone. Environmental Pollution, 2018, 241, 200-211.	<b>7.</b> 5	20

#	Article	IF	Citations
199	A new era of straw-based pulping? Evidence from a carbon metabolism perspective. Journal of Cleaner Production, 2018, 193, 327-337.	9.3	20
200	Membrane fouling potential of the denitrification filter effluent and the control mechanism by ozonation in the process of wastewater reclamation. Water Research, 2020, 173, 115591.	11.3	20
201	Effects of Nitrogen Sources and C/N Ratios on the Lipid-Producing Potential of Chlorella sp. HQ. Journal of Microbiology and Biotechnology, 2016, 26, 1290-1302.	2.1	20
202	Reduction of Toxic Products and Bioaerosol Emission of a Combined Ultraviolet-Biofilter Process for Chlorobenzene Treatment. Journal of the Air and Waste Management Association, 2009, 59, 405-410.	1.9	19
203	Effects of cultivation conditions on the production of soluble algal products (SAPs) of Scenedesmus sp. LX1. Algal Research, 2016, 16, 376-382.	4.6	19
204	Solution to water resource scarcity: water reclamation and reuse. Environmental Science and Pollution Research, 2017, 24, 5095-5097.	5.3	19
205	Influence of UV irradiation on the toxicity of chlorinated water to mammalian cells: Toxicity drivers, toxicity changes and toxicity surrogates. Water Research, 2019, 165, 115024.	11.3	19
206	Aggravated biofouling caused by chlorine disinfection in a pilot-scale reverse osmosis treatment system of municipal wastewater. Journal of Water Reuse and Desalination, 2021, 11, 201-211.	2.3	19
207	Allelopathic inhibition on red tide microalgae Skeletonema costatum by five macroalgal extracts. Frontiers of Environmental Science and Engineering in China, 2008, 2, 297-305.	0.8	18
208	A biofilter model for simultaneous simulation of toluene removal and bed pressure drop under varied inlet loadings. Frontiers of Environmental Science and Engineering, 2015, 9, 554-562.	6.0	18
209	The growth suppression effects of UV-C irradiation on Microcystis aeruginosa and Chlorella vulgaris under solo-culture and co-culture conditions in reclaimed water. Science of the Total Environment, 2020, 713, 136374.	8.0	18
210	Assessment and mechanisms of microalgae growth inhibition by phosphonates: Effects of intrinsic toxicity and complexation. Water Research, 2020, 186, 116333.	11.3	18
211	Reduction of cytotoxicity and DNA double-strand break effects of wastewater by ferrate(VI): Roles of oxidation and coagulation. Water Research, 2021, 205, 117667.	11.3	18
212	Promotive effects of vacuum-UV/UV (185/254Ânm) light on elimination of recalcitrant trace organic contaminants by UV-AOPs during wastewater treatment and reclamation: A review. Science of the Total Environment, 2022, 818, 151776.	8.0	18
213	Cadmium Removal by the Hydroponic Culture of Giant Reed (Arundo donax) and Its Concentration in the Plant. Journal of Water and Environment Technology, 2011, 9, 121-127.	0.7	17
214	A fingerprint analysis method for characterization of dissolved organic matter in secondary effluents of municipal wastewater treatment plant. Environmental Science and Pollution Research, 2014, 21, 14211-14218.	5.3	17
215	Using straw hydrolysate to cultivate Chlorella pyrenoidosa for high-value biomass production and the nitrogen regulation for biomass composition. Bioresource Technology, 2017, 244, 1254-1260.	9.6	17
216	Development of an ATP luminescence-based method for assimilable organic carbon determination in reclaimed water. Water Research, 2017, 123, 345-352.	11.3	17

#	Article	IF	CITATIONS
217	Impact of water quality parameters on bacteria inactivation by low-voltage electroporation: mechanism and control. Environmental Science: Water Research and Technology, 2018, 4, 872-881.	2.4	17
218	Quantitative structure-activity relationship and prediction of mixture toxicity of alkanols. Science Bulletin, 2006, 51, 2717-2723.	1.7	16
219	Enhanced decomposition of 1,4-dioxane in water by ozonation under alkaline condition. Water Science and Technology, 2014, 70, 1934-1940.	2.5	16
220	Mixed cultivation as an effective approach to enhance microalgal biomass and triacylglycerol production in domestic secondary effluent. Chemical Engineering Journal, 2017, 328, 665-672.	12.7	16
221	Removal Processes of Carbamazepine in Constructed Wetlands Treating Secondary Effluent: A Review. Water (Switzerland), 2018, 10, 1351.	2.7	16
222	Elimination of isothiazolinone biocides in reverse osmosis concentrate by ozonation: A two-phase kinetics and a non-linear surrogate model. Journal of Hazardous Materials, 2020, 389, 121898.	12.4	16
223	Applications of UV/H2O2, UV/persulfate, and UV/persulfate/Cu2+ for the elimination of reverse osmosis concentrate generated from municipal wastewater reclamation treatment plant: Toxicity, transformation products, and disinfection byproducts. Science of the Total Environment, 2021, 762, 144161.	8.0	16
224	Evolution of low molecular weight organic compounds during ultrapure water production process: A pilot-scale study. Science of the Total Environment, 2022, 830, 154713.	8.0	16
225	Effect of continuous ozone injection on performance and biomass accumulation of biofilters treating gaseous toluene. Applied Microbiology and Biotechnology, 2014, 98, 9437-9446.	3.6	15
226	A novel model simulating reclaimed water disinfection by ozonation. Separation and Purification Technology, 2017, 179, 45-52.	7.9	15
227	Response of microbial community structure and metabolic profile to shifts of inlet VOCs in a gas-phase biofilter. AMB Express, 2018, 8, 160.	3.0	15
228	Interaction between 1,2-benzisothiazol-3(2H)-one and microalgae: Growth inhibition and detoxification mechanism. Aquatic Toxicology, 2018, 205, 66-75.	4.0	15
229	Decade-long meteorological and water quality dynamics of northern Lake Dianchi and recommendations on algal bloom mitigation via key influencing factors identification. Ecological Indicators, 2020, 115, 106425.	<b>6.</b> 3	15
230	Pretreatment for alleviation of RO membrane fouling in dyeing wastewater reclamation. Chemosphere, 2022, 292, 133471.	8.2	15
231	Increased risks of antibiotic resistant genes (ARGs) induced by chlorine disinfection in the reverse osmosis system for potable reuse of reclaimed water. Science of the Total Environment, 2022, 815, 152860.	8.0	15
232	A novel integrated UV-biofilter system to treat high concentration of gaseous chlorobenzene. Science Bulletin, 2008, 53, 2712-2716.	9.0	14
233	Effects of a Novel Allelochemical Ethyl 2-Methyl Acetoacetate (EMA) on the Ultrastructure and Pigment Composition of Cyanobacterium Microcystis aeruginosa. Bulletin of Environmental Contamination and Toxicology, 2009, 83, 502-508.	2.7	14
234	The effect of Poterioochromonas abundance on production of intra- and extracellular microcystin-LR concentration. Hydrobiologia, 2010, 652, 237-246.	2.0	14

#	Article	IF	Citations
235	Domestic Wastewater Reclamation Coupled with Biofuel/Biomass Production Based on Microalgae: A Novel Wastewater Treatment Process in the Future. Journal of Water and Environment Technology, 2011, 9, 199-207.	0.7	14
236	Estrogen receptor affinity chromatography: A new method for characterization of novel estrogenic disinfection by-products. Chemosphere, 2014, 104, 251-257.	8.2	14
237	Enhancing disinfection performance of the carbon fiber-based flow-through electrode system (FES) by alternating pulse current (APC) with low-frequency square wave. Chemical Engineering Journal, 2021, 410, 128399.	12.7	14
238	Understanding the influence of pre-ozonation on the formation of disinfection byproducts and cytotoxicity during post-chlorination of natural organic matter: UV absorbance and electron-donating-moiety of molecular weight fractions. Environment International, 2021, 157, 106793.	10.0	14
239	Reductive Treatment Characteristics of Nitrate by Metallic Iron in Aquatic Solution Journal of Chemical Engineering of Japan, 2001, 34, 1097-1102.	0.6	14
240	Elimination of amino trimethylene phosphonic acid (ATMP) antiscalant in reverse osmosis concentrate using ozone: Anti-precipitation property changes and phosphorus removal. Chemosphere, 2022, 291, 133027.	8.2	14
241	Changes in the microbial community structure in soils treated with a mixture of glucose and peptone with reference to the respiratory quinone profile. Soil Science and Plant Nutrition, 2002, 48, 841-846.	1.9	13
242	Effects of Initial Phosphorus Concentration and Light Intensity on Biomass Yield per Phosphorus and Lipid Accumulation of Scenedesmus sp. LX1. Bioenergy Research, 2014, 7, 927-934.	3.9	13
243	Effect of continuous ozone injection on performance and biomass accumulation of biofilters treating gaseous toluene. Applied Microbiology and Biotechnology, 2015, 99, 33-42.	3.6	13
244	Characterization of dissolved organic matter in the secondary effluent of pulp and paper mill wastewater before and after coagulation treatment. Water Science and Technology, 2016, 74, 1346-1353.	2.5	13
245	Investigation of the characteristics of biofilms grown in gas-phase biofilters with and without ozone injection by CLSM technique. Applied Microbiology and Biotechnology, 2016, 100, 2023-2031.	3.6	13
246	Coagulation increased the growth potential of various species bacteria of the effluent of a MBR for the treatment of domestic wastewater. Environmental Science and Pollution Research, 2017, 24, 5126-5133.	5.3	13
247	Identification of important precursors and theoretical toxicity evaluation of byproducts driving cytotoxicity and genotoxicity in chlorination. Frontiers of Environmental Science and Engineering, 2020, $14,1.$	6.0	13
248	An insight to sequential ozoneâ€'chlorine process for synergistic disinfection on reclaimed water: Experimental and modelling studies. Science of the Total Environment, 2021, 793, 148563.	8.0	13
249	A dose optimization method of disinfection units and synergistic effects of combined disinfection in pilot tests. Water Research, 2022, 211, 118037.	11.3	13
250	Synergistic effects of UV and chlorine in bacterial inactivation for sustainable water reclamation and reuse. Science of the Total Environment, 2022, 845, 157320.	8.0	13
251	Isolation and Characterization of Psychrotrophic Nitrobenzene-Degrading Strains from River Sediments. Bulletin of Environmental Contamination and Toxicology, 2007, 79, 340-344.	2.7	12
252	DMF Decomposition and Nitrogen Removal Performance by a Mesh-Filtration Bioreactor under Acidic Conditions. Journal of Water and Environment Technology, 2009, 7, 1-8.	0.7	12

#	Article	IF	Citations
253	Quantitative Characterization and Prediction Modeling of Photoreactivation of Coliforms After Ultraviolet Disinfection of Reclaimed Municipal Wastewater. Water, Air, and Soil Pollution, 2013, 224, 1.	2.4	12
254	Transformation of DON in reclaimed water under solar light irradiation leads to decreased haloacetamide formation potential during chloramination. Journal of Hazardous Materials, 2017, 340, 319-325.	12.4	12
255	Water Meta-cycle model and indicators for industrial processes- the pulp & Daper case in China. Resources, Conservation and Recycling, 2018, 139, 228-236.	10.8	12
256	Attached cultivation of Scenedesmus sp. LX1 on selected solids and the effect of surface properties on attachment. Frontiers of Environmental Science and Engineering, $2019, 13, 1$ .	6.0	12
257	The growth model and its application for microalgae cultured in a suspended-solid phase photobioreactor (ssPBR) for economical biomass and bioenergy production. Algal Research, 2019, 39, 101463.	4.6	12
258	Mechanism and kinetics of methylisothiazolinone removal by cultivation of Scenedesmus sp. LX1. Journal of Hazardous Materials, 2020, 386, 121959.	12.4	12
259	Significant increase of assimilable organic carbon (AOC) levels in MBR effluents followed by coagulation, ozonation and combined treatments: Implications for biostability control of reclaimed water. Frontiers of Environmental Science and Engineering, 2021, 15, 1.	6.0	12
260	Tracing nitrogenous byproducts during ozonation in the presence of bromide and ammonia using stable isotope labeling and high resolution mass spectrometry. Journal of Hazardous Materials, 2021, 403, 123612.	12.4	12
261	Chlorine-resistant bacteria (CRB) in the reverse osmosis system for wastewater reclamation: Isolation, identification and membrane fouling mechanisms. Water Research, 2022, 209, 117966.	11.3	12
262	Modelling the thresholds of nitrogen/phosphorus concentration and hydraulic retention time for bloom control in reclaimed water landscape. Frontiers of Environmental Science and Engineering, 2022, 16, 1.	6.0	12
263	Prevalence of antibiotic-resistant bacteria in a lake for the storage of reclaimed water before and after usage as cooling water. Environmental Sciences: Processes and Impacts, 2015, 17, 1182-1189.	3.5	11
264	Inhibition of bromate formation by reduced graphene oxide supported cerium dioxide during ozonation of bromide-containing water. Frontiers of Environmental Science and Engineering, 2019, 13, 1.	6.0	11
265	Ammonia/chlorine synergistic oxidation process applied to the removal of N, N-diethyl-3-toluamide. Chemical Engineering Journal, 2020, 380, 122409.	12.7	11
266	Construction and optimization mechanisms of carbon fiber-based flow-through electrode system (FES) with stackable multi-cathode units for water disinfection. Journal of Hazardous Materials, 2020, 399, 123065.	12.4	11
267	Degradation of non-oxidizing biocide benzalkonium chloride and bulk dissolved organic matter in reverse osmosis concentrate by UV/chlorine oxidation. Journal of Hazardous Materials, 2020, 396, 122669.	12.4	11
268	Photolysis of free chlorine and production of reactive radicals in the UV/chlorine system using polychromatic spectrum LEDs as UV sources. Chemosphere, 2022, 286, 131828.	8.2	11
269	Optimal operation of bioreactor system developed for the treatment of chromate wastewater using enterobacter cloacae HO-1. Water Science and Technology, 1996, 34, 173-182.	2.5	11
270	Identification of surrogates for rapid monitoring of microbial inactivation by ozone for water reuse: A pilot-scale study. Journal of Hazardous Materials, 2022, 424, 127567.	12.4	11

#	Article	IF	Citations
271	Reclaimed water for landscape water replenishment: Threshold nitrogen and phosphorus concentrations values for bloom control. Algal Research, 2022, 62, 102608.	4.6	11
272	Effects of chlorine dose on the composition and characteristics of chlorinated disinfection byproducts in reclaimed water. Science of the Total Environment, 2022, 824, 153739.	8.0	11
273	Effect of temperature on the reaction rate of bacteria inhabiting the aerobic microbial film for wastewater treatment. Journal of Bioscience and Bioengineering, 1994, 78, 100-104.	0.9	10
274	Lysis of stationary-phase bacterial cells by synergistic action of lytic peptidase and glycosidase from thermophiles. Biochemical Engineering Journal, 2010, 52, 44-49.	3.6	10
275	Recovery of biological removal of gaseous alpha-pinene in long-term vapor-phase bioreactors by UV photodegradation. Chemical Engineering Journal, 2011, 175, 316-316.	12.7	10
276	Characterization of bacterial fluorescence: insight into rapid detection of bacteria in water. Journal of Water Reuse and Desalination, 2021, 11, 621-631.	2.3	10
277	Respiratory quinone profile as a tool for refractory chemical biodegradation study. Water Science and Technology, 1997, 35, 103-110.	2.5	10
278	Enhanced extracellular polymeric substances production and aggravated membrane fouling potential caused by different disinfection treatment. Journal of Membrane Science, 2022, 642, 120007.	8.2	10
279	Toxicity screening and evaluating in chlorination disinfection of wastewater reclamation processes. Water Science and Technology, 2006, 53, 239-246.	2.5	9
280	Isolation and characterization of thermophilic bacteria capable of lysing microbial cells in activated sludge. Water Science and Technology, 2006, 54, 35-43.	2.5	9
281	An efficient microalgal biomass harvesting method with a high concentration ratio using the polymer-surfactant aggregates process. Algal Research, 2018, 30, 86-93.	4.6	9
282	Enhanced simultaneous removal of nitrogen, phosphorous, hardness, and methylisothiazolinone from reverse osmosis concentrate by suspended-solid phase cultivation of Scenedesmus sp. LX1. Environment International, 2020, 139, 105685.	10.0	9
283	Identification of development potentials and routes of wastewater treatment and reuse for Asian countries by key influential factors and prediction models. Resources, Conservation and Recycling, 2021, 168, 105259.	10.8	9
284	Self-sensitized photodegradation of benzisothiazolinone by low-pressure UV-C irradiation: Kinetics, mechanisms, and the effect of media. Separation and Purification Technology, 2017, 189, 419-424.	7.9	8
285	The light-dependent lethal effects of 1,2-benzisothiazol-3(2H)-one and its biodegradation by freshwater microalgae. Science of the Total Environment, 2019, 672, 563-571.	8.0	8
286	Study on synergistic effect of ozone and monochloramine on the degradation of chloromethylisothiazolinone biocide. Science of the Total Environment, 2021, 754, 141598.	8.0	8
287	Comparison of the reverse osmosis membrane fouling behaviors of different types of water samples by modeling the flux change over time. Chemosphere, 2022, 289, 133217.	8.2	8
288	Removal of methylisothiazolinone biocide from wastewater by VUV/UV advanced oxidation process: Kinetics, mechanisms and toxicity. Journal of Environmental Management, 2022, 315, 115107.	7.8	8

#	Article	IF	Citations
289	Ultrafiltration significantly increased the scaling potential of municipal secondary effluent on reverse osmosis membranes. Water Research, 2022, 220, 118672.	11.3	8
290	Effect of drying treatment on the respiratory quinone profile in soil. Soil Science and Plant Nutrition, 1998, 44, 467-470.	1.9	7
291	Analysis of Phosphorus Behavior in the Giant Reed for Phytoremediation and the Biomass Production System. Journal of Water and Environment Technology, 2009, 7, 143-154.	0.7	7
292	Chemical Oxygen Demand, Nitrogen, and Phosphorus Removal by Vegetation of Different Species in Pilot-Scale Subsurface Wetlands. Environmental Engineering Science, 2010, 27, 247-253.	1.6	7
293	Life History Response of Daphnia magna to a Mixotrophic Golden Alga, Poterioochromonas sp., at Different Food Levels. Bulletin of Environmental Contamination and Toxicology, 2011, 87, 117-123.	2.7	7
294	Genotoxicity removal of reclaimed water during ozonation. Journal of Environmental Sciences, 2014, 26, 1243-1248.	6.1	7
295	Quantitative Detection of Clogging in Horizontal Subsurface Flow Constructed Wetland Using the Resistivity Method. Water (Switzerland), 2018, 10, 1334.	2.7	7
296	Biotoxicity of Water-Soluble UV Photodegradation Products for 10 Typical Gaseous VOCs. International Journal of Environmental Research and Public Health, 2018, 15, 1520.	2.6	7
297	Enhanced biomass production and fatty acid accumulation in Scenedesmus sp. LX1 treated with 6-benzylaminopurine. Algal Research, 2019, 44, 101714.	4.6	7
298	Studies of microbial acclimation to hard chemicals on the basis of respiratory quinone profiles and kinetic analyses. Water Science and Technology, 1996, 34, 249-256.	2.5	7
299	Ozonation of phosphonate antiscalant 1-hydroxyethane-1,1-diphosphonic acid in reverse osmosis concentrate: Kinetics, phosphorus transformation, and anti-precipitation property changes. Separation and Purification Technology, 2022, 297, 121385.	7.9	7
300	Comparison of disinfection-residual-bacteria (DRB) after seven different kinds of disinfection: Biofilm formation, membrane fouling and mechanisms. Science of the Total Environment, 2022, 844, 157079.	8.0	7
301	Effects of design parameters on performance and cost analysis of combined ultraviolet-biofilter systems treating gaseous chlorobenzene based on mathematical modeling. Frontiers of Environmental Science and Engineering, 2012, 6, 588-594.	6.0	6
302	Chemical identification and genotoxicity analysis of petrochemical industrial wastewater. Frontiers of Environmental Science and Engineering, 2012, 6, 350-359.	6.0	6
303	Using ozonation to eliminate the inhibition of soluble algal products (SAP) of Scenedesmus sp. LX1 on its growth in microalgal cultivation for biomass/bioenergy production. Water Science and Technology: Water Supply, 2015, 15, 1034-1039.	2.1	6
304	Changes in the components and biotoxicity of dissolved organic matter in a municipal wastewater reclamation reverse osmosis system. Environmental Technology (United Kingdom), 2016, 37, 2149-2156.	2,2	6
305	Efficient nanowire-assisted electroporation and cellular inclusion release of microalgal cells achieved by a low voltage. Science of the Total Environment, 2019, 667, 191-196.	8.0	6
306	COD fractionation and toxicity of pulp and paper mill wastewaters in a tertiary process. Desalination and Water Treatment, 2015, 56, 615-621.	1.0	5

#	Article	IF	Citations
307	Synergetic suppression effects upon the combination of UV-C irradiation and berberine on Microcystis aeruginosa and Scenedesmus obliquus in reclaimed water: Effectiveness and mechanisms. Science of the Total Environment, 2020, 744, 140937.	8.0	5
308	Modeling of a Combined Ultraviolet-Biofilter System to Treat Gaseous Chlorobenzene I: Model Development and Parametric Sensitivity. Journal of the Air and Waste Management Association, 2011, 61, 295-301.	1.9	4
309	Oxidation of benzalkonium chloride by gamma irradiation: kinetics and decrease in toxicity. Journal of Radioanalytical and Nuclear Chemistry, 2017, 312, 631-637.	1.5	4
310	Adsorption of Isothiazolone Biocides in Textile Reverse Osmosis Concentrate by Powdered Activated Carbon. Water (Switzerland), 2018, 10, 532.	2.7	4
311	Revealing the membrane fouling mechanism caused by the denitrification filter effluent during ozonation by model assessment. Journal of Water Reuse and Desalination, 2021, 11, 149-159.	2.3	4
312	Fluorescence analysis of centralized water supply systems: Indications for rapid cross-connection detection and water quality safety guarantee. Chemosphere, 2021, 277, 130290.	8.2	4
313	Population dynamics of chromate reducing bacteria in a bioreactor system developed for the treatment of chromate wastewater. Water Science and Technology, 1998, 37, 109-112.	2.5	4
314	Alleviating the membrane fouling potential of the denitrification filter effluent by regulating the COD/N ratio and carbon source in the process of wastewater reclamation. Separation and Purification Technology, 2022, 284, 120265.	7.9	4
315	Evaluation of Fe(VI)/Fe(II) combined with sludge adsorbents in secondary effluent organic matter removal. Environmental Research, 2022, 208, 112737.	7.5	4
316	Advanced oxidation of dodecyl dimethyl benzyl ammonium chloride by VUV/UV/chlorine: Synergistic effect, radicals, and degradation pathway. Separation and Purification Technology, 2022, 292, 121012.	7.9	4
317	Effects of biodegradable substrates and microbial concentration on the acclimation of microbes to acrylonitrile in aerobic submerged biofilter. Water Science and Technology, 1998, 38, 81-89.	2.5	3
318	Improvement of detection method of Cryptosporidium and Giardia in reclaimed water. Frontiers of Environmental Science and Engineering in China, 2008, 2, 380-384.	0.8	3
319	Commentary to: Effect of continuous ozone injection on performance and biomass accumulation of biofilters treating gaseous toluene. Applied Microbiology and Biotechnology, 2016, 100, 3385-3385.	3.6	3
320	Optimization of Combined Submerged Macrophyte Planting Conditions for Inhibiting Algae by Response Surface Methodology. Water (Switzerland), 2020, 12, 2093.	2.7	3
321	Novel Quantitative Evaluation of Biotreatment Suitability of Wastewater. Water (Switzerland), 2022, 14, 1038.	2.7	3
322	Sensor factor correction for collimated beam experiments using a medium pressure ultraviolet lamp. Journal of Environmental Engineering and Science, 2008, 7, 677-679.	0.8	2
323	Adsorption of neutral and negatively charged low-molecular-weight carbonyls in reverse osmosis permeates by ion-exchange resins. Water Cycle, 2022, 3, 1-7.	4.0	2
324	Change in genotoxicity of wastewater during chlorine dioxide and chlorine disinfections and the influence of ammonia nitrogen. Frontiers of Environmental Science and Engineering in China, 2007, 1, 18-22.	0.8	1

#	Article	IF	CITATIONS
325	Potential of a Green Alga Botryococcus braunii for Simultaneous Water Purification and Biofuel Production under Open-Air Condition. Journal of Water and Environment Technology, 2011, 9, 29-37.	0.7	1
326	The "Fingerprint―of a freshwater microalga Scenedesmus sp. LX1: Visualizing the composition of its soluble algal products. Chinese Chemical Letters, 2019, 30, 1126-1128.	9.0	1
327	Sustainability analysis of large-scale membrane bioreactor plant. , 2020, , 1-20.		1
328	Degradation of chloromethylisothiazolinone antimicrobial by Vacuum-Ultraviolet/Ultraviolet irradiation: Reactive species, degradation pathway and toxicity evaluation. Chemosphere, 2022, 302, 134821.	8.2	1
329	Exploring the pressure change of reverse osmosis filtration: Time-course pressure curves and a novel model for mechanism study and NEWater application. Separation and Purification Technology, 2022, 294, 121239.	7.9	1
330	Control of Pollution Load from Industrial Wastewaters and Their Appropriate Treatments. Journal of Chemical Engineering of Japan, 2003, 36, 1137-1142.	0.6	0
331	Occurrence and behavior of chlorobenzenes at multiple environment from a chemical industry zone in Beijing, China. Diqiu Huaxue, 2006, 25, 189-189.	0.5	O
332	Isolation of a Pseudomonas Stutzeri strain that degrades 1,2,4-trichlorobenzene and characterization of its degradative plasmid. Frontiers of Environmental Science and Engineering in China, 2008, 2, 69-72.	0.8	0
333	Comparison of flocculant aids as pretreatment reagent for membrane filtration process by fingerprint analysis of organic matters in secondary effluent. Desalination and Water Treatment, 2016, 57, 21743-21751.	1.0	0
334	Electrochemical membrane technology for disinfection., 2022,, 141-162.		0