

Tim J Peters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8560789/publications.pdf>

Version: 2024-02-01

119
papers

10,680
citations

76196

40
h-index

32761

100
g-index

127
all docs

127
docs citations

127
times ranked

13043
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening to Identify Postoperative Pain and Cross-Sectional Associations Between Factors Identified in This Process With Pain and Function, Three Months After Total Knee Replacement. <i>Arthritis Care and Research</i> , 2022, 74, 790-798.	1.5	7
2	How much change is enough? Evidence from a longitudinal study on depression in UK primary care. <i>Psychological Medicine</i> , 2022, 52, 1875-1882.	2.7	51
3	Psychometric properties of the PHQ-9 measure of depression among Brazilian older adults. <i>Aging and Mental Health</i> , 2022, 26, 2285-2290.	1.5	10
4	Depressive and subthreshold depressive symptomatology among older adults in a socioeconomically deprived area in Brazil. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	5
5	The STAR care pathway for patients with pain at 3 months after total knee replacement: a multicentre, pragmatic, randomised, controlled trial. <i>Lancet Rheumatology</i> , The, 2022, 4, e188-e197.	2.2	16
6	Development of guidelines to reduce, handle and report missing data in palliative care trials: A multi-stakeholder modified nominal group technique. <i>Palliative Medicine</i> , 2022, 36, 59-70.	1.3	9
7	A clinical tool to identify older women with back pain at high risk of osteoporotic vertebral fractures (Vfrac): a population-based cohort study with exploratory economic evaluation. <i>Age and Ageing</i> , 2022, 51, .	0.7	3
8	Functional and quality of life outcomes of localised prostate cancer treatments (Prostate Testing) Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50	1.3	23
9	A Validation Study of the EQ-5D-5L and ICEpop Capability Measure for Older People Among Older Individuals With Depressive Symptoms in Brazil. <i>Value in Health Regional Issues</i> , 2022, 30, 91-99.	0.5	2
10	Challenges in Using Recommended Quality of Life Measures to Assess Fluctuating Health: A Think-Aloud Study to Understand How Recall and Timing of Assessment Influence Patient Responses. <i>Patient</i> , 2022, 15, 445-457.	1.1	8
11	Comparison between self-administered depression questionnaires and patients' own views of changes in their mood: a prospective cohort study in primary care. <i>Psychological Medicine</i> , 2021, 51, 853-860.	2.7	13
12	Assessing the validity, responsiveness and reliability of the Recap measure of eczema control. <i>British Journal of Dermatology</i> , 2021, 184, 955-957.	1.4	9
13	Educational outcomes associated with persistent speech disorder. <i>International Journal of Language and Communication Disorders</i> , 2021, 56, 299-312.	0.7	14
14	Sex differences in depressive symptoms and tolerability after treatment with selective serotonin reuptake inhibitor antidepressants: Secondary analyses of the GENPOD trial. <i>Journal of Psychopharmacology</i> , 2021, 35, 919-927.	2.0	4
15	Post-operative determinants of chronic pain after primary knee replacement surgery: Analysis of data on 258,386 patients from the National Joint Registry for England, Wales, Northern Ireland and the Isle of Man (NJR). <i>Osteoarthritis and Cartilage Open</i> , 2021, 3, 100139.	0.9	6
16	Effect of a Digital Intervention on Depressive Symptoms in Patients With Comorbid Hypertension or Diabetes in Brazil and Peru. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1852.	3.8	40
17	Challenges in developing capability measures for children and young people for use in the economic evaluation of health and care interventions. <i>Health Economics (United Kingdom)</i> , 2021, 30, 1990-2003.	0.8	6
18	Evaluating an enhanced quality improvement intervention in maternity units: PReCePT trial protocol. <i>BMJ Open Quality</i> , 2021, 10, e001204.	0.4	8

#	ARTICLE	IF	CITATIONS
19	Acceptability and fidelity of a psychosocial intervention (PROACTIVE) for older adults with depression in a basic health unit in São Paulo, Brazil: a qualitative study. <i>BMC Public Health</i> , 2021, 21, 2278.	1.2	3
20	Risk factors associated with poor pain outcomes following primary knee replacement surgery: Analysis of data from the clinical practice research datalink, hospital episode statistics and patient reported outcomes as part of the STAR research programme. <i>PLoS ONE</i> , 2021, 16, e0261850.	1.1	7
21	Systematic screening using FRAX® leads to increased use of, and adherence to, anti-osteoporosis medications: an analysis of the UK SCOOP trial. <i>Osteoporosis International</i> , 2020, 31, 67-75.	1.3	25
22	An expert consensus on the most effective components of cognitive behavioural therapy for adults with depression: a modified Delphi study. <i>Cognitive Behaviour Therapy</i> , 2020, 49, 242-255.	1.9	8
23	Cost-Effectiveness of Sertraline in Primary Care According to Initial Severity and Duration of Depressive Symptoms: Findings from the PANDA RCT. <i>Pharmacoeconomics - Open</i> , 2020, 4, 427-438.	0.9	3
24	Ten-year Mortality, Disease Progression, and Treatment-related Side Effects in Men with Localised Prostate Cancer from the ProtecT Randomised Controlled Trial According to Treatment Received. <i>European Urology</i> , 2020, 77, 320-330.	0.9	107
25	Does anxiety moderate the effectiveness of mirtazapine in patients with treatment-resistant depression? A secondary analysis of the MIR trial. <i>Journal of Psychopharmacology</i> , 2020, 34, 1342-1349.	2.0	2
26	Cost-Effectiveness of Different Formats for Delivery of Cognitive Behavioral Therapy for Depression: A Systematic Review Based Economic Model. <i>Value in Health</i> , 2020, 23, 1662-1670.	0.1	7
27	A collaborative care psychosocial intervention to improve late life depression in socioeconomically deprived areas of Guarulhos, Brazil: the PROACTIVE cluster randomised controlled trial protocol. <i>Trials</i> , 2020, 21, 914.	0.7	19
28	The ProtecT randomised trial cost-effectiveness analysis comparing active monitoring, surgery, or radiotherapy for prostate cancer. <i>British Journal of Cancer</i> , 2020, 123, 1063-1070.	2.9	15
29	Strategies adopted by men to deal with uncertainty and anxiety when following an active surveillance/monitoring protocol for localised prostate cancer and implications for care: a longitudinal qualitative study embedded within the ProtecT trial. <i>BMJ Open</i> , 2020, 10, e036024.	0.8	7
30	Identifying Scoliosis in Population-Based Cohorts: Automation of a Validated Method Based on Total Body Dual Energy X-ray Absorptiometry Scans. <i>Calcified Tissue International</i> , 2020, 106, 378-385.	1.5	11
31	Active monitoring, radical prostatectomy and radical radiotherapy in PSA-detected clinically localised prostate cancer: the ProtecT three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-176.	1.3	22
32	Factors associated with trial recruitment, preferences, and treatments received were elucidated in a comprehensive cohort study. <i>Journal of Clinical Epidemiology</i> , 2019, 113, 200-213.	2.4	6
33	Pilot study of a two-arm non-randomized controlled cluster trial of a psychosocial intervention to improve late life depression in socioeconomically deprived areas of São Paulo, Brazil (PROACTIVE): feasibility study of a psychosocial intervention for late life depression in São Paulo. <i>BMC Public Health</i> , 2019, 19, 1152.	1.2	22
34	The clinical effectiveness of sertraline in primary care and the role of depression severity and duration (PANDA): a pragmatic, double-blind, placebo-controlled randomised trial. <i>Lancet Psychiatry</i> , 2019, 6, 903-914.	3.7	78
35	Materials used to support cognitive behavioural therapy for depression: a survey of therapists' clinical practice and views. <i>Cognitive Behaviour Therapy</i> , 2019, 48, 463-481.	1.9	6
36	The process and delivery of CBT for depression in adults: a systematic review and network meta-analysis. <i>Psychological Medicine</i> , 2019, 49, 1937-1947.	2.7	70

#	ARTICLE	IF	CITATIONS
37	Parental and clinician agreement of illness severity in children with RTIs: secondary analysis of data from a prospective cohort study. <i>British Journal of General Practice</i> , 2019, 69, e236-e245.	0.7	3
38	Investigating Software Requirements for Systems Supporting Task-Shifted Interventions: Usability Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e11346.	2.1	9
39	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-108.	0.4	6
40	Management of Patients With High Baseline Hip Fracture Risk by FRAX Reduces Hip Fracturesâ€”A Post Hoc Analysis of the SCOOP Study. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 1020-1026.	3.1	45
41	A prospective cohort and extended comprehensive-cohort design provided insights about the generalizability of a pragmatic trial: the ProtecT prostate cancer trial. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 35-46.	2.4	16
42	Clinical- and cost-effectiveness of the STAR care pathway compared to usual care for patients with chronic pain after total knee replacement: study protocol for a UK randomised controlled trial. <i>Trials</i> , 2018, 19, 132.	0.7	20
43	Screening in the community to reduce fractures in older women (SCOOP): a randomised controlled trial. <i>Lancet, The</i> , 2018, 391, 741-747.	6.3	206
44	Psychological advocacy towards healing (PATH): A randomized controlled trial of a psychological intervention in a domestic violence service setting. <i>PLoS ONE</i> , 2018, 13, e0205485.	1.1	17
45	Management of treatment-resistant depression in primary care: a mixed-methods study. <i>British Journal of General Practice</i> , 2018, 68, e673-e681.	0.7	23
46	Impact of antibiotics for children presenting to general practice with cough on adverse outcomes: secondary analysis from a multicentre prospective cohort study. <i>British Journal of General Practice</i> , 2018, 68, e682-e693.	0.7	19
47	Mirtazapine added to SSRIs or SNRIs for treatment resistant depression in primary care: phase III randomised placebo controlled trial (MIR). <i>BMJ: British Medical Journal</i> , 2018, 363, k4218.	2.4	44
48	Post-consultation illness trajectories in children with acute cough and respiratory tract infection: prospective cohort study. <i>Family Practice</i> , 2018, 35, 676-683.	0.8	7
49	Combining mirtazapine with SSRIs or SNRIs for treatment-resistant depression: the MIR RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-136.	1.3	21
50	A randomised controlled trial assessing the severity and duration of depressive symptoms associated with a clinically significant response to sertraline versus placebo, in people presenting to primary care with depression (PANDA trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 496.	0.7	15
51	Domestic violence and mental health: a cross-sectional survey of women seeking help from domestic violence support services. <i>Global Health Action</i> , 2016, 9, 29890.	0.7	66
52	Radiotherapy for Prostate Cancer: is it â€œwhat you doâ€™ or â€œthe way that you do itâ€™? A UK Perspective on Technique and Quality Assurance. <i>Clinical Oncology</i> , 2016, 28, e92-e100.	0.6	7
53	10-Year Outcomes after Monitoring, Surgery, or Radiotherapy for Localized Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1415-1424.	13.9	2,101
54	Patient-Reported Outcomes after Monitoring, Surgery, or Radiotherapy for Prostate Cancer. <i>New England Journal of Medicine</i> , 2016, 375, 1425-1437.	13.9	962

#	ARTICLE	IF	CITATIONS
55	Patient-reported outcomes in the ProtecT randomized trial of clinically localized prostate cancer treatments: study design, and baseline urinary, bowel and sexual function and quality of life. <i>BJU International</i> , 2016, 118, 869-879.	1.3	52
56	Prevalence and Predictors of Persistent Speech Sound Disorder at Eight Years Old: Findings From a Population Cohort Study. <i>Journal of Speech, Language, and Hearing Research</i> , 2016, 59, 647-673.	0.7	104
57	Long-term effects of the Active for Life Year 5 (AFLY5) school-based cluster-randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e010957.	0.8	27
58	Mirtazapine added to selective serotonin reuptake inhibitors for treatment-resistant depression in primary care (MIR trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 66.	0.7	10
59	Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: follow-up of the CoBaIT randomised controlled trial. <i>Lancet Psychiatry</i> , 2016, 3, 137-144.	3.7	103
60	Scoring the Icecap Capability Instrument. Estimation of a UK General Population Tariff. <i>Health Economics (United Kingdom)</i> , 2015, 24, 258-269.	0.8	153
61	Validity of the Short Mood and Feelings Questionnaire in late adolescence.. <i>Psychological Assessment</i> , 2014, 26, 752-762.	1.2	137
62	Active monitoring, radical prostatectomy, or radiotherapy for localised prostate cancer: study design and diagnostic and baseline results of the ProtecT randomised phase 3 trial. <i>Lancet Oncology</i> , 2014, 15, 1109-1118.	5.1	205
63	Domestic violence and mental health: a cross-sectional survey of women seeking help from domestic violence support services. <i>Global Health Action</i> , 2014, 7, 25519.	0.7	40
64	Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: the CoBaIT randomised controlled trial. <i>Health Technology Assessment</i> , 2014, 18, 1-167, vii-viii.	1.3	69
65	Psychological advocacy toward healing (PATH): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 221.	0.7	17
66	Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with treatment resistant depression: results of the CoBaIT randomised controlled trial. <i>Lancet</i> , 2013, 381, 375-384.	6.3	278
67	Quantifying response shift or adaptation effects in quality of life by synthesising best-worst scaling and discrete choice data. <i>Journal of Choice Modelling</i> , 2013, 6, 34-43.	1.2	25
68	Prevalence of treatment-resistant depression in primary care: cross-sectional data. <i>British Journal of General Practice</i> , 2013, 63, e852-e858.	0.7	115
69	Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: The CoBaIT randomised controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2012, 33, 312-319.	0.8	32
70	Development of a complex intervention improved randomization and informed consent in a randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 29-36.	2.4	133
71	Multifarious terminology: multivariable or multivariate? univariable or univariate?. <i>Paediatric and Perinatal Epidemiology</i> , 2008, 22, 506-506.	0.8	25
72	Valuing the ICECAP capability index for older people. <i>Social Science and Medicine</i> , 2008, 67, 874-882.	1.8	422

#	ARTICLE	IF	CITATIONS
73	GPs' experiences of primary care mental health research: a qualitative study of the barriers to recruitment. <i>Family Practice</i> , 2007, 24, 518-525.	0.8	84
74	Early speech- and language-impaired children: linguistic, literacy, and social outcomes. <i>Developmental Medicine and Child Neurology</i> , 2007, 48, 489-494.	1.1	3
75	Measuring the psychosocial impact of population-based prostate-specific antigen testing for prostate cancer in the UK. <i>BJU International</i> , 2006, 98, 777-782.	1.3	40
76	Preferences for aspects of a dermatology consultation. <i>British Journal of Dermatology</i> , 2006, 155, 387-392.	1.4	49
77	Factors associated with change in pain and disability over time: a community-based prospective observational study of hip and knee osteoarthritis. <i>British Journal of General Practice</i> , 2005, 55, 205-11.	0.7	73
78	Screen-detected prostate cancer and the insulin-like growth factor axis: Results of a population-based case-control study. <i>International Journal of Cancer</i> , 2004, 108, 887-892.	2.3	51
79	ICIQ: A brief and robust measure for evaluating the symptoms and impact of urinary incontinence. <i>Neurourology and Urodynamics</i> , 2004, 23, 322-330.	0.8	1,478
80	Locally developed guidelines for the aftercare of deliberate self-harm patients in general practice. <i>Primary Health Care Research and Development</i> , 2003, 4, 21-28.	0.5	4
81	Quality improvement report: Improving design and conduct of randomised trials by embedding them in qualitative research: ProtecT (prostate testing for cancer and treatment) study * Commentary: presenting unbiased information to patients can be difficult. <i>BMJ: British Medical Journal</i> , 2002, 325, 766-770.	2.4	461
82	Transurethral Prostate Resection, Noncontact Laser Therapy or Conservative Management in Men With Symptoms of Benign Prostatic Enlargement? An Economic Evaluation. <i>Journal of Urology</i> , 2002, 168, 2476-2482.	0.2	16
83	What do people with MS want and expect from health-care services?. <i>Health Expectations</i> , 2001, 4, 29-37.	1.1	110
84	Day in, Day Out: The Everyday Therapy of Community Clinics. <i>International Journal of Language and Communication Disorders</i> , 2001, 36, 435-440.	0.7	6
85	Developing a scale to measure parental attitudes towards preschool speech and language therapy services. <i>International Journal of Language and Communication Disorders</i> , 2001, 36, 503-513.	0.7	11
86	The Relationship between LUTS and sexual function. <i>Prostate Cancer and Prostatic Diseases</i> , 2001, 4, S2-S6.	2.0	9
87	Improving attendance for breast screening among recent non-attenders: a randomised controlled trial of two interventions in primary care. <i>Journal of Medical Screening</i> , 2001, 8, 99-105.	1.1	37
88	Guidelines and educational outreach visits from community pharmacists to improve prescribing in general practice: a randomised controlled trial. <i>Journal of Health Services Research and Policy</i> , 2001, 6, 207-213.	0.8	27
89	Cluster randomised controlled trial comparing the effectiveness and cost-effectiveness of two primary care interventions aimed at improving attendance for breast screening. <i>Journal of Medical Screening</i> , 2001, 8, 91-98.	1.1	42
90	Vision-related quality of life impairment in an elderly UK population: Associations with age, sex, social class and material deprivation. <i>Eye</i> , 2001, 15, 739-744.	1.1	38

#	ARTICLE	IF	CITATIONS
91	The population requirement for cataract extraction: A cross-sectional study. <i>Eye</i> , 2001, 15, 745-752.	1.1	18
92	PROTO (Prostate Trials Office). <i>BJU International</i> , 2000, 85, 1-2.	1.3	3
93	The design and analysis of randomized controlled trials of treatments for lower urinary tract symptoms. <i>BJU International</i> , 2000, 85, 3-9.	1.3	8
94	Evaluation of computer based clinical decision support system and risk chart for management of hypertension in primary care: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2000, 320, 686-690.	2.4	225
95	A RANDOMIZED TRIAL COMPARING TRANSURETHRAL RESECTION OF THE PROSTATE, LASER THERAPY AND CONSERVATIVE TREATMENT OF MEN WITH SYMPTOMS ASSOCIATED WITH BENIGN PROSTATIC ENLARGEMENT: THE CLasP STUDY. <i>Journal of Urology</i> , 2000, 164, 65-70.	0.2	81
96	SCORING THE SHORT FORM ICSmaleSF QUESTIONNAIRE. <i>Journal of Urology</i> , 2000, 164, 1948-1955.	0.2	208
97	Relationships Between Lower Urinary Tract Symptoms and Bladder Outlet Obstruction: Results From the ICS-â€œBPHâ€•Study. <i>Journal of Urology</i> , 1999, 161, 1041-1042.	0.2	0
98	Running a Randomised Controlled Trial in a Service Setting: A Progress Report. <i>International Journal of Language and Communication Disorders</i> , 1998, 33, 31-36.	0.7	0
99	Reconciling different measures of risk in the treatment of hypertension: a community-based study. <i>Journal of Human Hypertension</i> , 1998, 12, 391-395.	1.0	0
100	Relationships between lower urinary tract symptoms and bladder outlet obstruction: Results from the ICS-â€œBPHâ€•Study. <i>Neurourology and Urodynamics</i> , 1998, 17, 99-108.	0.8	107
101	Socioâ€œeconomic and dietary influences on leg length and trunk length in childhood: a reanalysis of the Carnegie (Boyd Orr) survey of diet and health in prewar Britain (1937â€œ39). <i>Paediatric and Perinatal Epidemiology</i> , 1998, 12, 96-113.	0.8	138
102	Intervening to reduce anxiety for women with mild dyskaryosis: do we know what works and why?. <i>Journal of Advanced Nursing</i> , 1998, 28, 563-570.	1.5	24
103	The Significance of Terminal Dribbling in Men With Lower Urinary Tract Symptoms. <i>Journal of Urology</i> , 1998, 160, 959-959.	0.2	0
104	Childhood energy intake and adult mortality from cancer: the boyd orr cohort study. <i>BMJ: British Medical Journal</i> , 1998, 316, 499-504.	2.4	155
105	Can We Trust the Quality of Routine Hospital Outpatient Information in the UK?. <i>Journal of Health Services Research and Policy</i> , 1998, 3, 203-206.	0.8	1
106	Randomised controlled trial comparing effectiveness and acceptability of an early discharge, hospital at home scheme with acute hospital care. <i>BMJ: British Medical Journal</i> , 1998, 316, 1796-1801.	2.4	129
107	Hospital at home or acute hospital care? A cost minimisation analysis. <i>BMJ: British Medical Journal</i> , 1998, 316, 1802-1806.	2.4	119
108	The International Continence Society â€œBenign Prostatic Hyperplasiaâ€•Study: The Botheredness of Urinary Symptoms. <i>Journal of Urology</i> , 1997, 157, 885-889.	0.2	281

#	ARTICLE	IF	CITATIONS
109	Factors associated with term low birthweight in Cardiff, Wales. Paediatric and Perinatal Epidemiology, 1997, 11, 287-297.	0.8	51
110	Using the ICSQoL to measure the impact of lower urinary tract symptoms on quality of life: evidence from the ICS-'BPH' study. BJU International, 1997, 80, 712-721.	1.3	78
111	Determination of Prostatic Volume with Transrectal Ultrasound: A Study of Intra-Observer and Interobserver Variation. Journal of Urology, 1996, 155, 1299-1300.	0.2	44
112	Relation between parasuicide, suicide, psychiatric admissions, and socioeconomic deprivation. BMJ: British Medical Journal, 1995, 311, 226-230.	2.4	187
113	The epidemiology of childhood eczema: II. Statistical analyses to identify independent early predictors. Paediatric and Perinatal Epidemiology, 1987, 1, 80-94.	0.8	36
114	Prediction of sudden infant death syndrome: An independent evaluation of four scoring methods. Statistics in Medicine, 1986, 5, 113-126.	0.8	27
115	Does father's unemployment put the fetus at risk?. BJOG: an International Journal of Obstetrics and Gynaecology, 1986, 93, 704-710.	1.1	10
116	Does father's unemployment put the fetus at risk?. BJOG: an International Journal of Obstetrics and Gynaecology, 1986, 93, 704-710.	1.1	3
117	Public views of coronavirus science and scientists: findings from a cross-sectional survey. Wellcome Open Research, 0, 6, 166.	0.9	1
118	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. , 0, .		1
119	The Children and Young People Quality of Life Study: A protocol for the qualitative development of attributes for capability wellbeing measures for use in health economic evaluation with children and young people. Wellcome Open Research, 0, 7, 117.	0.9	3