Dennis E Dahms

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8561295/publications.pdf

Version: 2024-02-01

687363 940533 16 454 13 16 citations h-index g-index papers 16 16 16 474 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Revised Quaternary glacial succession and post-LGM recession, southern Wind River Range, Wyoming, USA. Quaternary Science Reviews, 2018, 192, 167-184.	3.0	19
2	Evolution of soil erosion rates in alpine soils of the Central Rocky Mountains using fallout Pu and Î'13C. Earth and Planetary Science Letters, 2018, 496, 257-269.	4.4	27
3	Late Pleistocene – Holocene surface processes and landscape evolution in the central Swiss Alps. Geomorphology, 2017, 295, 306-322.	2.6	15
4	Carbonate and elemental accumulation rates in arid soils of mid-to-late Pleistocene outwash terraces, southeastern Wind River Range, Wyoming, USA. Chemical Geology, 2016, 446, 147-162.	3.3	21
5	Pre-alpine mire sediments as a mirror of erosion, soil formation and landscape evolution during the last 45ka. Catena, 2015, 128, 63-79.	5.0	21
6	Soil formation rates on silicate parent material in alpine environments: Different approaches–different results?. Geoderma, 2014, 213, 320-333.	5.1	85
7	Surface reconstruction and derivation of erosion rates over several glaciations (1Ma) in an alpine setting (Sinks Canyon, Wyoming, USA). Geomorphology, 2014, 219, 232-247.	2.6	6
8	Calcite precipitation driven by the common ion effect during groundwater–surface-water mixing: A potentially common process in streams with geologic settings containing gypsum. Bulletin of the Geological Society of America, 2010, 122, 1027-1038.	3.3	28
9	Soils and Geomorphology of the Lower Little Cedar River Valley, Northeast Iowa. Physical Geography, 2005, 26, 52-68.	1.4	1
10	Relative and Numeric Age Data for Pleistocene Glacial Deposits and Diamictons in and near Sinks Canyon, Wind River Range, Wyoming, U.S.A. Arctic, Antarctic, and Alpine Research, 2004, 36, 59-77.	1.1	30
11	Glacial limits in the middle and southern Rocky mountains, U.S.A., south of the Yellowstone ice cap. Developments in Quaternary Sciences, 2004, 2, 275-288.	0.1	3
12	Glacial stratigraphy of Stough Creek Basin, Wind River Range, Wyoming. Geomorphology, 2002, 42, 59-83.	2.6	46
13	Late Pleistocene Glaciations in the Northwestern Sierra Nevada, California. Quaternary Research, 2002, 57, 409-419.	1.7	50
14	Soil catenas of calcareous tills, Whiskey Basin, Wyoming, USA. Catena, 2001, 42, 17-38.	5.0	19
15	Mid-Holocene Erosion of Soil Catenas on Moraines near the Type Pinedale Till, Wind River Range, Wyoming. Quaternary Research, 1994, 42, 41-48.	1.7	15
16	Mineralogical evidence for eolian contribution to soils of late quaternary moraines, Wind River Mountains, Wyoming, USA. Geoderma, 1993, 59, 175-196.	5.1	68