Claire Bamford

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8562912/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Introduction of a Management Toolkit for Lewy Body Dementia: A Pilot Clusterâ€Randomized Trial. Movement Disorders, 2021, 36, 143-151.	3.9	5
2	Improving the diagnosis and management of Lewy body dementia: the DIAMOND-Lewy research programme including pilot cluster RCT. Programme Grants for Applied Research, 2021, 9, 1-120.	1.0	8
3	Implementing post-diagnostic support for people living with dementia in England: a qualitative study of barriers and strategies used to address these in practice. Age and Ageing, 2021, 50, 2230-2237.	1.6	11
4	Outcomes valued by people living with dementia and their care partners: protocol for a qualitative systematic review and synthesis. BMJ Open, 2021, 11, e050909.	1.9	0
5	Key components of post-diagnostic support for people with dementia and their carers: A qualitative study. PLoS ONE, 2021, 16, e0260506.	2.5	27
6	Diagnosis of Alzheimer's disease before dementia: A study of UK psychiatrists. Alzheimer's and Dementia, 2021, 17, .	0.8	0
7	Outcomes valued by people living with dementia and their carers: A qualitative systematic review with a qualitative synthesis. Alzheimer's and Dementia, 2021, 17, e053795.	0.8	0
8	New evidence on the management of Lewy body dementia. Lancet Neurology, The, 2020, 19, 157-169.	10.2	167
9	The value of dementia care towards the end of life—A contingent valuation study. International Journal of Geriatric Psychiatry, 2020, 35, 489-497.	2.7	5
10	Task-shifted approaches to postdiagnostic dementia support: a qualitative study exploring professional views and experiences. BMJ Open, 2020, 10, e040348.	1.9	12
11	Supporting good quality, community-based end-of-life care for people living with dementia: the SEED research programme including feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-254.	1.0	4
12	Equipping staff with the skills to maximise recovery of people with dementia after an injurious fall. Aging and Mental Health, 2019, 23, 1524-1532.	2.8	9
13	Developing an Intervention for Fall-Related Injuries in Dementia (DIFRID): an integrated, mixed-methods approach. BMC Geriatrics, 2019, 19, 57.	2.7	6
14	Service organisation for people with dementia after an injurious fall: challenges and opportunities. Age and Ageing, 2019, 48, 454-458.	1.6	4
15	An intervention to improve outcomes of falls in dementia: the DIFRID mixed-methods feasibility study. Health Technology Assessment, 2019, 23, 1-208.	2.8	5
16	End-of-life care: A qualitative study comparing the views of people with dementia and family carers. Palliative Medicine, 2018, 32, 631-642.	3.1	73
17	Non-pharmacological interventions for Lewy body dementia: a systematic review. Psychological Medicine, 2018, 48, 1749-1758.	4.5	47
18	What enables good end of life care for people with dementia? A multi-method qualitative study with key stakeholders. BMC Geriatrics, 2018, 18, 302.	2.7	66

CLAIRE BAMFORD

#	Article	IF	CITATIONS
19	ls it feasible to deliver a complex intervention to improve the outcome of falls in people with dementia? A protocol for the DIFRID feasibility study. Pilot and Feasibility Studies, 2018, 4, 170.	1.2	5
20	Revision of assessment toolkits for improving the diagnosis of Lewy body dementia: The <scp>DIAMOND</scp> Lewy study. International Journal of Geriatric Psychiatry, 2018, 33, 1293-1304.	2.7	31
21	Development of assessment toolkits for improving the diagnosis of the Lewy body dementias: feasibility study within the DIAMOND Lewy study. International Journal of Geriatric Psychiatry, 2017, 32, 1280-1304.	2.7	39
22	[P2–312]: "WHAT DIFFERENCE DOES IT MAKE?―CLINICIAN VIEWS ON DIAGNOSING LEWY BODY DEMEN Alzheimer's and Dementia, 2017, 13, P737.	ПА. 0.8	0
23	End of life care for people with dementia: The views of health professionals, social care service managers and frontline staff on key requirements for good practice. PLoS ONE, 2017, 12, e0179355.	2.5	34
24	Cognitive–behavioural therapy-based intervention to reduce fear of falling in older people: therapy development and randomised controlled trial – the Strategies for Increasing Independence, Confidence and Energy (STRIDE) study. Health Technology Assessment, 2016, 20, 1-206.	2.8	65
25	Expert views on the factors enabling good end of life care for people with dementia: a qualitative study. BMC Palliative Care, 2015, 14, 32.	1.8	16
26	Understanding the challenges to implementing case management for people with dementia in primary care in England: a qualitative study using Normalization Process Theory. BMC Health Services Research, 2014, 14, 549.	2.2	38
27	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. Health Technology Assessment, 2014, 18, 1-148.	2.8	244
28	Planning for tomorrow whilst living for today: the views of people with dementia and their families on advance care planning. International Psychogeriatrics, 2013, 25, 2011-2021.	1.0	100
29	A qualitative study: Professionals' experiences of advance care planning in dementia and palliative care, â€~ <i>a good idea in theory but …</i> '. Palliative Medicine, 2013, 27, 401-408.	3.1	175
30	Implementing nutrition guidelines for older people in residential care homes: a qualitative study using Normalization Process Theory. Implementation Science, 2012, 7, 106.	6.9	54