Kylie Ball

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8566794/publications.pdf

Version: 2024-02-01

		8181	8	3167	
339	26,672	76		148	
papers	citations	h-index		g-index	
359	359	359		28195	
337	337	337		20173	
all docs	docs citations	times ranked		citing authors	

#	Article	IF	CITATIONS
1	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
2	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	13.7	3,269
3	Personal, Family, Social, and Environmental Correlates of Active Commuting to School. American Journal of Preventive Medicine, 2006, 30, 45-51.	3.0	630
4	Physical activity and likelihood of depression in adults: A review. Preventive Medicine, 2008, 46, 397-411.	3.4	519
5	Where do children usually play? A qualitative study of parents' perceptions of influences on children's active free-play. Health and Place, 2006, 12, 383-393.	3. 3	454
6	Socioeconomic status and weight change in adults: a review. Social Science and Medicine, 2005, 60, 1987-2010.	3.8	417
7	Perceived Environmental Aesthetics and Convenience and Company Are Associated with Walking for Exercise among Australian Adults. Preventive Medicine, 2001, 33, 434-440.	3.4	395
8	Sedentary Behavior and Depression Among Adults: A Review. International Journal of Behavioral Medicine, 2010, 17, 246-254.	1.7	381
9	Do features of public open spaces vary according to neighbourhood socio-economic status?. Health and Place, 2008, 14, 889-893.	3.3	256
10	Family food environment and dietary behaviors likely to promote fatness in 5–6 year-old children. International Journal of Obesity, 2006, 30, 1272-1280.	3.4	253
11	Socio-economic inequalities in women's fruit and vegetable intakes: a multilevel study of individual, social and environmental mediators. Public Health Nutrition, 2006, 9, 623-630.	2.2	248
12	An Index of Diet and Eating Patterns Is a Valid Measure of Diet Quality in an Australian Population1,. Journal of Nutrition, 2008, 138, 86-93.	2.9	244
13	Deleterious Associations of Sitting Time and Television Viewing Time With Cardiometabolic Risk Biomarkers. Diabetes Care, 2010, 33, 327-334.	8.6	243
14	Is healthy behavior contagious: associations of social norms with physical activity and healthy eating. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 86.	4.6	230
15	A Parent-Focused Intervention to Reduce Infant Obesity Risk Behaviors: A Randomized Trial. Pediatrics, 2013, 131, 652-660.	2.1	225
16	Psychological stress reactivity and future health and disease outcomes: A systematic review of prospective evidence. Psychoneuroendocrinology, 2020, 114, 104599.	2.7	225
17	Identifying the Energy Gap: Magnitude and Determinants of 5‥ear Weight Gain in Midage Women. Obesity, 2005, 13, 1431-1441.	4.0	209
18	Why do women of low socioeconomic status have poorer dietary behaviours than women of higher socioeconomic status? A qualitative exploration. Appetite, 2005, 45, 334-343.	3.7	208

#	Article	IF	CITATIONS
19	Obesity as a barrier to physical activity. Australian and New Zealand Journal of Public Health, 2000, 24, 331-333.	1.8	205
20	Understanding environmental influences on nutrition and physical activity behaviors: where should we look and what should we count?. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 33.	4.6	205
21	Mismatch between perceived and objective measures of physical activity environments. Preventive Medicine, 2008, 47, 294-298.	3.4	197
22	Dietary Patterns of Adolescents and Risk of Obesity and Hypertension1, ,3. Journal of Nutrition, 2008, 138, 364-370.	2.9	188
23	A Reverse Pathway? Actual and Perceived Skill Proficiency and Physical Activity. Medicine and Science in Sports and Exercise, 2011, 43, 898-904.	0.4	185
24	Who does not gain weight? Prevalence and predictors of weight maintenance in young women. International Journal of Obesity, 2002, 26, 1570-1578.	3.4	183
25	Personal, social and environmental determinants of educational inequalities in walking: a multilevel study. Journal of Epidemiology and Community Health, 2007, 61, 108-114.	3.7	181
26	The Infant Feeding Activity and Nutrition Trial (INFANT) an early intervention to prevent childhood obesity: Cluster-randomised controlled trial. BMC Public Health, 2008, 8, 103.	2.9	174
27	Children's perceptions of their home and neighborhood environments, and their association with objectively measured physical activity: a qualitative and quantitative study. Health Education Research, 2004, 20, 1-13.	1.9	171
28	Children's fruit and vegetable intake: Associations with the neighbourhood food environment. Preventive Medicine, 2008, 46, 331-335.	3.4	169
29	Children's active free play in local neighborhoods: a behavioral mapping study. Health Education Research, 2007, 23, 870-879.	1.9	168
30	Neighbourhood socioeconomic inequalities in food access and affordability. Health and Place, 2009, 15, 578-585.	3.3	155
31	Association between weight perception and psychological distress. International Journal of Obesity, 2008, 32, 715-721.	3.4	153
32	Outcomes of a group-randomized trial to prevent excess weight gain, reduce screen behaviours and promote physical activity in 10-year-old children: Switch-Play. International Journal of Obesity, 2008, 32, 601-612.	3.4	151
33	Parental use of restrictive feeding practices and child BMI z-score. A 3-year prospective cohort study. Appetite, 2010, 55, 84-88.	3.7	150
34	The impact of a tax on sugar-sweetened beverages according to socio-economic position: a systematic review of the evidence. Public Health Nutrition, 2016, 19, 3070-3084.	2.2	147
35	Park Improvements and Park Activity. American Journal of Preventive Medicine, 2012, 42, 616-619.	3.0	146
36	Evidence-based strategies to promote physical activity among children, adolescents and young adults: review and update. Journal of Science and Medicine in Sport, 2004, 7, 20-29.	1.3	143

#	Article	IF	Citations
37	Features of public open spaces and physical activity among children: Findings from the CLAN study. Preventive Medicine, 2008, 47, 514-518.	3.4	138
38	Perceived personal, social and environmental barriers to weight maintenance among young women: A community survey. International Journal of Behavioral Nutrition and Physical Activity, 2004, 1, 15.	4.6	137
39	Snacking behaviours of adolescents and their association with skipping meals. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 36.	4.6	136
40	A cluster-randomized controlled trial to reduce sedentary behavior and promote physical activity and health of 8-9 year olds: The Transform-Us! Study. BMC Public Health, 2011, 11, 759.	2.9	136
41	A Framework for Evaluating the Impact of Obesity Prevention Strategies on Socioeconomic Inequalities in Weight. American Journal of Public Health, 2014, 104, e43-e50.	2.7	136
42	The longitudinal influence of home and neighbourhood environments on children's body mass index and physical activity over 5 years: the CLAN study. International Journal of Obesity, 2010, 34, 1177-1187.	3.4	135
43	Which food-related behaviours are associated with healthier intakes of fruits and vegetables among women?. Public Health Nutrition, 2007, 10, 256-265.	2.2	133
44	Systematic review of lifestyle interventions to limit postpartum weight retention: implications for future opportunities to prevent maternal overweight and obesity following childbirth. Obesity Reviews, 2013, 14, 792-805.	6.5	133
45	Children's Perceptions of the Use of Public Open Spaces for Active Free-play. Children's Geographies, 2007, 5, 409-422.	2.3	132
46	How Can Socio-Economic Differences in Physical Activity Among Women Be Explained? A Qualitative Study. Women and Health, 2006, 43, 93-113.	1.0	129
47	Dietary patterns of Australian adults and their association with socioeconomic status: results from the 1995 National Nutrition Survey. European Journal of Clinical Nutrition, 2002, 56, 687-693.	2.9	128
48	Associations between psychological stress, eating, physical activity, sedentary behaviours and body weight among women: a longitudinal study. BMC Public Health, 2013, 13, 828.	2.9	122
49	Which aspects of socioeconomic status are related to obesity among men and women?. International Journal of Obesity, 2002, 26, 559-565.	3.4	119
50	Individual, social and physical environmental correlates of children's active free-play: a cross-sectional study. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 11.	4.6	119
51	Reducing sedentary behaviour and increasing physical activity among 10-year-old children: overview and process evaluation of the 'Switch-Play' intervention. Health Promotion International, 2005, 20, 7-17.	1.8	118
52	Environmental determinants of healthy eating: in need of theory and evidence. Proceedings of the Nutrition Society, 2008, 67, 307-316.	1.0	110
53	Individual, social and environmental correlates of physical activity among women living in socioeconomically disadvantaged neighbourhoods. Social Science and Medicine, 2010, 70, 2011-2018.	3.8	108
54	The impact of interventions to prevent obesity or improve obesity related behaviours in children (0–5) Tj ETQ Public Health, 2014, 14, 779.	q0 0 0 rgB 2.9	T /Overlock 10 108

Public Health, 2014, 14, 779.

#	Article	IF	Citations
55	Associations of diet quality with health-related quality of life in older Australian men and women. Experimental Gerontology, 2015, 64, 8-16.	2.8	107
56	Socioeconomic Position and the Tracking of Physical Activity and Cardiorespiratory Fitness From Childhood to Adulthood. American Journal of Epidemiology, 2009, 170, 1069-1077.	3.4	103
57	Early childhood physical activity, sedentary behaviors and psychosocial well-being: A systematic review. Preventive Medicine, 2014, 62, 182-192.	3.4	101
58	Associations of physical activity with body weight and fat in men and women. International Journal of Obesity, 2001, 25, 914-919.	3.4	100
59	Love thy neighbour? Associations of social capital and crime with physical activity amongst women. Social Science and Medicine, 2010, 71, 807-814.	3.8	97
60	Addressing the social determinants of inequities in physical activity and sedentary behaviours. Health Promotion International, 2015, 30, ii8-ii19.	1.8	97
61	Influence of price discounts and skill-building strategies on purchase and consumption of healthy food and beverages: outcomes of the Supermarket Healthy Eating for Life randomized controlled trial. American Journal of Clinical Nutrition, 2015, 101, 1055-1064.	4.7	93
62	Patterns and demographic predictors of 5-year weight change in a multi-ethnic cohort of men and women in Australia. Public Health Nutrition, 2003, 6, 269-280.	2.2	92
63	Dietary Quality Is Associated with Diabetes and Cardio-Metabolic Risk Factors. Journal of Nutrition, 2009, 139, 734-742.	2.9	92
64	A mobile health intervention promoting healthy gestational weight gain for women entering pregnancy at a high body mass index: the txt4two pilot randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1718-1728.	2.3	90
65	A low intensity, community based lifestyle programme to prevent weight gain in women with young children: cluster randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c3215-c3215.	2.3	89
66	Weight status and perception barriers to healthy physical activity and diet behavior. International Journal of Obesity, 2008, 32, 343-352.	3.4	87
67	Associations between fruit and vegetable intake, leisure-time physical activity, sitting time and self-rated health among older adults: cross-sectional data from the WELL study. BMC Public Health, 2012, 12, 551.	2.9	87
68	Physical activity, sedentary behavior and depression among disadvantaged women. Health Education Research, 2010, 25, 632-644.	1.9	86
69	Neighbourhood fast food outlets and obesity in children and adults: the CLAN Study. Pediatric Obesity, 2008, 3, 249-256.	3.2	84
70	Clustering of Obesity-Related Risk Behaviors in Children and Their Mothers. Annals of Epidemiology, 2011, 21, 95-102.	1.9	83
71	Predictors of changes in adolescents' consumption of fruits, vegetables and energy-dense snacks. British Journal of Nutrition, 2011, 105, 795-803.	2.3	83
72	Social factors and obesity: an investigation of the role of health behaviours. International Journal of Obesity, 2003, 27, 394-403.	3.4	82

#	Article	IF	Citations
73	Is availability of public open space equitable across areas?. Health and Place, 2007, 13, 335-340.	3.3	82
74	Neighbourhood-socioeconomic variation in women's diet: the role of nutrition environments. European Journal of Clinical Nutrition, 2010, 64, 1423-1432.	2.9	82
75	Wearable Activity Tracker Use Among Australian Adolescents: Usability and Acceptability Study. JMIR MHealth and UHealth, 2018, 6, e86.	3.7	82
76	Associations between physical activity and depressive symptoms in women. International Journal of Behavioral Nutrition and Physical Activity, 2008, 5, 27.	4.6	81
77	How well do Australian women comply with dietary guidelines?. Public Health Nutrition, 2004, 7, 443-452.	2.2	80
78	Examination of mid-intervention mediating effects on objectively assessed sedentary time among children in the Transform-Us! cluster-randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 62.	4.6	80
79	Views of Women and Health Professionals on mHealth Lifestyle Interventions in Pregnancy: A Qualitative Investigation. JMIR MHealth and UHealth, 2015, 3, e99.	3.7	79
80	Longitudinal Relationships Among Overweight, Life Satisfaction, and Aspirations in Young Women. Obesity, 2004, 12, 1019-1030.	4.0	78
81	Effect of a price discount and consumer education strategy on food and beverage purchases in remote Indigenous Australia: a stepped-wedge randomised controlled trial. Lancet Public Health, The, 2017, 2, e82-e95.	10.0	77
82	An investigation of psychological, social and environmental correlates of obesity and weight gain in young women. International Journal of Obesity, 2006, 30, 1240-1249.	3.4	75
83	Understanding determinants of nutrition, physical activity and quality of life among older adults: the Wellbeing, Eating and Exercise for a Long Life (WELL) study. Health and Quality of Life Outcomes, 2012, 10, 109.	2.4	73
84	Can social cognitive theory constructs explain socio-economic variations in adolescent eating behaviours? A mediation analysis. Health Education Research, 2009, 24, 496-506.	1.9	71
85	Physical Activity, Sedentary Behavior, and Depressive Symptoms Among Adolescents. Journal of Physical Activity and Health, 2011, 8, 152-156.	2.0	69
86	Do Health Claims and Front-of-Pack Labels Lead to a Positivity Bias in Unhealthy Foods?. Nutrients, 2016, 8, 787.	4.1	69
87	Why do some socioeconomically disadvantaged women eat better than others? An investigation of the personal, social and environmental correlates of fruit and vegetable consumption. Appetite, 2010, 55, 441-446.	3.7	68
88	Food intake patterns among Australian adolescents. Asia Pacific Journal of Clinical Nutrition, 2007, 16, 738-47.	0.4	68
89	Socioeconomic Inequities in Diet Quality and Nutrient Intakes among Australian Adults: Findings from a Nationally Representative Cross-Sectional Study. Nutrients, 2017, 9, 1092.	4.1	67
90	Family physical activity and sedentary environments and weight change in children. Pediatric Obesity, 2008, 3, 160-167.	3.2	66

#	Article	IF	Citations
91	Consumers' responses to front-of-pack labels that vary by interpretive content. Appetite, 2016, 101, 205-213.	3.7	66
92	Development and reliability of a self-report questionnaire to examine children's perceptions of the physical activity environment at home and in the neighbourhood. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 16.	4.6	65
93	The impact of interpretive and reductive front-of-pack labels on food choice and willingness to pay. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 171.	4.6	64
94	Income differences in food consumption in the 1995 Australian National Nutrition Survey. European Journal of Clinical Nutrition, 2003, 57, 1198-1211.	2.9	63
95	Whose socioeconomic status influences a woman's obesity risk: her mother's, her father's, or her own?. International Journal of Epidemiology, 2006, 35, 131-138.	1.9	62
96	A Prospective Study of Overweight, Physical Activity, and Depressive Symptoms in Young Women. Obesity, 2009, 17, 66-71.	3.0	59
97	Home food availability mediates associations between mothers' nutrition knowledge and child diet. Appetite, 2013, 71, 1-6.	3.7	59
98	Neighbourhood socioeconomic disadvantage and fruit and vegetable consumption: a seven countries comparison. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 68.	4.6	58
99	Traversing myths and mountains: addressing socioeconomic inequities in the promotion of nutrition and physical activity behaviours. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 142.	4.6	57
100	Can policy ameliorate socioeconomic inequities in obesity and obesityâ€related behaviours? A systematic review of the impact of universal policies on adults and children. Obesity Reviews, 2016, 17, 1198-1217.	6.5	57
101	What predicts children's active transport and independent mobility in disadvantaged neighborhoods?. Health and Place, 2017, 44, 103-109.	3.3	57
102	Adolescent home food environments and socioeconomic position. Asia Pacific Journal of Clinical Nutrition, 2007, 16, 748-56.	0.4	57
103	Psychological stress, coping, and symptoms of disordered eating in a community sample of young Australian women. International Journal of Eating Disorders, 2002, 31, 71-81.	4.0	55
104	Socioeconomic Position and Children's Physical Activity and Sedentary Behaviors: Longitudinal Findings From the CLAN Study. Journal of Physical Activity and Health, 2009, 6, 289-298.	2.0	55
105	Hair cortisol levels, perceived stress and body mass index in women and children living in socioeconomically disadvantaged neighborhoods: the READI study. Stress, 2016, 19, 158-167.	1.8	55
106	Fast food restaurant locations according to socioeconomic disadvantage, urban–regional locality, and schools within Victoria, Australia. SSM - Population Health, 2016, 2, 1-9.	2.7	55
107	The types and aspects of front-of-pack food labelling schemes preferred by adults and children. Appetite, 2017, 109, 115-123.	3.7	55
108	Describing socioeconomic gradients in children's diets – does the socioeconomic indicator used matter?. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 44.	4.6	54

#	Article	IF	Citations
109	Is proximity to a food retail store associated with diet and BMI in Glasgow, Scotland?. BMC Public Health, 2011, 11, 464.	2.9	52
110	Mediators of the Relationship Between Maternal Education and Children's TV Viewing. American Journal of Preventive Medicine, 2007, 33, 41-47.	3.0	51
111	The combined effect of front-of-pack nutrition labels and health claims on consumers' evaluation of food products. Food Quality and Preference, 2016, 53, 57-65.	4.6	51
112	Resilience to obesity among socioeconomically disadvantaged women: the READI study. International Journal of Obesity, 2012, 36, 855-865.	3.4	50
113	Designing parks for older adults: A qualitative study using walk-along interviews. Urban Forestry and Urban Greening, 2020, 54, 126768.	5.3	50
114	Parental Perspectives of a Wearable Activity Tracker for Children Younger Than 13 Years: Acceptability and Usability Study. JMIR MHealth and UHealth, 2019, 7, e13858.	3.7	50
115	Body weight, body image, and eating behaviours. Eating Behaviors, 2002, 3, 205-216.	2.0	49
116	Where do people purchase food? A novel approach to investigating food purchasing locations. International Journal of Health Geographics, 2017, 16, 9.	2.5	49
117	Effectiveness of interventions to promote physical activity among socioeconomically disadvantaged women: a systematic review and metaâ€analysis. Obesity Reviews, 2013, 14, 197-212.	6.5	48
118	Predicting healthy lifestyle patterns among retirement age older adults in the WELL study: A latent class analysis of sex differences. Maturitas, 2014, 77, 41-46.	2.4	48
119	Physical activity in hypertrophic cardiomyopathy: prevalence of inactivity and perceived barriers. Open Heart, 2016, 3, e000484.	2.3	48
120	Maternal dietary intake and physical activity habits during the postpartum period: associations with clinician advice in a sample of Australian first time mothers. BMC Pregnancy and Childbirth, 2016, 16, 27.	2.4	48
121	Do socioeconomic gradients in women's health widen over time and with age?. Social Science and Medicine, 2004, 58, 1585-1595.	3.8	47
122	Associations of Children's Perceived Neighborhood Environments with Walking and Physical Activity. American Journal of Health Promotion, 2007, 21, 201-207.	1.7	47
123	The impact of menu energy labelling across socioeconomic groups: A systematic review. Appetite, 2016, 99, 59-75.	3.7	47
124	The relationship between education and food consumption in the 1995 Australian National Nutrition Survey. Public Health Nutrition, 2004, 7, 649-663.	2.2	46
125	Children's takeaway and fast-food intakes: associations with the neighbourhood food environment. Public Health Nutrition, 2009, 12, 1960-1964.	2.2	46
126	Is the objective food environment associated with perceptions of the food environment?. Public Health Nutrition, 2012, 15, 291-298.	2.2	46

#	Article	IF	CITATIONS
127	Does modifying the household food budget predict changes in the healthfulness of purchasing choices among low- and high-income women?. Appetite, 2009, 52, 273-279.	3.7	45
128	Cohort Profile: The Resilience for Eating and Activity Despite Inequality (READI) study. International Journal of Epidemiology, 2013, 42, 1629-1639.	1.9	45
129	Environmental perceptions as mediators of the relationship between the objective built environment and walking among socio-economically disadvantaged women. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 108.	4.6	43
130	The Melbourne Infant Feeding, Activity and Nutrition Trial (InFANT) Program follow-up. Contemporary Clinical Trials, 2013, 34, 145-151.	1.8	43
131	The extended Infant Feeding, Activity and Nutrition Trial (InFANT Extend) Program: a cluster-randomized controlled trial of an early intervention to prevent childhood obesity. BMC Public Health, 2016, 16, 166.	2.9	43
132	Urban–rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. Medical Journal of Australia, 2010, 192, 137-140.	1.7	42
133	Do features of public open spaces vary between urban and rural areas?. Preventive Medicine, 2013, 56, 107-111.	3.4	42
134	Methods for accounting for neighbourhood self-selection in physical activity and dietary behaviour research: a systematic review. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 45.	4.6	42
135	Socio-demographic inequalities in the diets of mid-aged Australian women. European Journal of Clinical Nutrition, 2005, 59, 185-195.	2.9	41
136	Neighbourhood physical activity environments and adiposity in children and mothers: a three-year longitudinal study. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 18.	4.6	41
137	Variation in outcomes of the Melbourne Infant, Feeding, Activity and Nutrition Trial (InFANT) Program according to maternal education and age. Preventive Medicine, 2014, 58, 58-63.	3.4	41
138	Can targeted policies reduce obesity and improve obesityâ€related behaviours in socioeconomically disadvantaged populations? A systematic review. Obesity Reviews, 2017, 18, 791-807.	6.5	41
139	Are associations between the perceived home and neighbourhood environment and children′s physical activity and sedentary behaviour moderated by urban/rural location?. Health and Place, 2013, 24, 44-53.	3.3	40
140	Adolescent television viewing and unhealthy snack food consumption: the mediating role of home availability of unhealthy snack foods. Public Health Nutrition, 2014, 17, 317-323.	2.2	40
141	Gestational weight gain information: seeking and sources among pregnant women. BMC Pregnancy and Childbirth, 2015, 15, 164.	2.4	40
142	Technology-Supported Self-Guided Nutrition and Physical Activity Interventions for Adults With Cancer: Systematic Review. JMIR MHealth and UHealth, 2019, 7, e12281.	3.7	40
143	The association between physical activity and depressive symptoms in young women: A review. Mental Health and Physical Activity, 2008, 1, 82-88.	1.8	39
144	Mediators of longitudinal associations between television viewing and eating behaviours in adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 23.	4.6	39

#	Article	IF	Citations
145	Employment status, residential and workplace food environments: Associations with women's eating behaviours. Health and Place, 2013, 24, 80-89.	3.3	39
146	Cluster randomized controlled trial of a consumer behavior intervention to improve healthy food purchases from online canteens. American Journal of Clinical Nutrition, 2017, 106, 1311-1320.	4.7	39
147	What entices older adults to parks? Identification of park features that encourage park visitation, physical activity, and social interaction. Landscape and Urban Planning, 2022, 217, 104254.	7.5	39
148	Repetition of deliberate selfâ€poisoning in an Australian hospitalâ€treated population. Medical Journal of Australia, 1999, 170, 307-311.	1.7	38
149	How feasible are healthy eating and physical activity for young women?. Public Health Nutrition, 2004, 7, 433-441.	2.2	38
150	Weight, physical activity and dietary behavior change in young mothers: short term results of the HeLP-her cluster randomized controlled trial. Nutrition Journal, 2009, 8, 17.	3.4	38
151	The relative ability of different front-of-pack labels to assist consumers discriminate between healthy, moderately healthy, and unhealthy foods. Food Quality and Preference, 2017, 59, 109-113.	4.6	38
152	mHealth Interventions for Exercise and Risk Factor Modification in Cardiovascular Disease. Exercise and Sport Sciences Reviews, 2019, 47, 86-90.	3.0	37
153	Behavioural determinants of the obesity epidemic. Asia Pacific Journal of Clinical Nutrition, 2002, 11, S718-S721.	0.4	36
154	Major dietary patterns of young and middle aged women: results from a prospective Australian cohort study. European Journal of Clinical Nutrition, 2010, 64, 1125-1133.	2.9	36
155	Personal, social and environmental correlates of resilience to physical inactivity among women from socio-economically disadvantaged backgrounds. Health Education Research, 2010, 25, 268-281.	1.9	36
156	Testing the feasibility of a mobile technology intervention promoting healthy gestational weight gain in pregnant women (txt4two) - study protocol for a randomised controlled trial. Trials, 2015, 16, 209.	1.6	36
157	Preventing obesity in infants: the Growing healthy feasibility trial protocol. BMJ Open, 2015, 5, e009258.	1.9	36
158	Too hot to trot? exploring potential links between climate change, physical activity and health. Journal of Science and Medicine in Sport, 2003, 6, 260-265.	1.3	35
159	Is maternal nutrition knowledge more strongly associated with the diets of mothers or their school-aged children?. Public Health Nutrition, 2012, 15, 1396-1401.	2.2	35
160	Sociodemographic factors associated with healthy eating and food security in socio-economically disadvantaged groups in the UK and Victoria, Australia. Public Health Nutrition, 2014, 17, 20-30.	2.2	35
161	The Role of a Food Literacy Intervention in Promoting Food Security and Food Literacy—OzHarvest's NEST Program. Nutrients, 2020, 12, 2197.	4.1	35
162	Associations between availability of facilities within three different neighbourhood buffer sizes and objectively assessed physical activity in adolescents. Health and Place, 2011, 17, 1228-1234.	3.3	34

#	Article	IF	Citations
163	Stores Healthy Options Project in Remote Indigenous Communities (SHOP@RIC): a protocol of a randomised trial promoting healthy food and beverage purchases through price discounts and in-store nutrition education. BMC Public Health, 2013, 13, 744.	2.9	34
164	Health, Behavioral, Cognitive, and Social Correlates of Breakfast Skipping among Women Living in Socioeconomically Disadvantaged Neighborhoods. Journal of Nutrition, 2013, 143, 1774-1784.	2.9	34
165	Can an incentive-based intervention increase physical activity and reduce sitting among adults? the ACHIEVE (Active Choices IncEntiVE) feasibility study. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 35.	4.6	34
166	A cluster-randomised controlled trial to promote physical activity in adolescents: the Raising Awareness of Physical Activity (RAW-PA) Study. BMC Public Health, 2017, 17, 6.	2.9	34
167	Diet quality and telomere length in older Australian men and women. European Journal of Nutrition, 2018, 57, 363-372.	3.9	34
168	Toward a Digital Platform for the Self-Management of Noncommunicable Disease: Systematic Review of Platform-Like Interventions. Journal of Medical Internet Research, 2020, 22, e16774.	4.3	34
169	Operationalising the 20-minute neighbourhood. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, 15.	4.6	33
170	Supermarket Healthy Eating for Life (SHELf): protocol of a randomised controlled trial promoting healthy food and beverage consumption through price reduction and skill-building strategies. BMC Public Health, 2011, 11, 715.	2.9	32
171	Cardiovascular Disease Self-Management: Pilot Testing of an mHealth Healthy Eating Program. Journal of Personalized Medicine, 2014, 4, 88-101.	2.5	32
172	In Search of Consistent Predictors of Children's Physical Activity. International Journal of Environmental Research and Public Health, 2017, 14, 1258.	2.6	32
173	Home and neighbourhood correlates of BMI among children living in socioeconomically disadvantaged neighbourhoods. British Journal of Nutrition, 2012, 107, 1028-1036.	2.3	30
174	Correlates of socio-economic inequalities in women's television viewing: a study of intrapersonal, social and environmental mediators. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 3.	4.6	30
175	Associations Between the Perceived Environment and Physical Activity Among Adults Aged 55–65 Years: Does Urban-Rural Area of Residence Matter?. Journal of Aging and Physical Activity, 2015, 23, 55-63.	1.0	30
176	The validity and reliability of an instrument to assess children's outdoor play in various locations. Journal of Science and Medicine in Sport, 2009, 12, 579-582.	1.3	29
177	Effectiveness of interventions to promote physical activity and/or decrease sedentary behaviour among rural adults: a systematic review and metaâ€analysis. Obesity Reviews, 2017, 18, 727-741.	6.5	29
178	Is the link between movement and mental health a two-way street? Prospective associations between physical activity, sedentary behaviour and depressive symptoms among women living in socioeconomically disadvantaged neighbourhoods. Preventive Medicine, 2017, 102, 72-78.	3.4	29
179	Diet quality and cognitive function in mid-aged and older men and women. BMC Geriatrics, 2019, 19, 361.	2.7	29
180	Sociodemographic and behavioural correlates of weight status among women with children living in socioeconomically disadvantaged neighbourhoods. International Journal of Obesity, 2009, 33, 1289-1298.	3.4	28

#	Article	IF	Citations
181	Who is eating where? Findings from the SocioEconomic Status and Activity in Women (SESAW) study. Public Health Nutrition, 2011, 14, 523-531.	2.2	28
182	Parental influences on adolescent fruit consumption: the role of adolescent self-efficacy. Health Education Research, 2012, 27, 14-23.	1.9	28
183	Effects of parent and child behaviours on overweight and obesity in infants and young children from disadvantaged backgrounds: systematic review with narrative synthesis. BMC Public Health, 2016, 16, 151.	2.9	28
184	Typologies of neighbourhood environments and children's physical activity, sedentary time and television viewing. Health and Place, 2017, 43, 121-127.	3.3	28
185	What helps children eat well? A qualitative exploration of resilience among disadvantaged families. Health Education Research, 2011, 26, 296-307.	1.9	27
186	Correlates of dietary resilience among socioeconomically disadvantaged adolescents. European Journal of Clinical Nutrition, 2011, 65, 1219-1232.	2.9	27
187	Neighborhood characteristics and TV viewing in youth: Nothing to do but watch TV?. Journal of Science and Medicine in Sport, 2012, 15, 122-128.	1.3	27
188	Feasibility, acceptability and potential effectiveness of a mobile health (mHealth) weight management programme for New Zealand adults. BMC Obesity, 2014, 1, 10.	3.1	27
189	Australian consumers' views towards an environmentally sustainable eating pattern. Public Health Nutrition, 2018, 21, 2714-2722.	2.2	27
190	Mums on the Move: A pilot randomised controlled trial of a home-based physical activity intervention for mothers at risk of postnatal depression. Midwifery, 2021, 93, 102898.	2.3	27
191	Physical activity correlates in young women with depressive symptoms: a qualitative study. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 3.	4.6	26
192	Do the Individual, Social, and Environmental Correlates of Physical Activity Differ Between Urban and Rural Women?. Environment and Behavior, 2012, 44, 350-373.	4.7	26
193	What helps children to be more active and less sedentary? Perceptions of mothers living in disadvantaged neighbourhoods. Child: Care, Health and Development, 2013, 39, 94-102.	1.7	26
194	Is park visitation associated with leisure-time and transportation physical activity?. Preventive Medicine, 2013, 57, 732-734.	3.4	26
195	Environmental barriers and enablers to physical activity participation among rural adults: a qualitative study. Health Promotion Journal of Australia, 2015, 26, 99-104.	1.2	26
196	ShopSmart 4 Health: results of a randomized controlled trial of a behavioral intervention promoting fruit and vegetable consumption among socioeconomically disadvantaged women. American Journal of Clinical Nutrition, 2016, 104, 436-445.	4.7	26
197	Exploring Children's Views on Important Park Features: A Qualitative Study Using Walk-Along Interviews. International Journal of Environmental Research and Public Health, 2020, 17, 4625.	2.6	26
198	A Qualitative Study of Environmental Factors Important for Physical Activity in Rural Adults. PLoS ONE, 2015, 10, e0140659.	2.5	26

#	Article	IF	Citations
199	People, places … and other people?. Journal of Science and Medicine in Sport, 2006, 9, 367-370.	1.3	25
200	Individual, social and home environment determinants of change in children's television viewing: The Switch-Play intervention. Journal of Science and Medicine in Sport, 2006, 9, 378-387.	1.3	25
201	Prospective associations between sedentary behaviour and risk of depression in socio-economically disadvantaged women. Preventive Medicine, 2014, 65, 82-86.	3.4	25
202	Social determinants of health in the setting of hypertrophic cardiomyopathy. International Journal of Cardiology, 2015, 184, 743-749.	1.7	25
203	The role of social media in preventing and managing non-communicable diseases in low-and-middle income countries: Hope or hype?. Health Policy and Technology, 2019, 8, 96-101.	2.5	25
204	Usefulness of Wearable Cameras as a Tool to Enhance Chronic Disease Self-Management: Scoping Review. JMIR MHealth and UHealth, 2019, 7, e10371.	3.7	25
205	Influence of Peers on Breastfeeding Discontinuation Among New Parents: The Melbourne InFANT Program. Pediatrics, 2010, 126, e601-e607.	2.1	24
206	Perceived quality and availability of fruit and vegetables are associated with perceptions of fruit and vegetable affordability among socio-economically disadvantaged women. Public Health Nutrition, 2012, 15, 1262-1267.	2.2	24
207	Are independent mobility and territorial range associated with park visitation among youth?. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 73.	4.6	24
208	Motivation and Barriers for Leisure-Time Physical Activity in Socioeconomically Disadvantaged Women. PLoS ONE, 2016, 11, e0147735.	2.5	24
209	Mediators and moderators of nutrition intervention effects in remote Indigenous Australia. British Journal of Nutrition, 2018, 119, 1424-1433.	2.3	24
210	Nutrition promotion approaches preferred by Australian adolescents attending schools in disadvantaged neighbourhoods: a qualitative study. BMC Pediatrics, 2015, 15, 61.	1.7	23
211	Body image importance and body dissatisfaction among Indigenous Australian adolescents. Body Image, 2004, 1, 289-297.	4.3	22
212	Personal, social and environmental correlates of healthy weight status amongst mothers from socioeconomically disadvantaged neighborhoods: findings from the READI study. International Journal of Behavioral Nutrition and Physical Activity, 2010, 7, 23.	4.6	22
213	Does food planning mediate the association between living arrangements and fruit and vegetable consumption among women aged 40 years and older?. Appetite, 2010, 54, 533-537.	3.7	22
214	Three-year change in diet quality and associated changes in BMI among schoolchildren living in socio-economically disadvantaged neighbourhoods. British Journal of Nutrition, 2014, 112, 260-268.	2.3	22
215	Do food and physical activity environments vary between disadvantaged urban and rural areas? Findings from the READI Study. Health Promotion Journal of Australia, 2012, 23, 153-156.	1.2	21
216	Is neighbourhood obesogenicity associated with body mass index in women? Application of an obesogenicity index in socioeconomically disadvantaged neighbourhoods. Health and Place, 2014, 30, 20-27.	3.3	21

#	Article	IF	Citations
217	How to get a nation walking: reach, retention, participant characteristics and program implications of Heart Foundation Walking, a nationwide Australian community-based walking program. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 161.	4.6	21
218	Examination of how food environment and psychological factors interact in their relationship with dietary behaviours: test of a cross-sectional model. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 12.	4.6	21
219	Socio-economic factors in obesity: a case of slim chance in a fat world?. Asia Pacific Journal of Clinical Nutrition, 2006, 15 Suppl, 15-20.	0.4	21
220	Title is missing!. Social Indicators Research, 2001, 56, 73-89.	2.7	20
221	Maternal and best friends' influences on meal-skipping behaviours. British Journal of Nutrition, 2012, 108, 932-938.	2.3	20
222	A process evaluation of the Supermarket Healthy Eating for Life (SHELf) randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 27.	4.6	20
223	Socioeconomic position and physical activity among women in Melbourne, Australia: Does the use of different socioeconomic indicators matter?. Social Science and Medicine, 2012, 74, 1578-1583.	3.8	19
224	Correlates of pregnant women's gestational weight gain knowledge. Midwifery, 2017, 49, 32-39.	2.3	19
225	Sociocultural Influences on Body Image Concerns and Body Change Strategies Among Indigenous and Non-Indigenous Australian Adolescent Girls and Boys. Sex Roles, 2004, 51, 731-741.	2.4	18
226	Perceived influences on and strategies to reduce sedentary behavior in disadvantaged women experiencing depressive symptoms: A qualitative study. Mental Health and Physical Activity, 2011, 4, 95-102.	1.8	18
227	Street connectivity and obesity in Glasgow, Scotland: Impact of age, sex and socioeconomic position. Health and Place, 2012, 18, 1307-1313.	3.3	18
228	The feasibility and appeal of mobile â€~apps' for supporting healthy food purchasing and consumption among socioeconomically disadvantaged women: a pilot study. Health Promotion Journal of Australia, 2014, 25, 79-82.	1.2	18
229	Which aspects of socio-economic status are related to health in mid-aged and older women?. International Journal of Behavioral Medicine, 2002, 9, 263-285.	1.7	17
230	A mHealth Support Program for Australian Young Adults with Type 1 Diabetes: A Mixed Methods Study. Digital Health, 2019, 5, 205520761988217.	1.8	17
231	Disordered eating, weight dissatisfaction and dieting in relation to unwanted childhood sexual experiences in a community sample. Journal of Psychosomatic Research, 1998, 44, 327-337.	2.6	16
232	Beliefs about the causes of weight change in the Australian population. International Journal of Obesity, 2001, 25, 1512-1516.	3.4	16
233	Economic evaluation of price discounts and skill-building strategies on purchase and consumption of healthy food and beverages: The SHELf randomized controlled trial. Social Science and Medicine, 2016, 159, 83-91.	3.8	16
234	Are dietary inequalities among Australian adults changing? a nationally representative analysis of dietary change according to socioeconomic position between 1995 and 2011–13. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 30.	4.6	16

#	Article	IF	CITATIONS
235	Translatability of a Wearable Technology Intervention to Increase Adolescent Physical Activity: Mixed Methods Implementation Evaluation. Journal of Medical Internet Research, 2020, 22, e13573.	4.3	16
236	Explaining educational disparities in adiposity: The role of neighborhood environments. Obesity, 2014, 22, 2413-2419.	3.0	15
237	Statistical Approaches Used to Assess the Equity of Access to Food Outlets: A Systematic Review. AIMS Public Health, 2015, 2, 358-401.	2.6	15
238	Challenges of Exercise Recommendations and Sports Participation in Genetic Heart Disease Patients. Circulation: Cardiovascular Genetics, 2015, 8, 178-186.	5.1	15
239	Smartphone Cardiac Rehabilitation, Assisted Self-Management Versus Usual Care: Protocol for a Multicenter Randomized Controlled Trial to Compare Effects and Costs Among People With Coronary Heart Disease. JMIR Research Protocols, 2020, 9, e15022.	1.0	15
240	Meal kits in the family setting: Impacts on family dynamics, nutrition, social and mental health. Appetite, 2022, 169, 105816.	3.7	15
241	Effects of a holistic health program on women's physical activity and mental and spiritual health. Journal of Science and Medicine in Sport, 2006, 9, 395-401.	1.3	14
242	Women's work. Maintaining a healthy body weight. Appetite, 2009, 53, 9-15.	3.7	14
243	Associations between major chain fast-food outlet availability and change in body mass index: a longitudinal observational study of women from Victoria, Australia. BMJ Open, 2017, 7, e016594.	1.9	14
244	Patterning of neighbourhood food outlets and longitudinal associations with children's eating behaviours. Preventive Medicine, 2018, 111, 248-253.	3.4	14
245	A qualitative study of the drivers of socioeconomic inequalities in men's eating behaviours. BMC Public Health, 2018, 18, 1257.	2.9	14
246	Children's ratings of park features that encourage park visitation, physical activity and social interaction. Urban Forestry and Urban Greening, 2021, 58, 126963.	5.3	14
247	Altering product placement to create a healthier layout in supermarkets: Outcomes on store sales, customer purchasing, and diet in a prospective matched controlled cluster study. PLoS Medicine, 2021, 18, e1003729.	8.4	14
248	Piloting the feasibility and effectiveness of print- and telephone-mediated interventions for promoting the adoption of physical activity in Australian adults. Journal of Science and Medicine in Sport, 2005, 8, 134-142.	1.3	13
249	Promoting Physical Activity and Reducing Sedentary Behavior in Disadvantaged Neighborhoods: A Qualitative Study of What Women Want. PLoS ONE, 2012, 7, e49583.	2.5	13
250	Obesity prevention programs and policies: Practitioner and policyâ€maker perceptions of feasibility and effectiveness. Obesity, 2013, 21, E448-55.	3.0	13
251	Longitudinal predictors of frequent vegetable and fruit consumption among socio-economically disadvantaged Australian adolescents. Appetite, 2014, 78, 165-171.	3.7	13
252	Improving perceptions of healthy food affordability: results from a pilot intervention. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 33.	4.6	13

#	Article	IF	Citations
253	Trends in body mass index according to educational attainment for urban Australian adults between 1980 and 2007. International Journal of Obesity, 2015, 39, 1019-1026.	3.4	13
254	Cluster randomised controlled trial of a consumer behaviour intervention to improve healthy food purchases from online canteens: study protocol. BMJ Open, 2017, 7, e014569.	1.9	13
255	Maternal Postpartum Diet and Postpartum Depression: A Systematic Review. Maternal and Child Health Journal, 2020, 24, 966-978.	1.5	13
256	Characteristics associated with willingness to walk further than necessary to the bus stop: Insights for public transport-related physical activity. Journal of Transport and Health, 2021, 22, 101139.	2.2	13
257	ShopSmart 4 Health – Protocol of a skills-based randomised controlled trial promoting fruit and vegetable consumption among socioeconomically disadvantaged women. BMC Public Health, 2013, 13, 466.	2.9	12
258	Children's perceptions of the factors helping them to be 'resilient' to sedentary lifestyles. Health Education Research, 2013, 28, 692-703.	1.9	12
259	Adoption and maintenance of gym-based strength training in the community setting in adults with excess weight or type 2 diabetes: a randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 105.	4.6	12
260	Prospective associations between diet quality and body mass index in disadvantaged women: the Resilience for Eating and Activity Despite Inequality (READI) study. International Journal of Epidemiology, 2017, 46, 1433-1443.	1.9	12
261	Socially awkward: how can we better promote walking as a social behaviour?. British Journal of Sports Medicine, 2018, 52, 757-758.	6.7	12
262	A Control Theory-Based Pilot Intervention toIncrease Physical Activity in Patients WithHypertrophic Cardiomyopathy. American Journal of Cardiology, 2018, 122, 866-871.	1.6	12
263	Adherence to the Australian dietary guidelines and development of depressive symptoms at 5 years follow-up amongst women in the READI cohort study. Nutrition Journal, 2020, 19, 30.	3.4	12
264	Food and health promotion literacy among employees with a low and medium level of education in the Netherlands. BMC Public Health, 2021, 21, 1273.	2.9	12
265	The role of socio-cultural factors in the obesity epidemic. , 2010, , 105-118.		12
266	Characteristics of physically active and inactive men from low socioeconomic communities and housing estates: a qualitative study using the socioecological model. Annals of Leisure Research, 2011, 14, 1-21.	1.7	11
267	Socio-demographic characteristics of children experiencing socioeconomic disadvantage who meet physical activity and screen-time recommendations: The READI study. Preventive Medicine, 2012, 54, 61-64.	3.4	11
268	Associations between neighbourhood and household environmental variables and fruit consumption: exploration of mediation by individual cognitions and habit strength in the GLOBE study. Public Health Nutrition, 2013, 16, 505-514.	2.2	11
269	Associations between perceived friends' support of healthy eating and meal skipping in adolescence. Public Health Nutrition, 2017, 20, 3266-3274.	2.2	11
270	Can front-of-pack labels influence portion size judgements for unhealthy foods?. Public Health Nutrition, 2018, 21, 2776-2781.	2.2	11

#	Article	IF	Citations
271	Effect of commercial wearables and digital behaviour change resources on the physical activity of adolescents attending schools in socio-economically disadvantaged areas: the RAW-PA cluster-randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 52.	4.6	11
272	Understanding children's preference for park features that encourage physical activity: an adaptive choice based conjoint analysis. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 133.	4.6	11
273	What might work? Exploring the perceived feasibility of strategies to promote physical activity among women living in socioeconomically disadvantaged neighbourhoods. Health Education Research, 2013, 28, 205-219.	1.9	10
274	Predictors of high-energy foods and beverages: a longitudinal study among socio-economically disadvantaged adolescents. Public Health Nutrition, 2014, 17, 324-337.	2.2	10
275	Impact of the implantable cardioverter defibrillator on confidence to undertake physical activity in inherited heart disease: A cross-sectional study. European Journal of Cardiovascular Nursing, 2017, 16, 742-752.	0.9	10
276	The relative importance of primary food choice factors among different consumer groups: A latent profile analysis. Food Quality and Preference, 2021, 94, 104199.	4.6	10
277	Letter – Recruiting hard-to-reach populations: lessons from a study of women living in socioeconomically disadvantaged areas of Victoria, Australia. Health Promotion Journal of Australia, 2010, 21, 243-244.	1.2	9
278	The impact of a new McDonald's restaurant on eating behaviours and perceptions of local residents: A natural experiment using repeated cross-sectional data. Health and Place, 2016, 39, 86-91.	3.3	9
279	Do intrapersonal factors mediate the association of social support with physical activity in young women living in socioeconomically disadvantaged neighbourhoods? A longitudinal mediation analysis. PLoS ONE, 2017, 12, e0173231.	2.5	9
280	The views of first time mothers completing an intervention to reduce postpartum weight retention: A qualitative evaluation of the mums OnLiNE study. Midwifery, 2018, 56, 23-28.	2.3	9
281	Sedentary Behaviour and Hair Cortisol Amongst Women Living in Socioeconomically Disadvantaged Neighbourhoods: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2018, 15, 586.	2.6	9
282	Cluster randomised controlled trial of an online intervention to improve healthy food purchases from primary school canteens: a study protocol of the †click & crunch†trial. BMJ Open, 2019, 9, e030538.	1.9	9
283	Transitional Needs of Australian Young Adults With Type 1 Diabetes: Mixed Methods Study. JMIR Diabetes, 2017, 2, e29.	1.9	9
284	Associations between mothers' perceptions of the cost of fruit and vegetables and children's diets: Will children pay the price?. European Journal of Clinical Nutrition, 2012, 66, 276-278.	2.9	8
285	Associations between Education and Personal Income with Body Mass Index among Australian Women Residing in Disadvantaged Neighborhoods. American Journal of Health Promotion, 2013, 28, 59-65.	1.7	8
286	Does food store access modify associations between intrapersonal factors and fruit and vegetable consumption?. European Journal of Clinical Nutrition, 2015, 69, 902-906.	2.9	8
287	Maternal efficacy and sedentary behavior rules predict child obesity resilience. BMC Obesity, 2015, 2, 26.	3.1	8
288	Does psychosocial stress explain socioeconomic inequities in 9â€year weight gain among young women?. Obesity, 2017, 25, 1109-1114.	3.0	8

#	Article	IF	Citations
289	Economic evaluation protocol for a multicentre randomised controlled trial to compare Smartphone Cardiac Rehabilitation, Assisted self-Management (SCRAM) versus usual care cardiac rehabilitation among people with coronary heart disease. BMJ Open, 2020, 10, e038178.	1.9	8
290	Effectiveness of a Multistrategy Behavioral Intervention to Increase the Nutritional Quality of Primary School Students' Web-Based Canteen Lunch Orders (Click & Crunch): Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e26054.	4.3	8
291	The obesity epidemic: Contextual influences on physical activity and body weight. Journal of Science and Medicine in Sport, 2003, 6, 377-378.	1.3	7
292	Behavior and weight correlates of weight-control efforts in Australian women living in disadvantage: The READI study. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 52.	4.6	7
293	Is a perceived supportive physical environment important for self-reported leisure time physical activity among socioeconomically disadvantaged women with poor psychosocial characteristics? An observational study. BMC Public Health, 2013, 13, 280.	2.9	7
294	Associations between access to alcohol outlets and alcohol intake and depressive symptoms in women from socioeconomically disadvantaged neighbourhoods in Australia. BMC Public Health, 2017, 17, 83.	2.9	7
295	The impact of financial incentives on participants' food purchasing patterns in a supermarket-based randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 115.	4.6	7
296	Social-ecological predictors of physical activity patterns: A longitudinal study of women from socioeconomically disadvantaged areas. Preventive Medicine, 2020, 132, 105995.	3.4	7
297	Urban-regional patterns of food purchasing behaviour: a cross-sectional analysis of the 2015–2016 Australian Household Expenditure Survey. European Journal of Clinical Nutrition, 2021, 75, 697-707.	2.9	7
298	Cleland et al. Respond to "Physical Activity Over the Life Course". American Journal of Epidemiology, 2009, 170, 1082-1083.	3.4	6
299	Is greater variety of chocolates and confectionery in supermarkets associated with more consumption?. Australian and New Zealand Journal of Public Health, 2011, 35, 292-293.	1.8	6
300	Do sedentary behaviors mediate associations between socio-demographic characteristics and BMI in women living in socio-economically disadvantaged neighborhoods?. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 48.	4.6	6
301	Impact of a farmers' market nutrition coupon programme on diet quality and psychosocial well-being among low-income adults: protocol for a randomised controlled trial and a longitudinal qualitative investigation. BMJ Open, 2020, 10, e035143.	1.9	6
302	Increasing translation of research evidence for optimal park design: a qualitative study with stakeholders. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 49.	4.6	6
303	EatSmart, a Web-Based and Mobile Healthy Eating Intervention for Disadvantaged People With Type 2 Diabetes: Protocol for a Pilot Mixed Methods Intervention Study. JMIR Research Protocols, 2020, 9, e19488.	1.0	6
304	User-centered development of a digitally-delivered dietary intervention for adults with type 2 diabetes: The T2Diet study. Internet Interventions, 2022, 28, 100505.	2.7	6
305	What help do young women want in their efforts to control their weight? Implications for program development. Nutrition and Dietetics, 2007, 64, 99-104.	1.8	5
306	Mediators of the relationship between sedentary behavior andÂdepressive symptoms amongst disadvantaged women. Mental Health and Physical Activity, 2014, 7, 30-36.	1.8	5

#	Article	IF	CITATIONS
307	trips4health: Protocol of a single-blinded randomised controlled trial incentivising adults to use public transport for physical activity gain. Contemporary Clinical Trials Communications, 2020, 19, 100619.	1.1	5
308	Protocol of a natural experiment to evaluate a supermarket intervention to improve food purchasing and dietary behaviours of women (WRAPPED study) in England: a prospective matched controlled cluster design. BMJ Open, 2020, 10, e036758.	1.9	5
309	Parent's views of the importance of making changes in settings where children spend time to prevent obesity. Asia Pacific Journal of Clinical Nutrition, 2008, 17, 148-58.	0.4	5
310	Individual, Social, and Physical Environmental Correlates of Physical Activity Among Young Women at Risk of Depression. Journal of Physical Activity and Health, 2011, 8, 133-140.	2.0	4
311	Educational Inequalities in Women's Depressive Symptoms: The Mediating Role of Perceived Neighbourhood Characteristics. International Journal of Environmental Research and Public Health, 2012, 9, 4241-4253.	2.6	4
312	Food environments: measuring, mapping, monitoring and modifying. Public Health Nutrition, 2013, 16, 1147-1150.	2.2	4
313	Associations between physical activity, television viewing and postnatal depressive symptoms amongst healthy primiparous mothers. Mental Health and Physical Activity, 2016, 10, 62-67.	1.8	4
314	Sudden deaths during the largest community running event in Australia: A 25-year review. International Journal of Cardiology, 2016, 203, 1029-1031.	1.7	4
315	Daily Step Count as a Simple Marker of Disease Severity in Hypertrophic Cardiomyopathy. Heart Lung and Circulation, 2018, 27, 752-755.	0.4	4
316	Long-term Effectiveness of a Multistrategy Behavioral Intervention to Increase the Nutritional Quality of Primary School Students' Online Lunch Orders: 18-Month Follow-up of the Click & Crunch Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e31734.	4.3	4
317	Educational differences in diabetes and diabetes self-management behaviours in WHO SAGE countries. BMC Public Health, 2021, 21, 2108.	2.9	4
318	How and why does discretionary food consumption change when we promote fruit and vegetables? Results from the ShopSmart randomised controlled trial. Public Health Nutrition, 2020, 23, 124-133.	2.2	3
319	How to grow a successful – and happy – research team. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 4.	4.6	3
320	Understanding regional food environments: A qualitative exploration of food purchasing behaviour. Health and Place, 2021, 71, 102652.	3.3	3
321	Associations between the Perceived Environment and Physical Activity among Adults Aged 55–65 Years: Does Urban-Rural Area of Residence Matter?. Journal of Aging and Physical Activity, 2015, 23, 55-63.	1.0	3
322	Exploring the associations of depressive symptoms with healthy eating self-efficacy over time amongst women in the READI cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 161.	4.6	3
323	Randomised controlled trial of a web-based low carbohydrate diet intervention for adults with type 2 diabetes: the T2Diet study protocol. BMJ Open, 2022, 12, e054594.	1.9	3
324	The costs of weight control: what do young women pay?. Medical Journal of Australia, 2003, 179, 586-586.	1.7	2

#	Article	IF	CITATIONS
325	Epiphanies, velcro balls and McDonaldization: highlights from the 5th Meeting of the International Society for Behavioral Nutrition and Physical Activity. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 30.	4.6	2
326	Socioeconomic Inequalities in Fruit and Vegetable Intakes. , 2010, , 195-203.		2
327	Social and Environmental Determinants of Health Behaviors. , 2010, , 3-17.		2
328	Constructive conversations about health: policy and values. Journal of Epidemiology and Community Health, 2008, 62, 376-376.	3.7	1
329	Socio-economic differences in predictors of frequent dairy food consumption among Australian adolescents: a longitudinal study. Public Health Nutrition, 2015, 18, 3326-3336.	2.2	1
330	Optimizing child-focused nutrition policies: considerations and controversies. Public Health Nutrition, 2015, 18, 1528-1530.	2.2	1
331	Characteristics of healthy weight advertisements in three countries. Australian and New Zealand Journal of Public Health, 2018, 42, 27-29.	1.8	1
332	Improving healthy food purchases from online canteens: A cluster RCT. Obesity Research and Clinical Practice, 2019, 13, 269.	1.8	1
333	Socioâ€demographic, behavioural and healthâ€related characteristics associated with active commuting in a regional Australian state: Evidence from the 2016 Tasmanian Population Health Survey. Health Promotion Journal of Australia, 2020, 32 Suppl 2, 320-331.	1.2	1
334	A Cluster Randomized Controlled Trial Evaluating the Impact of Tailored Feedback on the Purchase of Healthier Foods from Primary School Online Canteens. Nutrients, 2021, 13, 2405.	4.1	1
335	How well do Australian women comply with dietary guidelines?. , 0, .		1
336	An evaluation of SecondBite ® 's FoodMate ® , a nutrition education and skillâ€building program aimed at reducing food insecurity. Health Promotion Journal of Australia, 2020, 31, 468-481.	1.2	0
337	Are Children's Perceptions Of Neighbourhood Environments Associated With Their Physical Activity?. Medicine and Science in Sports and Exercise, 2008, 40, S29.	0.4	0
338	Socioeconomic inequalities in fruit and vegetable intakes., 2016,, 3-22.		0
339	Participants' and health care providers' insights regarding a web-based and mobile-delivered healthy eating program for disadvantaged people with type 2 diabetes: Descriptive qualitative study (Preprint). JMIR Formative Research, 0, , .	1.4	O