

Dmitriy A Yablonskiy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8569185/publications.pdf>

Version: 2024-02-01

118
papers

8,748
citations

50276

46
h-index

43889

91
g-index

124
all docs

124
docs citations

124
times ranked

6205
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative Gradient Echo MRI Identifies Dark Matter as a New Imaging Biomarker of Neurodegeneration that Precedes Tissue Atrophy in Early Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 905-924.	2.6	3
2	Stronger Microstructural Damage Revealed in Multiple Sclerosis Lesions With Central Vein Sign by Quantitative Gradient Echo MRI. <i>Journal of Central Nervous System Disease</i> , 2022, 14, 117957352210848.	1.9	2
3	Tissue damage detected by quantitative gradient echo MRI correlates with clinical progression in non-relapsing progressive MS. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1515-1525.	3.0	2
4	Learning-based motion artifact removal networks for quantitative R2* mapping. <i>Magnetic Resonance in Medicine</i> , 2022, 88, 106-119.	3.0	9
5	In vivo evaluation of heme and non-heme iron content and neuronal density in human basal ganglia. <i>NeuroImage</i> , 2021, 235, 118012.	4.2	19
6	The Role of the Human Brain Neuron-Glia-Synapse Composition in Forming Resting-State Functional Connectivity Networks. <i>Brain Sciences</i> , 2021, 11, 1565.	2.3	6
7	Deep learning using a biophysical model for robust and accelerated reconstruction of quantitative, artifact-free and denoised images. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 2932-2942.	3.0	15
8	Theoretical models of diffusion-attenuated magnetic resonance signal in biological tissues. <i>Low Temperature Physics</i> , 2020, 46, 768-772.	0.6	0
9	In vivo evolution of biopsy-proven inflammatory demyelination quantified by R2t* mapping. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 1055-1060.	3.7	6
10	Linking gradient echo plural contrast imaging metrics of tissue microstructure with Alzheimer disease. , 2020, , 507-519.		0
11	A Novel Gradient Echo Plural Contrast Imaging Method Detects Brain Tissue Abnormalities in Patients With TBI Without Evident Anatomical Changes on Clinical MRI: A Pilot Study. <i>Military Medicine</i> , 2019, 184, 218-227.	0.8	7
12	Single scan quantitative gradient recalled echo MRI for evaluation of tissue damage in lesions and normal appearing gray and white matter in multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 487-498.	3.4	14
13	Phase-sensitive B ₁ mapping: Effects of relaxation and RF spoiling. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 101-111.	3.0	4
14	Genetically defined cellular correlates of the baseline brain MRI signal. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E9727-E9736.	7.1	43
15	Lorentzian effects in magnetic susceptibility mapping of anisotropic biological tissues. <i>Journal of Magnetic Resonance</i> , 2018, 292, 129-136.	2.1	11
16	Direct comparison of ¹²⁹ Xe diffusion measurements with quantitative histology in human lungs. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 265-272.	3.0	39
17	Simultaneous multi-angular relaxometry of tissue with MRI (SMART MRI): Theoretical background and proof of concept. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1296-1306.	3.0	6
18	Diffusion lung imaging with hyperpolarized gas MRI. <i>NMR in Biomedicine</i> , 2017, 30, e3448.	2.8	20

#	ARTICLE	IF	CITATIONS
19	What makes a good pediatric transplant lung: Insights from in vivo lung morphometry with hyperpolarized ³ He magnetic resonance imaging. <i>Pediatric Transplantation</i> , 2017, 21, e12886.	1.0	9
20	In vivo detection of microstructural correlates of brain pathology in preclinical and early Alzheimer Disease with magnetic resonance imaging. <i>NeuroImage</i> , 2017, 148, 296-304.	4.2	52
21	Effects of biological tissue structural anisotropy and anisotropy of magnetic susceptibility on the gradient echo MRI signal phase: theoretical background. <i>NMR in Biomedicine</i> , 2017, 30, e3655.	2.8	30
22	[P2â€“393]: GRADIENT ECHO PLURAL CONTRAST MRI PROVIDES NEW SURROGATE MARKERS OF BRAIN PATHOLOGY IN ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P780.	0.8	0
23	[ICâ€“69]: GRADIENT ECHO PLURAL CONTRAST MRI PROVIDES NEW SURROGATE MARKERS OF BRAIN PATHOLOGY IN ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P127.	0.8	0
24	Limbic system damage in MS: MRI assessment and correlations with clinical testing. <i>PLoS ONE</i> , 2017, 12, e0187915.	2.5	14
25	Separation of cellular and BOLD contributions to T2* signal relaxation. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 606-615.	3.0	57
26	On the relationship between cellular and hemodynamic properties of the human brain cortex throughout adult lifespan. <i>NeuroImage</i> , 2016, 133, 417-429.	4.2	27
27	Experimental evidence of age-related adaptive changes in human acinar airways. <i>Journal of Applied Physiology</i> , 2016, 120, 159-165.	2.5	34
28	Detection and quantification of regional cortical gray matter damage in multiple sclerosis utilizing gradient echo MRI. <i>NeuroImage: Clinical</i> , 2015, 9, 164-175.	2.7	22
29	In vivo lung morphometry with hyperpolarized ³ He diffusion MRI: Reproducibility and the role of diffusion-sensitizing gradient direction. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1252-1257.	3.0	22
30	Detection of cortical lesions in multiple sclerosis: A new imaging approach. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2015, 1, 205521731560646.	1.0	6
31	In vivo lung morphometry with accelerated hyperpolarized ³ He diffusion MRI: A preliminary study. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1609-1614.	3.0	21
32	On the role of physiological fluctuations in quantitative gradient echo MRI: implications for GEPCI, QSM, and SWI. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 195-203.	3.0	53
33	Subcomponents of brain T2* relaxation in schizophrenia, bipolar disorder and siblings: A Gradient Echo Plural Contrast Imaging (GEPCI) study. <i>Schizophrenia Research</i> , 2015, 169, 36-45.	2.0	10
34	Generalized Lorentzian Tensor Approach (GLTA) as a biophysical background for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 757-764.	3.0	41
35	Gradient echo magnetic resonance imaging correlates with clinical measures and allows visualization of veins within multiple sclerosis lesions. <i>Multiple Sclerosis Journal</i> , 2014, 20, 349-355.	3.0	30
36	Probing lung microstructure with hyperpolarized noble gas diffusion MRI: theoretical models and experimental results. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 486-505.	3.0	33

#	ARTICLE	IF	CITATIONS
37	Biophysical mechanisms of myelin-induced water frequency shifts. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1956-1958.	3.0	28
38	Lorentz sphere versus generalized Lorentzian approach: What would Lorentz say about it?. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 4-7.	3.0	20
39	Commentary on "The influence of lung airways branching structure and diffusion time on measurements and models of short-range ^3He gas MR diffusion". <i>Journal of Magnetic Resonance</i> , 2014, 239, 139-142.	2.1	10
40	On the role of neuronal magnetic susceptibility and structure symmetry on gradient echo MR signal formation. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 345-353.	3.0	75
41	Assessment of Regional Lung Function with Multivolume ^1H MR Imaging in Health and Obstructive Lung Disease: Comparison with ^3He MR Imaging. <i>Radiology</i> , 2014, 273, 580-590.	7.3	38
42	Probing lung microstructure with hyperpolarized ^3He gradient echo MRI. <i>NMR in Biomedicine</i> , 2014, 27, 1451-1460.	2.8	9
43	Magnetic susceptibility induced white matter MR signal frequency shifts—experimental comparison between Lorentzian sphere and generalized Lorentzian approaches. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1251-1263.	3.0	42
44	Function and Microstructure by Hyperpolarized Gas MRI. , 2014, , 247-267.		0
45	Optimization strategies for evaluation of brain hemodynamic parameters with qBOLD technique. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1034-1043.	3.0	20
46	Blood oxygenation level-dependent (BOLD)-based techniques for the quantification of brain hemodynamic and metabolic properties— theoretical models and experimental approaches. <i>NMR in Biomedicine</i> , 2013, 26, 963-986.	2.8	116
47	Voxel spread function method for correction of magnetic field inhomogeneity effects in quantitative gradient-echo-based MRI. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1283-1292.	3.0	98
48	Evidence for Adult Lung Growth in Humans. <i>New England Journal of Medicine</i> , 2012, 367, 244-247.	27.0	237
49	Biophysical mechanisms of MRI signal frequency contrast in multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14212-14217.	7.1	81
50	Gradient Echo Plural Contrast Imaging— Signal model and derived contrasts: T_2^* , T_1 , Phase, SWI, T_1f , FST_2^* and T_2^* -SWI. <i>NeuroImage</i> , 2012, 60, 1073-1082.	4.2	50
51	Commentaries on Viewpoint: Unresolved mysteries. <i>Journal of Applied Physiology</i> , 2012, 113, 1948-1949.	2.5	7
52	Lung morphometry with hyperpolarized ^{129}Xe : Theoretical background. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 856-866.	3.0	57
53	Transmembrane dynamics of water exchange in human brain. <i>Magnetic Resonance in Medicine</i> , 2012, 67, 562-571.	3.0	24
54	Cerebral metabolic rate in hypercapnia: Controversy continues. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1502-1503.	4.3	32

#	ARTICLE	IF	CITATIONS
55	Quantitative phenomenological model of the BOLD contrast mechanism. <i>Journal of Magnetic Resonance</i> , 2011, 212, 17-25.	2.1	48
56	Imaging lung microstructure in mice with hyperpolarized ³ He diffusion MRI. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 620-626.	3.0	34
57	In Vivo Detection of Acinar Microstructural Changes in Early Emphysema with ³ He Lung Morphometry. <i>Radiology</i> , 2011, 260, 866-874.	7.3	66
58	Emphysema Quantification in Inflation-Fixed Lungs Using Low-Dose Computed Tomography and ³ He Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2010, 34, 773-779.	0.9	11
59	Theoretical models of the diffusion weighted MR signal. <i>NMR in Biomedicine</i> , 2010, 23, 661-681.	2.8	133
60	Protein-induced water ¹ H MR frequency shifts: Contributions from magnetic susceptibility and exchange effects. <i>Journal of Magnetic Resonance</i> , 2010, 202, 102-108.	2.1	83
61	In vivo quantitative evaluation of brain tissue damage in multiple sclerosis using gradient echo plural contrast imaging technique. <i>NeuroImage</i> , 2010, 51, 1089-1097.	4.2	32
62	Neurite density from magnetic resonance diffusion measurements at ultrahigh field: Comparison with light microscopy and electron microscopy. <i>NeuroImage</i> , 2010, 49, 205-216.	4.2	245
63	Reply to Verbanck and Paiva. <i>Journal of Applied Physiology</i> , 2009, 106, 1024-1024.	2.5	0
64	Effects of diffusion time on short-range hyperpolarized ³ He diffusivity measurements in emphysema. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 801-808.	3.4	34
65	Body and brain temperature coupling: the critical role of cerebral blood flow. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2009, 179, 701-710.	1.5	48
66	Optimal decay rate constant estimates from phased array data utilizing joint Bayesian analysis. <i>Journal of Magnetic Resonance</i> , 2009, 198, 49-56.	2.1	27
67	Biophysical mechanisms of phase contrast in gradient echo MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 13558-13563.	7.1	255
68	Quantification of lung microstructure with hyperpolarized ³ He diffusion MRI. <i>Journal of Applied Physiology</i> , 2009, 107, 1258-1265.	2.5	139
69	Improved calibration technique for in vivo proton MRS thermometry for brain temperature measurement. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 536-541.	3.0	44
70	Validation of oxygen extraction fraction measurement by qBOLD technique. <i>Magnetic Resonance in Medicine</i> , 2008, 60, 882-888.	3.0	124
71	The Role of Collateral Paths in Long-range Diffusion of ³ He in Lungs. <i>Academic Radiology</i> , 2008, 15, 675-682.	2.5	24
72	Hyperpolarized ³ He MR Imaging: Physiologic Monitoring Observations and Safety Considerations in 100 Consecutive Subjects. <i>Radiology</i> , 2008, 248, 655-661.	7.3	74

#	ARTICLE	IF	CITATIONS
73	Role of collateral paths in long-range diffusion in lungs. Journal of Applied Physiology, 2008, 104, 1495-1503.	2.5	28
74	Measuring Collateral Pathways in Health via 3 He MRI. FASEB Journal, 2008, 22, 763.9.	0.5	0
75	HYPERPOLARIZED 3HELIUM MAGNETIC RESONANCE IMAGING: SAFETY CONSIDERATIONS AND PHYSIOLOGIC MONITORING. Chest, 2007, 132, 525B.	0.8	1
76	Modeling dendrite density from magnetic resonance diffusion measurements. NeuroImage, 2007, 34, 1473-1486.	4.2	296
77	In vivo lung morphometry with hyperpolarized 3He diffusion MRI in canines with induced emphysema: disease progression and comparison with computed tomography. Journal of Applied Physiology, 2007, 102, 477-484.	2.5	49
78	Quantitative BOLD: Mapping of human cerebral deoxygenated blood volume and oxygen extraction fraction: Default state. Magnetic Resonance in Medicine, 2007, 57, 115-126.	3.0	335
79	How accurately can the parameters from a model of anisotropic 3He gas diffusion in lung acinar airways be estimated? Bayesian view. Journal of Magnetic Resonance, 2007, 184, 62-71.	2.1	16
80	Theoretical limits on brain cooling by external head cooling devices. European Journal of Applied Physiology, 2007, 101, 41-49.	2.5	33
81	How the body controls brain temperature: the temperature shielding effect of cerebral blood flow. Journal of Applied Physiology, 2006, 101, 1481-1488.	2.5	80
82	Hyperpolarized 3He and perfluorocarbon gas diffusion MRI of lungs. Progress in Nuclear Magnetic Resonance Spectroscopy, 2006, 48, 63-83.	7.5	45
83	Natural linewidth chemical shift imaging (NL-CSI). Magnetic Resonance in Medicine, 2006, 56, 7-18.	3.0	32
84	Hyperpolarized ³ He diffusion MRI and histology in pulmonary emphysema. Magnetic Resonance in Medicine, 2006, 56, 1293-1300.	3.0	191
85	Theoretical model of temperature regulation in the brain during changes in functional activity. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 12144-12149.	7.1	93
86	Long-range diffusion of hyperpolarized 3He in explanted normal and emphysematous human lungs via magnetization tagging. Journal of Applied Physiology, 2005, 99, 1992-1997.	2.5	67
87	¹⁹ F MR imaging of ventilation and diffusion in excised lungs. Magnetic Resonance in Medicine, 2005, 54, 577-585.	3.0	45
88	Image artifacts in very low magnetic field MRI: The role of concomitant gradients. Journal of Magnetic Resonance, 2005, 174, 279-286.	2.1	35
89	Feasibility of combining MR perfusion, angiography, and 3He ventilation imaging for evaluation of lung function in a porcine model. Academic Radiology, 2005, 12, 202-209.	2.5	13
90	³ He Diffusion MRI of the Lung. Academic Radiology, 2005, 12, 1406-1413.	2.5	35

#	ARTICLE	IF	CITATIONS
91	Absence of fatty liver in familial hypobetalipoproteinemia linked to chromosome 3p21. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 682-688.	3.4	26
92	Fatty liver in familial hypobetalipoproteinemia. <i>Journal of Lipid Research</i> , 2004, 45, 941-947.	4.2	121
93	Gaussian approximation in the theory of MR signal formation in the presence of structure-specific magnetic field inhomogeneities. Effects of impermeable susceptibility inclusions. <i>Journal of Magnetic Resonance</i> , 2004, 167, 56-67.	2.1	55
94	On the role of anesthesia on the body/brain temperature differential in rats. <i>Journal of Thermal Biology</i> , 2004, 29, 599-603.	2.5	38
95	Magnetization tagging decay to measure long-range ^3He diffusion in healthy and emphysematous canine lungs. <i>Magnetic Resonance in Medicine</i> , 2004, 51, 1002-1008.	3.0	61
96	On the nature of the NAA diffusion attenuated MR signal in the central nervous system. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 1052-1059.	3.0	149
97	Albumin-binding MR blood pool agents as MRI contrast agents in an intracranial mouse glioma model. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 586-590.	3.0	32
98	Statistical model for diffusion attenuated MR signal. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 664-669.	3.0	220
99	Gaussian approximation in the theory of MR signal formation in the presence of structure-specific magnetic field inhomogeneities. <i>Journal of Magnetic Resonance</i> , 2003, 163, 236-247.	2.1	66
100	Fatty liver in familial hypobetalipoproteinemia: triglyceride assembly into VLDL particles is affected by the extent of hepatic steatosis. <i>Journal of Lipid Research</i> , 2003, 44, 470-478.	4.2	127
101	Quantitative in vivo assessment of lung microstructure at the alveolar level with hyperpolarized ^3He diffusion MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3111-3116.	7.1	325
102	Combined MR proton lung perfusion/angiography and helium ventilation: Potential for detecting pulmonary emboli and ventilation defects. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 433-438.	3.0	36
103	Effects of Restricted Diffusion on MR Signal Formation. <i>Journal of Magnetic Resonance</i> , 2002, 157, 92-105.	2.1	77
104	Water proton MR properties of human blood at 1.5 Tesla: Magnetic susceptibility, T_1 , T_2 , T_2^* , and non-Lorentzian signal behavior. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 533-542.	3.0	421
105	Extracellular apparent diffusion in rat brain. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 801-810.	3.0	70
106	Theory of FID NMR Signal Dephasing Induced by Mesoscopic Magnetic Field Inhomogeneities in Biological Systems. <i>Journal of Magnetic Resonance</i> , 2001, 151, 107-117.	2.1	49
107	Hyperpolarized ^3He gas production and MR imaging of the lung. <i>Concepts in Magnetic Resonance</i> , 2001, 13, 277-293.	1.3	98
108	MR imaging of diffusion of ^3He gas in healthy and diseased lungs. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 174-179.	3.0	292

#	ARTICLE	IF	CITATIONS
109	Dynamic echo planar MR imaging of lung ventilation with hyperpolarized ³ He in normal subjects and patients with severe emphysema. <i>NMR in Biomedicine</i> , 2000, 13, 176-181.	2.8	58
110	MR imaging of diffusion of ³ He gas in healthy and diseased lungs. , 2000, 44, 174.		2
111	Rapid imaging of hyperpolarized gas using EPI. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 507-514.	3.0	104
112	Homonuclear J coupling effects in volume localized NMR spectroscopy: Pitfalls and solutions. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 169-178.	3.0	92
113	Quantitation of intrinsic magnetic susceptibility-related effects in a tissue matrix. Phantom study. <i>Magnetic Resonance in Medicine</i> , 1998, 39, 417-428.	3.0	224
114	Theory and application of static field inhomogeneity effects in gradient-echo imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1997, 7, 266-279.	3.4	254
115	Quantitation of T2 ² anisotropic effects on magnetic resonance bone mineral density measurement. <i>Magnetic Resonance in Medicine</i> , 1997, 37, 214-221.	3.0	54
116	An MRI method for measuring T2 in the presence of static and RF magnetic field Inhomogeneities. <i>Magnetic Resonance in Medicine</i> , 1997, 37, 872-876.	3.0	82
117	In vivo validation of the bold mechanism: A review of signal changes in gradient echo functional MRI in the presence of flow. <i>International Journal of Imaging Systems and Technology</i> , 1995, 6, 153-163.	4.1	99
118	Theory of NMR signal behavior in magnetically inhomogeneous tissues: The static dephasing regime. <i>Magnetic Resonance in Medicine</i> , 1994, 32, 749-763.	3.0	1,086