

Rosa Molfetta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8571909/publications.pdf>

Version: 2024-02-01

46
papers

1,821
citations

257450

24
h-index

276875

41
g-index

46
all docs

46
docs citations

46
times ranked

2958
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact on NK cell functions of acute versus chronic exposure to extracellular vesicle-associated MICA: Dual role in cancer immunosurveillance. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12176.	12.2	22
2	NK Cells and Other Cytotoxic Innate Lymphocytes in Colorectal Cancer Progression and Metastasis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7859.	4.1	10
3	Cereblon regulates NK cell cytotoxicity and migration via Rac1 activation. <i>European Journal of Immunology</i> , 2021, 51, 2607-2617.	2.9	5
4	Immunomodulatory effect of NEDD8-activating enzyme inhibition in Multiple Myeloma: upregulation of NKG2D ligands and sensitization to Natural Killer cell recognition. <i>Cell Death and Disease</i> , 2021, 12, 836.	6.3	13
5	Immune complexes exposed on mast cell-derived nanovesicles amplify allergic inflammation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1260-1263.	5.7	18
6	SAMHD1 phosphorylation and cytoplasmic relocalization after human cytomegalovirus infection limits its antiviral activity. <i>PLoS Pathogens</i> , 2020, 16, e1008855.	4.7	12
7	FcÎµRI Signaling in the Modulation of Allergic Response: Role of Mast Cell-Derived Exosomes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5464.	4.1	21
8	Bone Marrow Stromal Cell-Derived IL-8 Upregulates PVR Expression on Multiple Myeloma Cells via NF-ÎºB Transcription Factor. <i>Cancers</i> , 2020, 12, 440.	3.7	21
9	CD155: A Multi-Functional Molecule in Tumor Progression. <i>International Journal of Molecular Sciences</i> , 2020, 21, 922.	4.1	58
10	Post-translational Mechanisms Regulating NK Cell Activating Receptors and Their Ligands in Cancer: Potential Targets for Therapeutic Intervention. <i>Frontiers in Immunology</i> , 2019, 10, 2557.	4.8	20
11	Activation of liver X receptor up-regulates the expression of the NKG2D ligands MICA and MICB in multiple myeloma through different molecular mechanisms. <i>FASEB Journal</i> , 2019, 33, 9489-9504.	0.5	19
12	The Ubiquitin-proteasome pathway regulates Nectin2/CD112 expression and impairs NK cell recognition and killing. <i>European Journal of Immunology</i> , 2019, 49, 873-883.	2.9	28
13	The homeobox transcription factor MEIS2 is a regulator of cancer cell survival and IMiDs activity in Multiple Myeloma: modulation by Bromodomain and Extra-Terminal (BET) protein inhibitors. <i>Cell Death and Disease</i> , 2019, 10, 324.	6.3	11
14	Translating the anti-myeloma activity of Natural Killer cells into clinical application. <i>Cancer Treatment Reviews</i> , 2018, 70, 255-264.	7.7	28
15	NKG2D and Its Ligands: "One for All, All for One". <i>Frontiers in Immunology</i> , 2018, 9, 476.	4.8	165
16	Abnormal regulation of BCR signalling by c-Cbl in chronic lymphocytic leukaemia. <i>Oncotarget</i> , 2018, 9, 32219-32231.	1.8	6
17	Genotoxic stress modulates the release of exosomes from multiple myeloma cells capable of activating NK cell cytokine production: Role of HSP70/TLR2/NF-ÎºB axis. <i>Onc Immunology</i> , 2017, 6, e1279372.	4.6	100
18	p38 MAPK differentially controls NK activating ligands at transcriptional and post-transcriptional level on multiple myeloma cells. <i>Onc Immunology</i> , 2017, 6, e1264564.	4.6	29

#	ARTICLE	IF	CITATIONS
19	Obinutuzumab-mediated high-affinity ligation of Fc γ RIIIA/CD16 primes NK cells for IFN γ production. <i>Oncology</i> , 2017, 6, e1290037.	4.6	39
20	3D Microfluidic model for evaluating immunotherapy efficacy by tracking dendritic cell behaviour toward tumor cells. <i>Scientific Reports</i> , 2017, 7, 1093.	3.3	130
21	Innate immune activating ligand SUMOylation affects tumor cell recognition by NK cells. <i>Scientific Reports</i> , 2017, 7, 10445.	3.3	29
22	Regulation of NKG2D-Dependent NK Cell Functions: The Yin and the Yang of Receptor Endocytosis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1677.	4.1	71
23	Ubiquitin and ubiquitin-like modifiers modulate NK cell-mediated recognition and killing of damaged cells. <i>AIMS Allergy and Immunology</i> , 2017, 1, 164-180.	0.5	0
24	Inhibition of bromodomain and extra-terminal (BET) proteins increases NKG2D ligand MICA expression and sensitivity to NK cell-mediated cytotoxicity in multiple myeloma cells: role of cMYC-IRF4-miR-125b interplay. <i>Journal of Hematology and Oncology</i> , 2016, 9, 134.	17.0	72
25	Regulation of NKG2D Expression and Signaling by Endocytosis. <i>Trends in Immunology</i> , 2016, 37, 790-802.	6.8	46
26	Nitric oxide donors increase PVR/CD155 DNAM-1 ligand expression in multiple myeloma cells: role of DNA damage response activation. <i>BMC Cancer</i> , 2015, 15, 17.	2.6	54
27	Genotoxic Stress Induces Senescence-Associated ADAM10-Dependent Release of NKG2D MIC Ligands in Multiple Myeloma Cells. <i>Journal of Immunology</i> , 2015, 195, 736-748.	0.8	85
28	NK cells and interferons. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 113-120.	7.2	110
29	Ubiquitin-dependent endocytosis of NKG2D-DAP10 receptor complexes activates signaling and functions in human NK cells. <i>Science Signaling</i> , 2015, 8, ra108.	3.6	50
30	Anti-CD20 Therapy Acts via Fc γ RIIIA to Diminish Responsiveness of Human Natural Killer Cells. <i>Cancer Research</i> , 2015, 75, 4097-4108.	0.9	46
31	The IMiDs targets IKZF-1/3 and IRF4 as novel negative regulators of NK cell-activating ligands expression in multiple myeloma. <i>Oncotarget</i> , 2015, 6, 23609-23630.	1.8	78
32	Regulation of Fc Receptor Endocytic Trafficking by Ubiquitination. <i>Frontiers in Immunology</i> , 2014, 5, 449.	4.8	37
33	Cbl regulates MICA-induced NKG2D downmodulation in human NK cells. <i>European Journal of Immunology</i> , 2014, 44, 2761-2770.	2.9	35
34	The Cbl family of ubiquitin ligases regulates Fc γ RI expression and mast cell activation. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2013, 04, 1063-1072.	0.7	0
35	PIP2-dependent regulation of Munc13-4 endocytic recycling: impact on the cytolytic secretory pathway. <i>Blood</i> , 2012, 119, 2252-2262.	1.4	27
36	Syk-dependent regulation of Fc γ RI phosphorylation and ubiquitination upon Fc γ RI engagement: Impact on Fc γ RI membrane/cytosol localization. <i>European Journal of Immunology</i> , 2012, 42, 2744-2753.	2.9	16

#	ARTICLE	IF	CITATIONS
37	Cbl Family Proteins: Balancing FcεRI-Mediated Mast Cell and Basophil Activation. <i>International Archives of Allergy and Immunology</i> , 2011, 156, 16-26.	2.1	7
38	Ubiquitination and endocytosis of the high affinity receptor for IgE. <i>Molecular Immunology</i> , 2010, 47, 2427-2434.	2.2	23
39	Lipid Raft-Dependent FcεRI Ubiquitination Regulates Receptor Endocytosis through the Action of Ubiquitin Binding Adaptors. <i>PLoS ONE</i> , 2009, 4, e5604.	2.5	28
40	The Adaptor Molecule CIN85 Regulates Syk Tyrosine Kinase Level by Activating the Ubiquitin-Proteasome Degradation Pathway. <i>Journal of Immunology</i> , 2007, 179, 2089-2096.	0.8	20
41	Negative signals from FcεRI engagement attenuate mast cell functions. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2007, 55, 219-229.	2.3	17
42	CIN85 Regulates the Ligand-Dependent Endocytosis of the IgE Receptor: A New Molecular Mechanism to Dampen Mast Cell Function. <i>Journal of Immunology</i> , 2005, 175, 4208-4216.	0.8	45
43	Activation of Syk Tyrosine Kinase Is Required for c-Cbl-mediated Ubiquitination of FcεRI and Syk in RBL Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 36940-36947.	3.4	73
44	NGF-dependent and tissue-specific transcription of <i>fv</i> g β is regulated by a CREB-p300 and bHLH factor interaction. <i>FEBS Letters</i> , 2002, 510, 50-56.	2.8	24
45	Ubiquitination and degradation of Syk and ZAP-70 protein tyrosine kinases in human NK cells upon CD16 engagement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9611-9616.	7.1	52
46	Tyrosine kinase-dependent ubiquitination of CD16 ε subunit in human NK cells following receptor engagement. <i>European Journal of Immunology</i> , 1999, 29, 3179-3187.	2.9	21