

# John Nijenhuis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8575700/publications.pdf>

Version: 2024-02-01

33  
papers

1,675  
citations

279798

23  
h-index

414414

32  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1470  
citing authors

#	ARTICLE	IF	CITATIONS
1	Structured millichannel multiphase reactors. <i>Computer Aided Chemical Engineering</i> , 2019, 46, 1789-1794.	0.5	1
2	Process intensification of tubular reactors: Considerations on catalyst hold-up of structured packings. <i>Catalysis Today</i> , 2013, 216, 111-116.	4.4	33
3	A convection-based single-parameter model for heat transport in multiphase tubular reactors packed with closed cross flow structures. <i>Chemical Engineering Journal</i> , 2013, 233, 265-273.	12.7	7
4	Fischer-Tropsch reaction-diffusion in a cobalt catalyst particle: aspects of activity and selectivity for a variable chain growth probability. <i>Catalysis Science and Technology</i> , 2012, 2, 1221.	4.1	108
5	Heat transport in structured packings with two-phase co-current downflow. <i>Chemical Engineering Journal</i> , 2012, 185-186, 250-266.	12.7	27
6	Detection of agglomeration and gradual particle size changes in circulating fluidized beds. <i>Powder Technology</i> , 2010, 202, 24-38.	4.2	34
7	Monitoring a lab-scale fluidized bed dryer: A comparison between pressure transducers, passive acoustic emissions and vibration measurements. <i>Powder Technology</i> , 2010, 197, 36-48.	4.2	40
8	Case studies for selective agglomeration detection in fluidized beds: Application of a new screening methodology. <i>Powder Technology</i> , 2010, 203, 148-166.	4.2	21
9	Heat transport in structured packings with co-current downflow of gas and liquid. <i>Chemical Engineering Science</i> , 2010, 65, 420-426.	3.8	26
10	The influence of the particle size distribution on fluidized bed hydrodynamics using high-throughput experimentation. <i>AIChE Journal</i> , 2009, 55, 2013-2023.	3.6	32
11	Atmospheric Pressure Process for Coating Particles Using Atomic Layer Deposition. <i>Chemical Vapor Deposition</i> , 2009, 15, 227-233.	1.3	77
12	The influence of vessel geometry on fluidized bed dryer hydrodynamics. <i>Powder Technology</i> , 2009, 194, 115-125.	4.2	29
13	Intensification of co-current gas-liquid reactors using structured catalytic packings: A multiscale approach. <i>Catalysis Today</i> , 2009, 147, S138-S143.	4.4	24
14	Experimental and numerical comparison of structured packings with a randomly packed bed reactor for Fischer-Tropsch synthesis. <i>Catalysis Today</i> , 2009, 147, S2-S9.	4.4	52
15	Detecting and Counteracting Agglomeration in Fluidized Bed Biomass Combustion. <i>Energy &amp; Fuels</i> , 2009, 23, 157-169.	5.1	33
16	Improved Drying in a Pulsation-Assisted Fluidized Bed. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 302-309.	3.7	54
17	Methodology for the Screening of Signal Analysis Methods for Selective Detection of Hydrodynamic Changes in Fluidized Bed Systems. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 3158-3166.	3.7	19
18	Effect of Distributor Design on the Bottom Zone Hydrodynamics in a Fluidized Bed Dryer Using 1-D X-ray Densitometry Imaging. <i>Industrial &amp; Engineering Chemistry Research</i> , 2009, 48, 7004-7015.	3.7	20

#	ARTICLE	IF	CITATIONS
19	Towards monitoring electrostatics in gas-solid fluidized beds. Canadian Journal of Chemical Engineering, 2008, 86, 493-505.	1.7	9
20	Residence times in fluidized beds with secondary gas injection. Powder Technology, 2008, 180, 321-331.	4.2	30
21	Insights in distributed secondary gas injection in a bubbling fluidized bed via discrete particle simulations. Powder Technology, 2008, 183, 454-466.	4.2	25
22	Prevention of flooding in a countercurrent trickle-bed reactor using additional void space. Chemical Engineering Journal, 2008, 138, 333-340.	12.7	12
23	Agglomeration in fluidized beds at high temperatures: Mechanisms, detection and prevention. Progress in Energy and Combustion Science, 2008, 34, 633-666.	31.2	314
24	Structured Packings for Multiphase Catalytic Reactors. Industrial & Engineering Chemistry Research, 2008, 47, 3720-3751.	3.7	160
25	Influence of Distributed Secondary Gas Injection on the Performance of a Bubbling Fluidized-Bed Reactor. Industrial & Engineering Chemistry Research, 2008, 47, 3601-3618.	3.7	37
26	Four Ways To Introduce Structure in Fluidized Bed Reactors. Industrial & Engineering Chemistry Research, 2007, 46, 4236-4244.	3.7	35
27	A method for agglomeration detection and control in full-scale biomass fired fluidized beds. Chemical Engineering Science, 2007, 62, 644-654.	3.8	65
28	Computational validation of the scaling rules for fluidized beds. Powder Technology, 2006, 163, 32-40.	4.2	41
29	Early Agglomeration Recognition System (EARS). Journal of Energy Resources Technology, Transactions of the ASME, 2006, 128, 143.	2.3	4
30	Characterization of the void size distribution in fluidized beds using statistics of pressure fluctuations. Powder Technology, 2005, 160, 81-92.	4.2	24
31	Monitoring slurry-loop reactors for early detection of hydrodynamic instabilities. Chemical Engineering and Processing: Process Intensification, 2005, 44, 959-968.	3.6	7
32	Early Agglomeration Recognition System (EARS). , 2003, , 571.		10
33	CFD modelling and experimental validation of pressure drop and flow profile in a novel structured catalytic reactor packing. Chemical Engineering Science, 2001, 56, 1713-1720.	3.8	265