Arve Opheim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/857845/publications.pdf

Version: 2024-02-01

28 papers

1,143 citations

16 h-index 552781 26 g-index

28 all docs 28 docs citations

28 times ranked

1410 citing authors

#	Article	IF	CITATIONS
1	Walking function, pain, and fatigue in adults with cerebral palsy: a 7â€year followâ€up study. Developmental Medicine and Child Neurology, 2009, 51, 381-388.	2.1	266
2	Gait training after spinal cord injury: safety, feasibility and gait function following 8 weeks of training with the exoskeletons from Ekso Bionics. Spinal Cord, 2018, 56, 106-116.	1.9	120
3	Upper-Limb Spasticity During the First Year After Stroke. American Journal of Physical Medicine and Rehabilitation, 2014, 93, 884-896.	1.4	83
4	Simultaneous estimation of effects of gender, age and walking speed on kinematic gait data. Gait and Posture, 2009, 30, 441-445.	1.4	70
5	Early prediction of long-term upper limb spasticity after stroke. Neurology, 2015, 85, 873-880.	1.1	57
6	The reliability of gait variability measures for individuals with Parkinson's disease and healthy older adults – The effect of gait speed. Gait and Posture, 2018, 62, 505-509.	1.4	56
7	Exoskeleton gait training after spinal cord injury: An exploratory study on secondary health conditions. Journal of Rehabilitation Medicine, 2018, 50, 806-813.	1.1	55
8	Pain in adults with cerebral palsy: A systematic review and meta-analysis of individual participant data. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101359.	2.3	52
9	Falls and fear of falling predict future falls and related injuries in ambulatory individuals with spinal cord injury: a longitudinal observational study. Journal of Physiotherapy, 2017, 63, 108-113.	1.7	50
10	Balance in Relation to Walking Deterioration in Adults With Spastic Bilateral Cerebral Palsy. Physical Therapy, 2012, 92, 279-288.	2.4	41
11	Factors Associated With Recurrent Falls in Individuals With Traumatic Spinal Cord Injury: A Multicenter Study. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1908-1916.	0.9	40
12	Comparison of the Berg Balance Scale and the Mini-BESTest for Assessing Balance in Ambulatory People With Spinal Cord Injury: Validation Study. Physical Therapy, 2017, 97, 677-687.	2.4	39
13	Physical and mental components of health-related quality of life and musculoskeletal pain sites over seven years in adults with spastic cerebral palsy. Journal of Rehabilitation Medicine, 2011, 43, 382-387.	1.1	37
14	Mild versus severe fatigue in polio survivors: Special characteristics. Journal of Rehabilitation Medicine, 2002, 34, 134-140.	1.1	34
15	Upper extremity recovery after ischaemic and haemorrhagic stroke: Part of the SALGOT study. European Stroke Journal, 2016, 1, 310-319.	5.5	25
16	The validity of the Gait Variability Index for individuals with mild to moderate Parkinson's disease. Gait and Posture, 2017, 54, 311-317.	1.4	21
17	Implementing the exoskeleton Ekso GT TM for gait rehabilitation in a stroke unit $\hat{a} \in \mathbb{C}$ feasibility, functional benefits and patient experiences. Disability and Rehabilitation: Assistive Technology, 2022, 17, 473-479.	2.2	18
18	No effect on gait function of progressive resistance exercise in adults with cerebral palsy – A single-blind randomized controlled trial. Advances in Physiotherapy, 2009, 11, 227-233.	0.2	15

#	Article	IF	CITATIONS
19	Walking through life with cerebral palsy: reflections on daily walking by adults with cerebral palsy. International Journal of Qualitative Studies on Health and Well-being, 2020, 15, 1746577.	1.6	15
20	The safety and feasibility of an intervention to improve balance dysfunction in ambulant adults with cerebral palsy: a pilot randomized controlled trial. Clinical Rehabilitation, 2015, 29, 907-919.	2.2	14
21	Kinematic upper extremity performance in people with near or fully recovered sensorimotor function after stroke. Physiotherapy Theory and Practice, 2019, 35, 822-832.	1.3	12
22	Temporal and spatial gait parameters in patients dependent on walking assistance after stroke: Reliability and agreement between simple and advanced methods of assessment. Gait and Posture, 2014, 40, 101-106.	1.4	7
23	Highly challenging balance and gait training for individuals with Parkinson's disease improves pace, rhythm and variability domains of gait – A secondary analysis from a randomized controlled trial. Clinical Rehabilitation, 2021, 35, 200-212.	2.2	7
24	Weighted blanket and sleep medication use among adults with psychiatric diagnosis – a population-based register study. Nordic Journal of Psychiatry, 2022, 76, 29-36.	1.3	4
25	The Cognitive Orientation to daily Occupational Performance (CO-OP) Approach is superior to ordinary treatment for achievement of goals and transfer effects in children with cerebral palsy and spina bifida – a randomized controlled trial. Disability and Rehabilitation, 2023, 45, 822-831.	1.8	3
26	Weighted blankets for sleep problems – prescription, use and cost analysis. Scandinavian Journal of Occupational Therapy, 2023, 30, 211-221.	1.7	2
27	Early mobilization of a patient with acquired brain injury using a new standing aid, the Innowalk Pro. A single subject experimental design. Disability and Rehabilitation: Assistive Technology, 2020, , 1-8.	2.2	0
28	Community living after in-hospital specialized rehabilitation in patients with severe disability after stroke: a long-term follow-up after a randomized controlled trial. Disability and Rehabilitation, 0, , 1-8.	1.8	0