Peter Nordström

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8581380/publications.pdf

Version: 2024-02-01

140 papers 5,684 citations

76326 40 h-index 95266 68 g-index

142 all docs 142 docs citations

142 times ranked

8177 citing authors

#	Article	IF	CITATIONS
1	Replication and extension of genome-wide association study results for obesity in 4923 adults from northern Sweden. Human Molecular Genetics, 2009, 18, 1489-1496.	2.9	208
2	Risk of infection, hospitalisation, and death up to 9 months after a second dose of COVID-19 vaccine: a retrospective, total population cohort study in Sweden. Lancet, The, 2022, 399, 814-823.	13.7	196
3	Risk of SARS-CoV-2 reinfection and COVID-19 hospitalisation in individuals with natural and hybrid immunity: a retrospective, total population cohort study in Sweden. Lancet Infectious Diseases, The, 2022, 22, 781-790.	9.1	191
4	Daily steps and all-cause mortality: a meta-analysis of 15 international cohorts. Lancet Public Health, The, 2022, 7, e219-e228.	10.0	189
5	Higher Prevalence of Type 2 Diabetes in Men Than in Women Is Associated With Differences in Visceral Fat Mass. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3740-3746.	3.6	182
6	Traumatic brain injury and young onset dementia: A nationwide cohort study. Annals of Neurology, 2014, 75, 374-381.	5.3	174
7	Traumatic brain injury and the risk of dementia diagnosis: A nationwide cohort study. PLoS Medicine, 2018, 15, e1002496.	8.4	155
8	Sports-related concussion increases the risk of subsequent injury by about 50% in elite male football players. British Journal of Sports Medicine, 2014, 48, 1447-1450.	6.7	152
9	Depression and subsequent risk of Parkinson disease. Neurology, 2015, 84, 2422-2429.	1.1	151
10	The use of cholinesterase inhibitors and the risk of myocardial infarction and death: a nationwide cohort study in subjects with Alzheimer's disease. European Heart Journal, 2013, 34, 2585-2591.	2.2	140
11	Length of hospital stay after hip fracture and short term risk of death after discharge: a total cohort study in Sweden. BMJ, The, 2015, 350, h696-h696.	6.0	136
12	High aerobic fitness in late adolescence is associated with a reduced risk of myocardial infarction later in life: a nationwide cohort study in men. European Heart Journal, 2014, 35, 3133-3140.	2.2	129
13	SveDem, the Swedish Dementia Registry $\hat{a}\in$ A Tool for Improving the Quality of Diagnostics, Treatment and Care of Dementia Patients in Clinical Practice. PLoS ONE, 2015, 10, e0116538.	2.5	124
14	Type of Physical Activity, Muscle Strength, and Pubertal Stage as Determinants of Bone Mineral Density and Bone Area in Adolescent Boys. Journal of Bone and Mineral Research, 1998, 13, 1141-1148.	2.8	120
15	Bone Loss and Fracture Risk After Reduced Physical Activity. Journal of Bone and Mineral Research, 2004, 20, 202-207.	2.8	118
16	Increased postural sway during quiet stance as a risk factor for prospective falls in community-dwelling elderly individuals. Age and Ageing, 2017, 46, 964-970.	1.6	115
17	Effects of Resistance Training on Functional Strength and Muscle Mass in 70-Year-Old Individuals With Pre-sarcopenia: A Randomized Controlled Trial. Journal of the American Medical Directors Association, 2019, 20, 28-34.	2.5	115
18	Effectiveness of heterologous ChAdOx1 nCoV-19 and mRNA prime-boost vaccination against symptomatic Covid-19 infection in Sweden: A nationwide cohort study. Lancet Regional Health - Europe, The, 2021, 11, 100249.	5 . 6	115

#	Article	IF	Citations
19	Risk factors for COVID-19 diagnosis, hospitalization, and subsequent all-cause mortality in Sweden: a nationwide study. European Journal of Epidemiology, 2021, 36, 287-298.	5.7	102
20	Effects of a Highâ€Intensity Functional Exercise Program on Dependence in Activities of Daily Living and Balance in Older Adults with Dementia. Journal of the American Geriatrics Society, 2016, 64, 55-64.	2.6	100
21	Aerobic fitness in late adolescence and the risk of early death: a prospective cohort study of 1.3 million Swedish men. International Journal of Epidemiology, 2016, 45, 1159-1168.	1.9	99
22	Greater Fall Risk in Elderly Women Than in Men Is Associated WithÂlncreased Gait Variability During Multitasking. Journal of the American Medical Directors Association, 2016, 17, 535-540.	2.5	90
23	Suicide Intent Scale in the prediction of suicide. Journal of Affective Disorders, 2012, 136, 167-171.	4.1	85
24	Long-term Effects of Cholinesterase Inhibitors on Cognitive Decline and Mortality. Neurology, 2021, 96, e2220-e2230.	1.1	75
25	Risk Factors in Late Adolescence for Young-Onset Dementia in Men. JAMA Internal Medicine, 2013, 173, 1612.	5.1	73
26	Objectively measured physical activity is associated with parameters of bone in 70-year-old men and women. Bone, 2015, 81, 72-79.	2.9	70
27	High interleukin-6 and impulsivity: determining the role of endophenotypes in attempted suicide. Translational Psychiatry, 2014, 4, e470-e470.	4.8	68
28	Vitamin D receptor gene polymorphism is related to bone density, circulating osteocalcin, and parathyroid hormone in healthy adolescent girls. Journal of Bone and Mineral Metabolism, 2001, 19, 302-307.	2.7	62
29	Effects of Exercise on Cognitive Function in Older People with Dementia: A Randomized Controlled Trial. Journal of Alzheimer's Disease, 2017, 60, 323-332.	2.6	62
30	High bone mass and altered relationships between bone mass, muscle strength, and body constitution in adolescent boys on a high level of physical activity. Bone, 1996, 19, 189-195.	2.9	56
31	Rapid Loss of Bone Mineral Density of the Femoral Neck After Cessation of Ice Hockey Training: A 6-Year Longitudinal Study in Males. Journal of Bone and Mineral Research, 2003, 18, 1964-1969.	2.8	51
32	HPA axis dysregulation in men with hypersexual disorder. Psychoneuroendocrinology, 2016, 63, 247-253.	2.7	51
33	The association of depression with subsequent dementia diagnosis: A Swedish nationwide cohort study from 1964 to 2016. PLoS Medicine, 2020, 17, e1003016.	8.4	51
34	Interleukin-6 Gene Polymorphism Is Related to Bone Mineral Density During and After Puberty in Healthy White Males: A Cross-Sectional and Longitudinal Study. Journal of Bone and Mineral Research, 2000, 15, 1944-1949.	2.8	50
35	Bone gained from physical activity and lost through detraining: a longitudinal study in young males. Osteoporosis International, 2005, 16, 835-841.	3.1	50
36	Effects of Geriatric Team Rehabilitation After Hip Fracture: Meta-Analysis of Randomized Controlled Trials. Journal of the American Medical Directors Association, 2018, 19, 840-845.	2.5	50

#	Article	IF	Citations
37	Cognitive function and other risk factors for mild traumatic brain injury in young men: nationwide cohort study. BMJ, The, 2013, 346, f723-f723.	6.0	49
38	Local bone mineral density, muscle strength, and exercise in adolescent boys: A comparative study of two groups with different muscle strength and exercise levels. Calcified Tissue International, 1996, 58, 402-408.	3.1	47
39	Effectiveness of a fourth dose of mRNA COVID-19 vaccine against all-cause mortality in long-term care facility residents and in the oldest old: A nationwide, retrospective cohort study in Sweden. Lancet Regional Health - Europe, The, 2022, 21, 100466.	5.6	45
40	Risk Factors Assessed in Adolescence and the Later Risk of Stroke in Men: A 33-Year Follow-Up Study. Cerebrovascular Diseases, 2015, 39, 63-71.	1.7	44
41	Correlation of Bone Density to Strength and Physical Activity in Young Men with a Low or Moderate Level of Physical Activity. Calcified Tissue International, 1997, 60, 332-337.	3.1	41
42	Hypothalamic pituitary thyroid axis and exposure to interpersonal violence in childhood among women with borderline personality disorder. HÃ \P gre Utbildning, 2014, 5, .	3.0	41
43	Low bone mineral density is associated with increased risk for myocardial infarction in men and women. Osteoporosis International, 2012, 23, 963-970.	3.1	39
44	Effects of geriatric interdisciplinary home rehabilitation on complications and readmissions after hip fracture: a randomized controlled trial. Clinical Rehabilitation, 2019, 33, 64-73.	2.2	38
45	The Effects of Exercise on Falls in Older People With Dementia Living in Nursing Homes: A Randomized Controlled Trial. Journal of the American Medical Directors Association, 2019, 20, 835-842.e1.	2.5	38
46	Sustained Benefits from Previous Physical Activity on Bone Mineral Density in Males. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 2600-2604.	3.6	37
47	Early and Rapid Bone Mineral Density Loss of the Proximal Femur in Men. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1902-1908.	3.6	37
48	Impact of Hip Fracture on Mortality: A Cohort Study in Hip Fracture Discordant Identical Twins. Journal of Bone and Mineral Research, 2014, 29, 424-431.	2.8	37
49	Excess Mortality After COVID-19 in Swedish Long-Term Care Facilities. Journal of the American Medical Directors Association, 2021, 22, 1574-1580.e8.	2.5	36
50	Influence of Heredity and Environment on Bone Density in Adolescent Boys: A Parent-Offspring Study. Osteoporosis International, 1999, 10, 271-277.	3.1	35
51	Mid-calf skeletal muscle density and its associations with physical activity, bone health and incident 12-month falls in older adults: The Healthy Ageing Initiative. Bone, 2019, 120, 446-451.	2.9	35
52	Association Between Antidepressant Drug Use and Hip Fracture in Older People Before and After Treatment Initiation. JAMA Psychiatry, 2019, 76, 172.	11.0	34
53	Blood Pressure, Gait Speed, and Mortality in Very Old Individuals: A Population-Based Cohort Study. Journal of the American Medical Directors Association, 2015, 16, 208-214.	2.5	33
54	Update of the fracture risk prediction tool FRAX: a systematic review of potential cohorts and analysis plan. Osteoporosis International, 2022, 33, 2103-2136.	3.1	33

#	Article	IF	CITATIONS
55	Risk of Injurious Fall and Hip Fracture up to 26 y before the Diagnosis of Parkinson Disease: Nested Case–Control Studies in a Nationwide Cohort. PLoS Medicine, 2016, 13, e1001954.	8.4	32
56	Geriatric Rehabilitation and Discharge Location After Hip Fracture in Relation to the Risks of Death and Readmission. Journal of the American Medical Directors Association, 2016, 17, 91.e1-91.e7.	2.5	32
57	Predicting incident falls: Relationship between postural sway and limits of stability in older adults. Human Movement Science, 2019, 66, 117-123.	1.4	32
58	Associations of Objectively Measured Physical Activity and Sedentary Time with the Risk of Stroke, Myocardial Infarction or All-Cause Mortality in 70-Year-Old Men and Women: A Prospective Cohort Study. Sports Medicine, 2021, 51, 339-349.	6.5	32
59	Effects of Geriatric Interdisciplinary Home Rehabilitation on Independence in Activities of Daily Living in Older People With Hip Fracture: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2020, 101, 571-578.	0.9	30
60	Site-specific bone mass differences of the lower extremities in 17-year-old ice hockey players. Calcified Tissue International, 1996, 59, 443-448.	3.1	28
61	Daily step count and incident diabetes in community-dwelling 70-year-olds: a prospective cohort study. BMC Public Health, 2020, 20, 1830.	2.9	28
62	Associations of accelerometer-determined physical activity and sedentary behavior with sarcopenia and incident falls over 12 months in community-dwelling Swedish older adults. Journal of Sport and Health Science, 2021, 10, 577-584.	6.5	27
63	Walking Aids Moderate Exercise Effects on Gait Speed in People With Dementia: A Randomized Controlled Trial. Journal of the American Medical Directors Association, 2017, 18, 227-233.	2.5	25
64	Associations of Sarcopenia and Its Components with Bone Structure and Incident Falls in Swedish Older Adults. Calcified Tissue International, 2019, 105, 26-36.	3.1	25
65	Constant Adaptation of Bone to Current Physical Activity Level in Men: A 12-Year Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 4873-4879.	3.6	24
66	Functional capacity and dependency in transfer and dressing are associated with depressive symptoms in older people. Clinical Interventions in Aging, 2014, 9, 249.	2.9	24
67	Mortality in patients with behavioural and psychological symptoms of dementia: a registry-based study. Aging and Mental Health, 2021, 25, 1101-1109.	2.8	23
68	Associations of Visceral Adipose Tissue and Skeletal Muscle Density With Incident Stroke, Myocardial Infarction, and Allâ€Cause Mortality in Communityâ€Dwelling 70â€Yearâ€Old Individuals: A Prospective Cohort Study. Journal of the American Heart Association, 2021, 10, e020065.	3.7	22
69	Bisphosphonates and mortality: confounding in observational studies?. Osteoporosis International, 2019, 30, 1973-1982.	3.1	21
70	Cholesterol and the "Cycle of Violence―in attempted suicide. Psychiatry Research, 2014, 215, 646-650.	3.3	20
71	Thyroid hormones and adult interpersonal violence among women with borderline personality disorder. Psychiatry Research, 2015, 227, 253-257.	3.3	20
72	Low muscle strength in late adolescence and Parkinson disease later in life. Neurology, 2015, 84, 1862-1869.	1.1	20

#	Article	IF	CITATIONS
73	Effects of a highâ€intensity functional exercise program on depressive symptoms among people with dementia in residential care: a randomized controlled trial. International Journal of Geriatric Psychiatry, 2016, 31, 868-878.	2.7	20
74	Risks of Myocardial Infarction, Death, and Diabetes in Identical Twin Pairs With Different Body Mass Indexes. JAMA Internal Medicine, 2016, 176, 1522.	5.1	20
75	Low physical activity as a key differentiating factor in the potential high-risk profile for depressive symptoms in older adults. Depression and Anxiety, 2017, 34, 817-825.	4.1	20
76	Epidemiology of osteonecrosis among older adults in Sweden. Osteoporosis International, 2019, 30, 965-973.	3.1	20
77	Effects of different types of weight-bearing loading on bone mass and size in young males: A longitudinal study. Bone, 2008, 42, 565-571.	2.9	19
78	Interpersonal violence, early life adversity, and suicidal behavior in hypersexual men. Journal of Behavioral Addictions, 2017, 6, 187-193.	3.7	19
79	Do Both Areal BMD and Injurious Falls Explain the Higher Incidence of Fractures in Women than in Men?. Calcified Tissue International, 2011, 89, 203-210.	3.1	18
80	Combining the Suicide Intent Scale and the Karolinska Interpersonal Violence Scale in suicide risk assessments. BMC Psychiatry, 2015, 15, 226.	2.6	18
81	The prevalence of stroke and depression and factors associated with depression in elderly people with and without stroke. BMC Geriatrics, 2016, 16, 174.	2.7	18
82	Do Acetylcholinesterase Inhibitors Prevent or Delay Psychotropic Prescribing in People With Dementia? Analyses of the Swedish Dementia Registry. American Journal of Geriatric Psychiatry, 2020, 28, 108-117.	1.2	17
83	High physical fitness in young adulthood reduces the risk of fractures later in life in men: A nationwide cohort study. Journal of Bone and Mineral Research, 2013, 28, 1061-1067.	2.8	16
84	Does exercise prevent major nonâ€communicable diseases and premature mortality? A critical review based on results from randomized controlled trials. Journal of Internal Medicine, 2021, 290, 1112-1129.	6.0	16
85	Association Between Risk of COVID-19 Infection in Nonimmune Individuals and COVID-19 Immunity in Their Family Members. JAMA Internal Medicine, 2021, 181, 1589.	5.1	15
86	Temperamental vulnerability and suicide risk after attempted suicide. Suicide and Life-Threatening Behavior, 1996, 26, 380-94.	1.9	15
87	Adiposity Without Obesity: Associations with Osteoporosis, Sarcopenia, and Falls in the Healthy Ageing Initiative Cohort Study. Obesity, 2020, 28, 2232-2241.	3.0	14
88	Geriatric Interdisciplinary Home Rehabilitation After Hip Fracture in People with Dementia – A Subgroup Analysis of a Randomized Controlled Trial. Clinical Interventions in Aging, 2020, Volume 15, 1575-1586.	2.9	14
89	Web-based exercise versus supervised exercise for decreasing visceral adipose tissue in older adults with central obesity: a randomized controlled trial. BMC Geriatrics, 2020, 20, 173.	2.7	14
90	Cognitive function in young men and the later risk of fractures. Journal of Bone and Mineral Research, 2012, 27, 2291-2297.	2.8	13

#	Article	IF	Citations
91	Psychotropic drug use and mortality in old people with dementia: investigating sex differences. BMC Pharmacology & Emp; Toxicology, 2017, 18, 36.	2.4	13
92	Bisphosphonate use after clinical fracture and risk of new fracture. Osteoporosis International, 2018, 29, 937-945.	3.1	13
93	Cognitive Performance in Late Adolescence and the Subsequent Risk of Subdural Hematoma: An Observational Study of a Prospective Nationwide Cohort. PLoS Medicine, 2011, 8, e1001151.	8.4	12
94	Plasma apolipoprotein E and severity of suicidal behaviour. Journal of Affective Disorders, 2016, 190, 137-142.	4.1	12
95	Exposure to interpersonal violence and risk of post-traumatic stress disorder among women with borderline personality disorder. Psychiatry Research, 2018, 262, 311-315.	3.3	12
96	<p>Effects of interval training on quality of life and cardiometabolic risk markers in older adults: a randomized controlled trial</p> . Clinical Interventions in Aging, 2019, Volume 14, 1589-1599.	2.9	12
97	Sedentary behavior as a potential risk factor for depression among 70-year-olds. Journal of Affective Disorders, 2020, 263, 605-608.	4.1	12
98	White matter hyperintensities increases with traumatic brain injury severity: associations to neuropsychological performance and fatigue. Brain Injury, 2020, 34, 415-420.	1.2	12
99	Dairy product intake and bone properties in 70-year-old men and women. Archives of Osteoporosis, 2018, 13, 9.	2.4	11
100	Alendronate Use and the Risk of Nonvertebral Fracture During Glucocorticoid Therapy: A Retrospective Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 306-313.	3.6	11
101	CSF Apolipoprotein E in attempted suicide. Journal of Affective Disorders, 2018, 225, 246-249.	4.1	10
102	A multiple risk factor programÂis associated with decreased risk of cardiovascular disease in 70-year-olds: A cohort study from Sweden. PLoS Medicine, 2020, 17, e1003135.	8.4	10
103	Cardiovascular Disease and All-Cause Mortality in Male Twins With Discordant Cardiorespiratory Fitness: A Nationwide Cohort Study. American Journal of Epidemiology, 2020, 189, 1114-1123.	3.4	10
104	Bisphosphonate Use After Hip Fracture in Older Adults: AÂNationwide Retrospective Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 515-521.	2.5	9
105	Effects of Interval Training on Visceral Adipose Tissue in Centrally Obese 70â€Yearâ€Old Individuals: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2019, 67, 1625-1631.	2.6	9
106	Objectively Measured Physical Activity in Older Adults With and Without Diabetes. Clinical Diabetes, 2019, 37, 142-149.	2.2	9
107	Effect of Berry Polyphenols on Glucose Metabolism: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Current Developments in Nutrition, 2020, 4, nzaa100.	0.3	8
108	Trends in Hip Fracture Incidence, Length of Hospital Stay, and 30-Day Mortality in Sweden from 1998–2017: A Nationwide Cohort Study. Calcified Tissue International, 2022, 111, 21-28.	3.1	8

#	Article	IF	Citations
109	Digital exercise interventions for improving measures of central obesity: a systematic review. International Journal of Public Health, 2020, 65, 593-605.	2.3	7
110	Antidepressant use and mortality in very old people. International Psychogeriatrics, 2016, 28, 1201-1210.	1.0	6
111	Measurement error of the Mini-Mental State Examination among individuals with dementia that reside in nursing homes. European Journal of Ageing, 2021, 18, 109-115.	2.8	6
112	Attention in Older Adults: A Normative Study of the Integrated Visual and Auditory Continuous Performance Test for Persons Aged 70 Years. Clinical Neuropsychologist, 2015, 29, 595-610.	2.3	5
113	Bone mass, size and previous fractures as predictors of prospective fractures in an osteoporotic referral population. Bone, 2009, 45, 808-813.	2.9	4
114	Self-reported protein intake and properties of bone in community-dwelling older individuals. Archives of Osteoporosis, 2018, 13, 10.	2.4	4
115	Use of short-acting and long-acting hypnotics and the risk of fracture: a critical analysis of associations in a nationwide cohort. Osteoporosis International, 2019, 30, 1983-1993.	3.1	4
116	Antipsychotic Drugs and Hip Fracture: Associations Before and After the Initiation of Treatment. Journal of the American Medical Directors Association, 2020, 21, 1636-1642.e6.	2.5	4
117	Exercise effects on backward walking speed in people with dementia: A randomized controlled trial. Gait and Posture, 2021, 85, 65-70.	1.4	4
118	Feasibility of an Online Delivered, Home-Based Resistance Training Program for Older Adults $\hat{a} \in \text{``A Mixed Methods Approach. Frontiers in Psychology, 2022, 13, .}$	2.1	4
119	A 15-year follow-up study of hip bone mineral density and associations with leisure time physical activity. The Tromsø Study 2001–2016. PLoS ONE, 2022, 17, e0262228.	2.5	3
120	Physical Activity in Late Middle- to Older-Aged People and Dementia, Cognitive, and Physical Function Two Decades Later. Dementia and Geriatric Cognitive Disorders, 2022, 51, 135-141.	1.5	3
121	Association of dog ownership with accelerometer-measured physical activity and daily steps in 70-year-old individuals: a population-based cross-sectional study. BMC Public Health, 2021, 21, 2313.	2.9	3
122	Short-term balance training and acute effects on postural sway in balance-deficient older adults: a randomized controlled trial. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 23.	1.7	2
123	Associations of Light, Moderate to Vigorous, and Total Physical Activity With the Prevalence of Metabolic Syndrome in 4,652 Community-Dwelling 70-Year-Olds: A Population-Based Cross-Sectional Study. Journal of Aging and Physical Activity, 2021, 29, 735-743.	1.0	2
124	Highâ€impact loading on the skeleton is associated with a decrease in glucose levels in young men. Clinical Endocrinology, 2012, 77, 823-827.	2.4	1
125	Bisphosphonate use after clinical fracture and risk of new fracture: response to comments by Wu et al Osteoporosis International, 2018, 29, 2159-2160.	3.1	1
126	Mind Your Head: Potential Short- and Long-Term Effects of Concussion in Sport. , 2020, , 47-51.		1

#	Article	IF	CITATIONS
127	Effect of high impact activity on bone mass and size in adolescent females: â€ʿA comparative study between two different types of sports. Scandinavian Journal of Medicine and Science in Sports, 2001, 11, 193-194.	2.9	0
128	Alzheimer's drugs linked to reduced risk of myocardial infarct. British Journal of Hospital Medicine (London, England: 2005), 2013, 74, 368-368.	0.5	0
129	Decreased mortality during inpatient care in The Netherlands: what are the keys to further improve health care for elderly patients?. Age and Ageing, 2016, 45, 4-5.	1.6	O
130	Overestimation of the Limitations of Randomized Controlled Trials. Journal of Bone and Mineral Research, 2019, 34, 1767-1768.	2.8	0
131	Aerobic capacity in adolescence is associated with time to intervention in adult men with atrial septal defects. International Journal of Cardiology, 2019, 280, 57-60.	1.7	0
132	Boneâ€Specific Drugs and Osteonecrosis of Sites Other Than the Jaw: A Nationwide Cohort Study. Journal of Bone and Mineral Research, 2020, 35, 1703-1710.	2.8	0
133	Title is missing!. , 2020, 17, e1003135.		O
134	Title is missing!. , 2020, 17, e1003135.		0
135	Title is missing!. , 2020, 17, e1003135.		O
136	Title is missing!. , 2020, 17, e1003016.		0
137	Title is missing!. , 2020, 17, e1003016.		О
138	Title is missing!. , 2020, 17, e1003016.		0
139	Title is missing!. , 2020, 17, e1003016.		0
140	Title is missing!. , 2020, 17, e1003016.		0