

Peter Nordström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8581380/publications.pdf>

Version: 2024-02-01

140
papers

5,684
citations

76326

40
h-index

95266

68
g-index

142
all docs

142
docs citations

142
times ranked

8177
citing authors

#	ARTICLE	IF	CITATIONS
1	A 15-year follow-up study of hip bone mineral density and associations with leisure time physical activity. <i>The TromsÅ, Study 2001â€“2016</i> . <i>PLoS ONE</i> , 2022, 17, e0262228.	2.5	3
2	Risk of infection, hospitalisation, and death up to 9 months after a second dose of COVID-19 vaccine: a retrospective, total population cohort study in Sweden. <i>Lancet, The</i> , 2022, 399, 814-823.	13.7	196
3	Trends in Hip Fracture Incidence, Length of Hospital Stay, and 30-Day Mortality in Sweden from 1998â€“2017: A Nationwide Cohort Study. <i>Calcified Tissue International</i> , 2022, 111, 21-28.	3.1	8
4	Daily steps and all-cause mortality: a meta-analysis of 15 international cohorts. <i>Lancet Public Health, The</i> , 2022, 7, e219-e228.	10.0	189
5	Physical Activity in Late Middle- to Older-Aged People and Dementia, Cognitive, and Physical Function Two Decades Later. <i>Dementia and Geriatric Cognitive Disorders</i> , 2022, 51, 135-141.	1.5	3
6	Risk of SARS-CoV-2 reinfection and COVID-19 hospitalisation in individuals with natural and hybrid immunity: a retrospective, total population cohort study in Sweden. <i>Lancet Infectious Diseases, The</i> , 2022, 22, 781-790.	9.1	191
7	Update of the fracture risk prediction tool FRAX: a systematic review of potential cohorts and analysis plan. <i>Osteoporosis International</i> , 2022, 33, 2103-2136.	3.1	33
8	Feasibility of an Online Delivered, Home-Based Resistance Training Program for Older Adults â€“ A Mixed Methods Approach. <i>Frontiers in Psychology</i> , 2022, 13, .	2.1	4
9	Effectiveness of a fourth dose of mRNA COVID-19 vaccine against all-cause mortality in long-term care facility residents and in the oldest old: A nationwide, retrospective cohort study in Sweden. <i>Lancet Regional Health - Europe, The</i> , 2022, 21, 100466.	5.6	45
10	Associations of accelerometer-determined physical activity and sedentary behavior with sarcopenia and incident falls over 12 months in community-dwelling Swedish older adults. <i>Journal of Sport and Health Science</i> , 2021, 10, 577-584.	6.5	27
11	Measurement error of the Mini-Mental State Examination among individuals with dementia that reside in nursing homes. <i>European Journal of Ageing</i> , 2021, 18, 109-115.	2.8	6
12	Mortality in patients with behavioural and psychological symptoms of dementia: a registry-based study. <i>Aging and Mental Health</i> , 2021, 25, 1101-1109.	2.8	23
13	Associations of Objectively Measured Physical Activity and Sedentary Time with the Risk of Stroke, Myocardial Infarction or All-Cause Mortality in 70-Year-Old Men and Women: A Prospective Cohort Study. <i>Sports Medicine</i> , 2021, 51, 339-349.	6.5	32
14	Long-term Effects of Cholinesterase Inhibitors on Cognitive Decline and Mortality. <i>Neurology</i> , 2021, 96, e2220-e2230.	1.1	75
15	Short-term balance training and acute effects on postural sway in balance-deficient older adults: a randomized controlled trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 23.	1.7	2
16	Risk factors for COVID-19 diagnosis, hospitalization, and subsequent all-cause mortality in Sweden: a nationwide study. <i>European Journal of Epidemiology</i> , 2021, 36, 287-298.	5.7	102
17	Exercise effects on backward walking speed in people with dementia: A randomized controlled trial. <i>Gait and Posture</i> , 2021, 85, 65-70.	1.4	4
18	Associations of Visceral Adipose Tissue and Skeletal Muscle Density With Incident Stroke, Myocardial Infarction, and Allâ€“Cause Mortality in Communityâ€“dwelling 70â€“Yearâ€“Old Individuals: A Prospective Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e020065.	3.7	22

#	ARTICLE	IF	CITATIONS
19	Excess Mortality After COVID-19 in Swedish Long-Term Care Facilities. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1574-1580.e8.	2.5	36
20	Does exercise prevent major non-communicable diseases and premature mortality? A critical review based on results from randomized controlled trials. <i>Journal of Internal Medicine</i> , 2021, 290, 1112-1129.	6.0	16
21	Associations of Light, Moderate to Vigorous, and Total Physical Activity With the Prevalence of Metabolic Syndrome in 4,652 Community-Dwelling 70-Year-Olds: A Population-Based Cross-Sectional Study. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 735-743.	1.0	2
22	Association Between Risk of COVID-19 Infection in Nonimmune Individuals and COVID-19 Immunity in Their Family Members. <i>JAMA Internal Medicine</i> , 2021, 181, 1589.	5.1	15
23	Effectiveness of heterologous ChAdOx1 nCoV-19 and mRNA prime-boost vaccination against symptomatic Covid-19 infection in Sweden: A nationwide cohort study. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100249.	5.6	115
24	Association of dog ownership with accelerometer-measured physical activity and daily steps in 70-year-old individuals: a population-based cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 2313.	2.9	3
25	Do Acetylcholinesterase Inhibitors Prevent or Delay Psychotropic Prescribing in People With Dementia? Analyses of the Swedish Dementia Registry. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 108-117.	1.2	17
26	The association of depression with subsequent dementia diagnosis: A Swedish nationwide cohort study from 1964 to 2016. <i>PLoS Medicine</i> , 2020, 17, e1003016.	8.4	51
27	Sedentary behavior as a potential risk factor for depression among 70-year-olds. <i>Journal of Affective Disorders</i> , 2020, 263, 605-608.	4.1	12
28	Antipsychotic Drugs and Hip Fracture: Associations Before and After the Initiation of Treatment. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1636-1642.e6.	2.5	4
29	Adiposity Without Obesity: Associations with Osteoporosis, Sarcopenia, and Falls in the Healthy Ageing Initiative Cohort Study. <i>Obesity</i> , 2020, 28, 2232-2241.	3.0	14
30	Daily step count and incident diabetes in community-dwelling 70-year-olds: a prospective cohort study. <i>BMC Public Health</i> , 2020, 20, 1830.	2.9	28
31	<p>Geriatric Interdisciplinary Home Rehabilitation After Hip Fracture in People with Dementia – A Subgroup Analysis of a Randomized Controlled Trial</p>. <i>Clinical Interventions in Aging</i> , 2020, Volume 15, 1575-1586.	2.9	14
32	Digital exercise interventions for improving measures of central obesity: a systematic review. <i>International Journal of Public Health</i> , 2020, 65, 593-605.	2.3	7
33	Bone-specific Drugs and Osteonecrosis of Sites Other Than the Jaw: A Nationwide Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 1703-1710.	2.8	0
34	Web-based exercise versus supervised exercise for decreasing visceral adipose tissue in older adults with central obesity: a randomized controlled trial. <i>BMC Geriatrics</i> , 2020, 20, 173.	2.7	14
35	A multiple risk factor program is associated with decreased risk of cardiovascular disease in 70-year-olds: A cohort study from Sweden. <i>PLoS Medicine</i> , 2020, 17, e1003135.	8.4	10
36	Effect of Berry Polyphenols on Glucose Metabolism: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa100.	0.3	8

#	ARTICLE	IF	CITATIONS
37	White matter hyperintensities increases with traumatic brain injury severity: associations to neuropsychological performance and fatigue. <i>Brain Injury</i> , 2020, 34, 415-420.	1.2	12
38	Effects of Geriatric Interdisciplinary Home Rehabilitation on Independence in Activities of Daily Living in Older People With Hip Fracture: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 571-578.	0.9	30
39	Cardiovascular Disease and All-Cause Mortality in Male Twins With Discordant Cardiorespiratory Fitness: A Nationwide Cohort Study. <i>American Journal of Epidemiology</i> , 2020, 189, 1114-1123.	3.4	10
40	Mind Your Head: Potential Short- and Long-Term Effects of Concussion in Sport. , 2020, , 47-51.		1
41	Title is missing!. , 2020, 17, e1003135.		0
42	Title is missing!. , 2020, 17, e1003135.		0
43	Title is missing!. , 2020, 17, e1003135.		0
44	Title is missing!. , 2020, 17, e1003016.		0
45	Title is missing!. , 2020, 17, e1003016.		0
46	Title is missing!. , 2020, 17, e1003016.		0
47	Title is missing!. , 2020, 17, e1003016.		0
48	Title is missing!. , 2020, 17, e1003016.		0
49	Effects of geriatric interdisciplinary home rehabilitation on complications and readmissions after hip fracture: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2019, 33, 64-73.	2.2	38
50	Overestimation of the Limitations of Randomized Controlled Trials. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1767-1768.	2.8	0
51	Use of short-acting and long-acting hypnotics and the risk of fracture: a critical analysis of associations in a nationwide cohort. <i>Osteoporosis International</i> , 2019, 30, 1983-1993.	3.1	4
52	Bisphosphonates and mortality: confounding in observational studies?. <i>Osteoporosis International</i> , 2019, 30, 1973-1982.	3.1	21
53	<p>Effects of interval training on quality of life and cardiometabolic risk markers in older adults: a randomized controlled trial</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1589-1599.	2.9	12
54	Aerobic capacity in adolescence is associated with time to intervention in adult men with atrial septal defects. <i>International Journal of Cardiology</i> , 2019, 280, 57-60.	1.7	0

#	ARTICLE	IF	CITATIONS
55	Effects of Interval Training on Visceral Adipose Tissue in Centrally Obese 70-Year-Old Individuals: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 1625-1631.	2.6	9
56	Associations of Sarcopenia and Its Components with Bone Structure and Incident Falls in Swedish Older Adults. <i>Calcified Tissue International</i> , 2019, 105, 26-36.	3.1	25
57	Predicting incident falls: Relationship between postural sway and limits of stability in older adults. <i>Human Movement Science</i> , 2019, 66, 117-123.	1.4	32
58	Objectively Measured Physical Activity in Older Adults With and Without Diabetes. <i>Clinical Diabetes</i> , 2019, 37, 142-149.	2.2	9
59	Association Between Antidepressant Drug Use and Hip Fracture in Older People Before and After Treatment Initiation. <i>JAMA Psychiatry</i> , 2019, 76, 172.	11.0	34
60	Effects of Resistance Training on Functional Strength and Muscle Mass in 70-Year-Old Individuals With Pre-sarcopenia: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 28-34.	2.5	115
61	Epidemiology of osteonecrosis among older adults in Sweden. <i>Osteoporosis International</i> , 2019, 30, 965-973.	3.1	20
62	Mid-calf skeletal muscle density and its associations with physical activity, bone health and incident 12-month falls in older adults: The Healthy Ageing Initiative. <i>Bone</i> , 2019, 120, 446-451.	2.9	35
63	The Effects of Exercise on Falls in Older People With Dementia Living in Nursing Homes: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 835-842.e1.	2.5	38
64	Self-reported protein intake and properties of bone in community-dwelling older individuals. <i>Archives of Osteoporosis</i> , 2018, 13, 10.	2.4	4
65	Exposure to interpersonal violence and risk of post-traumatic stress disorder among women with borderline personality disorder. <i>Psychiatry Research</i> , 2018, 262, 311-315.	3.3	12
66	Dairy product intake and bone properties in 70-year-old men and women. <i>Archives of Osteoporosis</i> , 2018, 13, 9.	2.4	11
67	Bisphosphonate use after clinical fracture and risk of new fracture. <i>Osteoporosis International</i> , 2018, 29, 937-945.	3.1	13
68	Alendronate Use and the Risk of Nonvertebral Fracture During Glucocorticoid Therapy: A Retrospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 306-313.	3.6	11
69	CSF Apolipoprotein E in attempted suicide. <i>Journal of Affective Disorders</i> , 2018, 225, 246-249.	4.1	10
70	Effects of Geriatric Team Rehabilitation After Hip Fracture: Meta-Analysis of Randomized Controlled Trials. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 840-845.	2.5	50
71	Bisphosphonate use after clinical fracture and risk of new fracture: response to comments by Wu et al.. <i>Osteoporosis International</i> , 2018, 29, 2159-2160.	3.1	1
72	Traumatic brain injury and the risk of dementia diagnosis: A nationwide cohort study. <i>PLoS Medicine</i> , 2018, 15, e1002496.	8.4	155

#	ARTICLE	IF	CITATIONS
73	Bisphosphonate Use After Hip Fracture in Older Adults: A Nationwide Retrospective Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 515-521.	2.5	9
74	Interpersonal violence, early life adversity, and suicidal behavior in hypersexual men. <i>Journal of Behavioral Addictions</i> , 2017, 6, 187-193.	3.7	19
75	Low physical activity as a key differentiating factor in the potential high-risk profile for depressive symptoms in older adults. <i>Depression and Anxiety</i> , 2017, 34, 817-825.	4.1	20
76	Increased postural sway during quiet stance as a risk factor for prospective falls in community-dwelling elderly individuals. <i>Age and Ageing</i> , 2017, 46, 964-970.	1.6	115
77	Psychotropic drug use and mortality in old people with dementia: investigating sex differences. <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 36.	2.4	13
78	Walking Aids Moderate Exercise Effects on Gait Speed in People With Dementia: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 227-233.	2.5	25
79	Effects of Exercise on Cognitive Function in Older People with Dementia: A Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 323-332.	2.6	62
80	Risk of Injurious Fall and Hip Fracture up to 26 y before the Diagnosis of Parkinson Disease: Nested Case-Control Studies in a Nationwide Cohort. <i>PLoS Medicine</i> , 2016, 13, e1001954.	8.4	32
81	Higher Prevalence of Type 2 Diabetes in Men Than in Women Is Associated With Differences in Visceral Fat Mass. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3740-3746.	3.6	182
82	Effects of a high-intensity functional exercise program on depressive symptoms among people with dementia in residential care: a randomized controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 868-878.	2.7	20
83	Effects of a High-Intensity Functional Exercise Program on Dependence in Activities of Daily Living and Balance in Older Adults with Dementia. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 55-64.	2.6	100
84	Risks of Myocardial Infarction, Death, and Diabetes in Identical Twin Pairs With Different Body Mass Indexes. <i>JAMA Internal Medicine</i> , 2016, 176, 1522.	5.1	20
85	The prevalence of stroke and depression and factors associated with depression in elderly people with and without stroke. <i>BMC Geriatrics</i> , 2016, 16, 174.	2.7	18
86	Antidepressant use and mortality in very old people. <i>International Psychogeriatrics</i> , 2016, 28, 1201-1210.	1.0	6
87	Decreased mortality during inpatient care in The Netherlands: what are the keys to further improve health care for elderly patients?. <i>Age and Ageing</i> , 2016, 45, 4-5.	1.6	0
88	Greater Fall Risk in Elderly Women Than in Men Is Associated With Increased Gait Variability During Multitasking. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 535-540.	2.5	90
89	Aerobic fitness in late adolescence and the risk of early death: a prospective cohort study of 1.3 million Swedish men. <i>International Journal of Epidemiology</i> , 2016, 45, 1159-1168.	1.9	99
90	Plasma apolipoprotein E and severity of suicidal behaviour. <i>Journal of Affective Disorders</i> , 2016, 190, 137-142.	4.1	12

#	ARTICLE	IF	CITATIONS
91	Geriatric Rehabilitation and Discharge Location After Hip Fracture in Relation to the Risks of Death and Readmission. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 91.e1-91.e7.	2.5	32
92	HPA axis dysregulation in men with hypersexual disorder. <i>Psychoneuroendocrinology</i> , 2016, 63, 247-253.	2.7	51
93	Combining the Suicide Intent Scale and the Karolinska Interpersonal Violence Scale in suicide risk assessments. <i>BMC Psychiatry</i> , 2015, 15, 226.	2.6	18
94	SveDem, the Swedish Dementia Registry – A Tool for Improving the Quality of Diagnostics, Treatment and Care of Dementia Patients in Clinical Practice. <i>PLoS ONE</i> , 2015, 10, e0116538.	2.5	124
95	Depression and subsequent risk of Parkinson disease. <i>Neurology</i> , 2015, 84, 2422-2429.	1.1	151
96	Thyroid hormones and adult interpersonal violence among women with borderline personality disorder. <i>Psychiatry Research</i> , 2015, 227, 253-257.	3.3	20
97	Low muscle strength in late adolescence and Parkinson disease later in life. <i>Neurology</i> , 2015, 84, 1862-1869.	1.1	20
98	Blood Pressure, Gait Speed, and Mortality in Very Old Individuals: A Population-Based Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 208-214.	2.5	33
99	Length of hospital stay after hip fracture and short term risk of death after discharge: a total cohort study in Sweden. <i>BMJ, The</i> , 2015, 350, h696-h696.	6.0	136
100	Objectively measured physical activity is associated with parameters of bone in 70-year-old men and women. <i>Bone</i> , 2015, 81, 72-79.	2.9	70
101	Risk Factors Assessed in Adolescence and the Later Risk of Stroke in Men: A 33-Year Follow-Up Study. <i>Cerebrovascular Diseases</i> , 2015, 39, 63-71.	1.7	44
102	Attention in Older Adults: A Normative Study of the Integrated Visual and Auditory Continuous Performance Test for Persons Aged 70 Years. <i>Clinical Neuropsychologist</i> , 2015, 29, 595-610.	2.3	5
103	Functional capacity and dependency in transfer and dressing are associated with depressive symptoms in older people. <i>Clinical Interventions in Aging</i> , 2014, 9, 249.	2.9	24
104	High interleukin-6 and impulsivity: determining the role of endophenotypes in attempted suicide. <i>Translational Psychiatry</i> , 2014, 4, e470-e470.	4.8	68
105	Impact of Hip Fracture on Mortality: A Cohort Study in Hip Fracture Discordant Identical Twins. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 424-431.	2.8	37
106	Sports-related concussion increases the risk of subsequent injury by about 50% in elite male football players. <i>British Journal of Sports Medicine</i> , 2014, 48, 1447-1450.	6.7	152
107	Traumatic brain injury and young onset dementia: A nationwide cohort study. <i>Annals of Neurology</i> , 2014, 75, 374-381.	5.3	174
108	High aerobic fitness in late adolescence is associated with a reduced risk of myocardial infarction later in life: a nationwide cohort study in men. <i>European Heart Journal</i> , 2014, 35, 3133-3140.	2.2	129

#	ARTICLE	IF	CITATIONS
109	Cholesterol and the "Cycle of Violence" in attempted suicide. <i>Psychiatry Research</i> , 2014, 215, 646-650.	3.3	20
110	Hypothalamic pituitary thyroid axis and exposure to interpersonal violence in childhood among women with borderline personality disorder. <i>Högre Utbildning</i> , 2014, 5, .	3.0	41
111	Risk Factors in Late Adolescence for Young-Onset Dementia in Men. <i>JAMA Internal Medicine</i> , 2013, 173, 1612.	5.1	73
112	Cognitive function and other risk factors for mild traumatic brain injury in young men: nationwide cohort study. <i>BMJ, The</i> , 2013, 346, f723-f723.	6.0	49
113	The use of cholinesterase inhibitors and the risk of myocardial infarction and death: a nationwide cohort study in subjects with Alzheimer's disease. <i>European Heart Journal</i> , 2013, 34, 2585-2591.	2.2	140
114	High physical fitness in young adulthood reduces the risk of fractures later in life in men: A nationwide cohort study. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1061-1067.	2.8	16
115	Alzheimer's drugs linked to reduced risk of myocardial infarct. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2013, 74, 368-368.	0.5	0
116	Cognitive function in young men and the later risk of fractures. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 2291-2297.	2.8	13
117	High-impact loading on the skeleton is associated with a decrease in glucose levels in young men. <i>Clinical Endocrinology</i> , 2012, 77, 823-827.	2.4	1
118	Suicide Intent Scale in the prediction of suicide. <i>Journal of Affective Disorders</i> , 2012, 136, 167-171.	4.1	85
119	Low bone mineral density is associated with increased risk for myocardial infarction in men and women. <i>Osteoporosis International</i> , 2012, 23, 963-970.	3.1	39
120	Do Both Areal BMD and Injurious Falls Explain the Higher Incidence of Fractures in Women than in Men?. <i>Calcified Tissue International</i> , 2011, 89, 203-210.	3.1	18
121	Cognitive Performance in Late Adolescence and the Subsequent Risk of Subdural Hematoma: An Observational Study of a Prospective Nationwide Cohort. <i>PLoS Medicine</i> , 2011, 8, e1001151.	8.4	12
122	Replication and extension of genome-wide association study results for obesity in 4923 adults from northern Sweden. <i>Human Molecular Genetics</i> , 2009, 18, 1489-1496.	2.9	208
123	Bone mass, size and previous fractures as predictors of prospective fractures in an osteoporotic referral population. <i>Bone</i> , 2009, 45, 808-813.	2.9	4
124	Effects of different types of weight-bearing loading on bone mass and size in young males: A longitudinal study. <i>Bone</i> , 2008, 42, 565-571.	2.9	19
125	Constant Adaptation of Bone to Current Physical Activity Level in Men: A 12-Year Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4873-4879.	3.6	24
126	Early and Rapid Bone Mineral Density Loss of the Proximal Femur in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1902-1908.	3.6	37

#	ARTICLE	IF	CITATIONS
127	Sustained Benefits from Previous Physical Activity on Bone Mineral Density in Males. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2600-2604.	3.6	37
128	Bone gained from physical activity and lost through detraining: a longitudinal study in young males. <i>Osteoporosis International</i> , 2005, 16, 835-841.	3.1	50
129	Bone Loss and Fracture Risk After Reduced Physical Activity. <i>Journal of Bone and Mineral Research</i> , 2004, 20, 202-207.	2.8	118
130	Rapid Loss of Bone Mineral Density of the Femoral Neck After Cessation of Ice Hockey Training: A 6-Year Longitudinal Study in Males. <i>Journal of Bone and Mineral Research</i> , 2003, 18, 1964-1969.	2.8	51
131	Vitamin D receptor gene polymorphism is related to bone density, circulating osteocalcin, and parathyroid hormone in healthy adolescent girls. <i>Journal of Bone and Mineral Metabolism</i> , 2001, 19, 302-307.	2.7	62
132	Effect of high impact activity on bone mass and size in adolescent females: A comparative study between two different types of sports. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2001, 11, 193-194.	2.9	0
133	Interleukin-6 Gene Polymorphism Is Related to Bone Mineral Density During and After Puberty in Healthy White Males: A Cross-Sectional and Longitudinal Study. <i>Journal of Bone and Mineral Research</i> , 2000, 15, 1944-1949.	2.8	50
134	Influence of Heredity and Environment on Bone Density in Adolescent Boys: A Parent-Offspring Study. <i>Osteoporosis International</i> , 1999, 10, 271-277.	3.1	35
135	Type of Physical Activity, Muscle Strength, and Pubertal Stage as Determinants of Bone Mineral Density and Bone Area in Adolescent Boys. <i>Journal of Bone and Mineral Research</i> , 1998, 13, 1141-1148.	2.8	120
136	Correlation of Bone Density to Strength and Physical Activity in Young Men with a Low or Moderate Level of Physical Activity. <i>Calcified Tissue International</i> , 1997, 60, 332-337.	3.1	41
137	High bone mass and altered relationships between bone mass, muscle strength, and body constitution in adolescent boys on a high level of physical activity. <i>Bone</i> , 1996, 19, 189-195.	2.9	56
138	Site-specific bone mass differences of the lower extremities in 17-year-old ice hockey players. <i>Calcified Tissue International</i> , 1996, 59, 443-448.	3.1	28
139	Local bone mineral density, muscle strength, and exercise in adolescent boys: A comparative study of two groups with different muscle strength and exercise levels. <i>Calcified Tissue International</i> , 1996, 58, 402-408.	3.1	47
140	Temperamental vulnerability and suicide risk after attempted suicide. <i>Suicide and Life-Threatening Behavior</i> , 1996, 26, 380-94.	1.9	15