

Geoff J M Parker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8586130/publications.pdf>

Version: 2024-02-01

257
papers

23,805
citations

6613

79
h-index

8167

148
g-index

264
all docs

264
docs citations

264
times ranked

21708
citing authors

#	ARTICLE	IF	CITATIONS
1	A tractometry principal component analysis of white matter tract network structure and relationships with cognitive function in relapsing-remitting multiple sclerosis. <i>NeuroImage: Clinical</i> , 2022, 34, 102995.	2.7	1
2	Bias, Repeatability and Reproducibility of Liver T_1 Mapping With Variable Flip Angles. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 1042-1052.	3.4	7
3	Evaluation of Dynamic Contrast-Enhanced MRI Measures of Lung Congestion and Endothelial Permeability in Heart Failure: A Prospective Method Validation Study. <i>Journal of Magnetic Resonance Imaging</i> , 2022, , .	3.4	1
4	Quantitative kinetic modelling and mapping of cerebral glucose transport and metabolism using glucoCESL MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2022, 42, 2066-2079.	4.3	1
5	Electrospinning for healthcare: recent advancements. <i>Journal of Materials Chemistry B</i> , 2021, 9, 939-951.	5.8	81
6	Innovations and advances in electrospraying technology. , 2021, , 207-228.		0
7	Image Contrast, Image Pre-Processing, and T1 Mapping Affect MRI Radiomic Feature Repeatability in Patients with Colorectal Cancer Liver Metastases. <i>Cancers</i> , 2021, 13, 240.	3.7	12
8	Dynamic contrast-enhanced MRI of synovitis in knee osteoarthritis: repeatability, discrimination and sensitivity to change in a prospective experimental study. <i>European Radiology</i> , 2021, 31, 5746-5758.	4.5	12
9	Optimization of quantitative susceptibility mapping for regional estimation of oxygen extraction fraction in the brain. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1314-1329.	3.0	5
10	Alzheimer's disease pathology is associated with earlier alterations to blood-brain barrier water permeability compared with healthy ageing in TgF344AD rats. <i>NMR in Biomedicine</i> , 2021, 34, e4510.	2.8	20
11	Effect of oxaliplatin plus 5-fluorouracil or capecitabine on circulating and imaging biomarkers in patients with metastatic colorectal cancer: a prospective biomarker study. <i>BMC Cancer</i> , 2021, 21, 354.	2.6	1
12	A model selection framework to quantify microvascular liver function in gadoxetate-enhanced MRI: Application to healthy liver, diseased tissue, and hepatocellular carcinoma. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1829-1844.	3.0	4
13	Sources of systematic error in DCE-MRI estimation of low-level blood-brain barrier leakage. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1888-1903.	3.0	21
14	Validating pore size estimates in a complex microfiber environment on a human MRI system. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 1514-1530.	3.0	5
15	Coaxial electrospun biomimetic copolymer fibres for application in diffusion magnetic resonance imaging. <i>Bioinspiration and Biomimetics</i> , 2021, 16, 046016.	2.9	4
16	Comparative analysis of signal models for microscopic fractional anisotropy estimation using q-space trajectory encoding. <i>NeuroImage</i> , 2021, 242, 118445.	4.2	6
17	Mechanisms of Network Changes in Cognitive Impairment in Multiple Sclerosis. <i>Neurology</i> , 2021, 97, e1886-e1897.	1.1	18
18	Characterisation of microvessel blood velocity and segment length in the brain using multi-diffusion-time diffusion-weighted MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 0271678X2097852.	4.3	3

#	ARTICLE	IF	CITATIONS
19	Quantitative Magnetic Resonance Imaging in Perianal Crohn's Disease at 1.5 and 3.0 T: A Feasibility Study. <i>Diagnostics</i> , 2021, 11, 2135.	2.6	2
20	Extracellular resistance is sensitive to tissue sodium status; implications for bioimpedance-derived fluid volume parameters in chronic kidney disease. <i>Journal of Nephrology</i> , 2020, 33, 119-127.	2.0	13
21	Measuring water exchange across the blood-brain barrier using MRI. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2020, 116, 19-39.	7.5	49
22	The challenges of deploying artificial intelligence models in a rapidly evolving pandemic. <i>Nature Machine Intelligence</i> , 2020, 2, 298-300.	16.0	45
23	A tutorial and tool for exploring feature similarity gradients with MRI data. <i>NeuroImage</i> , 2020, 221, 117140.	4.2	26
24	Diffusion model comparison identifies distinct tumor subregions and tracks treatment response. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1250-1263.	3.0	6
25	A structural connectivity convergence zone in the ventral and anterior temporal lobes: Data-driven evidence from structural imaging. <i>Cortex</i> , 2019, 120, 298-307.	2.4	26
26	Reproducing Fingerprints: A Step toward Clinical Adoption. <i>Radiology</i> , 2019, 292, 438-439.	7.3	0
27	Multidimensional diffusion MRI with spectrally modulated gradients reveals unprecedented microstructural detail. <i>Scientific Reports</i> , 2019, 9, 9026.	3.3	58
28	Salt and Water Retention Is Associated with Microinflammation and Endothelial Injury in Chronic Kidney Disease. <i>Nephron</i> , 2019, 143, 234-242.	1.8	17
29	Towards a resolution limit for DW-MRI tumor microstructural models: A simulation study investigating the feasibility of distinguishing between microstructural changes. <i>Magnetic Resonance in Medicine</i> , 2019, 81, 2288-2301.	3.0	10
30	Oxygen-enhanced MRI Is Feasible, Repeatable, and Detects Radiotherapy-induced Change in Hypoxia in Xenograft Models and in Patients with Non-small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 3818-3829.	7.0	51
31	Co-electrospraying of tumour cell mimicking hollow polymeric microspheres for diffusion magnetic resonance imaging. <i>Materials Science and Engineering C</i> , 2019, 101, 217-227.	7.3	11
32	Measuring tissue sodium concentration: Cross-vendor repeatability and reproducibility of ²³ Na-MRI across two sites. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1278-1284.	3.4	17
33	Water-exchange MRI detects subtle blood-brain barrier breakdown in Alzheimer's disease rats. <i>NeuroImage</i> , 2019, 184, 349-358.	4.2	52
34	Mapping whole brain connectivity changes: The potential impact of different surgical resection approaches for temporal lobe epilepsy. <i>Cortex</i> , 2019, 113, 1-14.	2.4	8
35	Final results of the phase 1/2, open-label clinical study of intravenous recombinant human N-acetyl-β-D-glucosaminidase (SBC-103) in children with mucopolysaccharidosis IIIB. <i>Molecular Genetics and Metabolism</i> , 2019, 126, 131-138.	1.1	17
36	Volumetric dynamic oxygen-enhanced MRI (OE-MRI): comparison with CT Brody score and lung function in cystic fibrosis patients. <i>European Radiology</i> , 2018, 28, 4037-4047.	4.5	20

#	ARTICLE	IF	CITATIONS
37	A biomimetic tumor tissue phantom for validating diffusion-weighted MRI measurements. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 147-158.	3.0	12
38	Axon mimicking hydrophilic hollow polycaprolactone microfibres for diffusion magnetic resonance imaging. <i>Materials and Design</i> , 2018, 137, 394-403.	7.0	14
39	Assessing Inflammation in Acute Intracerebral Hemorrhage with PK11195 PET and Dynamic Contrast-Enhanced MRI. , 2018, 28, 158-161.		15
40	Data-driven mapping of hypoxia-related tumor heterogeneity using DCE-MRI and OE-MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 79, 2236-2245.	3.0	18
41	Evaluation of dynamic contrast-enhanced MRI biomarkers for stratified cancer medicine: How do permeability and perfusion vary between human tumours?. <i>Magnetic Resonance Imaging</i> , 2018, 46, 98-105.	1.8	20
42	Plasma Tie2 is a tumor vascular response biomarker for VEGF inhibitors in metastatic colorectal cancer. <i>Nature Communications</i> , 2018, 9, 4672.	12.8	47
43	Delivering Functional Imaging on the MRI-Linac: Current Challenges and Potential Solutions. <i>Clinical Oncology</i> , 2018, 30, 702-710.	1.4	39
44	Microstructural imaging of the human brain with a "super-scanner"™: 10 key advantages of ultra-strong gradients for diffusion MRI. <i>NeuroImage</i> , 2018, 182, 8-38.	4.2	138
45	OC-0632: Oxygen enhanced-MRI is feasible, repeatable and detects radiotherapy-induced NSCLC hypoxia changes. <i>Radiotherapy and Oncology</i> , 2018, 127, S336-S337.	0.6	2
46	Stability and reproducibility of co-electrospun brain-mimicking phantoms for quality assurance of diffusion MRI sequences. <i>NeuroImage</i> , 2018, 181, 395-402.	4.2	9
47	Mapping Hypoxia in Renal Carcinoma with Oxygen-enhanced MRI: Comparison with Intrinsic Susceptibility MRI and Pathology. <i>Radiology</i> , 2018, 288, 739-747.	7.3	34
48	AB1186...Dynamic contrast enhanced mr imaging in early stage knee osteoarthritis: a test-retest repeatability study in healthy and moderately diseased subjects. , 2018, , .		0
49	Early experience of oxygen enhanced magnetic resonance imaging (OE-MRI) in ataxia telangiectasia (A-T). , 2018, , .		0
50	The tract terminations in the temporal lobe: Their location and associated functions. <i>Cortex</i> , 2017, 97, 277-290.	2.4	48
51	Repeatability and response to therapy of dynamic contrast-enhanced magnetic resonance imaging biomarkers in rheumatoid arthritis in a large multicentre trial setting. <i>European Radiology</i> , 2017, 27, 3662-3668.	4.5	20
52	A graded tractographic parcellation of the temporal lobe. <i>NeuroImage</i> , 2017, 155, 503-512.	4.2	55
53	Hollow Polycaprolactone Microspheres with/without a Single Surface Hole by Co-Electrospraying. <i>Langmuir</i> , 2017, 33, 13262-13271.	3.5	28
54	Imaging biomarker roadmap for cancer studies. <i>Nature Reviews Clinical Oncology</i> , 2017, 14, 169-186.	27.6	792

#	ARTICLE	IF	CITATIONS
55	SAT0624â€¦Quantitative 3D imaging of tenosynovitis and bone marrow edema by DCE-MRI is a sensitive measure of response to therapy in rheumatoid arthritis. , 2017, , .		0
56	Oxygen Enhanced Optoacoustic Tomography (OE-OT) Reveals Vascular Dynamics in Murine Models of Prostate Cancer. <i>Theranostics</i> , 2017, 7, 2900-2913.	10.0	83
57	Inter-tumor validation, through advanced MRI and circulating biomarkers, of plasma Tie2 as the vascular response biomarker for bevacizumab.. <i>Journal of Clinical Oncology</i> , 2017, 35, 11521-11521.	1.6	0
58	Evaluation of non-contrast MRI biomarkers in lupus nephritis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 954-958.	0.8	4
59	Biomimetic phantom for cardiac diffusion MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, spcone-spcone.	3.4	1
60	Biomimetic phantom for cardiac diffusion MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 43, 594-600.	3.4	24
61	Preparation and characterization of polycaprolactone microspheres by electrospraying. <i>Aerosol Science and Technology</i> , 2016, 50, 1201-1215.	3.1	29
62	COPD Patients Have Short Lung Magnetic Resonance T1 Relaxation Time. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016, 13, 153-159.	1.6	17
63	Mitotic Activity in Glioblastoma Correlates with Estimated Extravascular Extracellular Space Derived from Dynamic Contrast-Enhanced MR Imaging. <i>American Journal of Neuroradiology</i> , 2016, 37, 811-817.	2.4	23
64	Oxygen-Enhanced MRI Accurately Identifies, Quantifies, and Maps Tumor Hypoxia in Preclinical Cancer Models. <i>Cancer Research</i> , 2016, 76, 787-795.	0.9	133
65	T1-weighted Dynamic Contrast-enhanced MR Imaging of the Lung in Asthma: Semiquantitative Analysis for the Assessment of Contrast Agent Kinetic Characteristics. <i>Radiology</i> , 2016, 278, 906-916.	7.3	8
66	T1 Relaxation Time in Lungs of Asymptomatic Smokers. <i>PLoS ONE</i> , 2016, 11, e0149760.	2.5	8
67	Respiratory tract exacerbations revisited: Ventilation, inflammation, perfusion, and structure (VIPS) monitoring to redefine treatment. <i>Pediatric Pulmonology</i> , 2015, 50, S57-65.	2.0	29
68	Validation of High-Resolution Tractography Against <i>In Vivo</i> Tracing in the Macaque Visual Cortex. <i>Cerebral Cortex</i> , 2015, 25, 4299-4309.	2.9	101
69	Mixed effects modeling of clinical DCE-MRI data: Application to colorectal liver metastases treated with bevacizumab. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 132-141.	3.4	9
70	SAT0601â€¦A Novel, Fully 3-Dimensional Dynamic Contrast MRI Method in the Hand Reveals Details of Synovial Inflammation and Provides a Sensitive Measure of Change. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 879.1-879.	0.9	0
71	Biomimetic phantom for the validation of diffusion magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 299-305.	3.0	57
72	P284â€¦V/Q scanning using oxygen-enhanced Magnetic Resonance Imaging. <i>Thorax</i> , 2015, 70, A221-A221.	5.6	0

#	ARTICLE	IF	CITATIONS
73	Co-electrospun Brain Mimetic Hollow Microfibres Fibres for Diffusion Magnetic Resonance Imaging. <i>Nanoscience and Technology</i> , 2015, , 289-304.	1.5	2
74	MR Quantitative Equilibrium Signal Mapping: A Reliable Alternative to CT in the Assessment of Emphysema in Patients with Chronic Obstructive Pulmonary Disease. <i>Radiology</i> , 2015, 275, 579-588.	7.3	12
75	Production and cross-sectional characterization of aligned co-electrospun hollow microfibrillar bulk assemblies. <i>Materials Characterization</i> , 2015, 109, 25-35.	4.4	24
76	Dynamic oxygen-enhanced magnetic resonance imaging of the lung in asthma—Initial experience. <i>European Journal of Radiology</i> , 2015, 84, 318-326.	2.6	39
77	The grey matter correlates of impaired decision-making in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 530-536.	1.9	30
78	Imaging Intratumor Heterogeneity: Role in Therapy Response, Resistance, and Clinical Outcome. <i>Clinical Cancer Research</i> , 2015, 21, 249-257.	7.0	497
79	Ground Truth for Diffusion MRI in Cancer: A Model-Based Investigation of a Novel Tissue-Mimetic Material. <i>Lecture Notes in Computer Science</i> , 2015, 24, 179-190.	1.3	6
80	Dynamic Contrast-Enhanced Magnetic Resonance Imaging. , 2015, , 1-5.		0
81	Dynamic Contrast-Enhanced Magnetic Resonance Imaging. , 2015, , 1439-1443.		0
82	Secondary Progressive and Relapsing Remitting Multiple Sclerosis Leads to Motor-Related Decreased Anatomical Connectivity. <i>PLoS ONE</i> , 2014, 9, e95540.	2.5	17
83	Measurement of the Curie temperature distribution in FePt granular magnetic media. <i>Applied Physics Letters</i> , 2014, 104, .	3.3	41
84	Diffusion tensor MRI phantom exhibits anomalous diffusion. , 2014, 2014, 746-9.		9
85	Mutual information as a measure of image quality for 3D dynamic lung imaging with EIT. <i>Physiological Measurement</i> , 2014, 35, 863-879.	2.1	23
86	Validation of Tractography. , 2014, , 453-480.		4
87	MRI diffusion tractography study in individuals with schizotypal features: A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2014, 221, 49-57.	1.8	9
88	Noninvasive tumor hypoxia measurement using magnetic resonance imaging in murine U87 glioma xenografts and in patients with glioblastoma. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1854-1862.	3.0	54
89	Voxel-wise quantification of myocardial blood flow with cardiovascular magnetic resonance: effect of variations in methodology and validation with positron emission tomography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 11.	3.3	31
90	Multiparametric cardiovascular magnetic resonance surveillance of acute cardiac allograft rejection and characterisation of transplantation-associated myocardial injury. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, P394.	3.3	1

#	ARTICLE	IF	CITATIONS
91	Voxel-wise quantification of myocardial blood flow with cardiovascular magnetic resonance: effect of variations in methodology and validation with positron emission tomography. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, P352.	3.3	0
92	Multiparametric cardiovascular magnetic resonance assessment of cardiac allograft vasculopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, O3.	3.3	0
93	Feasibility assessment of using oxygen-enhanced magnetic resonance imaging for evaluating the effect of pharmacological treatment in COPD. <i>European Journal of Radiology</i> , 2014, 83, 2093-2101.	2.6	30
94	Multiparametric cardiovascular magnetic resonance surveillance of acute cardiac allograft rejection and characterisation of transplantation-associated myocardial injury: a pilot study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 52.	3.3	51
95	Multiparametric Cardiovascular Magnetic Resonance Assessment of Cardiac Allograft Vasculopathy. <i>Journal of the American College of Cardiology</i> , 2014, 63, 799-808.	2.8	82
96	Indexed distribution analysis for improved significance testing of spatially heterogeneous parameter maps: Application to dynamic contrast-enhanced MRI biomarkers. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 1299-1311.	3.0	6
97	Brain tissue modifications induced by cholinergic therapy in Alzheimer's disease. <i>Human Brain Mapping</i> , 2013, 34, 3158-3167.	3.6	14
98	The CONNECT project: Combining macro- and micro-structure. <i>NeuroImage</i> , 2013, 80, 273-282.	4.2	121
99	A phase 1 trial of intravenous 4-(N-(S-glutathionylacetyl)amino) phenylarsenoxide (GSAO) in patients with advanced solid tumours. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 1343-1352.	2.3	33
100	Comprehensive Validation of Cardiovascular Magnetic Resonance Techniques for the Assessment of Myocardial Extracellular Volume. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 373-383.	2.6	324
101	Anatomical brain connectivity can assess cognitive dysfunction in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2013, 19, 1161-1168.	3.0	33
102	Using in vivo probabilistic tractography to reveal two segregated dorsal "language-cognitive"™ pathways in the human brain. <i>Brain and Language</i> , 2013, 127, 230-240.	1.6	25
103	Response to Letter Regarding Article, "Comprehensive Validation of Cardiovascular Magnetic Resonance Techniques for the Assessment of Myocardial Extracellular Volume". <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, e26-7.	2.6	4
104	Diffusion MRI-based cortical complexity alterations associated with executive function in multiple sclerosis. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 38, 54-63.	3.4	17
105	Effects of grain microstructure on magnetic properties in FePtAg-C media for heat assisted magnetic recording. <i>Journal of Applied Physics</i> , 2013, 113, .	2.5	31
106	R_1 and R_2^* changes in the human placenta in response to maternal oxygen challenge. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1427-1433.	3.0	68
107	083 HISTOLOGICAL VALIDATION OF DYNAMIC-EQUILIBRIUM CARDIOVASCULAR MAGNETIC RESONANCE FOR THE ASSESSMENT OF MYOCARDIAL EXTRACELLULAR VOLUME. <i>Heart</i> , 2013, 99, A51-A52.	2.9	0
108	084 EFFECT OF CONTRAST DOSE, POST-CONTRAST ACQUISITION TIME, MYOCARDIAL REGIONALITY, CARDIAC CYCLE AND GENDER ON DYNAMIC-EQUILIBRIUM CONTRAST CMR MEASUREMENT OF MYOCARDIAL EXTRACELLULAR VOLUME. <i>Heart</i> , 2013, 99, A52.1-A52.	2.9	0

#	ARTICLE	IF	CITATIONS
109	Mutual information as a measure of reconstruction quality in 3D dynamic lung EIT. Journal of Physics: Conference Series, 2013, 434, 012082.	0.4	0
110	DCE-MRI: acquisition and analysis techniques. , 2013, , 58-74.		15
111	Convergent Connectivity and Graded Specialization in the Rostral Human Temporal Lobe as Revealed by Diffusion-Weighted Imaging Probabilistic Tractography. Journal of Cognitive Neuroscience, 2012, 24, 1998-2014.	2.3	194
112	Coaxially Electrospun Axon-Mimicking Fibers for Diffusion Magnetic Resonance Imaging. ACS Applied Materials & Interfaces, 2012, 4, 6311-6316.	8.0	34
113	Dynamic contrast-enhanced MRI in clinical trials of antivasular therapies. Nature Reviews Clinical Oncology, 2012, 9, 167-177.	27.6	318
114	The variation of function across the human insula mirrors its patterns of structural connectivity: Evidence from in vivo probabilistic tractography. NeuroImage, 2012, 59, 3514-3521.	4.2	183
115	Fusion of images obtained from EIT and MRI. Electronics Letters, 2012, 48, 617.	1.0	9
116	Group-averaged anatomical connectivity mapping for improved human white matter pathway visualisation. NMR in Biomedicine, 2012, 25, 1224-1233.	2.8	19
117	Imaging vascular function for early stage clinical trials using dynamic contrast-enhanced magnetic resonance imaging. European Radiology, 2012, 22, 1451-1464.	4.5	138
118	DCE-MRI model selection for investigating disruption of microvascular function in livers with metastatic disease. Journal of Magnetic Resonance Imaging, 2012, 35, 196-203.	3.4	25
119	Axon diameter mapping in the presence of orientation dispersion with diffusion MRI. NeuroImage, 2011, 56, 1301-1315.	4.2	240
120	Anatomical connectivity mapping: A new tool to assess brain disconnection in Alzheimer's disease. NeuroImage, 2011, 54, 2045-2051.	4.2	73
121	A two-part Phase II study of cediranib in patients with advanced solid tumours: the effect of food on single-dose pharmacokinetics and an evaluation of safety, efficacy and imaging pharmacodynamics. Cancer Chemotherapy and Pharmacology, 2011, 68, 631-641.	2.3	22
122	The effect of blood inflow and B_1 field inhomogeneity on measurement of the arterial input function in axial 3D spoiled gradient echo dynamic contrast-enhanced MRI. Magnetic Resonance in Medicine, 2011, 65, 108-119.	3.0	61
123	Comparison of dynamic contrast-enhanced MRI and dynamic contrast-enhanced CT biomarkers in bladder cancer. Magnetic Resonance in Medicine, 2011, 66, 219-226.	3.0	20
124	Jet deposition in near-field electrospinning of patterned polycaprolactone and sugar-polycaprolactone core-shell fibres. Polymer, 2011, 52, 3603-3610.	3.8	68
125	Structural and optical properties of different dielectric thin films for planar waveguiding applications. , 2011, , .		1
126	Brain Hemispheric Structural Efficiency and Interconnectivity Rightward Asymmetry in Human and Nonhuman Primates. Cerebral Cortex, 2011, 21, 56-67.	2.9	171

#	ARTICLE	IF	CITATIONS
127	DCE-MRI biomarkers of tumour heterogeneity predict CRC liver metastasis shrinkage following bevacizumab and FOLFOX-6. <i>British Journal of Cancer</i> , 2011, 105, 139-145.	6.4	123
128	Dynamic Contrast-Enhanced Magnetic Resonance Imaging. , 2011, , 1173-1176.		0
129	The inferior, anterior temporal lobes and semantic memory clarified: Novel evidence from distortion-corrected fMRI. <i>Neuropsychologia</i> , 2010, 48, 1689-1696.	1.6	159
130	Distortion correction for diffusion-weighted MRI tractography and fMRI in the temporal lobes. <i>Human Brain Mapping</i> , 2010, 31, 1570-1587.	3.6	139
131	Multiple-bolus dynamic contrast-enhanced MRI in the pancreas during a glucose challenge. <i>Journal of Magnetic Resonance Imaging</i> , 2010, 32, 622-628.	3.4	11
132	Tracer kinetic analysis of dynamic contrast-enhanced MRI and CT bladder cancer data: A preliminary comparison to assess the magnitude of water exchange effects. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 595-603.	3.0	35
133	Measurement of arterial plasma oxygenation in dynamic oxygen-enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1838-1842.	3.0	16
134	Investigating Regional Pulmonary Compliance In Chronic Obstructive Pulmonary Disease And Healthy Volunteers Using Novel Proton MRI Method. , 2010, , .		0
135	The Ventral and Inferolateral Aspects of the Anterior Temporal Lobe Are Crucial in Semantic Memory: Evidence from a Novel Direct Comparison of Distortion-Corrected fMRI, rTMS, and Semantic Dementia. <i>Cerebral Cortex</i> , 2010, 20, 2728-2738.	2.9	378
136	Identification of early predictive imaging biomarkers and their relationship to serological angiogenic markers in patients with ovarian cancer with residual disease following cytotoxic therapy. <i>Annals of Oncology</i> , 2010, 21, 1982-1989.	1.2	27
137	Candidate Biomarkers of Extravascular Extracellular Space: A Direct Comparison of Apparent Diffusion Coefficient and Dynamic Contrast-Enhanced MR Imaging-Derived Measurement of the Volume of the Extravascular Extracellular Space in Glioblastoma Multiforme. <i>American Journal of Neuroradiology</i> , 2010, 31, 549-553.	2.4	61
138	Enhancing Fraction in Glioma and Its Relationship to the Tumoral Vascular Microenvironment: A Dynamic Contrast-Enhanced MR Imaging Study. <i>American Journal of Neuroradiology</i> , 2010, 31, 726-731.	2.4	26
139	Orientationally invariant indices of axon diameter and density from diffusion MRI. <i>NeuroImage</i> , 2010, 52, 1374-1389.	4.2	629
140	Imaging angiogenesis of genitourinary tumors. <i>Nature Reviews Urology</i> , 2010, 7, 69-82.	3.8	27
141	Probabilistic Fiber Tracking. , 2010, , 396-408.		6
142	Cross-Visit Tumor Sub-segmentation and Registration with Outlier Rejection for Dynamic Contrast-Enhanced MRI Time Series Data. <i>Lecture Notes in Computer Science</i> , 2010, 13, 121-128.	1.3	4
143	Selective inhibition of proliferating endothelial cells: A phase I study of the novel organoarsenical compound GSAO in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2010, 28, TPS167-TPS167.	1.6	0
144	Quantifying Antivascular Effects of Monoclonal Antibodies to Vascular Endothelial Growth Factor: Insights from Imaging. <i>Clinical Cancer Research</i> , 2009, 15, 6674-6682.	7.0	142

#	ARTICLE	IF	CITATIONS
145	Defining Meyer's loop-temporal lobe resections, visual field deficits and diffusion tensor tractography. <i>Brain</i> , 2009, 132, 1656-1668.	7.6	158
146	Using the Model-Based Residual Bootstrap to Quantify Uncertainty in Fiber Orientations From \mathbb{Q} -Ball Analysis. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 535-550.	8.9	42
147	Modeling of contrast agent kinetics in the lung using T_1 -weighted dynamic contrast-enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1507-1514.	3.0	58
148	Comparison of normal tissue R_1 and R_2 modulation by oxygen and carbogen. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 75-83.	3.0	77
149	Comparison of model-based arterial input functions for dynamic contrast-enhanced MRI in tumor bearing rats. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1173-1184.	3.0	84
150	Quantifying spatial heterogeneity in dynamic contrast-enhanced MRI parameter maps. <i>Magnetic Resonance in Medicine</i> , 2009, 62, 488-499.	3.0	123
151	Preliminary Study of Oxygen-Enhanced Longitudinal Relaxation in MRI: A Potential Novel Biomarker of Oxygenation Changes in Solid Tumors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, 1209-1215.	0.8	107
152	Tumour enhancing fraction (EnF) in glioma: relationship to tumour grade. <i>European Radiology</i> , 2009, 19, 1489-1498.	4.5	16
153	Validation of Tractography. , 2009, , 353-375.		13
154	Oxygen-induced changes in longitudinal relaxation times in skeletal muscle. <i>Magnetic Resonance Imaging</i> , 2008, 26, 221-227.	1.8	24
155	Distortion correction for a double inversion-recovery sequence with an echo-planar imaging readout. <i>Magnetic Resonance Imaging</i> , 2008, 26, 943-953.	1.8	3
156	Evidence for Segregated and Integrative Connectivity Patterns in the Human Basal Ganglia. <i>Journal of Neuroscience</i> , 2008, 28, 7143-7152.	3.6	695
157	White matter tracts in first-episode psychosis: A DTI tractography study of the uncinate fasciculus. <i>NeuroImage</i> , 2008, 39, 949-955.	4.2	114
158	Tractography of the parahippocampal gyrus and material specific memory impairment in unilateral temporal lobe epilepsy. <i>NeuroImage</i> , 2008, 40, 1755-1764.	4.2	86
159	Probabilistic fibre tracking: Differentiation of connections from chance events. <i>NeuroImage</i> , 2008, 42, 1329-1339.	4.2	103
160	Quantitative imaging biomarkers in the clinical development of targeted therapeutics: current and future perspectives. <i>Lancet Oncology</i> , The, 2008, 9, 766-776.	10.7	150
161	White matter connections reflect changes in voluntary-guided saccades in pre-symptomatic Huntington's disease. <i>Brain</i> , 2008, 131, 196-204.	7.6	153
162	Combined EEG-fMRI and tractography to visualise propagation of epileptic activity. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 594-597.	1.9	61

#	ARTICLE	IF	CITATIONS
163	Imaging language pathways predicts postoperative naming deficits. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 327-330.	1.9	62
164	Glandular Function in Sjögren Syndrome: Assessment with Dynamic Contrast-enhanced MR Imaging and Tracer Kinetic Modeling—Initial Experience. <i>Radiology</i> , 2008, 246, 845-853.	7.3	27
165	Regularized super-resolution for diffusion MRI. , 2008, , .		9
166	A non-linear registration method for DCE-MRI and DCE-CT comparison in bladder tumors. , 2008, , .		4
167	Pharmacodynamic assessment of the anti-angiogenic and anti-vascular properties of bevacizumab by magnetic resonance imaging in metastatic colorectal carcinoma (CRC). <i>Journal of Clinical Oncology</i> , 2008, 26, 3546-3546.	1.6	0
168	Dynamic Contrast-Enhanced Magnetic Resonance Imaging. , 2008, , 920-923.		0
169	Enhancing Fraction Predicts Clinical Outcome following First-Line Chemotherapy in Patients with Epithelial Ovarian Carcinoma. <i>Clinical Cancer Research</i> , 2007, 13, 6130-6135.	7.0	23
170	Exploiting peak anisotropy for tracking through complex structures. , 2007, , .		31
171	Imaging Tumor Vascular Heterogeneity and Angiogenesis using Dynamic Contrast-Enhanced Magnetic Resonance Imaging. <i>Clinical Cancer Research</i> , 2007, 13, 3449-3459.	7.0	293
172	Phase I Evaluation of a Fully Human Anti- α v Integrin Monoclonal Antibody (CNTO 95) in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2007, 13, 2128-2135.	7.0	136
173	Phase I Evaluation of CDP791, a PEGylated Di-Fab ϵ 2 Conjugate that Binds Vascular Endothelial Growth Factor Receptor 2. <i>Clinical Cancer Research</i> , 2007, 13, 7113-7118.	7.0	69
174	Abnormal brain connectivity in first-episode psychosis: A diffusion MRI tractography study of the corpus callosum. <i>NeuroImage</i> , 2007, 35, 458-466.	4.2	111
175	Abnormalities of language networks in temporal lobe epilepsy. <i>NeuroImage</i> , 2007, 36, 209-221.	4.2	157
176	Diffusion tensor MRI-based estimation of the influence of brain tissue anisotropy on the effects of transcranial magnetic stimulation. <i>NeuroImage</i> , 2007, 36, 1159-1170.	4.2	102
177	Validation of in vitro probabilistic tractography. <i>NeuroImage</i> , 2007, 37, 1267-1277.	4.2	212
178	DCE-MRI biomarkers in the clinical evaluation of antiangiogenic and vascular disrupting agents. <i>British Journal of Cancer</i> , 2007, 96, 189-195.	6.4	467
179	What levels of precision are achievable for quantification of perfusion and capillary permeability surface area product using ASL?. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 281-289.	3.0	34
180	Organ-specific effects of oxygen and carbogen gas inhalation on tissue longitudinal relaxation times. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 490-496.	3.0	75

#	ARTICLE	IF	CITATIONS
181	Tracer kinetic model-driven registration for dynamic contrast-enhanced MRI time-series data. <i>Magnetic Resonance in Medicine</i> , 2007, 58, 1010-1019.	3.0	71
182	Quantifying Heterogeneity in Dynamic Contrast-Enhanced MRI Parameter Maps. , 2007, 10, 376-384.		11
183	Comparison of the Performance of Tracer Kinetic Model-Driven Registration for Dynamic Contrast Enhanced MRI Using Different Models of Contrast Enhancement. <i>Academic Radiology</i> , 2006, 13, 1112-1123.	2.5	43
184	Hemispheric asymmetries in language-related pathways: A combined functional MRI and tractography study. <i>NeuroImage</i> , 2006, 32, 388-399.	4.2	373
185	In vivo diffusion tensor imaging of the human optic nerve: Pilot study in normal controls. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 446-451.	3.0	74
186	Comparison of errors associated with single- and multi-bolus injection protocols in low-temporal-resolution dynamic contrast-enhanced tracer kinetic analysis. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 611-619.	3.0	32
187	Experimentally-derived functional form for a population-averaged high-temporal-resolution arterial input function for dynamic contrast-enhanced MRI. <i>Magnetic Resonance in Medicine</i> , 2006, 56, 993-1000.	3.0	574
188	Comparative study into the robustness of compartmental modeling and model-free analysis in DCE-MRI studies. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 554-563.	3.4	145
189	Non-invasive mapping of corticofugal fibres from multiple motor areas—relevance to stroke recovery. <i>Brain</i> , 2006, 129, 1844-1858.	7.6	218
190	Blockade of Platelet-Derived Growth Factor Receptor-Beta by CDP860, a Humanized, PEGylated di-Fab', Leads to Fluid Accumulation and Is Associated With Increased Tumor Vascularized Volume. <i>Journal of Clinical Oncology</i> , 2005, 23, 973-981.	1.6	167
191	Optic radiation changes after optic neuritis detected by tractography-based group mapping. <i>Human Brain Mapping</i> , 2005, 25, 308-316.	3.6	114
192	Improved quantitative dynamic regional oxygen-enhanced pulmonary imaging using image registration. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 464-469.	3.0	43
193	Probabilistic anatomical connectivity derived from the microscopic persistent angular structure of cerebral tissue. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2005, 360, 893-902.	4.0	312
194	Tracer Kinetic Modelling for T1-Weighted DCE-MRI. , 2005, , 81-92.		41
195	MR tractography predicts visual field defects following temporal lobe resection. <i>Neurology</i> , 2005, 65, 596-599.	1.1	117
196	Lateralization of ventral and dorsal auditory-language pathways in the human brain. <i>NeuroImage</i> , 2005, 24, 656-666.	4.2	458
197	Tracer Kinetic Model-Driven Registration for Dynamic Contrast Enhanced MRI Time Series. <i>Lecture Notes in Computer Science</i> , 2005, 8, 91-98.	1.3	11
198	Measuring Contrast Agent Concentration in T1-Weighted Dynamic Contrast-Enhanced MRI. , 2005, , 69-79.		40

#	ARTICLE	IF	CITATIONS
199	Is volume transfer coefficient (K(trans)) related to histologic grade in human gliomas?. American Journal of Neuroradiology, 2005, 26, 2455-65.	2.4	109
200	Comparative study of methods for determining vascular permeability and blood volume in human gliomas. Journal of Magnetic Resonance Imaging, 2004, 20, 748-757.	3.4	90
201	Analysis of MR diffusion weighted images. British Journal of Radiology, 2004, 77, S176-S185.	2.2	46
202	Prostate Cancer: Evaluation of Vascular Characteristics with Dynamic Contrast-enhanced T1-weighted MR Imaging—Initial Experience. Radiology, 2004, 233, 709-715.	7.3	204
203	Characterizing function—structure relationships in the human visual system with functional MRI and diffusion tensor imaging. NeuroImage, 2004, 21, 1452-1463.	4.2	149
204	Noninvasive in vivo demonstration of the connections of the human parahippocampal gyrus. NeuroImage, 2004, 22, 740-747.	4.2	116
205	Improved Regional Analysis of Oxygen-Enhanced Lung MR Imaging Using Image Registration. Lecture Notes in Computer Science, 2004, , 862-869.	1.3	0
206	A framework for a streamline-based probabilistic index of connectivity (PICO) using a structural interpretation of MRI diffusion measurements. Journal of Magnetic Resonance Imaging, 2003, 18, 242-254.	3.4	482
207	Application of a B-spline active surface technique to the measurement of cervical cord volume in multiple sclerosis from three-dimensional MR images. Journal of Magnetic Resonance Imaging, 2003, 18, 368-371.	3.4	23
208	From diffusion tractography to quantitative white matter tract measures: a reproducibility study. NeuroImage, 2003, 18, 348-359.	4.2	219
209	Combined functional MRI and tractography to demonstrate the connectivity of the human primary motor cortex in vivo. NeuroImage, 2003, 19, 1349-1360.	4.2	319
210	Diffusion tractography based group mapping of major white-matter pathways in the human brain. NeuroImage, 2003, 19, 1545-1555.	4.2	116
211	The longitudinal relation between brain lesion load and atrophy in multiple sclerosis: a 14 year follow up study. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1551-1554.	1.9	81
212	Probabilistic Monte Carlo Based Mapping of Cerebral Connections Utilising Whole-Brain Crossing Fibre Information. Lecture Notes in Computer Science, 2003, 18, 684-695.	1.3	174
213	Three-dimensional modeling of perpendicular reading with a soft underlayer. Journal of Applied Physics, 2002, 91, 8366.	2.5	22
214	T1 histograms of normal-appearing brain tissue are abnormal in early relapsing-remitting multiple sclerosis. Multiple Sclerosis Journal, 2002, 8, 211-216.	3.0	36
215	Quantitative 1H MRS imaging 14 years after presenting with a clinically isolated syndrome suggestive of multiple sclerosis. Multiple Sclerosis Journal, 2002, 8, 207-210.	3.0	62
216	Measurement of atrophy in multiple sclerosis: pathological basis, methodological aspects and clinical relevance. Brain, 2002, 125, 1676-1695.	7.6	534

#	ARTICLE	IF	CITATIONS
217	Brain atrophy in clinically early relapsingâremitting multiple sclerosis. <i>Brain</i> , 2002, 125, 327-337.	7.6	417
218	Estimating distributed anatomical connectivity using fast marching methods and diffusion tensor imaging. <i>IEEE Transactions on Medical Imaging</i> , 2002, 21, 505-512.	8.9	270
219	Initial Demonstration of in Vivo Tracing of Axonal Projections in the Macaque Brain and Comparison with the Human Brain Using Diffusion Tensor Imaging and Fast Marching Tractography. <i>NeuroImage</i> , 2002, 15, 797-809.	4.2	171
220	Investigating Cervical Spinal Cord Structure Using Axial Diffusion Tensor Imaging. <i>NeuroImage</i> , 2002, 16, 93-102.	4.2	240
221	Exploring white matter tracts in band heterotopia using diffusion tractography. <i>Annals of Neurology</i> , 2002, 52, 327-334.	5.3	55
222	Reproducibility of in vivo metabolite quantification with proton magnetic resonance spectroscopic imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 219-225.	3.4	43
223	The reproducibility and sensitivity of brain tissue volume measurements derived from an SPMâbased segmentation methodology. <i>Journal of Magnetic Resonance Imaging</i> , 2002, 15, 259-267.	3.4	136
224	ADC mapping of the human optic nerve: Increased resolution, coverage, and reliability with CSF-suppressed ZOOM-EPI. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 24-31.	3.0	129
225	MRI measurement of blood-brain barrier permeability following spontaneous reperfusion in the starch microsphere model of ischemia. <i>Magnetic Resonance Imaging</i> , 2002, 20, 221-230.	1.8	44
226	The relationship between lesion and normal appearing brain tissue abnormalities in early relapsing remitting multiple sclerosis. <i>Journal of Neurology</i> , 2002, 249, 193-199.	3.6	64
227	In vivo tracing of anatomical fibre tracts in the Macaque monkey brain by diffusion tensor imaging (DTI). <i>NeuroImage</i> , 2001, 13, 258.	4.2	1
228	Preliminary evidence for neuronal damage in cortical grey matter and normal appearing white matter in short duration relapsing-remitting multiple sclerosis: a quantitative MR spectroscopic imaging study. <i>Journal of Neurology</i> , 2001, 248, 131-138.	3.6	136
229	Accurate multislice gradient echoT1 measurement in the presence of non-ideal RF pulse shape and RF field nonuniformity. <i>Magnetic Resonance in Medicine</i> , 2001, 45, 838-845.	3.0	101
230	Effects of Androgen Deprivation on Prostatic Morphology and Vascular Permeability Evaluated with MR Imaging. <i>Radiology</i> , 2001, 218, 365-374.	7.3	143
231	Distributed Anatomical Brain Connectivity Derived from Diffusion Tensor Imaging. <i>Lecture Notes in Computer Science</i> , 2001, , 106-120.	1.3	16
232	Nonlinear smoothing for reduction of systematic and random errors in diffusion tensor imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2000, 11, 702-710.	3.4	116
233	A 1H magnetic resonance spectroscopy study of aging in parietal white matter: implications for trials in multiple sclerosis. <i>Magnetic Resonance Imaging</i> , 2000, 18, 455-459.	1.8	71
234	Magnetic resonance imaging screening in women at genetic risk of breast cancer: imaging and analysis protocol for the UK multicentre study. <i>Magnetic Resonance Imaging</i> , 2000, 18, 765-776.	1.8	104

#	ARTICLE	IF	CITATIONS
235	Improving image quality and T1 measurements using saturation recovery turboFLASH with an approximate K-space normalisation filter. <i>Magnetic Resonance Imaging</i> , 2000, 18, 157-167.	1.8	40
236	In vivo ¹ H-magnetic resonance spectroscopy of the spinal cord in humans. <i>Neuroradiology</i> , 2000, 42, 515-517.	2.2	41
237	Diffusion tensor imaging demonstrates deviation of fibres in normal appearing white matter adjacent to a brain tumour. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 501-503.	1.9	116
238	Dynamic Contrast Enhanced MRI of Prostate Cancer: Correlation with Morphology and Tumour Stage, Histological Grade and PSA. <i>Clinical Radiology</i> , 2000, 55, 99-109.	1.1	320
239	Variations in T1 and T2 relaxation times of normal appearing white matter and lesions in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2000, 178, 81-87.	0.6	114
240	MTR and T1 provide complementary information in MS NAWM, but not in lesions. <i>Multiple Sclerosis Journal</i> , 2000, 6, 327-331.	3.0	1
241	Wallerian Degeneration in the Optic Radiation After Temporal Lobectomy Demonstrated In Vivo with Diffusion Tensor Imaging. <i>Epilepsia</i> , 1999, 40, 1155-1158.	5.1	49
242	¹ H Magnetic resonance spectroscopy of normal appearing white matter in primary progressive multiple sclerosis. <i>Journal of Neurology</i> , 1999, 246, 1023-1026.	3.6	130
243	Short echo time single-voxel ¹ H magnetic resonance spectroscopy in magnetic resonance imaging-negative temporal lobe epilepsy: Different biochemical profile compared with hippocampal sclerosis. <i>Annals of Neurology</i> , 1999, 45, 369-376.	5.3	131
244	Estimating kinetic parameters from dynamic contrast-enhanced t1-weighted MRI of a diffusable tracer: Standardized quantities and symbols. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 10, 223-232.	3.4	2,856
245	A Direct Demonstration of both Structure and Function in the Visual System: Combining Diffusion Tensor Imaging with Functional Magnetic Resonance Imaging. <i>NeuroImage</i> , 1999, 9, 352-361.	4.2	84
246	Proton MR spectroscopy in clinically isolated syndromes suggestive of multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 1999, 166, 16-22.	0.6	90
247	Pharmacokinetic Analysis of Neoplasms Using Contrast-enhanced Dynamic Magnetic Resonance Imaging. <i>Topics in Magnetic Resonance Imaging</i> , 1999, 10, 130-142.	1.2	50
248	Nonlinear Smoothing of MR Images Using Approximate Entropy $\hat{\epsilon}$ A Local Measure of Signal Intensity Irregularity. <i>Lecture Notes in Computer Science</i> , 1999, , 484-489.	1.3	4
249	Spinal cord atrophy and disability in MS. <i>Neurology</i> , 1998, 51, 234-238.	1.1	217
250	The structural and functional mechanisms of motor recovery: complementary use of diffusion tensor and functional magnetic resonance imaging in a traumatic injury of the internal capsule. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 65, 863-869.	1.9	110
251	Probing tumor microvasculature by measurement, analysis and display of contrast agent uptake kinetics. <i>Journal of Magnetic Resonance Imaging</i> , 1997, 7, 564-574.	3.4	191
252	A level sets approach to determining brain region connectivity. , 0, , .		2

#	ARTICLE	IF	CITATIONS
253	Detection and classification of MS using magnetisation transfer ratio images. , 0, , .		0
254	T1-W DCE-MRI:T1-Weighted Dynamic Contrast-Enhanced MRI. , 0, , 341-364.		24
255	Volume and Atrophy. , 0, , 533-558.		2
256	MR perfusion imaging in oncology: applications outside the brain. , 0, , 238-254.		0
257	Estimating kinetic parameters from dynamic contrast-enhanced t1-weighted MRI of a diffusable tracer: Standardized quantities and symbols. , 0, .		11