
## **Ã**~ivind Midttun

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8587688/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | A prospective study of pre-diagnostic circulating tryptophan and kynurenine, and the kynurenine/tryptophan ratio and risk of glioma. Cancer Epidemiology, 2022, 76, 102075.   | 1.9 | 5         |
| 2  | Creatinine, total cysteine and uric acid are associated with serum retinol in patients with cardiovascular disease. European Journal of Nutrition, 2020, 59, 2383-2393.   | 3.9 | 10        |
| 3  | Plasma kynurenines and prognosis in patients with heart failure. PLoS ONE, 2020, 15, e0227365.  | 2.5 | 31        |
| 4  | Urinary Cotinine Is as Good a Biomarker as Serum Cotinine for Cigarette Smoking Exposure and Lung<br>Cancer Risk Prediction. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 127-132.  | 2.5 | 23        |
| 5  | Circulating Folate, Vitamin B6, and Methionine in Relation to Lung Cancer Risk in the Lung Cancer<br>Cohort Consortium (LC3). Journal of the National Cancer Institute, 2018, 110, 57-67.   | 6.3 | 40        |
| 6  | Fibrinogen and Neopterin Is Associated with Future Myocardial Infarction and Total Mortality in Patients with Stable Coronary Artery Disease. Thrombosis and Haemostasis, 2018, 47, 778-790.  | 3.4 | 16        |
| 7  | The risk association of plasma total homocysteine with acute myocardial infarction is modified by serum vitamin A. European Journal of Preventive Cardiology, 2018, 25, 1612-1620.  | 1.8 | 9         |
| 8  | Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). International Journal of Epidemiology, 2018, 47, 1760-1771.  | 1.9 | 15        |
| 9  | Cardiovascular disease risk associated with serum apolipoprotein B is modified by serum vitamin A.<br>Atherosclerosis, 2017, 265, 325-330.  | 0.8 | 12        |
| 10 | Inflammation, vitamin B6 and related pathways. Molecular Aspects of Medicine, 2017, 53, 10-27.  | 6.4 | 228       |
| 11 | Combined Measurement of 6 Fat-Soluble Vitamins and 26 Water-Soluble Functional Vitamin Markers<br>and Amino Acids in 50 μL of Serum or Plasma by High-Throughput Mass Spectrometry. Analytical<br>Chemistry, 2016, 88, 10427-10436.         | 6.5 | 92        |
| 12 | Plasma Biomarkers of Inflammation, the Kynurenine Pathway, and Risks of All-Cause, Cancer, and<br>Cardiovascular Disease Mortality. American Journal of Epidemiology, 2016, 183, 249-258.   | 3.4 | 126       |
| 13 | Associations of Plasma Kynurenines With Risk of Acute Myocardial Infarction in Patients With Stable<br>Angina Pectoris. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 455-462.  | 2.4 | 133       |
| 14 | A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk.<br>Journal of the National Cancer Institute, 2015, 107, .   | 6.3 | 17        |
| 15 | Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and<br>Survival. Journal of the National Cancer Institute, 2014, 106, .   | 6.3 | 23        |
| 16 | Interferonâ€Î³â€"induced inflammatory markers and the risk of cancer: The Hordaland Health Study.<br>Cancer, 2014, 120, 3370-3377.  | 4.1 | 31        |
| 17 | Evidence for increased catabolism of vitamin B-6 during systemic inflammation. American Journal of<br>Clinical Nutrition, 2014, 100, 250-255.   | 4.7 | 87        |
| 18 | Vitamins B <sub>2</sub> and B <sub>6</sub> as determinants of kynurenines and related markers of interferon-γ-mediated immune activation in the community-based Hordaland Health Study. British Journal of Nutrition, 2014, 112, 1065-1072. | 2.3 | 54        |

Ã~ivind Midttun

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Most Blood Biomarkers Related to Vitamin Status, One-Carbon Metabolism, and the Kynurenine<br>Pathway Show Adequate Preanalytical Stability and Within-Person Reproducibility to Allow<br>Assessment of Exposure or Nutritional Status in Healthy Women and Cardiovascular Patients. Journal<br>of Nutrition, 2014, 144, 784-790. | 2.9 | 79        |
| 20 | High-throughput, low-volume, multianalyte quantification of plasma metabolites related to<br>one-carbon metabolism using HPLC-MS/MS. Analytical and Bioanalytical Chemistry, 2013, 405, 2009-2017.  | 3.7 | 118       |
| 21 | Evaluating iron status and the risk of anemia in young infants using erythrocyte parameters. Pediatric<br>Research, 2013, 73, 214-220.  | 2.3 | 30        |
| 22 | Substrate product ratios of enzymes in the kynurenine pathway measured in plasma as indicators of functional vitamin B-6 status. American Journal of Clinical Nutrition, 2013, 98, 934-940.   | 4.7 | 64        |
| 23 | Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. International Journal of Cancer, 2012, 131, 997-1002.  | 5.1 | 10        |
| 24 | Determination of vitamins A, D and E in a small volume of human plasma by a highâ€ŧhroughput method<br>based on liquid chromatography/tandem mass spectrometry. Rapid Communications in Mass<br>Spectrometry, 2011, 25, 1942-1948.  | 1.5 | 63        |
| 25 | Quantitative profiling of biomarkers related to Bâ€vitamin status, tryptophan metabolism and<br>inflammation in human plasma by liquid chromatography/tandem mass spectrometry. Rapid<br>Communications in Mass Spectrometry, 2009, 23, 1371-1379.  | 1.5 | 285       |