

Susan E Yount

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8588994/publications.pdf>

Version: 2024-02-01

51
papers

6,294
citations

318942

23
h-index

232693

48
g-index

52
all docs

52
docs citations

52
times ranked

9100
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Effects of patient-reported outcome assessment order. <i>Clinical Trials</i> , 2022, 19, 307-315. | 0.7 | 2 |
| 2 | Development of the Functional Assessment of Cancer Therapy-Carcinoid Syndrome Symptom Index. <i>Neuroendocrinology</i> , 2021, 111, 850-862. | 1.2 | 4 |
| 3 | The PROMIS [®] -Plus-Osteoarthritis of the Knee (OAK) profile measure integrates generic and condition-specific content to enhance relevance and efficiency. <i>Journal of Clinical Epidemiology</i> , 2021, 135, 158-169. | 2.4 | 1 |
| 4 | Optimizing brief, focused assessment of priority symptoms and concerns in recurrent and/or metastatic squamous cell carcinoma of the head and neck: Content validation of the Functional Assessment of Cancer Therapy/National Comprehensive Cancer Network Head and Neck Symptom Index [®] (FHNSI [®]). <i>Health Science Reports</i> , 2021, 4, e401. | 0.6 | 2 |
| 5 | Financial burden and quality of life among thyroid cancer survivors. <i>Surgery</i> , 2020, 167, 631-637. | 1.0 | 50 |
| 6 | Patient preferences and quality of life implications of ravulizumab (every 8 weeks) and eculizumab (every 2 weeks) for the treatment of paroxysmal nocturnal hemoglobinuria. <i>PLoS ONE</i> , 2020, 15, e0237497. | 1.1 | 21 |
| 7 | Validation of the Functional Assessment of Cancer Therapy [®] Leukemia instrument in patients with acute myeloid leukemia who are not candidates for intensive therapy. <i>Cancer</i> , 2020, 126, 3542-3551. | 2.0 | 6 |
| 8 | <p>Assessing Preferences for Rare Disease Treatment: Qualitative Development of the Paroxysmal Nocturnal Hemoglobinuria Patient Preference Questionnaire (PNH-PPQ [®])</p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 705-715. | 0.8 | 5 |
| 9 | FACT physical wellbeing to independently predict overall survival in patients with acute myeloid leukemia.. <i>Journal of Clinical Oncology</i> , 2020, 38, 7532-7532. | 0.8 | 0 |
| 10 | Psychological Functioning in Patients With Chronic Obstructive Pulmonary Disease: A Preliminary Study of Relations With Smoking Status and Disease Impact. <i>Nicotine and Tobacco Research</i> , 2019, 21, 686-690. | 1.4 | 11 |
| 11 | Establishing clinically-relevant terms and severity thresholds for Patient-Reported Outcomes Measurement Information System [®] (PROMIS [®]) measures of physical function, cognitive function, and sleep disturbance in people with cancer using standard setting. <i>Quality of Life Research</i> , 2019, 28, 3355-3362. | 1.5 | 40 |
| 12 | PROMIS [®] Adult Health Profiles: Efficient Short-Form Measures of Seven Health Domains. <i>Value in Health</i> , 2019, 22, 537-544. | 0.1 | 335 |
| 13 | Development and Initial Validation of the PROMIS [®] -Plus-HF Profile Measure. <i>Circulation: Heart Failure</i> , 2019, 12, e005751. | 1.6 | 17 |
| 14 | Post-thyroidectomy neck appearance and impact on quality of life in thyroid cancer survivors. <i>Surgery</i> , 2019, 165, 1217-1221. | 1.0 | 38 |
| 15 | Clinical factors associated with worse quality-of-life scores in United States thyroid cancer survivors. <i>Surgery</i> , 2019, 166, 69-74. | 1.0 | 60 |
| 16 | Assessment of Self-Management Treatment Needs Among COPD Helpline Callers. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 82-88. | 0.7 | 5 |
| 17 | PROMIS [®] : Standardizing the patient voice in health psychology research and practice.. <i>Health Psychology</i> , 2019, 38, 343-346. | 1.3 | 19 |
| 18 | Responsiveness of PROMIS [®] to change in chronic obstructive pulmonary disease. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 65. | 0.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | MON-558 Radioiodine Is Not Associated with Quality of Life Outcomes in Early Stage Thyroid Cancer Survivors, a Matched-Pair Analysis.. Journal of the Endocrine Society, 2019, 3, . | 0.1 | 0 |
| 20 | Serum adipokine levels and associations with patient-reported fatigue in systemic lupus erythematosus. Rheumatology International, 2018, 38, 1053-1061. | 1.5 | 9 |
| 21 | A method to create a standardized generic and condition-specific patient-reported outcome measure for patient care and healthcare improvement. Quality of Life Research, 2018, 27, 367-378. | 1.5 | 19 |
| 22 | Health-related quality of life in MEN1 patients compared with other chronic conditions and the United States general population. Surgery, 2018, 163, 205-211. | 1.0 | 23 |
| 23 | Benchmarking health-related quality of life in thyroid cancer versus other cancers and United States normative data. Surgery, 2018, 164, 986-992. | 1.0 | 47 |
| 24 | Quality of life in multiple endocrine neoplasia type 2A compared with normative and disease populations. Surgery, 2018, 164, 546-552. | 1.0 | 11 |
| 25 | Optimizing brief, focused symptom assessment in recurrent or metastatic squamous cell carcinoma of the head and neck (SCCHN): The FHNSI-10.. Journal of Clinical Oncology, 2018, 36, e18743-e18743. | 0.8 | 1 |
| 26 | Disease and treatment factors associated with lower quality of life scores in adults with multiple endocrine neoplasia type I. Surgery, 2017, 162, 1270-1277. | 1.0 | 21 |
| 27 | Financial burden is associated with worse health-related quality of life in adults with multiple endocrine neoplasia type I. Surgery, 2017, 162, 1278-1285. | 1.0 | 17 |
| 28 | Patient-Reported Outcomes in Systemic Lupus Erythematosus. Rheumatic Disease Clinics of North America, 2016, 42, 253-263. | 0.8 | 49 |
| 29 | Health-Related Quality of Life in Patients with Idiopathic Pulmonary Fibrosis. Lung, 2016, 194, 227-234. | 1.4 | 82 |
| 30 | Clinical validity of PROMIS Depression, Anxiety, and Anger across diverse clinical samples. Journal of Clinical Epidemiology, 2016, 73, 119-127. | 2.4 | 323 |
| 31 | A patient-centered symptom monitoring and reporting system for children and young adults with cancer (SyMon-SAYS). Pediatric Blood and Cancer, 2015, 62, 1813-1818. | 0.8 | 22 |
| 32 | Development and validation of the functional assessment of cancer therapyâ€“antiangiogenesis subscale. Cancer Medicine, 2015, 4, 690-698. | 1.3 | 11 |
| 33 | Correlation of PROMIS scales and clinical measures among chronic obstructive pulmonary disease patients with and without exacerbations. Quality of Life Research, 2015, 24, 999-1009. | 1.5 | 20 |
| 34 | A Randomized Trial of Weekly Symptom Telemonitoring in Advanced Lung Cancer. Journal of Pain and Symptom Management, 2014, 47, 973-989. | 0.6 | 64 |
| 35 | Development and validation of the functional assessment of cancer therapy: Antiangiogenesis (FACT-AntiA).. Journal of Clinical Oncology, 2013, 31, e20527-e20527. | 0.8 | 0 |
| 36 | A Brief Symptom Index for Advanced Lung Cancer. Clinical Lung Cancer, 2012, 13, 14-23. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Development of a Conceptual Framework and Calibrated Item Banks to Measure Patient-Reported Dyspnea Severity and Related Functional Limitations. <i>Value in Health</i> , 2011, 14, 291-306. | 0.1 | 33 |
| 38 | Brief, Valid Measures of Dyspnea and Related Functional Limitations in Chronic Obstructive Pulmonary Disease (COPD). <i>Value in Health</i> , 2011, 14, 307-315. | 0.1 | 29 |
| 39 | Development and Validation of 11 Symptom Indexes to Evaluate Response to Chemotherapy for Advanced Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2011, 9, 268-278. | 2.3 | 40 |
| 40 | The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005-2008. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1179-1194. | 2.4 | 3,521 |
| 41 | Relative to the general US population, chronic diseases are associated with poorer health-related quality of life as measured by the Patient-Reported Outcomes Measurement Information System (PROMIS). <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1195-1204. | 2.4 | 299 |
| 42 | A Conceptual Model of the Experience of Dyspnea and Functional Limitations in Chronic Obstructive Pulmonary Disease. <i>Value in Health</i> , 2009, 12, 1018-1025. | 0.1 | 37 |
| 43 | Evaluation of Item Candidates. <i>Medical Care</i> , 2007, 45, S12-S21. | 1.1 | 632 |
| 44 | Validation of the Functional Assessment of Cancer Therapy-Lung Symptom Index-12 (FLSI-12). <i>Lung Cancer</i> , 2007, 57, 339-347. | 0.9 | 17 |
| 45 | A randomized validation study comparing embedded versus extracted FACT Head and Neck Symptom Index scores. <i>Quality of Life Research</i> , 2007, 16, 1615-1626. | 1.5 | 24 |
| 46 | An innovative symptom monitoring tool for people with advanced lung cancer: a pilot demonstration. <i>The Journal of Supportive Oncology</i> , 2007, 5, 381-7. | 2.3 | 22 |
| 47 | Development and validation of the Functional Assessment of Cancer Therapy-Kidney Symptom Index (FKSI). <i>The Journal of Supportive Oncology</i> , 2006, 4, 191-9. | 2.3 | 65 |
| 48 | Brief assessment of priority symptoms in hormone refractory prostate cancer: the FACT Advanced Prostate Symptom Index (FAPSI). <i>Health and Quality of Life Outcomes</i> , 2003, 1, 69. | 1.0 | 26 |
| 49 | What Are the Most Important Symptom Targets When Treating Advanced Cancer? A Survey of Providers in the National Comprehensive Cancer Network (NCCN). <i>Cancer Investigation</i> , 2003, 21, 526-535. | 0.6 | 94 |
| 50 | Methods and progress in assessing the quality of life effects of supportive care with erythropoietin therapy. <i>Current Opinion in Hematology</i> , 2002, 9, 234-240. | 1.2 | 6 |
| 51 | Assessment of Patient-Reported Clinical Outcome in Pancreatic and Other Hepatobiliary Cancers. <i>Journal of Pain and Symptom Management</i> , 2002, 24, 32-44. | 0.6 | 80 |