

Kenneth G Furton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8589512/publications.pdf>

Version: 2024-02-01

218
papers

6,642
citations

57719

44
h-index

95218

68
g-index

228
all docs

228
docs citations

228
times ranked

3821
citing authors

#	ARTICLE	IF	CITATIONS
1	The scientific foundation and efficacy of the use of canines as chemical detectors for explosives. <i>Talanta</i> , 2001, 54, 487-500.	2.9	382
2	Comparison of the Volatile Organic Compounds Present in Human Odor Using Spme-GC/MS. <i>Journal of Chemical Ecology</i> , 2005, 31, 1607-1619.	0.9	235
3	Laboratory and field experiments used to identify <i>Canis lupus var. familiaris</i> active odor signature chemicals from drugs, explosives, and humans. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 376, 1212-1224.	1.9	177
4	Identification of dominant odor chemicals emanating from explosives for use in developing optimal training aid combinations and mimics for canine detection. <i>Talanta</i> , 2005, 67, 313-327.	2.9	169
5	Innovations in sol-gel microextraction phases for solvent-free sample preparation in analytical chemistry. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 45, 197-218.	5.8	161
6	Organic salts, liquid at room temperature, as mobile phases in liquid chromatography. <i>Journal of Chromatography A</i> , 1986, 352, 407-425.	1.8	147
7	Efficient analysis of selected estrogens using fabric phase sorptive extraction and high performance liquid chromatography-fluorescence detection. <i>Journal of Chromatography A</i> , 2014, 1359, 16-25.	1.8	135
8	Solid phase microextraction ion mobility spectrometer interface for explosive and taggant detection. <i>Journal of Separation Science</i> , 2005, 28, 177-183.	1.3	103
9	The frequency of occurrence and discriminatory power of compounds found in human scent across a population determined by SPME-GC/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 846, 86-97.	1.2	102
10	Fabric Phase Sorptive Extraction Explained. <i>Separations</i> , 2017, 4, 21.	1.1	95
11	Fabric phase sorptive extraction for the fast isolation of sulfonamides residues from raw milk followed by high performance liquid chromatography with ultraviolet detection. <i>Food Chemistry</i> , 2016, 196, 428-436.	4.2	91
12	Fast extraction of amphenicols residues from raw milk using novel fabric phase sorptive extraction followed by high-performance liquid chromatography-diode array detection. <i>Analytica Chimica Acta</i> , 2015, 855, 41-50.	2.6	88
13	Characterization of background and pyrolysis products that may interfere with the forensic analysis of fire debris. <i>Journal of Analytical and Applied Pyrolysis</i> , 2004, 71, 51-67.	2.6	86
14	The Differentiation of the Volatile Organic Signatures of Individuals Through SPME-GC/MS of Characteristic Human Scent Compounds. <i>Journal of Forensic Sciences</i> , 2010, 55, 50-57.	0.9	82
15	Fabric phase sorptive extraction: A new sorptive microextraction technique for the determination of non-steroidal anti-inflammatory drugs from environmental water samples. <i>Analytica Chimica Acta</i> , 2015, 865, 22-30.	2.6	82
16	Collection and identification of human remains volatiles by non-contact, dynamic airflow sampling and SPME-GC/MS using various sorbent materials. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 1295-1307.	1.9	81
17	Stir fabric phase sorptive extraction for the determination of triazine herbicides in environmental waters by liquid chromatography. <i>Journal of Chromatography A</i> , 2015, 1376, 35-45.	1.8	81
18	Development of headspace SPME method for analysis of volatile organic compounds present in human biological specimens. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 1817-1826.	1.9	72

#	ARTICLE	IF	CITATIONS
19	The Evaluation of Human Hand Odor Volatiles on Various Textiles: A Comparison Between Contact and Noncontact Sampling Methods*. Journal of Forensic Sciences, 2011, 56, 866-881.	0.9	69
20	A fabric phase sorptive extraction-High performance liquid chromatography-Photo diode array detection method for the determination of twelve azole antimicrobial drug residues in human plasma and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1040, 192-198.	1.2	69
21	Ambiguities in the determination of McReynolds stationary phase constants. Journal of Chromatography A, 1987, 411, 43-59.	1.8	67
22	Matrix molecularly imprinted mesoporous sol-gel sorbent for efficient solid-phase extraction of chloramphenicol from milk. Analytica Chimica Acta, 2016, 914, 62-74.	2.6	66
23	FPSE-HPLC-DAD method for the quantification of anticancer drugs in human whole blood, plasma, and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1095, 204-213.	1.2	65
24	Liquid Organic Salt Phases for Gas Chromatography. Journal of Chromatographic Science, 1986, 24, 400-409.	0.7	64
25	Comparison of the Volatile Organic Compounds from Different Biological Specimens for Profiling Potential*. Journal of Forensic Sciences, 2013, 58, 29-39.	0.9	64
26	Determining the critical micelle concentration of aqueous surfactant solutions: Using a novel colorimetric method. Journal of Chemical Education, 1993, 70, 254.	1.1	61
27	Determination of androgens and progestogens in environmental and biological samples using fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry. Journal of Chromatography A, 2016, 1437, 116-126.	1.8	58
28	Fabric phase sorptive extraction followed by UHPLC-MS/MS for the analysis of benzotriazole UV stabilizers in sewage samples. Analytical and Bioanalytical Chemistry, 2015, 407, 8137-8150.	1.9	57
29	FPSE-HPLC-PDA analysis of seven paraben residues in human whole blood, plasma, and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1125, 121707.	1.2	57
30	Determination of methylmercury in fish and aqueous samples using solid-phase microextraction followed by gas chromatography-atomic fluorescence spectrometry. Applied Organometallic Chemistry, 1998, 12, 565-569.	1.7	55
31	Fabric phase sorptive extraction-high performance liquid chromatography-photo diode array detection method for simultaneous monitoring of three inflammatory bowel disease treatment drugs in whole blood, plasma and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1084, 53-63.	1.2	55
32	An FPSE-HPLC-PDA method for rapid determination of solar UV filters in human whole blood, plasma and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1118-1119, 40-50.	1.2	55
33	Simplifying sample preparation using fabric phase sorptive extraction technique for the determination of benzodiazepines in blood serum by high-performance liquid chromatography. Biomedical Chromatography, 2016, 30, 829-836.	0.8	53
34	Thermodynamic characteristics of solute-solvent interactions in liquid organic salt solvents, studied by gas chromatography. Journal of Chromatography A, 1987, 399, 47-67.	1.8	52
35	Fabric phase sorptive extraction of selected penicillin antibiotic residues from intact milk followed by high performance liquid chromatography with diode array detection. Food Chemistry, 2017, 224, 131-138.	4.2	52
36	Rapid monitoring of residual UV-stabilizers in seawater samples from beaches using fabric phase sorptive extraction and UHPLC-MS/MS. Chemosphere, 2016, 164, 201-207.	4.2	50

#	ARTICLE	IF	CITATIONS
37	Synthesis and gas chromatographic stationary phase properties of alkylammonium thiocyanates. <i>Journal of Chromatography A</i> , 1986, 356, 59-77.	1.8	49
38	Gas chromatography positive chemical ionization and tandem mass spectrometry for the analysis of organic high explosives. <i>Talanta</i> , 2005, 67, 430-436.	2.9	49
39	Canine human scent identifications with post-blast debris collected from improvised explosive devices. <i>Forensic Science International</i> , 2010, 199, 103-108.	1.3	49
40	Identification of Odor Signature Chemicals in Cocaine Using Solid-Phase Microextraction-Gas Chromatography and Detector-Dog Response to Isolated Compounds Spiked on U.S. Paper Currency. <i>Journal of Chromatographic Science</i> , 2002, 40, 147-155.	0.7	48
41	Comparative study of different fabric phase sorptive extraction sorbents to determine emerging contaminants from environmental water using liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2015, 144, 1342-1351.	2.9	46
42	Fabric-Phase Sorptive Membrane Array As a Noninvasive <i>In Vivo</i> Sampling Device For Human Exposure To Different Compounds. <i>Analytical Chemistry</i> , 2021, 93, 1957-1961.	3.2	46
43	A Novel Method for the Analysis of Gasoline from Fire Debris Using Headspace Solid-Phase Microextraction. <i>Journal of Forensic Sciences</i> , 1996, 41, 12-22.	0.9	46
44	A simple, inexpensive, rapid, sensitive and solventless technique for the analysis of accelerants in fire debris based on SPME. <i>Journal of High Resolution Chromatography</i> , 1995, 18, 625-629.	2.0	44
45	Dynamic fabric phase sorptive extraction for a group of pharmaceuticals and personal care products from environmental waters. <i>Journal of Chromatography A</i> , 2016, 1456, 19-26.	1.8	44
46	Simultaneous determination of selected estrogenic endocrine disrupting chemicals and bisphenol A residues in whole milk using fabric phase sorptive extraction coupled to HPLC-UV detection and LC-MS/MS. <i>Journal of Separation Science</i> , 2019, 42, 598-608.	1.3	44
47	Fabric phase sorptive extraction for the isolation of five common antidepressants from human urine prior to HPLC-DAD analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1118-1119, 171-179.	1.2	43
48	Fabric Phase Sorptive Extraction: Current State of the Art and Future Perspectives. <i>Separations</i> , 2018, 5, 40.	1.1	42
49	Optimization of Solid-Phase Microextraction (SPME) for the Recovery of Explosives from Aqueous and Post-Explosion Debris Followed by Gas and Liquid Chromatographic Analysis. <i>Journal of Forensic Sciences</i> , 2000, 45, 857-864.	0.9	42
50	An improved fabric phase sorptive extraction method for the determination of five selected antidepressant drug residues in human blood serum prior to high performance liquid chromatography with diode array detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1125, 121720.	1.2	41
51	Trends in techniques for the extraction of drugs and pesticides from biological specimens prior to chromatographic separation and detection. <i>Analytica Chimica Acta</i> , 1990, 236, 99-114.	2.6	40
52	Factors governing the analytical supercritical fluid extraction and supercritical fluid chromatographic retention of polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 1991, 545, 149-160.	1.8	39
53	Advances in the use of odour as forensic evidence through optimizing and standardizing instruments and canines. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140262.	1.8	39
54	Solute-solvent interactions in liquid alkylammonium 4-toluenesulfonate salts studied by gas chromatography. <i>Analytical Chemistry</i> , 1987, 59, 1170-1176.	3.2	38

#	ARTICLE	IF	CITATIONS
55	The recovery of accelerants in aqueous samples from fire debris using solid-phase microextraction (SPME). <i>Science and Justice - Journal of the Forensic Science Society</i> , 1996, 36, 283-287.	1.3	38
56	Creation of training aids for human remains detection canines utilizing a non-contact, dynamic airflow volatile concentration technique. <i>Forensic Science International</i> , 2012, 217, 32-38.	1.3	38
57	The Stability of Collected Human Scent Under Various Environmental Conditions*. <i>Journal of Forensic Sciences</i> , 2009, 54, 1270-1277.	0.9	37
58	Applicability of emanating volatile organic compounds from various forensic specimens for individual differentiation. <i>Forensic Science International</i> , 2013, 226, 173-182.	1.3	37
59	Fabric phase sorptive extraction combined with high-performance-liquid chromatography-photodiode array analysis for the determination of seven parabens in human breast tissues: Application to cancerous and non-cancerous samples. <i>Journal of Chromatography A</i> , 2020, 1630, 461530.	1.8	37
60	Witness memory and alcohol: The effects of state-dependent recall.. <i>Law and Human Behavior</i> , 2017, 41, 202-215.	0.6	37
61	Recent advances in the analysis of polycyclic aromatic hydrocarbons and fullerenes. <i>Journal of Chromatography A</i> , 1993, 642, 33-45.	1.8	36
62	Evaluation of selected sorbent materials for the collection of volatile organic compounds related to human scent using non-contact sampling mode. <i>Forensic Science International</i> , 2011, 209, 133-142.	1.3	36
63	Recent advances in micro-sample preparation with forensic applications. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 45, 264-279.	5.8	36
64	One-pot synthesis of a multi-template molecularly imprinted polymer for the extraction of six sulfonamide residues from milk before high-performance liquid chromatography with diode array detection. <i>Journal of Separation Science</i> , 2018, 41, 723-731.	1.3	36
65	Rapid determination of uranium on solid matrices by synergistic in situ chelation supercritical fluid extraction and UV absorption spectroscopy. <i>Analytica Chimica Acta</i> , 1995, 304, 203-208.	2.6	35
66	Fabric fiber sorbent extraction for on-line toxic metal determination by atomic absorption spectrometry: Determination of lead and cadmium in energy and soft drinks. <i>Microchemical Journal</i> , 2018, 137, 285-291.	2.3	35
67	Determination of methyl-and ethylmercury compounds using gas chromatography atomic fluorescence spectrometry following aqueous derivatization with sodium tetraphenylborate. <i>Chromatographia</i> , 2000, 52, 82-86.	0.7	34
68	Application of fabric phase sorptive extraction with gas chromatography and mass spectrometry for the determination of organophosphorus pesticides in selected vegetable samples. <i>Journal of Separation Science</i> , 2019, 42, 862-870.	1.3	34
69	Synthesis and application of molecularly imprinted polymers using sol-gel matrix imprinting technology for the efficient solid-phase extraction of BPA from water. <i>Microchemical Journal</i> , 2020, 157, 104965.	2.3	33
70	Comparison of extraction methods for the removal of volatile organic compounds (VOCs) present in sorbents used for human scent evidence collection. <i>Analytical Methods</i> , 2010, 2, 470.	1.3	32
71	Development of a fabric phase sorptive extraction with high-performance liquid chromatography and ultraviolet detection method for the analysis of alkyl phenols in environmental samples. <i>Journal of Separation Science</i> , 2015, 38, 3228-3238.	1.3	32
72	African elephants (<i>Loxodonta africana</i>) can detect TNT using olfaction: Implications for biosensor application. <i>Applied Animal Behaviour Science</i> , 2015, 171, 177-183.	0.8	32

#	ARTICLE	IF	CITATIONS
73	Mixed-mode fabric phase sorptive extraction of multiple tetracycline residues from milk samples prior to high performance liquid chromatography-ultraviolet analysis. <i>Microchemical Journal</i> , 2020, 159, 105437.	2.3	32
74	Novel capsule phase microextraction in combination with high performance liquid chromatography with diode array detection for rapid monitoring of sulfonamide drugs in milk. <i>Journal of Separation Science</i> , 2019, 42, 1440-1450.	1.3	31
75	Application of a fabric phase sorptive extraction-high performance liquid chromatography-photodiode array detection method for the trace determination of methyl paraben, propyl paraben and butyl paraben in cosmetic and environmental samples. <i>Analytical Methods</i> , 2019, 11, 6136-6145.	1.3	31
76	An Improved Interface for Coupling Solid-Phase Microextraction (SPME) to High Performance Liquid Chromatography (HPLC) Applied to the Analysis of Explosives. <i>Journal of High Resolution Chromatography</i> , 1999, 22, 279-282.	2.0	30
77	Designing a moderately hydrophobic sol-gel monolithic Carbowax 20 μ m sorbent for the capsule phase microextraction of triazine herbicides from water samples prior to HPLC analysis. <i>Talanta</i> , 2021, 234, 122710.	2.9	30
78	The Detection and Analysis of Ignitable Liquid Residues Extracted from Human Skin Using SPME/GC. <i>Journal of Forensic Sciences</i> , 2000, 45, 453-461.	0.9	30
79	Detection of piperonal emitted from polymer controlled odor mimic permeation systems utilizing <i>Canis familiaris</i> and solid phase microextraction-ion mobility spectrometry. <i>Forensic Science International</i> , 2010, 195, 132-138.	1.3	29
80	Fabric phase sorptive extraction for simultaneous observation of four penicillin antibiotics from human blood serum prior to high performance liquid chromatography and photo-diode array detection. <i>Microchemical Journal</i> , 2019, 149, 103964.	2.3	29
81	Separation and determination of aromatic acids in natural water with preconcentration by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1998, 817, 145-152.	1.8	28
82	Integrated sampling and analysis unit for the determination of sexual pheromones in environmental air using fabric phase sorptive extraction and headspace-gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2017, 1488, 17-25.	1.8	27
83	A Novel Protocol to Monitor Trace Levels of Selected Polycyclic Aromatic Hydrocarbons in Environmental Water Using Fabric Phase Sorptive Extraction Followed by High Performance Liquid Chromatography-Fluorescence Detection. <i>Separations</i> , 2017, 4, 22.	1.1	27
84	Rapid Monitoring of Organochlorine Pesticide Residues in Various Fruit Juices and Water Samples Using Fabric Phase Sorptive Extraction and Gas Chromatography-Mass Spectrometry. <i>Molecules</i> , 2019, 24, 1013.	1.7	26
85	Evaluating the Relationship Between Postmortem and Antemortem Morphine and Codeine Concentrations in Whole Blood. <i>Journal of Analytical Toxicology</i> , 2010, 34, 491-497.	1.7	25
86	Trace determination of parabens in cosmetics and personal care products using fabric phase sorptive extraction and high performance liquid chromatography with UV detection. <i>Journal of Separation Science</i> , 2020, 43, 2626-2635.	1.3	25
87	An improved fabric phase sorptive extraction protocol for the determination of seven parabens in human urine by HPLC-DAD. <i>Biomedical Chromatography</i> , 2021, 35, e4974.	0.8	24
88	Innovative Configurations of Sample Preparation Techniques Applied in Bioanalytical Chemistry: A Review. <i>Current Analytical Chemistry</i> , 2019, 15, 731-744.	0.6	24
89	Exploiting the capsule phase microextraction features in bioanalysis: Extraction of ibuprofen from urine samples. <i>Microchemical Journal</i> , 2022, 172, 106934.	2.3	24
90	Hydrocarbon speciation in ancient sediments studied by stepwise high-temperature supercritical carbon dioxide extraction. <i>Organic Geochemistry</i> , 1997, 26, 59-65.	0.9	23

#	ARTICLE	IF	CITATIONS
91	Optimization and application of fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry for the determination of cytostatic drug residues in environmental waters. <i>Journal of Chromatography A</i> , 2017, 1529, 39-49.	1.8	23
92	What Educational Background Do Crime Laboratory Directors Require from Applicants?. <i>Journal of Forensic Sciences</i> , 1999, 44, 128-132.	0.9	23
93	Variation in the gas chromatographic stationary phase properties of tetra-n-butylammonium salts as a function of the anion type. <i>Journal of Chromatography A</i> , 1985, 349, 235-247.	1.8	22
94	Preliminary accuracy of COVID-19 odor detection by canines and HS-SPME-GC-MS using exhaled breath samples. <i>Forensic Science International (Online)</i> , 2021, 3, 100155.	0.6	22
95	Variables Influencing the Direct Determination of Haloacetic Acids in Water by Reversed-Phase Ion-Pair Chromatography with Indirect UV Detection. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1994, 17, 4405-4429.	0.9	21
96	High temperature supercritical carbon dioxide extractions of geological samples: effects and contributions from the sample matrix. <i>Applied Geochemistry</i> , 2000, 15, 79-89.	1.4	21
97	Sol-gel-graphene-based fabric phase sorptive extraction for cow and human breast milk sample cleanup for screening bisphenol A and residual dental restorative material before analysis by HPLC with diode array detection. <i>Journal of Separation Science</i> , 2017, 40, 2612-2619.	1.3	21
98	Determination of cobalt(II), nickel(II) and palladium(II) ions via fabric phase sorptive extraction in combination with high-performance liquid chromatography-UV detection. <i>Separation Science and Technology</i> , 2017, 52, 81-90.	1.3	21
99	Fast fabric phase sorptive extraction of selected β -blockers from human serum and urine followed by UHPLC-ESI-MS/MS analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 199, 114053.	1.4	21
100	Determination of Benzene and Toluene in Gasoline by Gas Chromatography Using a Liquid Organic Salt Column. <i>Journal of Chromatographic Science</i> , 1988, 26, 67-73.	0.7	20
101	Evaluation of field sampling techniques including electronic noses and a dynamic headspace sampler for use in fire investigations. <i>Sensors and Actuators B: Chemical</i> , 2006, 116, 121-129.	4.0	20
102	Novel capsule phase microextraction in combination with liquid chromatography-tandem mass spectrometry for determining personal care products in environmental water. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 2991-3001.	1.9	20
103	Magnet integrated fabric phase sorptive extraction of selected endocrine disrupting chemicals from human urine followed by high-performance liquid chromatography photodiode array analysis. <i>Journal of Chromatography A</i> , 2021, 1654, 462459.	1.8	20
104	Trends in forensic science education: expansion and increased accountability. <i>Analytical and Bioanalytical Chemistry</i> , 2003, 376, 1156-1159.	1.9	19
105	Kinetic, product, and computational studies of the ultrasonic induced degradation of 4-methylcyclohexanemethanol (MCHM). <i>Water Research</i> , 2017, 126, 164-171.	5.3	19
106	Selective monitoring of acidic and basic compounds in environmental water by capsule phase microextraction using sol-gel mixed-mode sorbents followed by liquid chromatography-mass spectrometry in tandem. <i>Journal of Chromatography A</i> , 2020, 1625, 461295.	1.8	19
107	Gas chromatographic stationary phase properties of two room-temperature liquid organic salts. <i>Analytica Chimica Acta</i> , 1987, 192, 49-61.	2.6	18
108	Biological Detection of Explosives. , 2007, , 395-431.		18

#	ARTICLE	IF	CITATIONS
109	Novel MIPs-Parabens based SPE Stationary Phases Characterization and Application. <i>Molecules</i> , 2019, 24, 3334.	1.7	18
110	Bisphenol A migration to alcoholic and non-alcoholic beverages – An improved molecular imprinted solid phase extraction method prior to detection with HPLC-DAD. <i>Microchemical Journal</i> , 2021, 162, 105846.	2.3	18
111	Novel Applications of Microextraction Techniques Focused on Biological and Forensic Analyses. <i>Separations</i> , 2022, 9, 18.	1.1	18
112	The quantitative effect of microextractor cell geometry on the analytical supercritical fluid extraction efficiencies of environmentally important compounds. <i>Chromatographia</i> , 1991, 31, 297-299.	0.7	17
113	Fabric phase sorptive extraction/GC-MS method for rapid determination of broad polarity spectrum multi-class emerging pollutants in various aqueous samples. <i>Journal of Separation Science</i> , 2019, 42, 2407-2417.	1.3	17
114	Generalization and Discrimination of Molecularly Similar Odorants in Detection Canines and the Influence of Training. <i>Behavioural Processes</i> , 2020, 177, 104148.	0.5	17
115	Differentiation of Toxic Molds via Headspace SPME-GC/MS and Canine Detection. <i>Sensors</i> , 2007, 7, 1496-1508.	2.1	16
116	Determination of VOC marker combinations for the classification of individuals by gender and race/ethnicity. <i>Forensic Science International</i> , 2017, 270, 193-199.	1.3	16
117	Comparison between Exhaustive and Equilibrium Extraction Using Different SPE Sorbents and Sol-Gel Carbowax 20M Coated FPSE Media. <i>Molecules</i> , 2019, 24, 382.	1.7	16
118	Determination of adhesive acrylates in recycled polyethylene terephthalate by fabric phase sorptive extraction coupled to ultra performance liquid chromatography - mass spectrometry. <i>Journal of Chromatography A</i> , 2019, 1602, 56-63.	1.8	16
119	The impact of alcohol intoxication on witness suggestibility immediately and after a delay. <i>Applied Cognitive Psychology</i> , 2019, 33, 358-369.	0.9	16
120	Development of highly hydrophobic fabric phase sorptive extraction membranes and exploring their applications for the rapid determination of tocopherols in edible oils analyzed by high pressure liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 2022, 1664, 462785.	1.8	16
121	Magnet integrated fabric phase sorptive extraction as a stand-alone extraction device for the monitoring of benzoyl urea insecticides in water samples by HPLC-DAD. <i>Journal of Chromatography A</i> , 2022, 1672, 463026.	1.8	16
122	Effect of anion chain length on the solvent properties of liquid tetrabutylammonium alkylsulfonate salts studied by gas-liquid chromatography. <i>Analytica Chimica Acta</i> , 1991, 246, 171-179.	2.6	15
123	Variables affecting the supercritical fluid extraction of analytes from octadecylsilane solid-phase sorbents. <i>Journal of Chromatography A</i> , 1993, 629, 3-9.	1.8	15
124	High-temperature supercritical fluid extraction of hydrocarbons from geological samples and comparison to Soxhlet extraction. <i>Journal of High Resolution Chromatography</i> , 1994, 17, 679-681.	2.0	15
125	An assessment of detection canine alerts using flowers that release methyl benzoate, the cocaine odorant, and an evaluation of their behavior in terms of the VOCs produced. <i>Forensic Science International</i> , 2015, 251, 107-114.	1.3	15
126	Determination of Polycyclic Aromatic Hydrocarbons in Nutritional Supplements by Fabric Phase Sorptive Extraction (FPSE) with High-Performance Liquid Chromatography (HPLC) with Fluorescence Detection. <i>Analytical Letters</i> , 2021, 54, 1683-1696.	1.0	15

#	ARTICLE	IF	CITATIONS
127	Correlation of solute retention in gas chromatography with properties of the anion for tetra-n-butylammonium salts. <i>Analytica Chimica Acta</i> , 1987, 192, 255-265.	2.6	14
128	Effect of microextractor cell geometry on supercritical fluid extraction recoveries and correlations with supercritical fluid chromatographic data. <i>Analytica Chimica Acta</i> , 1991, 248, 263-270.	2.6	14
129	The dependence of sorbent/analyte type on observed differences in supercritical fluid extraction efficiencies employing extraction vessels of different dimensions. <i>Chromatographia</i> , 1992, 34, 185-187.	0.7	14
130	On the Definition and Measurement of Human Scent: Response by Curran et al.. <i>Journal of Chemical Ecology</i> , 2006, 32, 1617-1623.	0.9	14
131	Agri-dogs: Using Canines for Earlier Detection of Laurel Wilt Disease Affecting Avocado Trees in South Florida. <i>HortTechnology</i> , 2018, 28, 109-116.	0.5	14
132	Fabric phase sorptive extraction for the determination of 17 multiclass fungicides in environmental water by gas chromatography-tandem mass spectrometry. <i>Journal of Separation Science</i> , 2020, 43, 1817-1829.	1.3	14
133	Automated Solid Phase Extraction of Cd(II), Co(II), Cu(II) and Pb(II) Coupled with Flame Atomic Absorption Spectrometry Utilizing a New Sol-Gel Functionalized Silica Sorbent. <i>Separations</i> , 2021, 8, 100.	1.1	14
134	Capsule phase microextraction of selected polycyclic aromatic hydrocarbons from water samples prior to their determination by gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2021, 166, 106210.	2.3	14
135	Expanding the applicability of magnet integrated fabric phase sorptive extraction in food analysis: Extraction of triazine herbicides from herbal infusion samples. <i>Microchemical Journal</i> , 2022, 179, 107524.	2.3	14
136	An investigation into the concurrent collection of human scent and epithelial skin cells using a non-contact sampling device. <i>Forensic Science International</i> , 2016, 266, 148-159.	1.3	13
137	On-Line Fabric Disk Sorptive Extraction via a Flow Preconcentration Platform Coupled with Atomic Absorption Spectrometry for the Determination of Essential and Toxic Elements in Biological Samples. <i>Separations</i> , 2018, 5, 34.	1.1	13
138	A green molecular imprinted solid-phase extraction protocol for bisphenol A monitoring with HPLC-UV to guarantee the quality and safety of walnuts under different storage conditions. <i>Journal of Separation Science</i> , 2021, 44, 1633-1640.	1.3	13
139	Determination of Intact Parabens in the Human Plasma of Cancer and Non-Cancer Patients Using a Validated Fabric Phase Sorptive Extraction Reversed-Phase Liquid Chromatography Method with UV Detection. <i>Molecules</i> , 2021, 26, 1526.	1.7	13
140	Exploring sol-gel zwitterionic fabric phase sorptive extraction sorbent as a new multi-mode platform for the extraction and preconcentration of triazine herbicides from juice samples. <i>Food Chemistry</i> , 2022, 373, 131517.	4.2	13
141	Variation in the Supercritical Fluid Extraction of Polychlorinated Biphenyls as a Function of Sorbent Type, Extraction Cell Dimensions, and Fluid Flow Rate. <i>Journal of Chromatographic Science</i> , 1993, 31, 201-206.	0.7	12
142	Extraction and Analysis of Polysaccharides, Chiral Amino Acids, and Sfe-Extractable Lipids from Marine POM. <i>Geophysical Monograph Series</i> , 0, , 151-161.	0.1	12
143	Alcohol Intoxication and Metamemory: Little Evidence that Moderate Intoxication Impairs Metacognitive Monitoring Processes. <i>Applied Cognitive Psychology</i> , 2017, 31, 573-585.	0.9	12
144	A Method for Controlled Odor Delivery in Olfactory Field-Testing. <i>Chemical Senses</i> , 2019, 44, 399-408.	1.1	12

#	ARTICLE	IF	CITATIONS
145	Comparison between Human Scent Compounds Collected on Cotton and Cotton Blend Materials for SPME-GC/MS Analysis. <i>Journal of Forensics Research</i> , 2010, 01, .	0.1	12
146	Combination of fabric phase sorptive extraction with UHPLC-ESI-MS/MS for the determination of adamantane analogues in human urine. <i>Microchemical Journal</i> , 2022, 176, 107250.	2.3	12
147	An Evaluation of Scent-discriminating Canines for Rapid Response to Agricultural Diseases. <i>HortTechnology</i> , 2018, 28, 102-108.	0.5	11
148	A Randomized Cross-Over Trial Comparing the Effect of Intramuscular Versus Intranasal Naloxone Reversal of Intravenous Fentanyl on Odor Detection in Working Dogs. <i>Animals</i> , 2019, 9, 385.	1.0	11
149	Development of sol-gel phenyl/methyl/poly (dimethylsiloxane) sorbent coating for fabric phase sorptive extraction and its application in monitoring human exposure to selected polycyclic aromatic hydrocarbons using high performance liquid chromatography-fluorescence detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1163, 122520.	1.2	11
150	A fabric phase sorptive extraction method for the LC-UV determination of bisphenol A and leaching monomers from dental materials in human saliva. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022, 1188, 123073.	1.2	11
151	Direct Rapid Determination of Trace Aluminum in Various Water Samples with Quercetin by Reverse Phase High-Performance Liquid Chromatography Based on Fabric Phase Sorptive Extraction Technique. <i>Journal of Chromatographic Science</i> , 2018, 56, 452-460.	0.7	10
152	The Equine Volatilome: Volatile Organic Compounds as Discriminatory Markers. <i>Journal of Equine Veterinary Science</i> , 2018, 62, 47-53.	0.4	10
153	<title>Variables controlling the recovery of ignitable liquid residues from simulated fire debris samples using solid-phase microextraction/gas chromatography</title>. , 1999, , .		9
154	Availability of Target Odor Compounds from Seized Ecstasy Tablets for Canine Detection* ,â€. <i>Journal of Forensic Sciences</i> , 2011, 56, 1594-1600.	0.9	9
155	Development of an analytical methodology based on fabric phase sorptive extraction followed by gas chromatography-tandem mass spectrometry to determine UV filters in environmental and recreational waters. <i>Analytica Chimica Acta: X</i> , 2020, 4, 100038.	2.8	9
156	Identification of volatile components in the headspace of pharmaceutical-grade fentanyl. <i>Forensic Chemistry</i> , 2021, 24, 100331.	1.7	9
157	In situ synthesis of monolithic sol-gel polyethylene glycol-based sorbent encapsulated in porous polypropylene microextraction capsules and its application for selective extraction of antifungal and anthelmintic drugs from human urine. <i>Microchemical Journal</i> , 2022, 180, 107594.	2.3	9
158	<title>Novel sample preparation methods and field testing procedures used to determine the chemical basis of cocaine detection by canines</title>. , 1997, , .		8
159	Discrimination of smokeless powders by headspace SPME-GC-MS and SPME-GC-ECD, and the potential implications upon training canine detection of explosives. , 2005, 5778, 638.		8
160	Chemotyping the temporal volatile organic compounds of an invasive fungus to the United States, <i>Raffaelea lauricola</i> . <i>Journal of Chromatography A</i> , 2017, 1487, 72-76.	1.8	8
161	Human Scent Evidence. , 0, , .		8
162	A Novel Glass Fiber Coated with Sol-gel Poly-Diphenylsiloxane Sorbent for the On-Line Determination of Toxic Metals Using Flow Injection Column Preconcentration Platform Coupled with Flame Atomic Absorption Spectrometry. <i>Molecules</i> , 2021, 26, 9.	1.7	8

#	ARTICLE	IF	CITATIONS
163	Determination of synthetic opioids in oral fluid samples using fabric phase sorptive extraction and gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2022, 1663, 462768.	1.8	8
164	An automatic on-line sol-gel pyridylethylthiopropyl functionalized silica-based sorbent extraction system coupled to flame atomic absorption spectrometry for lead and copper determination in beer samples. <i>Food Chemistry</i> , 2022, 394, 133548.	4.2	8
165	Temperature effects on supercritical carbon dioxide extractions of hydrocarbons from geological samples. <i>Journal of High Resolution Chromatography</i> , 1997, 20, 586-590.	2.0	7
166	Chemical and canine analysis as complimentary techniques for the identification of active odors of the invasive fungus, <i>Raffaelea lauricola</i> . <i>Talanta</i> , 2017, 168, 320-328.	2.9	7
167	Multiplicity of human scent signature. <i>Egyptian Journal of Forensic Sciences</i> , 2019, 9, .	0.4	7
168	The Ability of Narcotic Detection Canines to Detect Illegal Synthetic Cathinones (Bath Salts). <i>Frontiers in Veterinary Science</i> , 2019, 6, 98.	0.9	7
169	Multi-Element Analysis Based on an Automated On-Line Microcolumn Separation/Preconcentration System Using a Novel Sol-Gel Thiocyanatopropyl-Functionalized Silica Sorbent Prior to ICP-AES for Environmental Water Samples. <i>Molecules</i> , 2021, 26, 4461.	1.7	7
170	The influence of intra-personal variations in human hand odor on the determination of sample donor. <i>Forensic Science International</i> , 2022, 334, 111235.	1.3	7
171	Potential ambiguities in the use of mcReynolds constants: Apparent differences in stationary phase selectivities exclusively attributable to the hydrocarbon index standards. <i>Journal of High Resolution Chromatography</i> , 1991, 14, 62-64.	2.0	6
172	The gas-liquid chromatographic stationary phase properties of liquid organic salts: Anomalous selectivity variation when employing the Rohrschneider/McReynolds system. <i>Talanta</i> , 1993, 40, 1541-1549.	2.9	6
173	Application of a SPME-IMS detection system for explosives detection. , 2005, , .		6
174	Fabric phase sorptive extraction. , 2020, , 355-386.		6
175	Relative Recoveries of Hydrocarbons from Geological Samples Using High Temperature Supercritical Fluid Extraction: Contributions from Thermal Desorption. <i>Journal of High Resolution Chromatography</i> , 1999, 22, 623-627.	2.0	5
176	<title>Field recovery of explosive residues using solid-phase microextraction followed by chromatographic analysis</title>. , 1999, , .		5
177	Optimization of biological and instrumental detection of explosives and ignitable liquid residues including canines, SPME/ITMS and GC/MSn. , 2003, 5071, 183.		5
178	Trace elemental analysis of glass and paint samples of forensic interest by ICP-MS using laser ablation solid sample introduction. , 2003, 5071, 193.		5
179	Applications of gas chromatography in forensic science. , 2021, , 745-791.		5
180	Fan-based device for integrated air sampling and microextraction. <i>Talanta</i> , 2021, 230, 122290.	2.9	5

#	ARTICLE	IF	CITATIONS
181	Development of a capsule phase microextraction methodology for the selective determination of coumarin in foodstuff analyzed by HPLC-DAD. <i>Advances in Sample Preparation</i> , 2022, 3, 100026.	1.1	5
182	Fast atom bombardment mass spectra of some alkylammonium 4-toluenesulfonate salts. <i>Organic Mass Spectrometry</i> , 1987, 22, 210-211.	1.3	4
183	Fast atom bombardment mass spectra of some tetra-n-butylammonium salts. <i>Organic Mass Spectrometry</i> , 1987, 22, 377-378.	1.3	4
184	Stability constants of hydracid-tributyl phosphate complexes in alkane solution: hydrochloric acid and hydrogen cyanide. <i>Journal of Chromatography A</i> , 1989, 468, 73-89.	1.8	4
185	Stability constants of hydrazoic acid-tributyl phosphate complexes in hexadecane solution. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1990, 86, 3561-3565.	1.7	4
186	Relative Effect of Experimental Variables. <i>ACS Symposium Series</i> , 1992, , 237-250.	0.5	4
187	Birds and Dogs: Toward a Comparative Perspective on Odor Use and Detection. <i>Frontiers in Veterinary Science</i> , 2018, 5, 188.	0.9	4
188	Fabric Phase Sorptive Extraction of Selected Steroid Hormone Residues in Commercial Raw Milk Followed by Ultra-High-Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Foods</i> , 2021, 10, 343.	1.9	4
189	Explosives detection by dogs. , 2022, , 47-75.		4
190	<title>Field and laboratory comparison of the sensitivity and reliability of cocaine detection on currency using chemical sensors, humans, K-9s, and SPME/GC/MS/MS analysis</title>. , 1999, 3576, 41.		3
191	On the importance of training aids and the definition of an explosive odor signature: Commentary on Kranz et al.. <i>Forensic Science International</i> , 2015, 251, e18-e19.	1.3	3
192	Comparison of dried matrix spots and fabric phase sorptive extraction methods for quantification of highly potent analgesic activity agent (2R,4aR,7R,8aR)-4,7-dimethyl-2-(thiophen-2-yl)octahydro-2H-chromen-4-ol in rat whole blood and plasma using LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1132, 121813.	1.2	3
193	Odor Biometrics. , 2009, , 1009-1014.		3
194	Development of sol-gel silica-based mixed-mode zwitterionic sorbents for determining drugs in environmental water samples. <i>Journal of Chromatography A</i> , 2022, 1676, 463237.	1.8	3
195	Research and development topics in Analytical Chemistry. Chromatographic study of the complexation of hydrogen chloride and hydrogen cyanide with tributyl phosphate in hexadecane. <i>Analytical Proceedings</i> , 1990, 27, 42.	0.4	2
196	<title>Analysis of drugs in human tissues by supercritical fluid extraction/immunoassay</title>. , 1997, 2941, 19.		2
197	Human scent as a biometric measurement. , 2005, 5779, 398.		2
198	Fabric phase sorptive extraction combined with high-performance liquid chromatography-photodiode array detection for the determination of tazarotene in gel dosage forms. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 200, 114075.	1.4	2

#	ARTICLE	IF	CITATIONS
199	Odor Biometrics. , 2015, , 1178-1183.		2
200	Fabric Phase Sorptive Extraction for the Determination of Anthracyclines in Sewage. Separations, 2022, 9, 69.	1.1	2
201	A monolithic capsule phase microextraction method combined with HPLC-DAD for the monitoring of benzoyl urea insecticides in apple juice samples. Microchemical Journal, 2022, 181, 107768.	2.3	2
202	A sensual separation science experiment: Solvent extraction and chromatographic separation of menthol utilizing various consumer products. Journal of Chemical Education, 1991, 68, 946.	1.1	1
203	Polarity and selectivity of ionic stationary phases used in gas chromatography: Evaluation of commercial detergents containing anionic surfactants as column packings. Journal of Chemical Education, 1991, 68, 74.	1.1	1
204	Determination of liquid-liquid partition data for hydrazoic acid between tributylphosphate-alkane/nitric acid solutions using gas-liquid chromatography. Journal of Radioanalytical and Nuclear Chemistry, 1999, 242, 663-669.	0.7	1
205	<title>Association of glass fragments by their trace elemental content using ICP-MS and LA-ICP-MS in the analysis scheme</title>. , 2002, , .		1
206	Chapter 27 New developments in sampling and sample preparation for forensic analysis. Comprehensive Analytical Chemistry, 2002, 37, 919-938.	0.7	1
207	Applications of Gas Chromatography in Forensic Science. , 2012, , 563-604.		1
208	Controlled Odor Mimic Permeation Systems for Olfactory Training and Field Testing. Journal of Visualized Experiments, 2021, , .	0.2	1
209	An Improved Interface for Coupling Solid-Phase Microextraction (SPME) to High Performance Liquid Chromatography (HPLC) Applied to the Analysis of Explosives. Journal of High Resolution Chromatography, 1999, 22, 279-282.	2.0	1
210	Detection of Ignitable Liquid Residues in Fire Scenes. Forensic Science Techniques, 2004, , .	0.0	1
211	Forensic and Toxicology Applications. , 1999, , 203-216.		1
212	All you want to know about chromatography. TrAC - Trends in Analytical Chemistry, 1993, 12, 38.	5.8	0
213	<title>Statistical significance of trace evidence matches using independent physicochemical measurements</title>. , 1997, 2941, 24.		0
214	<title>Elemental analysis of forensic glasses by inductively coupled plasma mass spectrometry</title>. , 1999, , .		0
215	Selectivity. , 2009, , .		0
216	Forensic Sampling and Sample Preparation. RSC Detection Science, 2019, , 7-35.	0.0	0

#	ARTICLE	IF	CITATIONS
217	Fabric phase sorptive extraction combined with gas chromatography-mass spectrometry as an innovative analytical technique for the determination of selected polycyclic aromatic hydrocarbons in herbal infusions and tea samples. RSC Advances, 2022, 12, 7149-7156.	1.7	0
218	Measuring Odor Transport of Narcotic Substances Using DART-MS. Forensic Sciences, 2022, 2, 262-271.	0.8	0